

CONTENTS

PART I

PRELIMINARY SURVEY

	<i>page</i>
1. INTRODUCTION TO ELECTRON PARAMAGNETIC RESONANCE	
1.1. Electronic and nuclear magnetic dipole moments	1
1.2. Hyperfine structure in a free atom or ion	5
1.3. Magnetic resonance	9
1.4. Effective spin and anisotropy	10
1.5. 'Initial splittings' or 'fine structure'	16
1.6. Magnetic hyperfine structure	25
1.7. Hyperfine structure including nuclear electric quadrupole interaction	31
1.8. A simple example	33
1.9. Transition group ions and ligand fields	39
1.10. Spin-spin interaction	52
1.11. Spin-lattice interaction	60
1.12. Dynamic nuclear orientation	74
1.13. Endor	87
1.14. Experimental aspects	92

PART II

GENERAL SURVEY

2. THE RESONANCE PHENOMENON	
2.1. Use of rotating coordinates	95
2.2. Magnetic resonance	96
2.3. Quantum-mechanical analysis	98
2.4. Magnetic resonance in aggregated systems	102
2.5. Adiabatic rapid passage	104
2.6. Relaxation effects	108
2.7. Radio-frequency pulses and spin-echoes	113
2.8. Solution of the macroscopic equations for slow passage	115
2.9. Intensity and line width	119
2.10. Spectrometer sensitivity	125
3. THE SPIN HAMILTONIAN AND THE SPECTRUM	
3.1. The spin Hamiltonian	133
3.2. The effect of anisotropy in the g -factor	135
3.3. Multipole fine structure	139
3.4. Fine structure in cubic fields ($S = \frac{5}{2}, \frac{7}{2}$)	142
3.5. Electronic 'quadrupole' fine structure ($S = 1, \frac{3}{2}$)	151
3.6. Electronic 'quadrupole' fine structure in a strong magnetic field	156
3.7. Hyperfine structure I—introductory remarks	163

3.8. Hyperfine structure II—strong external field	167	7.6. Magnetic hyperfine interaction	406
3.9. Hyperfine structure III—nuclear electric quadrupole interaction	178	7.7. Nuclear electric quadrupole and nuclear Zeeman interaction	414
3.10. 'Forbidden' hyperfine transitions	186	7.8. $3d^1$. Ti^{3+} in an octahedral field. 2D , $L = 2$, $S = \frac{1}{2}$	417
3.11. Ligand hyperfine structure	192	7.9. $3d^2$. V^{3+} , Cr^{4+} in an octahedral field. 3F , $L = 3$, $S = 1$	426
3.12. The spectrum of a powder	200	7.10. $3d^3$. V^{2+} , Cr^{3+} , Mn^{4+} in an octahedral field. 4F , $L = 3$, $S = \frac{3}{2}$	430
3.13. Effects of crystal imperfections	205	7.11. $3d^4$. Cr^{2+} in an octahedral field. 5D , $L = 2$, $S = 2$	434
3.14. Weak-field Zeeman interaction for non-Kramers ions	209	7.12. $3d^5$. Cr^+ , Mn^{2+} , Fe^{3+} in an octahedral field. 6S , $L = 0$, $S = \frac{5}{2}$	436
4. ELECTRON-NUCLEAR DOUBLE RESONANCE (ENDOR)		7.13. $3d^6$. Fe^{2+} in an octahedral field. 5D , $L = 2$, $S = 2$	443
4.1. Introduction	217	7.14. $3d^7$. Fe^+ , Co^{2+} , Ni^{3+} in an octahedral field. 4F , $L = 3$, $S = \frac{3}{2}$	446
4.2. The Endor spectrum	223	7.15. $3d^8$. Co^+ , Ni^{2+} , Cu^{3+} in an octahedral field. 3F , $L = 3$, $S = 1$	449
4.3. Enhancement of the nuclear transition probability	228	7.16. $3d^9$. Ni^+ , Cu^{2+} in an octahedral field. 2D , $L = 2$, $S = \frac{1}{2}$	455
4.4. Endor on donors in silicon	234	7.17. $3d$ ions in tetrahedral symmetry	467
4.5. Endor on donors in silicon—relaxation effects	239	8. IONS OF THE d -GROUPS IN STRONG LIGAND FIELDS	
4.6. Relaxation effects in Endor—general	243	8.1. The ions and their compounds	472
4.7. The hyperfine structure of europium	251	8.2. The strong ligand field octahedral complex	476
4.8. The Endor spectrum of Nd^{3+} in LaCl_3	255	8.3. Hyperfine interaction	478
4.9. Endor measurements of ligand hyperfine structure	259	8.4. d^1 in strong octahedral field; $(d\epsilon)^1$, (t_2) , $S = \frac{1}{2}$	478
4.10. Endor line widths	264	8.5. d^2 in strong octahedral field; $(d\epsilon)^2$, $(t_2)^2$, $S = 1$	479
4.11. 'Indirect' observation of Endor transitions	272	8.6. d^3 in strong octahedral field; $(d\epsilon)^3$, $(t_2)^3$, $S = \frac{3}{2}$	479
4.12. Summary	274	8.7. d^4 in strong octahedral field; $(d\epsilon)^4$, $(t_2)^4$, $S = 1$	480
5. THE LANTHANIDE ($4f$) GROUP		8.8. d^5 in strong octahedral field; $(d\epsilon)^5$, $(t_2)^5$, $S = \frac{1}{2}$	481
5.1. Lanthanide compounds	277	8.9. d^6 in strong octahedral field; $(d\epsilon)^6$, $(t_2)^6$, $S = 0$	486
5.2. The free ions	282	8.10. d^7 in strong octahedral field; $(d\epsilon)^6(d\gamma)$, $(t_2)^6e$, $S = \frac{1}{2}$	486
5.3. Crystalline field theory— C_{3h} symmetry	285	8.11. d^8 in strong octahedral field; $(d\epsilon)^6(d\gamma)^2$, $(t_2)^6e^2$, $S = 1$	487
5.4. Magnetic hyperfine structure	296	8.12. d^9 in strong octahedral field; $(d\epsilon)^6(d\gamma)^3$, $(t_2)^6e^3$, $S = \frac{1}{2}$	487
5.5. Nuclear electric quadrupole interaction	301	8.13. d^1 in cubic (eightfold) coordination	490
5.6. Experimental results for ethylsulphates and anhydrous chlorides	303	9. SPIN-SPIN INTERACTION	
5.7. Experimental results for the double nitrates, $\text{Ln}_2\text{Mg}_3(\text{NO}_3)_{12} \cdot 24\text{H}_2\text{O}$	320	9.1. Introduction	491
5.8. Lanthanide ions in cubic symmetry	325	9.2. Magnetic dipole-dipole interaction	492
5.9. Ions with a half-filled $4f$ -shell, $4f^7$, ${}^8S_{7/2}$. Eu^{2+} , Gd^{3+} , Tb^{4+}	335	9.3. Exchange interaction	495
5.10. Higher-order terms in the spin Hamiltonian	341	9.4. Multipole interactions	499
6. THE ACTINIDE ($5f$) GROUP		9.5. Interaction between a pair of similar ions	502
6.1. Ions and compounds of the actinide group	346	9.6. Interaction between a pair of dissimilar ions	509
6.2. Tripositive actinide ions	348	9.7. Line broadening by spin-spin interaction	514
6.3. Actinide ions in CaF_2	350	9.8. Line shape due to dipolar spin-spin interaction	521
6.4. Actinide ions in octahedral symmetry	354	9.9. Effect of exchange interaction on line shape	527
6.5. Neptunyl and plutonyl ions	359	9.10. Magnetic dilution, and the spectra of pairs	529
7. IONS OF THE $3d$ GROUP IN INTERMEDIATE LIGAND FIELDS		9.11. Temperature-dependent effects	535
7.1. Introduction	365	10. SPIN-PHONON INTERACTION	
7.2. The intermediate crystal field approach	372	10.1. The attainment of thermal equilibrium	541
7.3. The strong crystal field approach	377	10.2. The phonon radiation bath	547
7.4. The effects of bonding	392	10.3. Spin-lattice relaxation by phonons—Waller processes	551
7.5. The electronic spin Hamiltonian	398	10.4. Spin-lattice relaxation by modulation of the ligand field	557
		10.5. Summary and comparison with experiment	565
		10.6. The phonon 'bottle-neck' and phonon 'avalanche'	574

PART III

THEORETICAL SURVEY

11. THE ELECTRONIC ZEEMAN INTERACTION	
11.1. The interaction between electrons and a magnetic field	585
11.2. The Zeeman effect in a free atom (or ion)	586
11.3. <i>LS</i> -coupling and the Landé formula	587
11.4. Self-consistent field configurations	589
11.5. Spin-orbit coupling	592
11.6. Matrix elements between Slater determinants	593
11.7. Introduction of the crystal field	595
12. GROUP THEORY—AN OUTLINE	
12.1. Invariance and degeneracy	601
12.2. Linear representations, equivalence, and irreducibility	602
12.3. Orthogonality relations, characters, and classes	603
12.4. Reduction of a representation and calculation of the characters	605
12.5. Splitting of a degenerate level by a perturbation of lower symmetry	607
12.6. The direct product of two representations	611
13. GROUP THEORY—THE ROTATION GROUP	
13.1. Angular momentum	615
13.2. The irreducible representations	617
13.3. The coupling of angular momenta	620
13.4. Multiple vector coupling and Racah symbols	622
13.5. Irreducible tensor operators, the Wigner-Eckart theorem, and equivalent operators	624
14. THE CUBIC GROUP AND SOME OTHER GROUPS	
14.1. The cubic group	629
14.2. The fictitious angular momentum	632
14.3. The multiplets Γ_4 and Γ_5 in trigonal axes	633
14.4. The double cubic group	634
14.5. Groups of lower symmetry	638
14.6. Improper rotations	640
15. TIME REVERSAL AND KRAMERS DEGENERACY	
15.1. Operations involving the time	643
15.2. Complex conjugation	644
15.3. Determination of the time reversal operator	646
15.4. Kramers degeneracy	647
15.5. Time-reversal operator in the $ J, M\rangle$ representation	649
15.6. The 'Spin Hamiltonian' for a Kramers doublet	650
15.7. The rhombic group	654
15.8. Threefold symmetry	654
15.9. Selection rules related to time-reversal	656
15.10. The effect of an applied electric field on a paramagnetic ion	659

16. ELEMENTARY THEORY OF THE CRYSTAL FIELD	
16.1. The crystal field (or crystal potential)	665
16.2. Equivalent operators	670
16.3. Off-diagonal matrix elements of the crystal field	676
16.4. The electronic Zeeman interaction	677
16.5. Electron spin-spin interactions	678
17. HYPERFINE STRUCTURE	
17.1. Electrostatic hyperfine interactions	680
17.2. Magnetic hyperfine interactions	687
17.3. Alternative derivation of the magnetic hyperfine interaction	690
17.4. Equivalent operators for the magnetic hyperfine interaction	692
17.5. The effect of <i>s</i> -electrons: configuration interaction	695
17.6. The effect of <i>s</i> -electrons: core polarization	702
17.7. Finer effects in the theory of hyperfine structure	706
18. IONS IN A WEAK CRYSTAL FIELD (<i>f</i> ELECTRONS)	
18.1. Kramers ions in a weak crystal field	713
18.2. Rare-earth ions in cubic symmetry	719
18.3. The quadruplet Γ_8	721
18.4. Representation of an irreducible tensor within the quadruplet Γ_8 —quadrupole coupling	731
18.5. Non-Kramers ions in the rare-earth group	732
18.6. Non-Kramers rare-earth ions in cubic surroundings	739
19. INTERMEDIATE CRYSTAL FIELDS (THE IRON GROUP)	
19.1. Effect of the cubic crystal potential	742
19.2. 'Singlet' orbital ground state (ions of type <i>A</i>)	745
19.3. Triplet orbital ground state (ions of type <i>B</i>)	751
19.4. Departures from cubic symmetry	755
19.5. The influence of excited terms	758
20. THE EFFECTS OF COVALENT BONDING	
20.1. Summary of the foregoing theory	761
20.2. The molecular orbitals model for covalent bonding	762
20.3. Bonding and anti-bonding orbitals, overlap, and covalency	764
20.4. The ground states in weakly covalent compounds	767
20.5. Orbital momentum and spin-orbit coupling in the presence of covalent bonding	773
20.6. Ligand hyperfine structure for ions of type <i>A</i>	777
20.7. Orbital singlets: correction terms for the ligand hyperfine structure	781
20.8. Ligand hyperfine structure for ions of type <i>B</i>	784
20.9. Ligand quadrupole hyperfine structure	788

21. THE JAHN-TELLER EFFECT IN PARAMAGNETIC RESONANCE	
21.1. Introduction	790
21.2. The Born-Oppenheimer approximation and the Jahn-Teller theorem	792
21.3. The magnetic properties of a 2E level	797
21.4. The static Jahn-Teller effect in a 2E state	804
21.5. Dynamic features of the static Jahn-Teller effect	807
21.6. The dynamic Jahn-Teller effect in a 2E state	808
21.7. Motional narrowing of the Jahn-Teller spectrum	826
21.8. Comparison with experiment	830
21.9. The Jahn-Teller effect in a triplet state	832
21.10. The Jahn-Teller effect in an orbital triplet with Γ_3 coupling	835
21.11. The Jahn-Teller effect in an orbital triplet with Γ_5 coupling	841
21.12. Comparison with experiment	846
APPENDIX A. Thermal and magnetic properties of a paramagnetic substance	848
APPENDIX B. Tables 1 to 26	856
BIBLIOGRAPHY	879
AUTHOR INDEX	893
SUBJECT INDEX	899