

Contents

<i>Preface</i>	xvii
1. Introduction	1
1.1 Brief description of spheromaks	1
1.2 History and time-line	5
1.2.1 Pre-1970: Antecedents of the spheromak	6
1.2.2 Advances in theory: Taylor relaxation and development of the theoretical model for the spheromak	11
1.2.3 The 1980's: The spheromak investigated as a fusion confinement scheme	12
1.2.4 The 1990's: Search for other applications and renaissance in confinement efforts	14
1.2.5 2000 to time of writing: SSPX, HIT-SI, General Fusion, investigation of dynamics, inclusion of Hall term	15
2. Basic Concepts	25
2.1 The different levels of description of a plasma	25
2.1.1 Follow every particle	25
2.1.2 Vlasov description	26
2.1.3 Two-fluid description	26
2.1.4 MHD description	27
2.1.5 Dynamical and β assumptions in MHD	28
2.2 Scaling between lab and space plasmas	29
2.3 Vacuum (potential) magnetic fields	33

2.4	Poloidal and toroidal fields	35	4.	Relaxation of an Isolated Configuration to the Taylor State	95
2.5	Magnetic stress tensor	37	4.1	Introduction	95
2.6	Beta	40	4.2	Helicity decay rate v. magnetic energy decay rate	97
2.7	Magnetic flux and symmetry	41	4.3	Derivation of the isolated Taylor state	97
2.8	Poloidal flux	41	4.4	Relationship between helicity, energy, eigenvalue	100
2.9	Poloidal flux and particle confinement	42	4.4.1	Equality of poloidal and toroidal field energies in an isolated axisymmetric spheromak	101
2.10	Relation between field, field lines, and flux	43	4.5	Cylindrical force-free states	102
2.11	Safety factor	44	4.6	Ohmic Decay of an Isolated Taylor State	104
2.12	The plasma as a magnetic flux conserver	49	4.7	Comparison of minimum energy states in a long cylinder	107
2.13	The condition for frozen-in flux	50	4.8	Spheromaks in spherical geometry	109
2.14	Tendency of the plasma to maximize its inductance	52	5.	Relaxation in Driven Configurations	115
2.15	Cowling's theorem	52	5.1	Taylor relaxation in systems with open field lines	116
3.	Magnetic Helicity	55	5.1.1	Relation between energy and helicity for system with open field lines	119
3.1	The issue of analyticity in Gauss's and Stokes's theorems	56	5.2	Helicity injection	119
3.2	Definition of magnetic helicity	58	5.2.1	Bounding surface is an equipotential	120
3.3	Helicity, safety factor, and twist of an isolated flux tube	60	5.2.2	Bounding surface is not an equipotential	120
3.4	Gauge invariance	63	5.3	Impedance of the driven force-free configuration	121
3.5	Relative helicity	64	6.	The MHD Energy Principle, Helicity, and Taylor States	123
3.6	Simply connected volumes v. doubly connected volumes	68	6.1	Derivation of the MHD Energy Principle	123
3.6.1	Relative helicity suitable for doubly connected volumes	68	6.2	Relationship of the energy principle to Taylor states	134
3.7	Helicity conservation equation	70	6.3	Beta limit	135
3.7.1	Fixed volume, simply connected region, open field lines	71	7.	Survey of Spheromak Formation Schemes	143
3.7.2	Fixed volume — Doubly connected region	76	7.1	Magnetized coaxial gun	146
3.7.3	Comparison between helicity injection into simply and double connected volumes	77	7.2	Non-axisymmetric gun method	150
3.7.4	Time-dependent volume with no open field lines	77	7.3	The inductive method	150
3.7.5	Comparison of helicity conservation to energy conservation	78	7.4	Z-Theta pinch method	155
3.8	Single species helicity and association with whistler wave physics	79	7.5	Steady inductive injection using quadrature-phased oscillating inductive injectors	157
3.9	Magnetic reconnection	82	8.	Classification of Regimes: An Imperfect Analogy to Thermodynamics	161
3.10	Geometric interpretation of magnetic helicity	82	8.1	Room full of springs analogy	161
3.10.1	Twist, linking, and crossing	84	8.2	Analogy to thermodynamics	161
3.10.2	Writhe	87			
3.11	Magnetic reconnection and helicity conservation	89			
3.12	Reconnection and dissipation	92			

8.3	Classification of thermodynamic problems	162	12.2.2	Physical constraints on coefficients of Fourier expansions in cylindrical coordinates	245
8.4	Analogy between lambda and temperature	165	12.3	Observations of flux conversion dynamo behavior	250
8.5	Strong and weak coupling	167	12.4	Lagrangian Description Showing no Dynamo in Plasma Frame	259
8.6	Overview of next five chapters	167	12.5	Deviation from the Taylor state	263
9.	Analysis of Isolated Cylindrical Spheromaks	169	12.5.1	Force-free limit of Grad-Shafranov equation	263
9.1	Flux, current, magnetic field, helicity and energy	169	13.	Confinement and Transport in Spheromaks	267
9.2	Experimental measurements	174	13.1	Overview	267
9.3	Safety factor for a zero- β spheromak	176	13.2	Confinement on flux surfaces	267
9.3.1	Evaluation of q profile	178	13.3	Confinement times	269
9.3.2	Effect of flux conserver shape on q_{wall}	180	13.4	Survey of transport mechanisms	270
9.4	Finite- β spheromak	182	13.4.1	Diffusive processes	270
9.4.1	Derivation of the Grad-Shafranov Equation	183	13.4.2	Non-diffusive processes	274
9.4.2	Finite- β spheromak solution	184	13.4.3	Magnetic energy and magnetic helicity	275
9.4.3	Boundary	187	13.4.4	Relationship between magnetic energy and thermal energy decay times	277
9.4.4	Safety factor	188	13.4.5	Dissipation in a single flux tube	278
10.	The Role of the Wall	193	13.5	Experiments on transport in spheromaks	279
10.1	Helicity insulation	194	13.5.1	S-1 measurements	279
10.2	Equilibrium	194	13.5.2	S-1 particle confinement measurement	281
10.3	Tilt stability	199	13.5.3	Edge losses	281
11.	Analysis of Driven Spheromaks: Strong Coupling	207	13.5.4	CTCC-I gettering experiments	281
11.1	Force-free equilibria with open field lines	208	13.5.5	The CTX gettered, solid flux conserver experiment	283
11.2	Flux surfaces	215	13.5.6	Evidence for good confinement: hard X-rays on CTX	283
11.3	Safety factor variation with lambda	222	13.5.7	SSPX Conclusions: Conflict between good confinement and helicity injection	284
11.4	Flux amplification	222	13.6	Anomalous ion heating	285
11.5	Relative helicity	223	14.	Some Important Practical Issues	289
11.6	Relative energy	226	14.1	Breakdown and Paschen curves	289
11.7	Gun efficiency	229	14.2	Gas puff valves	295
11.8	Gun impedance and load line	230	14.3	Wall desorption and contamination	297
12.	Helicity Flow and Dynamos	237	14.4	Impurity line radiation	300
12.1	Downhill flow of helicity	237	14.5	Refractory electrode materials	302
12.1.1	An isolated spheromak acting as a helicity source	239	14.6	Skin effect and the wall as a flux conserver	303
12.2	Dynamos and relaxation mechanisms	241			
12.2.1	Paradox of the driven axisymmetric spheromak	241			

14.7	Inductance budget	304	17.1.2	Flux function derivation	362
14.8	Mechanical forces	305	17.2	Jet collimation	369
14.9	Noise radiation from pulsed power supplies	305	17.2.1	Jet direction insensitive to current direction	375
14.10	Ground loops	306	17.3	Association with helicity injection	375
15.	Basic Diagnostics for Spheromaks	309	18.	Dynamics associated with relaxation: Kinks, Rayleigh-Taylor, Hard X-rays	377
15.1	Magnetic field and electric current measurement	309	18.1	Kink Instability of the Jet	377
15.2	Equilibrium reconstruction using measurements at the wall	314	18.2	The kink instability as an agent of relaxation	380
15.3	Voltage measurements	314	18.3	The Rayleigh-Taylor instability as an agent of reconnection	381
15.4	Density measurement	315	18.4	Production of Hard X-rays	384
15.4.1	Langmuir probe (triple probe)	315	18.5	Comparison of actual experimental observations with predictions of Taylor relaxation model	395
15.4.2	Interferometry	318	19.	Beyond MHD: Whistler Waves and Fast Magnetic Reconnection	397
15.5	Ion temperature measurement	322	19.1	Quick review of resistive MHD reconnection	398
15.5.1	Impurity Doppler shift	322	19.2	Generalized Ohm's law and relative scaling of its terms	403
15.5.2	Neutral particle analysis	324	19.3	Implications of Hall MHD	409
15.6	Electron temperature measurement	325	19.3.1	Flux frozen into electron fluid rather than plasma center of mass	409
15.6.1	Langmuir probes	325	19.4	Whistler waves in the limit of zero electron inertia	410
15.6.2	Thomson scattering	325	19.4.1	Polarization and helicity content of whistler waves	411
15.7	Impurity radiation measurements	328	19.5	Hall reconnection with finite electron inertia	413
15.7.1	Spectroscopic identification of ionization states	328	19.5.1	Distinction between low and high β reconnection: guide field or not	414
15.7.2	Bolometry	328	19.5.2	Hall reconnection analysis	414
16.	Applications of Spheromaks	331	19.5.3	Discussion and implications	425
16.1	The spheromak as a fusion reactor	331	19.6	Canonical circulation flux tube derivation of 2-fluid reconnection	427
16.2	Accelerated spheromaks	339	19.6.1	Non-linear equations for 2-fluid reconnection	427
16.3	Magnetized Target Fusion	343	19.6.2	Using a \mathbf{Q} flux tube instead of a magnetic field line	428
16.4	Tokamak Fuel injection	345	19.6.3	Equilibrium properties of \mathbf{Q}	429
16.5	Helicity injection current drive in tokamaks	347	19.6.4	Perturbation from \mathbf{Q} equilibrium	430
16.6	Colliding spheromaks to investigate magnetic reconnection	350	19.6.5	Quadrupole magnetic field and quadrupole \mathbf{Q}	430
16.7	Proposed additional spheromak applications	352	19.6.6	Proof that \mathbf{Q} does not reconnect	434
16.7.1	Pulsed high power X-ray radiation sources	352	19.6.7	Amplification of \mathbf{Q}	434
16.7.2	Opening switches	353			
17.	Initial dynamics leading to relaxation: MHD jets	355			
17.1	MHD-driven collimated jet	361			
17.1.1	Bernoulli relation: overview via garden hose analog	361			

19.6.8	Creation of torsion in \mathbf{Q} flux tube	435	21.4.3	Magnetic measurements supporting the gobble model	508
19.6.9	Narrowing of current layer	436	21.4.4	Hoop force explanation for the dip seen in the bottom of Fig. 21.12	508
19.6.10	Growth rate scaling	436	22.	Beyond MHD: Extreme particle orbits in helical magnetic fields	511
20.	Zero- β models for solar and space phenomena: Helicity, force-free equilibria	437	22.1	Radial Unstable Motion (RUM) in a helical magnetic field	512
20.1	Overview	437	22.1.1	Lorentz equation derivation of RUM instability . .	512
20.2	Sun-Earth connection viewed as helicity flux/relaxation .	448	22.1.2	Hamiltonian-Lagrangian derivation of the RUM instability	514
20.3	A simple linear-force free model of coronal loops	449	22.2	Stochastic ion heating in a rapidly twisting or untwisting magnetic field	517
20.3.1	Setup of problem and derivation of solution	449	23.	Finite- β toroidal magnetic cloud model	523
20.3.2	S-shapes	454	23.1	Introduction to magnetic clouds	523
20.3.3	Flux tube bifurcation and breakup	455	23.2	Magnetic cloud solution to Grad-Shafranov equation in toroidal geometry	525
20.3.4	Comparison of magnetic field, field lines, flux tubes	457	24.	Astrophysical Jets, Accretion, Angular Momentum Removal, and Space Dynamos	531
20.3.5	Relaxation and line tying	457	24.1	Introduction	531
20.4	Force-free state for arbitrary boundary conditions	458	24.2	Field and current topology in astrophysical jets	532
21.	Finite- β models and experiments for solar phenomena: collimation, flows, expansion	461	24.2.1	Inadequacy of Ideal MHD Ohm's Law to Model Accretion	538
21.1	Boundary conditions	461	24.3	Kepler v. Cyclotron Orbits	540
21.1.1	Solar surface boundary conditions	462	24.4	Charged dust grains as a method for having a cyclotron frequency comparable to the Kepler frequency	542
21.1.2	Electrostatic potential drop associated with the twisting of a magnetic flux loop	465	24.5	Weak ionization as a method for having an effective cyclotron frequency comparable to the Kepler frequency .	543
21.1.3	Relation to Alfvén waves	473	24.6	Inward Spiral Orbits of Zero-Canonical Angular Momentum Particles	546
21.1.4	Motivation for the "gobble" finite beta model . .	475	24.7	Meta-Particle Inward Spiral from the Point of View of Hall Ohm's Law	549
21.2	The gobble model	478	24.8	Accretion and removal of angular momentum via magnetic braking	550
21.2.1	Stage 1: current ramp-up	484	24.8.1	Braking torque interpreted using conservation of canonical angular momentum	550
21.2.2	Stage 2: ramped-up, constant current but no force balance	488	24.8.2	Braking torque from the MHD equation of motion	556
21.2.3	Stage 3: Stagnation and collimation	491			
21.2.4	Hoop force and the gobble model	494			
21.3	Difference between finite and zero β models and consequences	499			
21.3.1	Torus Instability	499			
21.3.2	Co- and counter-helicity merging	500			
21.4	Solar loop simulation experiment	500			
21.4.1	Loop expansion and collimation	503			
21.4.2	Plasma upflow from footpoints	506			

24.9	Dynamo to generate poloidal magnetic field	557
Appendix A	Vector Identities and Operators	561
Appendix B	Bessel Orthogonality Relations	563
Appendix C	Capacitor Banks	567
Appendix D	Transmission lines, pulse forming networks, and transformers	571
D.1	Transmission lines	571
D.1.1	Wave propagation along a transmission line	571
D.1.2	Propagation velocity	574
D.1.3	Characteristic impedance	574
D.1.4	Matching, mismatching and reflected waves	575
D.2	Pulse forming networks	577
D.3	Transformers	578
D.3.1	Ideal Transformers	579
D.3.2	Transformer equations (resistive loads)	580
D.3.3	Non-ideal transformers	582
D.3.4	Pulse rise-time (high frequency response)	584
D.3.5	Low-frequency response	584
D.3.6	Air-core and iron-core transformers	585
D.3.7	Calculating inductance of iron core transformers .	586
D.3.8	Measuring self and mutual inductances	586
Appendix E	Selected Formulae	589
	<i>Bibliography</i>	599
	<i>Index</i>	623