

STOPPING OF IONS HEAVIER THAN HELIUM

CONTENTS

PREFACE	1
GLOSSARY	3
ABSTRACT	7
EXECUTIVE SUMMARY	9
GUIDE TO THE REPORT	11
1 INTRODUCTION	13
2 DEFINITIONS	15
2.1 Stopping	15
2.1.1 Mean energy loss	15
2.1.2 Energy-loss fluctuation	16
2.1.3 Impact-parameter dependence	16
2.2 Range	17
2.3 Radiation effects	17
2.4 Angular scattering	18
2.5 Units, fundamental constants and conversion factors	18
2.5.1 Units	18
2.5.2 Examples	18
2.5.3 Conversion	19
2.5.4 Notation	19
3 THEORY	21
3.1 Introductory survey	21
3.2 Stopping processes	22
3.2.1 Classification	22
3.2.2 Thomas–Fermi estimates	22
3.2.3 Regimes of heavy-ion stopping	22
3.2.4 Target excitation	23
3.2.5 Interaction range	24
3.2.6 Role of projectile electrons	24
3.2.7 Nuclear stopping	24

STOPPING OF IONS HEAVIER THAN HELIUM

3.3	Electronic stopping of point charges	24
3.3.1	<i>Classical theory</i>	24
3.3.2	<i>Quantal perturbation theory</i>	25
3.3.3	<i>Bloch theory</i>	25
3.3.4	<i>Barkas–Andersen effect</i>	27
3.3.5	<i>Fermi density effect</i>	29
3.3.6	<i>I-values and oscillator-strength spectra</i>	29
3.3.7	<i>Z₂ structure</i>	30
3.4	Electronic stopping of dressed ions	30
3.4.1	<i>Equilibrium and non-equilibrium stopping</i>	30
3.4.2	<i>Screening and antiscreening</i>	31
3.4.3	<i>Effective charge and quantal perturbation theory</i>	31
3.4.4	<i>Screened potential</i>	33
3.4.5	<i>Classical perturbation theory</i>	33
3.4.6	<i>Charge-dependent stopping</i>	33
3.4.7	<i>Projectile excitation and charge exchange</i>	34
3.4.8	<i>Z₂ structure</i>	35
3.5	Aggregation effects	35
3.5.1	<i>Stopping in compounds and alloys, and phase effects</i>	35
3.5.2	<i>Stopping of molecules and aggregates</i>	37
3.6	Low-velocity electronic stopping	37
3.6.1	<i>General considerations</i>	37
3.6.2	<i>Free target electrons</i>	37
3.6.3	<i>Bound target electrons</i>	38
3.6.4	<i>Z₁ structure: modified-Firsov models</i>	39
3.6.5	<i>Z₁ structure: Lindhard–Finnemann model</i>	40
3.6.6	<i>Self-consistent nonlinear models</i>	40
3.6.7	<i>Z₂ structure</i>	41
3.6.8	<i>Conclusions</i>	41
3.7	Survey of current theoretical schemes	41
3.7.1	<i>Unitary-convolution approximation</i>	42
3.7.2	<i>Binary theory</i>	42
3.7.3	<i>Nonlinear electron-gas model</i>	43
3.7.4	<i>CKT and related theories</i>	44
3.8	Nuclear stopping	44
3.8.1	<i>Introductory remarks</i>	44
3.8.2	<i>Binary elastic scattering</i>	44
3.8.3	<i>Scaling properties</i>	45
3.8.4	<i>Power-law cross sections</i>	47
3.8.5	<i>Concluding remarks</i>	47
3.9	Nuclear reactions	48
3.10	Channeling, and stopping at surfaces	48
3.11	Statistics of particle penetration	49
3.11.1	<i>Qualitative survey</i>	49
3.11.2	<i>Stripped ions</i>	49
3.11.3	<i>Partially stripped ions</i>	51
3.11.4	<i>Transport equations and simulation</i>	52
3.11.5	<i>Non-Poisson statistics</i>	52
3.12	Straggling	53
3.12.1	<i>General survey</i>	53
3.12.2	<i>Point charge</i>	54
3.12.3	<i>Dressed ions</i>	55
3.12.4	<i>Low-speed ions</i>	56
3.13	Multiple scattering	57

CONTENTS

3.14 Restricted nuclear stopping	59
3.14.1 Bohr–Williams theory	59
3.14.2 Bothe–Landau theory	60
3.14.3 Scaling laws	60
3.14.4 Predictions	61
3.15 Range and range straggling	62
3.15.1 Introductory remarks	62
3.15.2 Transport equations	63
3.15.3 Simulation codes	64
3.15.4 csda range	64
3.15.5 Influence of angular deflection on projected range	65
3.15.6 Range straggling	65
3.15.7 Extraction of electronic-stopping cross sections from range measurements	66
3.15.8 Ranges of low-energy ions	66
3.16 Summary	66
4 EXPERIMENT	69
4.1 Introductory survey	69
4.2 Projectiles	69
4.2.1 Recoil ions and fission fragments	69
4.2.2 Stable beams from accelerators	69
4.2.3 Scattered beams and target recoils from elastic scattering	70
4.2.4 Radioactive beams from accelerators	70
4.3 Target characterization and requirements	71
4.3.1 General	71
4.3.2 Solids	71
4.3.3 Gases	71
4.4 Target thickness and uniformity	71
4.4.1 Solids	71
4.4.2 Gases	72
4.5 Charge states and charge exchange	72
4.5.1 Experimental methods	72
4.5.2 Equilibrium	73
4.5.3 Non equilibrium	74
4.6 Methods of energy-loss measurement	74
4.6.1 General	74
4.6.2 Calorimetric detection	75
4.6.3 Secondary-particle detection	76
4.6.4 Time-of-flight spectrometers	76
4.6.5 Doppler-shift attenuation	77
4.6.6 Electrostatic and magnetic spectrometers	77
4.7 Aspects of data analysis and interpretation	78
4.8 Stopping of stripped ions	79
4.8.1 Light ions	79
4.8.2 Heavy ions	79
4.9 Charge-dependent stopping	80
4.10 Equilibrium stopping	81
4.10.1 General considerations	81
4.10.2 Screening in high-velocity stopping	83
4.10.3 Gas-solid effect in high-velocity stopping	84
4.10.4 Stopping in plasmas	84
4.11 Energy-loss straggling	85
4.11.1 Stripped and few-electron ions	85
4.11.2 Heavily screened ions	86

STOPPING OF IONS HEAVIER THAN HELIUM

4.12 Angular deflection	86
4.12.1 <i>Experimental techniques</i>	86
4.12.2 <i>Multiple scattering</i>	87
4.13 Range and range straggling	89
4.14 Summary	89
 5 DATA COMPILATIONS, TABLES, PROGRAMS AND COMPARISONS WITH EXPERIMENTAL DATA	 91
 5.1 Introductory survey	 91
5.2 Scaling procedures	91
5.2.1 <i>General</i>	91
5.2.2 <i>Effective charge</i>	92
5.2.3 <i>Z₁ structure</i>	93
5.2.4 <i>Z₂ structure</i>	93
5.2.5 <i>Gas-solid difference</i>	96
5.3 Tables and computer codes	96
5.3.1 <i>Tables of Steward</i>	96
5.3.2 <i>Tables of Northcliffe and Schilling</i>	96
5.3.3 <i>Brice formula</i>	101
5.3.4 <i>SRIM (TRIM) program package</i>	102
5.3.5 <i>Tables of Hubert and coworkers</i>	103
5.3.6 <i>Formula of Xia and Tan</i>	103
5.3.7 <i>Code of Tai and coworkers</i>	103
5.3.8 <i>Formula of Konac and coworkers</i>	103
5.3.9 <i>Geant4 program package</i>	103
5.3.10 <i>CasP code</i>	103
5.3.11 <i>Tables of Hiraoka and Bichsel</i>	104
5.3.12 <i>MSTAR code</i>	104
5.3.13 <i>PASS code</i>	104
5.3.14 <i>Formula of Weijers et al.</i>	105
5.4 Further comparisons	105
5.5 Discussion	107
5.5.1 <i>General</i>	107
5.5.2 <i>Nuclear stopping</i>	107
5.5.3 <i>Deviations between tabulations and experimental data</i>	109
5.6 Summary	110
 6 TABLES	 113
 6.1 Introductory Survey	 113
6.1.1 <i>Choice of procedure</i>	113
6.1.2 <i>Choice of projectiles and targets</i>	113
6.1.3 <i>Range of beam energies</i>	113
6.2 Computational procedure	114
6.2.1 <i>The basic scheme</i>	114
6.2.2 <i>Energy loss to target atom</i>	116
6.2.3 <i>Shell correction</i>	117
6.2.4 <i>Quantum correction</i>	117
6.2.5 <i>Relativity</i>	117
6.2.6 <i>Projectile excitation</i>	117
6.2.7 <i>Charge exchange</i>	118
6.3 Input	118
6.3.1 <i>Frequency spectra</i>	118
6.3.2 <i>Shell correction</i>	119

CONTENTS

<i>6.3.3 Options for shell correction</i>	120
<i>6.3.4 Subshell binding energies</i>	120
<i>6.3.5 Equilibrium ion charge</i>	120
<i>6.3.6 Computational aspects</i>	121
<i>6.3.7 Sensitivity studies</i>	121
6.4 Tables: input data	121
6.5 Tables: electronic stopping force for 16 ions in elemental materials	122
<i>Hydrogen</i>	122
<i>Helium</i>	124
<i>Beryllium</i>	126
<i>Amorphous carbon</i>	128
<i>Nitrogen</i>	130
<i>Oxygen</i>	132
<i>Neon</i>	134
<i>Aluminium</i>	136
<i>Silicon</i>	138
<i>Argon</i>	140
<i>Titanium</i>	142
<i>Iron</i>	144
<i>Nickel</i>	146
<i>Copper</i>	148
<i>Germanium</i>	150
<i>Krypton</i>	152
<i>Molybdenum</i>	154
<i>Silver</i>	156
<i>Tin</i>	158
<i>Xenon</i>	160
<i>Tungsten</i>	162
<i>Platinum</i>	164
<i>Gold</i>	166
<i>Lead</i>	168
<i>Uranium</i>	170
6.6 Tables: electronic stopping force for iron ions in 16 elemental materials	172
<i>Iron</i>	172
6.7 Tables: electronic stopping force for 16 ions in compound materials	174
<i>A-150 tissue-equivalent plastic</i>	174
<i>Adipose tissue (ICRP)</i>	176
<i>Air, dry, sea level</i>	178
<i>Aluminium oxide</i>	180
<i>Bone, compact (ICRU)</i>	182
<i>Bone, cortical (ICRP)</i>	184
<i>C-552 air-equivalent plastic</i>	186
<i>Calcium fluoride</i>	188
<i>Carbon dioxide</i>	190
<i>Glass, borosilicate (Pyrex)</i>	192
<i>Kapton polyimide film</i>	194
<i>Lithium fluoride</i>	196
<i>Lithium tetraborate</i>	198
<i>Methane</i>	200
<i>Muscle striated (ICRU)</i>	202
<i>Nylon, type 6 and type 6/6</i>	204
<i>Photographic emulsion</i>	206
<i>Plastic scintillator (vinyltoluene based)</i>	208
<i>Polycarbonate (makrolon, lexan)</i>	210
<i>Polyethylene</i>	212
<i>Polyethylene terephthalate (Mylar)</i>	214

STOPPING OF IONS HEAVIER THAN HELIUM

<i>Polymethyl methacrylate (lucite, perspex)</i>	216
<i>Polystyrene</i>	218
<i>Polytetrafluoroethylene (Teflon)</i>	220
<i>Propane</i>	222
<i>Silicon dioxide</i>	224
<i>Sodium iodide (modelled by NeXe)</i>	226
<i>Tissue-equivalent gas (methane based)</i>	228
<i>Tissue-equivalent gas (propane based)</i>	230
<i>Liquid water</i>	232
<i>Water vapor</i>	234
6.8 Tables: Ranges of 16 ions in liquid water	236
<i>Liquid water</i>	236
 REFERENCES	239