

Contents

Acknowledgements	xv
Preface	xvii
 PART 1	
An introduction to the subject of the plasma boundary	1
1 Simple Analytic Models of the Scrape-Off Layer	6
1.1 Solid Surfaces Are Sinks for Plasmas	6
1.2 The Tokamak: An Example of a Low Pressure Gas Discharge Tube	8
1.3 Tokamak Magnetic Fields	12
1.4 The Scrape-Off Layer, SOL	15
1.4.1 Limiter SOLs	15
1.4.2 Divertor SOLs	17
1.5 Characteristic SOL Time	19
1.6 The 1D Fluid Approximation for the SOL Plasma	20
1.7 The Simple SOL and Ionization in the Main Plasma	22
1.8 1D Plasma Flow Along the Simple SOL to a Surface	26
1.8.1 The Basic Features Reviewed	26
1.8.2 Derivations of Results for 1D Plasma Flow in the Simple SOL	29
1.9 Comparison of the Simple SOL and the Complex SOL	52
Problems	53
References	59
2 The Role and Properties of the Sheath	61
2.1 The Bohm Criterion. Historical Background	61
2.2 The Maxwellian Velocity Distribution	64
2.3 The Bohm Criterion; $T_i = 0$. Simple Derivation	70
2.4 The Bohm Criterion when $T_i \neq 0$	76
2.5 The Particle Flux Density to a Surface	78
2.6 Potential Drop in the Sheath for Floating or Biased Surfaces	79
2.7 Langmuir Probes	84

2.8	The Sheath Heat Transmission Coefficients. Basic Treatment	92
2.9	Some Basic Consequences of the Existence of the Sheath	95
2.10	The Solid Surface at an Oblique Angle to \mathbf{B} : The Chodura Sheath	98
	Additional Problems	105
	References	109
3	Experimental Databases Relevant to Edge Physics	111
3.1	Ion and Atom Back-scattering from Surfaces	111
3.2	Particle-Induced Electron Emission	114
3.3	Sputtering	116
3.3.1	Physical Sputtering	118
3.3.2	Chemical Sputtering of C by H	121
3.3.3	The Energy of Sputtered Neutrals	124
3.3.4	Radiation-Enhanced Sublimation, RES	125
3.4	Trapping of Hydrogen in Surfaces	125
3.5	Atomic Databases for Ionization, Dissociation and Radiation Rates	130
3.5.1	Atomic Databases for Impurities	130
3.5.2	Atomic Databases for Hydrogen	138
	Problems	146
	References	150
4	Simple SOL	153
4.1	The Simple SOL: The Sheath-Limited Regime	153
4.2	'Straightening Out' the SOL for Modelling Purposes	153
4.3	Relating Density Scrape-Off Length λ_n to D_{\perp}^{SOL}	155
4.4	Modelling λ_n , λ_{T_e} , λ_{T_i} , etc Simultaneously	158
4.5	Relating the Properties of Main and Edge Plasmas	161
4.6	Particle Confinement Time, τ_p	167
4.6.1	The Case with the Hard Boundary Condition	169
4.6.2	The Case with the Soft Boundary Condition	175
4.6.3	The Global Recycling Coefficient	179
4.7	The Simple versus Complex SOL	181
4.8	Comparison of High Recycling, Strongly Radiating and Detached Regimes	183
4.9	The Effects of Ionization within the SOL	185
4.10	Parallel Temperature Gradients Along the SOL	187
4.10.1	Calculating $T(s_{\parallel})$	187
4.10.2	Criteria for Existence of Parallel Temperature Gradients	192
4.11	Parallel Temperature Gradients in the Context of Electron-Ion Equipartition	196
4.11.1	An Initial Estimate of the Role of Equipartition in the SOL	196
4.11.2	Case A. $T_e = T_i$. No T -Gradient	197
4.11.3	Case B. $T_e = T_i$. Significant T -Gradients Exist (Very Strong Collisionality)	197

4.11.4	Case C. $T_e \neq T_i$. No Significant T -Gradients. Weak Collisionality (<i>The Simple SOL</i>)	199
4.11.5	Case D. $T_e \neq T_i$. Significant Temperature Gradients Exist. Intermediate Collisionality	201
4.11.6	Equipartition near the Target	201
4.11.7	Caveats Concerning Criteria for Equipartition and Existence of T -Gradients	202
4.11.8	Overview of the Criteria for Equipartition and T -Gradients. SOL Collisionality	204
	Additional Problems	204
	References	210
5	The Divertor SOL	212
5.1	Why use Divertors Rather than Limiters?	212
5.1.1	Production of Impurities by Ion Impact	213
5.1.2	Impurity Production by Neutral Impact on Walls	214
5.1.3	Transport of Impurities to the Main Plasma	214
5.1.4	Removal of the Helium Impurity, Pumping	215
5.1.5	Removal of Hydrogen, Pumping	217
5.1.6	Efficient Use of Magnetic Volume	217
5.1.7	Size of Plasma-Wetted Area	218
5.1.8	Opportunity for Power Removal by Volumetric Loss Processes	219
5.1.9	Achievement of Plasma Detachment	220
5.1.10	Energy Confinement	220
5.1.11	Conclusions	220
5.2	The Basic Two-Point Model of the Divertor SOL	221
5.3	The Conduction-Limited Regime. The High Recycling Regime	230
5.4	Extensions to the Basic Two-Point Model. 'Corrections'	232
5.5	Including the Hydrogen Recycle Loss Energy in the Two-Point Model	237
5.6	The Plasma-Wetted Area of Limiters and Divertors. The Parallel Flux Area of the SOL	245
5.7	Expressions for the Power Scrape-Off Width, etc	252
5.7.1	Introduction	252
5.7.2	Case of Negligible Parallel T -Gradient	252
5.7.3	Case of Significant Parallel T -Gradient	253
5.8	SOL Collisionality and the Different Divertor Regimes	264
5.9	Divertor Asymmetries	267
5.10	The Effect of Divertor Geometry	270
5.11	The Ergodic Divertor	270
	Additional Problems	273
	References	274

6 Plasma Impurities	277
6.1 Introduction: Harmful and Beneficial Effects of Impurities	277
6.2 The Three Principal Links in the Impurity Chain	280
6.2.1 The Source	281
6.2.2 Edge Transport	282
6.2.3 Transport in the Main Plasma	283
6.3 Measuring the Impurity Source	283
6.4 Models for 1D Radial Transport	287
6.4.1 The Engelhardt Model	287
6.4.2 The Controlling Role of Edge Processes in Impurity Behaviour	293
6.4.3 The Questionable Concept of 'Impurity Screening'	293
6.5 Impurity Transport Parallel to B in the SOL	296
6.5.1 Introduction	296
6.5.2 Defining the 'Simple One-Dimensional Case' for Modelling Impurity Retention by Divertors	297
6.5.3 The Parallel Forces on Impurity Ions	298
6.5.4 A Simple 1D Fluid Model of Impurity Leakage from a Divertor	303
6.5.5 Estimating Divertor Leakage	313
6.6 Edge Impurity Source/Transport Codes	323
6.6.1 Why Have Codes?	323
6.6.2 Interpreting Edge Impurity Measurements Using Codes	324
6.6.3 Edge Fluid Impurity Codes	328
6.6.4 Monte Carlo Impurity Codes	328
6.7 Helium and Pumping	336
6.8 Erosion and Redeposition of Solid Structures at the Plasma Edge	342
Additional Problems	343
References	355
7 The H-Mode and ELMs	358
References	366
8 Fluctuations in the Edge Plasma	368
References	376

PART 2

Introduction to fluid modelling of the boundary plasma	379
Introduction to Part II	381

9	The 1D Fluid Equations	384
9.1	Introduction	384
9.2	The Kinetic Equation	384
9.3	The Conservation of Particles Equation	385
9.4	The Momentum Conservation Equation	386
9.5	Ohm's Law	392
9.6	The Energy Conservation Equation, T_{\parallel}	392
9.7	The Energy Conservation Equation, T_{\perp}	396
9.8	The Parallel Viscous Stress	397
9.9	The Conservation Equations Summarized	399
9.10	The Sheath-Limited Regime	400
9.11	The Conduction-Limited Regime	401
9.12	Self-Collisionality and the Problem of Closing the Fluid Equations	402
	References	402
10	1D Models for the Sheath-Limited SOL	404
10.1	Introduction	404
10.2	The 1D Isothermal Fluid Model	404
10.3	Isothermal Model. Non-Constant Source S_p	406
10.4	The Effect of Neutral Friction on Plasma Flow Along the SOL	406
10.5	Other 1D Models for the Sheath-Limited SOL	408
10.6	The Kinetic 1D Model of Tonks and Langmuir. Cold Ions	409
10.7	Kinetic Models for $T_i \neq 0$	413
10.8	Adiabatic, Collisionless Fluid Models	416
10.9	Adiabatic, Strongly Collisional Fluid Models	419
10.10	Adiabatic, Intermediate Collisional Fluid Models	419
10.11	Comparing 1D Collisionless Kinetic and Collisionless Fluid Models	420
	References	422
11	1D Modelling of the Conduction-Limited SOL	423
11.1	Introduction	423
11.2	1D Fluid Modelling for the Conduction-Limited SOL	426
	References	436
12	'Onion-Skin' Method for Modelling the SOL	437
12.1	The Concept of a SOL Flux Tube	437
12.2	The Onion-Skin Method of Modelling the SOL	444
12.3	Code-Code Comparisons of Onion-Skin Method Solutions with 2D Fluid Code Solution of the SOL	447
	References	449
13	An Introduction to Standard 2D Fluid Modelling of the SOL	450
	References	457

PART 3**Plasma Boundary Research 459**

Introduction to Part III 461

14 Supersonic Flow along the SOL 462

14.1 The Effect on the SOL of Supersonic Flow Into the Sheath 462

14.2 The Mid-stream Sonic Transition for an Analytic Case 464

14.3 Supersonic Solutions for an Analytic Case 467

14.4 Supersonic Solutions in Numerical Codes 468

References 470

15 Flow Reversal in the SOL 471

References 476

16 Divertor Detachment 477

16.1 Introduction 477

16.2 Background Relevant to Divertor Detachment 478

16.3 Experimental Observations of Divertor Detachment 483

16.4 Understanding Detachment 492

16.4.1 Introduction 492

16.4.2 Low Plasma Temperatures Necessary but Not Sufficient
for Detachment 493

16.4.3 The Necessity of Volumetric Momentum and Power Losses 493

16.4.4 The Effect of Volume Recombination Acting Alone 495

16.4.5 The Effect of Ion-Neutral Friction Acting Alone 497

16.4.6 The Combined Effect of Ion-Neutral Friction and Volume
Recombination on Detachment 50216.4.7 2D Fluid Code Modelling of Divertor Detachment using
the UEDGE Code 505

16.4.8 The 'Cause' versus the 'Explanation' of Detachment 508

References 510

17 Currents in the SOL 512

17.1 Introduction 512

17.2 Thermoelectric Currents Driven by Cross-Field Temperature Gra-
dients 51317.2.1 Case A. Segmented Limiter with $j_{\perp} = 0$ 51417.2.2 Case B. Continuous Limiter with $j_{\perp} = 0$ 51417.2.3 Case C. Segmented Limiter with $\sigma_{\perp}^{\text{cond}} \rightarrow \infty$ 51617.2.4 Case D. Continuous Limiter with $\sigma_{\perp}^{\text{cond}} \rightarrow \infty$ 51717.3 Inferring $V_{\text{plasma}}^{\text{SOL}}(r)$ from Probe Measurements of $V_{\text{float}}(r)$ and
 $T_e(r)$ 520

17.4 Thermoelectric Currents Driven By Parallel Temperature Gradients 520

17.5 Cross-Field Currents 525

17.5.1 Experimental Results 525

17.5.2 Simple Models for σ_{\perp} 527

17.5.3 Models for σ_{\perp} in a Tokamak	530
17.6 A Concluding Comment	535
References	535
18 Drifts in the SOL	537
18.1 Experimental Observations Implying the Presence of Drifts in the SOL	537
18.2 Definitions	539
18.3 The Consequences of $E \times B$ Drifts	542
18.3.1 The Radial and Poloidal $E \times B$ Drifts	542
18.3.2 Comparison of Drift Fluxes with the Basic SOL Fluxes	546
18.3.3 Comparison of Radial and Poloidal Drift Fluxes	546
18.3.4 The Effect of Poloidal $E \times B$ Drift on SOL Asymmetries	548
18.3.5 The Effect of Radial $E \times B$ Drift on SOL Asymmetries	553
18.3.6 Comments on the Effects of Radial and Poloidal $E \times B$ Drifts	555
18.4 Diamagnetic Drifts and Currents in the SOL	556
18.5 Pfirsch-Schlüter flows	561
18.6 Heat Flux Drifts in the SOL	565
18.7 Two Alternative Descriptions of Drifts	565
18.8 A Concluding Comment	568
References	568
19 The Relation Between SOL and Main Plasma Density for Divertors	570
References	574
20 Extracting $\chi_{\perp}^{\text{SOL}}(r)$ From Target Plasma Data Using the Onion-Skin Method	575
20.1 The General Method	575
20.2 A Simple Two-Point Model for Estimating $\chi_{\perp}^{\text{SOL}}$ and n_u	580
20.3 Examples from JET	582
References	586
21 Measurements of D_{\perp}^{SOL}, $\chi_{\perp}^{\text{SOL}}$ and the Decay Lengths for Divertor SOLs	588
References	602
22 MARFEs	603
22.1 Experimental Observations	603
22.2 Modelling MARFEs	605
22.3 Divertor MARFEs	612
References	614
23 The Radiating Plasma Mantle	615
References	620
24 Z_{eff}, P_{rad} and the Relation Between Them	621
References	628

25 Further Aspects of the Sheath	629
25.1 The Ion Velocity Distribution at the Sheath Edge	629
25.2 The Case of \mathbf{B} Parallel to the Solid Surface	634
25.3 The Bohm–Chodura Boundary Conditions and the Density Gradient at the Entrance to the Sheaths	643
25.4 The Sheath Boundary Conditions in the Presence of $\mathbf{E} \times \mathbf{B}$ and Diamagnetic Drifts	645
25.5 Expressions for the Floating Potential, Particle and Heat Flux Densities Through the Sheath	646
References	655
26 Kinetic Effects and Corrections to Collisional Expressions	656
26.1 Introduction	656
26.2 Kinetic Correction for Parallel Heat Conductivity	657
26.3 Kinetic Correction for Parallel Viscosity	664
26.4 Kinetic Correction for the Parallel Temperature Gradient Force Coefficients	664
References	665
27 Impurity Injection Experiments	667
27.1 Injection of Recycling Impurities	667
27.1.1 Single-Reservoir Model	669
27.1.2 The Garching Two-Chamber Model	670
27.1.3 Modelling which Uses an Edge Impurity Code and Both Divertor and Main Plasma Spectroscopic Signals	682
27.2 Injecting of Non-Recycling Impurities	683
27.2.1 Simple Analytic Models for the Penetration Factor (Confinement Time) Based on a ‘SOL Sink Strength’ Parameter	685
27.2.2 Interpretation Using a Code Such as DIVIMP	688
References	689
Appendix A Solutions to Problems	691
Index	704