

## Contents

	<b>Preface</b>	<i>XI</i>
<b>1</b>	<b>Fundamentals</b>	<b>1</b>
1.1	Introduction to Superconductivity in High-Temperature Superconductors (HTSCs)	1
1.1.1	Introductory Remarks	1
1.1.2	Internal Nomenclature	3
1.1.3	Critical Currents and Flux Motion in Superconductors	3
1.1.4	Magnetization Curve of a Type II Superconductor	7
1.1.5	Determination of Critical Currents from Magnetization Loops	9
1.1.6	Magnetic Relaxation	11
1.1.7	Electric Field–Current Relation	13
1.1.8	Peculiarities of HTSCs in Comparison to Low-Temperature Superconductors	15
1.1.9	Basic Relations for the Pinning Force and Models for its Calculation	16
1.2	Features of Bulk HTSCs	18
1.2.1	Bulk HTSCs of Large Dimensions	19
1.2.2	Potential of Bulk HTSC for Applications	20
1.3	Solid-State Chemistry and Crystal Structures of HTSCs	22
1.3.1	Crystal Structures and Functionality	22
1.3.2	Chemistry and Doping	24
1.3.3	Intrinsic Doping: Variations of Stoichiometry	25
1.3.4	Defect Chemistry	26
1.3.5	Extrinsic Doping	27
<b>2</b>	<b>Growth and Melt Processing of <math>\text{YBa}_2\text{Cu}_3\text{O}_7</math></b>	<b>31</b>
2.1	Physico-Chemistry of RE-Ba-Cu-O Systems	31
2.1.1	Phase Diagrams and Fundamental Thermodynamics	31
2.1.2	Subsolidus Phase Relationships	33
2.1.3	The Influence of Oxygen on Phase Equilibria: the System Y-Ba-Cu-O	35
2.1.4	The Oxygen Nonstoichiometry in 123 phases: $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ ( $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$ )	37

2.1.5	Phase Relationships in Y-Ba-Cu-O in the Solidus and Liquidus Range	39
2.1.6	Phase Relationships and the Liquidus Surface in Systems Ln-Ba-Cu-O (Ln= Nd, Sm,...)	42
2.1.7	Additional Factors	45
2.2	Preparation of Polycrystalline RE123 Materials	45
2.2.1	Synthesis of HTSC Compounds	45
2.3	Growth of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> Single Crystals	46
2.4	Processing of "Melt-Textured" YBaCuO Bulk Materials	47
2.4.1	Experimental Procedure	47
2.4.2	Mass Flow, Growth Rates, Kinetic and Constitutional Undercooling	50
2.4.3	Developing Microstructures: Morphology, Inclusions, Defects	53
2.5	Modified Melt Crystallization Processes For YBCO	60
2.5.1	Variants of the YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> -Y <sub>2</sub> BaCuO <sub>5</sub> Melt-Texturing Process	60
2.5.2	Processing Mixtures of Y123 and Yttria	60
2.5.3	Processing in Reduced Oxygen Partial Pressure	63
<b>3</b>	<b>Pinning-Relevant Defects in Bulk YBCO</b>	<b>67</b>
<b>4</b>	<b>Properties of Bulk YBCO</b>	<b>75</b>
4.1	Vortex Matter Phase Diagram of Bulk YBCO	75
4.1.1	Irreversibility Fields	75
4.1.2	Upper Critical Fields	78
4.1.3	Vortex Matter Phase Diagram	79
4.2	Critical Currents and Pinning Force	82
4.2.1	Transport Measurements	82
4.2.2	Magnetization Measurements	83
4.3	Flux Creep	86
4.3.1	Flux Creep in Bulk YBCO	86
4.3.2	Reduction of Flux Creep	87
4.3.3	Pinning Properties from Relaxation Data	89
4.4	Mechanical Properties	91
4.4.1	Basic Relations	91
4.4.2	Mechanical Data for Bulk YBCO	93
4.5	Selected Thermodynamic and Thermal Properties	96
4.5.1	Symmetry of the Order Parameter	96
4.5.2	Specific Heat	98
4.5.3	Thermal Expansion	99
4.5.4	Thermal Conductivity	101
<b>5</b>	<b>Trapped Fields</b>	<b>105</b>
5.1	Low-Temperature Superconductors	105
5.2	Bulk HTSC at 77 K	105
5.3	Trapped Field Data at 77 K	109
5.4	Limitation of Trapped Fields in Bulk YBCO at Lower Temperatures	110

5.4.1	Magnetic Tensile Stress and Cracking	111
5.4.2	Thermomagnetic Instabilities	113
5.5	Magnetizing Superconducting Permanent Magnets by Pulsed Fields	115
5.6	Numerical Calculations of the Local Critical Current Density from Field Profiles	119
5.6.1	Inverse Field Problem: Two-Dimensional Estimation	120
5.6.2	Three-Dimensional Estimation	122
5.7	Visualization of Inhomogeneities in Bulk Superconductors	125
<b>6</b>	<b>Improved YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub>-Based Bulk Superconductors and Functional Elements</b>	<b>129</b>
6.1	Improved Pinning Properties	129
6.1.1	Chemical Modifications in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub>	129
6.1.2	Sub-Micro Particles Included in Bulk YBCO	135
6.1.3	Irradiation Techniques	136
6.2	Improved Mechanical Properties in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-δ</sub> /Ag Composite Materials	138
6.2.1	Fundamentals of the Processing and Growth of YBCO/Ag Composite Materials	138
6.2.2	Processing and Results	140
6.2.3	Properties of Bulk YBaCuO/Ag Composite Materials	141
6.3	Near Net Shape Processing: Large Sized Bulk Superconductors and Functional Elements	142
6.3.1	Finishing and Shaping	143
6.3.2	The Multi-Seed Technique	144
6.3.3	Rings of 123 Bulk Materials	144
6.3.4	Joining of Separate Single Grains	146
6.4	Bulk Materials and Processing Designed for Special Applications	148
6.4.1	Infiltration Technique and Foams	148
6.4.2	Long-Length Conductors and Controlled-Resistance Materials	149
6.4.3	Bi2212 Bulk Materials and Rings	151
6.4.4	Batch Processing of 123 Bulk Materials	151
<b>7</b>	<b>Alternative Systems</b>	<b>155</b>
7.1	Impact of Solid Solutions Ln <sub>1+y</sub> Ba <sub>2-y</sub> Cu <sub>3</sub> O <sub>7±δ</sub> on Phase Stability and Developing Microstructure	155
7.2	Advanced Processing of Ln123	160
7.2.1	Oxygen Potential Control	160
7.2.2	Oxygen-Controlled Melt Growth Process (OCMG)	161
7.2.3	Isothermal Growth Process at Variable Oxygen Partial Pressure (OCIG)	161
7.2.4	Composition Control in Oxidizing Atmosphere for Growing (CCOG)	163
7.3	Alternative Seeding Techniques	165

- 7.4 Further  $\text{LnBa}_2\text{Cu}_3\text{O}_7$ -Based Materials 165
- 7.5 Ag/ $\text{LnBaCuO}$  Composites with Large Lanthanide Ions 166
  - 7.5.1 Fundamentals of Processing 166
  - 7.5.2 Reactions Near the Seed–Melt Interface 167
  - 7.5.3 Growth and Properties of Ag/ $\text{LnBaCuO}$  Composites 168
- 8 Peak Effect 171**
  - 8.1 Peak Effect (due to Cluster of Oxygen Vacancies) in Single Crystals 172
  - 8.2 Peak Effect in Bulk HTSC 175
- 9 Very High Trapped Fields in YBCO Permanent Magnets 179**
  - 9.1 Bulk YBCO in Steel Tubes 179
    - 9.1.1 Magnetic Tensile Stress (in Reinforced YBCO Disks) 179
    - 9.1.2 Trapped Field Measurements 181
  - 9.2 Resin-Impregnated YBCO 184
  - 9.3 Trapped Field Data of Steel-reinforced YBCO 185
  - 9.4 Comparison of Trapped Field Data 188
- 10 Engineering Aspects: Field Distribution in Bulk HTSC 191**
  - 10.1 Field Distribution in the Meissner Phase 192
    - 10.1.1 Field Cooling 192
    - 10.1.2 Zero-Field Cooling 193
  - 10.2 Field Distribution in the Mixed State 194
    - 10.2.1 Field Cooling 194
    - 10.2.2 Zero-Field Cooling 195
- 11 Inherently Stable Superconducting Magnetic Bearings 199**
  - 11.1 Principles of Superconducting Bearings 199
    - 11.1.1 Introduction to Magnetic Levitation 199
    - 11.1.2 Attributes of Superconducting Magnetic Bearings with Bulk HTSC 200
  - 11.2 Forces in Superconducting Bearings 201
    - 11.2.1 Forces in the Meissner and the Mixed State 201
    - 11.2.2 Maximum Levitational Pressure in Superconducting Bearings 204
  - 11.3 Force Activation Modes and Magnet Systems in Superconducting Bearings 207
    - 11.3.1 Cooling Modes 207
    - 11.3.2 Operational Field Cooling with an Offset 209
    - 11.3.3 Maximum Field Cooling Mode 211
    - 11.3.4 Magnet Systems for Field Excitation in Superconducting Bearings 211
    - 11.3.5 Force Characteristics 216
  - 11.4 Optimized Flux Concentration Systems for Operational-Field Cooling (OFCo) 220
    - 11.4.1 Stray Field Compensation 221
    - 11.4.2 Dimensional Optimization of System Components 221
  - 11.5 Parameters Influencing the Forces of Superconducting Bearings 225
    - 11.5.1 Critical Current Density 225
    - 11.5.2 Temperature 226
    - 11.5.3 Flux Creep 227
    - 11.5.4 HTSC Bulk Elements Composed of Multiple Isolated Grains 229
    - 11.5.5 Number of Poles of the Excitation System 232
  - 11.6 Applications of Superconducting Bearings 233
    - 11.6.1 Bearings for Stationary Levitation 234
    - 11.6.2 Bearings for Rotary Motion 236
    - 11.6.3 Bearings for Linear Motion 241
  - 11.7 Specific Operation Conditions 245
    - 11.7.1 Precise Positioning of Horizontal Rotating Axis 245
    - 11.7.2 Bulk HTSCs Cooled Below 77 K 246
    - 11.7.3 Cooling the Excitation System along with the Superconductor 247
    - 11.7.4 Dynamics of Rotating Superconducting Bearings 247
  - 11.8 Numerical Methods 249
    - 11.8.1 Perfectly Trapped Flux Model (2D) 250
    - 11.8.2 Perfectly Trapped Flux Model (3D) 252
    - 11.8.3 Vector-Controlled Model (2D) 253
- 12 Applications of Bulk HTSCs in Electromagnetic Energy Converters 259**
  - 12.1 Design Principles 259
  - 12.2 Basic Demonstrator for Application in Electrical Machines – Hysteresis or Induction Machines 261
  - 12.3 Trapped-Field Machine Designs 263
  - 12.4 Stator-Excited Machine Designs with Superconducting Shields – The Reluctance Motor with Bulk HTSC 269
  - 12.5 Machines with Bulk HTSCs – Status and Perspectives 273
- 13 Applications in Magnet Technologies and Power Supplies 279**
  - 13.1 Superconducting Permanent Magnets with Extremely High Magnetic Fields 279
    - 13.1.1 Laboratory Magnets 279
    - 13.1.2 Magnetic Separators 280
    - 13.1.3 Sputtering Device 283
    - 13.1.4 Superconducting Wigglers and Undulators 284
  - 13.2 High-Temperature Superconducting Current Leads 284
  - 13.3 Superconducting Fault Current Limiters 285
    - 13.3.1 Inductive Fault Current Limiters 286
    - 13.3.2 Resistive Superconducting Fault Current Limiters 287
    - 13.3.3 Status of High AC Power SFCL Concepts 288
  - 13.4 High-Temperature Superconducting Magnetic Shields 290
- List of Abbreviations 293**
- Index 295**