

# Contents

## PART A

Preface . . . . .	vii
Committees . . . . .	viii
Sponsors . . . . .	ix

### Section 1. Invited Papers

The impact of materials selection on the design of the International Thermonuclear Experimental Reactor (ITER), <i>ITER Joint Central Team</i> . . . . .	3
Recent results on fusion reactor materials research in China, <i>J.P. Qian and X.W. Deng</i> . . . . .	11
Defect accumulation under cascade damage conditions, <i>H. Trinkaus, B.N. Singh and C.H. Woo</i> . . . .	18
Radiation effects in beryllium used for plasma protection, <i>D.S. Gelles, G.A. Sernyaev, M. Dalle Donne and H. Kawamura</i> . . . . .	29
Features of structure–phase transformations and segregation processes under irradiation of austenitic and ferritic–martensitic steels, <i>I.M. Neklyudov and V.N. Voyevodin</i> . . . . .	39
On the ductile to brittle transition in martensitic stainless steels – Mechanisms, models and structural implications, <i>G.R. Odette</i> . . . . .	45
Irradiation-assisted stress corrosion cracking, <i>E.A. Kenik, R.H. Jones and G.E.C. Bell</i> . . . . .	52
Advanced low-activation materials. Fibre-reinforced ceramic composites, <i>P. Fenici and H.W. Scholz</i> . . .	60
Material problems and requirements related to the development of fusion blankets: The designer point of view, <i>M. Dalle Donne, D.R. Harries, G. Kalinin, R. Mattas and S. Mori</i> . . . . .	69
A comparison of the effects of neutron and other irradiation sources on the dynamic property changes of ceramic insulators, <i>T. Shikama and G.P. Pells</i> . .	80
Effects of plasma disruption on structural and plasma-facing materials, <i>M. Akiba and H. Madarame</i> . . . .	90
First-wall erosion in fusion devices, <i>C. García-Rosales</i> .	97
Critical assessment of first wall behaviour under cyclic heat loads, <i>R. Matera, M. Merola, G. Vieider, Y. Bouveret, M. Brossa and G. Symbolotti</i> . . . . .	101
Review of tritium retention in first-wall materials, <i>P.L. Andrew and M.A. Pick</i> . . . . .	111
Microstructure and micromechanics of brazings under irradiation by ions, <i>L. Boulanger, J. Chen, P. Jung and Y. Serruys</i> . . . . .	118

## Section 2. Radiation Damage and Radiation Effects

### 2.1. Primary damage and collision cascades

Calibrating a multi-model approach to defect production in high energy collision cascades, <i>H.L. Heinisch, B.N. Singh and T. Diaz de la Rubia</i> . . . . .	127
Defect microstructure in copper alloys irradiated with 750 MeV protons, <i>S.J. Zinkle, A. Horsewell, B.N. Singh and W.F. Sommer</i> . . . . .	132
Real-time observation of thermal relaxation of initial damage in graphite under ion irradiation, <i>M. Kitajima, E. Asari and K.G. Nakamura</i> . . . . .	139
The threshold energy for defect production in SiC: a molecular dynamics study, <i>J. Wong, T. Diaz de la Rubia, M.W. Guinan, M. Tobin, J.M. Perlado, A.S. Perez and J. Sanz</i> . . . . .	143
Molecular dynamics calculations of defect energetics in $\beta$ -SiC, <i>H. Huang and N. Ghoniem</i> . . . . .	148
Dependence of observed cascade defects on neutron spectrum and dose in Au and Ag irradiated with fission and fusion neutrons at low temperature, <i>H. Fukushima, Y. Shimomura, M. Kiritani, M.W. Guinan, H. Gerstenberg, I. Mukouda and T. Mitoma</i> . . . . .	154
Cascade damage formation in gold under self-ion irradiation, <i>N. Sekimura, Y. Kanzaki, S.R. Okada, T. Masuda and S. Ishino</i> . . . . .	160
Computer simulation of disordering kinetics in irradiated $A_3B$ intermetallic compounds, <i>M. Spaczér, A. Caro, M. Victoria and T. Diaz de la Rubia</i> . . . . .	164

### 2.2. Defect clusters from cascades

Production bias and cluster annihilation: Why necessary?, <i>B.N. Singh, H. Trinkaus and C.H. Woo</i> . . . .	168
Computer simulation of the bias factor in void swelling in metals, <i>E. Kuramoto and T. Tsutsumi</i> . . . . .	175
Rate theory investigation of influence of cascade cluster formation and solute trapping on point defect agglomeration and extended defect evolution, <i>Y. Katoh, R.E. Stoller and A. Kohyama</i> . . . . .	179
Factors to influence the nucleation and growth of interstitial clusters during cascade damage, <i>T. Yoshiie, S. Kojima and M. Kiritani</i> . . . . .	186
Formation of vacancy clustered defects from cascade collisions during heavy-ion irradiation and their annihilation by freely-migrating interstitial atoms, <i>M.</i>	

<i>Kiritani, Y. Fukuta, T. Mima, E. Iiyoshi, Y. Kizuka, S. Kojima and N. Matsunami</i> . . . . .	192	Damage structures of silicon irradiated heavily with neutrons, <i>R. Oshima, T. Kawano and R. Fujimoto</i> . . . . .	293
The relationship between collisional phase defect distribution and cascade collapse efficiency, <i>K. Morishita, H.L. Heinisch, S. Ishino and N. Sekimura</i> . . . . .	198	Effect of concurrent irradiation with electrons on ion-induced amorphization in silicon, <i>H. Abe, C. Kinoshita, P.R. Okamoto and L.E. Rehn</i> . . . . .	298
Free defect production efficiency for heavy ion irradiation estimated by loop growth measurements, <i>T. Muroga, K. Mihara, H. Watanabe and N. Yoshida</i> . . . . .	203	<b>2.4. Cavity formation and swelling</b>	
Formation process of defect clusters in copper and nickel under irradiation with helium ions, <i>J. Shimizu, K. Yasuda and C. Kinoshita</i> . . . . .	207	High temperature embrittlement of metals due to helium: is the lifetime dominated by cavity growth or crack growth?, <i>H. Trinkaus and H. Ullmaier</i> . . . . .	303
The influence of carbon concentration on the loop growth in helium doped nickel, <i>B.A. Kalin and I.V. Reutov</i> . . . . .	212	Void swelling and spatial heterogeneity in microstructure evolution in pure metals at very low irradiation doses, <i>A.A. Semenov and C.H. Woo</i> . . . . .	310
Effect of mobility of small clusters on radiation strengthening of copper, <i>G. Szenes and K. Havancsák</i> . . . . .	216	Effect of cascade localization induced bias effect and fluctuation of point defect reactions on defect structure evolution near planar sinks, <i>T. Yoshiie and M. Kiritani</i> . . . . .	315
Effect of temperature and flux change on the behavior of radiation induced dislocation loops in pure aluminum, <i>S. Jitsukawa and K. Hojou</i> . . . . .	221	A simulation study of the migration and coalescence of gas bubbles in metals, <i>V. Zell, H. Trinkaus and H. Schroeder</i> . . . . .	320
<b>2.3. Point defect processes and evolution of microstructure</b>		Influence of helium generation rate and temperature history on mechanical properties of model Fe–Cr–Ni alloys irradiated in FFTF at relatively low displacement rates, <i>M.L. Hamilton, F.A. Garner and D.J. Edwards</i> . . . . .	325
On the steady state in radiation damage modelling, <i>V. Naundorf and H. Wollenberger</i> . . . . .	226	Effect of He on void formation and radiation-induced segregation in dual-beam irradiated Fe–Cr–Ni, <i>Y. Hidaka, S. Ohnuki, H. Takahashi and S. Watanabe</i> . . . . .	330
An MD simulation of interactions between self-interstitial atoms and edge dislocation in bcc transition metals, <i>H. Kamiyama, H. Rafii-Tabar, Y. Kawazoe and H. Matsui</i> . . . . .	231	Helium bubbles in FeNiCr after post-implantation annealing, <i>F. Carsughi, H. Ullmaier, H. Trinkaus, W. Kesternich and V. Zell</i> . . . . .	336
Computer simulation study of copper precipitates in $\alpha$ -iron, <i>Yu.N. Osetsky, A.G. Mikhlin and A. Serra</i> . . . . .	236	Effect of gas atoms on swelling of austenitic stainless steel, <i>N. Igata, N. Eguchi, E. Nishibe and A. Naito</i> . . . . .	341
Microstructure evolution by neutron irradiation during cyclic temperature variation, <i>M. Kiritani, T. Yoshiie, M. Iseki, S. Kojima, K. Hamada, M. Horiki, Y. Kizuka, H. Inoue, T. Tada and Y. Ogasawara</i> . . . . .	241	The formation of helium bubbles in 316L SS irradiated with helium ions at different temperatures, <i>K.Q. Chen, Y.S. Wang, J.M. Quan, J.G. Sun, C.H. Zhang and Z.Y. Zhao</i> . . . . .	345
Microstructural evolution in low-dose neutron-irradiated Fe–16Ni–15Cr alloy, <i>M. Horiki and M. Kiritani</i> . . . . .	246	Experiments to examine the contribution of gas atoms to void formation in irradiated metals, <i>Y. Shimomura, I. Mukouda, M. Kiritani, S. Kojima and F.A. Garner</i> . . . . .	352
Damage structures and precipitation in electron-irradiated iron–chromium alloys, <i>T. Ezawa, T. Akashi and R. Oshima</i> . . . . .	252	Helium bubble formation in nickel during hot implantation, <i>V. Zell, H. Schroeder and H. Trinkaus</i> . . . . .	358
Effects of temperature variation on damage microstructures in Fe–Cr–Ni alloy induced by heavy ion irradiation, <i>Q. Xu, H. Watanabe, T. Muroga and N. Yoshida</i> . . . . .	258	Effect of Sb on the nucleation of cavities and loops in He <sup>+</sup> irradiated Ni–Sb alloys, <i>K. Niwase, T. Ezawa and T. Tanabe</i> . . . . .	364
Defect microstructure in copper after low fluence irradiation with 440 MeV argon and 230 MeV neon ions, <i>F. Paschoud, M. Victoria, G. Szenes and K. Havancsak</i> . . . . .	263	Void swelling of pure copper, Cu–5Ni and Cu–5Mn alloys irradiated with fast neutrons, <i>H. Watanabe and F.A. Garner</i> . . . . .	370
Microstructure of neutron-irradiated copper alloyed with nickel and zinc, <i>T. Muroga and N. Yoshida</i> . . . . .	266	Helium-induced swelling in tungsten during postimplantation annealing, <i>V.N. Chernikov, Ju.V. Lakhotkin, H. Ullmaier, H. Trinkaus, P. Jung and H.J. Bierfeld</i> . . . . .	375
Role of solute atoms on microstructural evolution in neutron irradiated nickel, <i>K. Hamada, S. Kojima, Y. Ogasawara, T. Yoshiie and M. Kiritani</i> . . . . .	270	<b>2.5. Radiation effects on microstructure and properties</b>	
Quantitative examination of radiation-induced disordering in precipitates with a cooled CCD camera attached to a TEM, <i>T. Kimoto and T. Saito</i> . . . . .	275	Mechanical property change in neutron irradiated Fe–Cr and Fe–Mn alloys, and their defect structures, <i>A. Okada, N. Kawaguchi, M.L. Hamilton, K. Hamada, T. Yoshiie, I. Ishida and E. Hirota</i> . . . . .	382
In-situ observation of damage evolution in TiC crystals during helium ion irradiation, <i>K. Hojou, H. Otsu, S. Furuno, K. Izui and T. Tsukamoto</i> . . . . .	281		
Helium impurity interactions in vanadium and niobium, <i>A. van Veen, H. Eleveld and M. Clement</i> . . . . .	287		

Neutron irradiation creep in stainless steel alloys, <i>W. Schüle and H. Hausen</i> . . . . .	388	Effect of cyclic temperature change on microstructural evolution in austenitic stainless steels under fission neutron irradiation, <i>N. Yoshida, Q. Xu, H. Watanabe, Y. Miyamoto and T. Muroga</i> . . . . .	471
Mechanical properties and microstructure of 600 MeV proton irradiated copper single crystals, <i>Y. Dai, D. Gavillet, F. Paschoud and M. Victoria</i> . . . . .	393	Proton irradiation induced segregation and phase transformation in AISI 304 and AISI 304L stainless steels, <i>W.-J. Liu, J.-J. Kai and C.-H. Tsai</i> . . . . .	476
Effect of fast-neutron irradiation on tensile properties of precipitation-hardened Cu–Cr–Zr alloy, <i>P. Fenici, D.J. Boerman, G.P. Tartaglia and J.D. Elen</i> . . . . .	399	The influence of <sup>10</sup> B addition on the swelling suppression by phosphorus and titanium in Fe–Cr–Ni, <i>T. Muroga, H. Watanabe and N. Yoshida</i> . . . . .	482
The influence of transmutation, void swelling, and flux/spectra uncertainties on the electrical properties of copper and copper alloys, <i>D.J. Edwards, F.A. Garner and L.R. Greenwood</i> . . . . .	404	Swelling of advanced austenitic stainless steels developed for the environment of heavy neutron exposure, <i>I. Shibahara, N. Akasaka, S. Onose, H. Okada and S. Ukai</i> . . . . .	487
Effects of fission neutron and 600 MeV proton irradiations on microstructural evolution in OFHC-copper, <i>B.N. Singh and A. Horsewell</i> . . . . .	410	An assessment of the <sup>59</sup> Ni isotopic tailoring technique to study the influence of helium/dpa ratio, <i>L.R. Greenwood, F.A. Garner and B.M. Oliver</i> . . . . .	492
Neutron irradiation effects on the properties of carbon materials, <i>C.H. Wu, J.P. Bonal, B. Thiele, G. Tsotridis, H. Kwast, H. Werle, J.P. Coad, G. Federici and G. Vieider</i> . . . . .	416	The response of helium on microstructure and hardness in Fe–Ni–Cr alloys irradiated at 465°C to 0.42 dpa using isotopic doping with <sup>59</sup> Ni, <i>H. Kawanishi and F.A. Garner</i> . . . . .	498
Behavior of radiation-resistant optical fibers under irradiation in a fission reactor, <i>T. Shikama, T. Kakuta, M. Narui, T. Sagawa, N. Shamoto, T. Uramoto, K. Sanada and H. Kayano</i> . . . . .	421	The influence of combined addition of phosphorus and titanium on void swelling of austenitic Fe–Cr–Ni alloys at 646–700 K, <i>H. Watanabe, T. Muroga and N. Yoshida</i> . . . . .	503
The influence of starting state on neutron induced density changes observed in Nb–1Zr and Mo–41Re at high exposures, <i>F.A. Garner, L.R. Greenwood and D.J. Edwards</i> . . . . .	426	Relationship between swelling and irradiation creep in cold-worked PCA stainless steel irradiated to ~ 178 dpa at ~ 400°C, <i>M.B. Toloczko and F.A. Garner</i> . . . . .	509
Effects of irradiation on electrical properties of magnetic probes, <i>H. Sagawa, S. Ikeno, T. Sekine, E. Ishitsuka, H. Kawamura, T. Matoba and M. Saito</i> . . . . .	431	Tensile properties of type 316L(N) stainless steel irradiated to 10 displacements per atom, <i>M.G. Horsten and M.I. de Vries</i> . . . . .	514
<b>Section 3. Austenitic Stainless Steels</b>		Effect of FFTF irradiation on tensile properties of P- and Ti-modified model austenitic alloys with small amounts of boron, <i>H. Kurishita, T. Muroga, H. Watanabe, N. Yoshida, H. Kayano and M.L. Hamilton</i> . . . . .	519
<b>3.1. Microstructure and properties</b>		Tensile, low cycle fatigue and fracture toughness behaviour of type 316L steel irradiated to 0.3 dpa, <i>B. Josefsson and U. Bergenlid</i> . . . . .	525
Thermal stability of manganese-stabilized stainless steels, <i>R.L. Klueh and E.A. Kenik</i> . . . . .	437	The effects of temperature and stress variations on the deuteron irradiation creep of type 316L stainless steel, <i>R. Scholz</i> . . . . .	530
Fracture toughness of candidate materials for ITER first wall, blanket, and shield structures, <i>J.E. Pawel, D.J. Alexander, M.L. Grossbeck, A.W. Longest, A.F. Rowcliffe, G.E. Lucas, S. Jitsukawa, A. Hishinuma and K. Shiba</i> . . . . .	442	Resonant irradiation creep of 316 stainless steel under pulsed deuteron bombardment, <i>N. Kishimoto and H. Amekura</i> . . . . .	535
Thermal fatigue crack growth: modelling and experimental verification, <i>J. Bressers, R.C. Hurst, D.C. Kerr, L. Lamain, G. Sordon and G.P. Tartaglia</i> . . . . .	448	Calculation of radiation-induced stress relaxation, <i>J. Nagakawa</i> . . . . .	541
<b>3.2. Radiation effects on microstructure and properties</b>		Fatigue damage in 20% cold-worked type 316L stainless steel under deuteron irradiation, <i>R. Scholz</i> . . . . .	546
Microstructural evolution of He-preinjected austenitic stainless steels under HVEM irradiation, <i>T. Sawai, K. Fukai, S. Jitsukawa, H. Otsu and A. Hishinuma</i> . . . . .	453	Characteristics of austenitic stainless steels designed for improving irradiation properties and corrosion resistance, <i>K. Kiuchi, T. Ishiyama, M. Kikuchi, Y. Takagi and A. Hishinuma</i> . . . . .	551
Microstructural evolution in a nickel ion-irradiated ferritic/austenitic duplex stainless steel, <i>S. Hamada, T. Inazumi, K. Satoh, A. Hishinuma, Y. Kohno and A. Kohyama</i> . . . . .	458	<b>Section 4. Ferritic /Martensitic Stainless Steels</b>	
Microstructural response of titanium-modified austenitic stainless steels to neutron exposure of 70 dpa in FFTF/MOTA, <i>Y. Katoh, Y. Kohno and A. Kohyama</i> . . . . .	464	<b>4.1. Microstructure and properties</b>	
		Hardness of irradiated and helium implanted DIN 1.4914 martensitic stainless steel, <i>J. Chen and P. Jung</i> . . . . .	559

Solute Cr atom distribution and fracture behaviour of MANET steel, <i>P. Gondì, R. Montanari, A. Sili and R. Coppola</i> . . . . .	564
Effect of vanadium and titanium on mechanical properties of chromium–tungsten steels, <i>R.L. Klueh and D.J. Alexander</i> . . . . .	569
Cyclic deformation property and microstructure study of HT-9 ferritic steel at elevated temperatures, <i>H.-J. Chang, J.-J. Kai and C.-H. Tsai</i> . . . . .	574
Fatigue of DIN 1.4914 martensitic stainless steel in a hydrogen environment, <i>J.I. Shakib, H. Ullmaier, E.A. Little, R.G. Faulkner, W. Schmitz and T.E. Chung</i> . . . . .	579
Thermal fatigue on MANET II, <i>C. Petersen</i> . . . . .	584
<b>4.2. Radiation effects on microstructure and properties</b>	
Pre- and post-irradiation mechanical properties of ferritic–martensitic steels for fusion applications: EM10 base metal and EM10/EM10 welds, <i>J.L. Séran, A. Alamo, A. Maillard, H. Touron, J.C. Brachet, P. Dubuisson and O. Rabouille</i> . . . . .	588
In-beam fatigue of a ferritic–martensitic steel. First results, <i>P. Marmy</i> . . . . .	594
Fatigue tests on a ferritic–martensitic steel at 420°C: Comparison between in-situ and postirradiation properties, <i>R. Lindau and A. Möslang</i> . . . . .	599
Irradiation creep and swelling of the US fusion heats of HT9 and 9Cr–1Mo to 208 dpa at ~ 400°C, <i>M.B. Toloczko, F.A. Garner and C.R. Eiholzer</i> . . . . .	604
Irradiation-induced silicon segregation in ferritic steels, <i>R.G. Faulkner, S. Song and P.E.J. Flewitt</i> . . . . .	608
<b>Section 5. Reduced-Activation Materials</b>	
<b>5.1. Activation calculation and safety</b>	
Activation and irradiation effect calculations of the first wall for a fusion breeder, <i>K.M. Feng, Zh.Y. Xie and Y.Zh. Li</i> . . . . .	615
Activation and waste management considerations of fusion materials, <i>E.T. Cheng and G. Saji</i> . . . . .	621
The significance of sequential charged particle reactions in the activation of vanadium alloys, <i>G.J. Butterworth and C.B.A. Forty</i> . . . . .	628
Transmutation of Mo, Re, W, Hf, and V in various irradiation test facilities and STARFIRE, <i>L.R. Greenwood and F.A. Garner</i> . . . . .	635
Burnup of some refractory metals in a fusion neutron spectrum, <i>C.B.A. Forty, G.J. Butterworth and J.-C. Sublet</i> . . . . .	640
Activation of TZM and stainless steel divertor materials in the NET fusion machine, <i>D.G. Ceperaga, E. Menapace, G. Cambi, S. Ciattaglia, L. Petrizzi, G. Cavallone, M. Costa and U. Broccoli</i> . . . . .	644
The impact of low-activation criteria on the development of novel materials for fusion, <i>P. Rocco and M. Zucchetti</i> . . . . .	649
Purity and radioactive decay behaviour of industrial 2D-reinforced SiC <sub>f</sub> /SiC composites, <i>H.W. Scholz, M. Zucchetti, K. Casteleyn and C. Adelhelm</i> . . . . .	655
The effect of materials selection on the passive safety of fusion reactors, <i>F. Andritsos and M. Zucchetti</i> . . . . .	662
Safety and environmental aspects of vanadium alloys, <i>G.J. Butterworth, K.A. McCarthy, G.R. Smolik and C.B.A. Forty</i> . . . . .	667
Accidental release characteristics of activated materials in inertial and magnetic fusion reactors, <i>J. Sanz, A.S. Pérez, J.M. Perlado and M. Zucchetti</i> . . . . .	673
<b>5.2. Steels</b>	
The development of ferritic–martensitic steels with reduced long-term activation, <i>K. Ehrlich, S. Kelzenberg, H.-D. Röhrig, L. Schäfer and M. Schirra</i> . . . . .	678
R&D of low activation ferritic steels for fusion in Japanese universities, <i>A. Kohyama, Y. Kohno, K. Asakura and H. Kayano</i> . . . . .	684
Designation of alloy composition of reduced-activation martensitic steel, <i>A. Kimura, H. Kayano, T. Misawa and H. Matsui</i> . . . . .	690
The neutronic basis for elemental substitution in martensitic steels, <i>J.-C. Sublet and G.J. Butterworth</i> . . . . .	695
Neutron irradiation effects on the microstructure of low-activation ferritic alloys, <i>A. Kimura and H. Matsui</i> . . . . .	701
Effects of neutron irradiation on microstructural evolution in candidate low activation ferritic steels, <i>Y. Kohno, A. Kohyama, M. Yoshino and K. Asakura</i> . . . . .	707
Microstructural development in reduced activation ferritic alloys irradiated to 200 dpa at 420°C, <i>D.S. Gelles</i> . . . . .	714
Behavior of helium gas atoms and bubbles in low activation 9Cr martensitic steels, <i>A. Hasegawa, H. Shiraishi, H. Matsui and K. Abe</i> . . . . .	720
Dependence of grain boundary chemistry on the irradiation dose in low activation ferritics, <i>A. Kimura, L.A. Charlot, D.S. Gelles and R.H. Jones</i> . . . . .	725
Tensile properties of reduced activation Fe–9Cr–2W steels after FFTF irradiation, <i>H. Kurishita, H. Kayano, M. Narui, A. Kimura, M.L. Hamilton and D.S. Gelles</i> . . . . .	730
Impact toughness of irradiated reduced-activation ferritic steels, <i>R.L. Klueh and D.J. Alexander</i> . . . . .	736
Effect of loading mode on the fracture toughness of a reduced-activation ferritic/martensitic stainless steel, <i>H. Li, R.H. Jones, J.P. Hirth and D.S. Gelles</i> . . . . .	741
Fracture properties of neutron-irradiated martensitic 9Cr–WVTa steels below room temperature, <i>F. Abe, M. Narui and H. Kayano</i> . . . . .	746
Irradiation creep of low-activation ferritic steels in FFTF/MOTA, <i>A. Kohyama, Y. Kohno, K. Asakura, M. Yoshino, C. Namba and C.R. Eiholzer</i> . . . . .	751
Mechanical properties of low-activated Fe–Cr–Mn alloys neutron-irradiated at lower temperature, <i>S. Ohnuki, H. Takahashi, H. Kinoshita and S. Mochizuki</i> . . . . .	755
Effect of carbon on irradiation hardening of reduced-activation 10Cr–30Mn austenitic steels, <i>F. Abe, F.A. Garner and H. Kayano</i> . . . . .	760

Improvement of high temperature strength and low temperature toughness of high manganese–chromium austenitic steels, <i>K. Miyahara, D.-S. Bae and Y. Shimoi</i> . . . . .	766
<b>5.3. Alternative materials</b>	
Creep properties of vanadium-base alloys, <i>H.M. Chung, B.A. Loomis and D.L. Smith</i> . . . . .	772
Microstructural development in irradiated vanadium alloys, <i>D.S. Gelles and J.F. Stubbins</i> . . . . .	778
Effects of temperature history during neutron irradiation on the microstructure of vanadium alloys, <i>H. Matsui, K. Kuji, M. Hasegawa and A. Kimura</i> . . . . .	784
Effect of neutron irradiation on tensile properties of V–Cr–Ti alloys, <i>B.A. Loomis, L.J. Nowicki and D.L. Smith</i> . . . . .	790
Tensile properties and microstructures of neutron irradiated V–Ti–Cr–Si type alloys, <i>M. Satou, K. Abe and H. Kayano</i> . . . . .	794
Effects of neutron irradiation and hydrogen on ductile–brittle transition temperatures of V–Cr–Ti alloys, <i>B.A. Loomis, H.M. Chung, L.J. Nowicki and D.L. Smith</i> . . . . .	799
Effect of irradiation damage and helium on swelling and structure of vanadium-base alloys, <i>H.M. Chung, B.A. Loomis and D.L. Smith</i> . . . . .	804
Use of titanium in fusion components, <i>J.W. Davis, M.A. Ulrickson and R.A. Causey</i> . . . . .	813
Irradiation induced stress relaxation and high temperature deformation behavior of neutron irradiated Ti based shape memory alloys, <i>T. Hoshiya, I. Goto, M. Ohmi, H. Ando, K. Enami and M. Nishikawa</i> . . . . .	818
Processing of high-purity SiC composites by chemical vapor infiltration (CVI), <i>T. Noda, H. Araki and H. Suzuki</i> . . . . .	823
High-temperature properties of SiC/SiC for fusion applications, <i>R.H. Jones and C.H. Henager, Jr.</i> . . . . .	830
Thermal conductivity of reaction bonded and reaction sintered silicon/silicon carbide composites, <i>L. Fabbri and E. Scafé</i> . . . . .	835
Crack propagation in SiC <sub>f</sub> /SiC ceramic matrix composite under static and cyclic loading conditions, <i>S. Raghuraman, J.F. Stubbins, M.K. Ferber and A.A. Wereszczak</i> . . . . .	840
Postirradiation fiber debonding and pull-out in SiC–SiC composites, <i>A. El-Azab and N.M. Ghoniem</i> . . . . .	845
Tensile strength of fiber reinforced plastics at 77 K irradiated by various radiation sources, <i>K. Humer, H.W. Weber, E.K. Tschegg, S. Egusa, R.C. Birtcher and H. Gerstenberg</i> . . . . .	849
<b>PART B</b>	
<b>Section 6. Breeding and Neutron Multiplier Materials</b>	
<b>6.1. Fabrication and properties</b>	
Effect of hafnium concentration on nuclear performance of blanket materials containing zirconium: a sensitivity analysis of TBR to hafnium content in lithium metazirconate, <i>D.G. Ceperaga, G. Panini, D. Diamanti, G. Cambi, M. Costa, G. Cavallone and L. Bruzzi</i> . . . . .	857
Current material and design studies for the utilization of Li <sub>2</sub> ZrO <sub>3</sub> in the BIT blanket concept, <i>N. Roux, J. Mougin, B. Rasneur, E. Proust, L. Giancarli and J.F. Salavy</i> . . . . .	862
The thermochemistry of the reaction of lithium orthosilicate with hydrogen, <i>R.-D. Penzhorn, H.R. Ihle and P. Schuster</i> . . . . .	868
Heat transfer and technological investigations on mixed beds of beryllium and Li <sub>4</sub> SiO <sub>4</sub> pebbles, <i>M. Dalle Donne, A. Goraieb, R. Huber, B. Schmitt, G. Schumacher, G. Sordon and A. Weisenburger</i> . . . . .	872
Testing of lithium titanate as an alternate blanket material, <i>J.M. Miller, H.B. Hamilton and J.D. Sullivan</i> . . . . .	877
Characteristics of pebble packing and evaluation of sweep gas pressure drop into the in-pile mock-up on fusion blanket, <i>E. Ishitsuka, M. Nakamichi, H. Kawamura, H. Sagawa, T. Kanzawa, T. Suzuki and M. Saito</i> . . . . .	881
Effect of external pressure on particle bed effective thermal conductivity, <i>F. Tehranian, M.A. Abdou and M.S. Tillack</i> . . . . .	885
Strength change and chemical reactivity of ceramic breeder materials near operation conditions, <i>W. Dienst and H. Zimmermann</i> . . . . .	891
<b>6.2. Irradiation and tritium transport and release</b>	
Performance of a Li <sub>2</sub> ZrO <sub>3</sub> sphere-pac assembly in the CRITIC-II irradiation experiment, <i>J.M. Miller and R.A. Verrall</i> . . . . .	897
Irradiation of lithium zirconate pebble-bed in BEATRIX-II Phase II, <i>R.A. Verrall, O.D. Slagle, G.W. Hollenberg, T. Kurasawa and J.D. Sullivan</i> . . . . .	902
Spectroscopic study of lithium oxide irradiated by fast neutrons, <i>N.M. Masaki, K. Noda, H. Watanabe, R.G. Clemmer and G.W. Hollenberg</i> . . . . .	908
Spatial tritium transport in single-crystal lithium aluminate, <i>J.P. Kopasz, C.A. Seils and C.E. Johnson</i> . . . . .	912
Modeling of the surface reaction of tritium release from lithium ceramics, <i>D. Yamaki, S. Tanaka and M. Yamawaki</i> . . . . .	917
Study of the thermomechanical and tritium release behaviour of Li <sub>2</sub> ZrO <sub>3</sub> as tritium breeding ceramic for the European BIT blanket concept, <i>B. Rasneur, J. Mougin and N. Roux</i> . . . . .	923
Tritium release from lithium titanate, a low-activation tritium breeding material, <i>J.P. Kopasz, J.M. Miller and C.E. Johnson</i> . . . . .	927
Tritium release kinetics of solid lithium ceramics with irradiation defects, <i>H. Moriyama and T. Kurasawa</i> . . . . .	932
The VOM/JRR-2 experiments; performance of in-situ tritium release from the lithium ceramics, <i>T. Kurasawa</i> . . . . .	937
The effects of surface contamination on absorption and desorption of deuterium in beryllium and beryllium oxide, <i>R.G. Macaulay-Newcombe and D.A. Thompson</i> . . . . .	942

Diffusion/desorption of tritium from irradiated beryllium, <i>D.L. Baldwin and M.C. Billone</i> . . . . .	948	Neutron-induced luminescence of ceramics, <i>T. Tanabe, S. Tanaka, K. Yamaguchi, N. Otsuki, T. Iida and M. Yamawaki</i> . . . . .	1050
Modelling of swelling and tritium release in irradiated beryllium, <i>M. Dalle Donne, F. Scaffidi-Argentina, C. Ferrero and C. Ronchi</i> . . . . .	954	Investigation of irradiated X-ray crystal stability for ITER diagnostics system, <i>V.M. Kosenkov, V.A. Neverov, Y.L. Revyakin and D.V. Orlinsky</i> . . . . .	1056
Modeling of tritium release from beryllium in fusion blanket applications, <i>S. Cho, A.R. Raffray and M.A. Abdou</i> . . . . .	961	Preliminary results of window radiation resistance investigations, <i>D.V. Orlinski, I.V. Al'tousky, T.A. Bazilevskaya, V.T. Gritsyna, V.I. In'kov, I.A. Ivanin, V.D. Koval'chuk, A.V. Krasil'nikov, D.V. Pavlov, Yu.A. Tarabrin, S.I. Turchin, V.S. Voitsenya and I.L. Yudin</i> . . . . .	1059
Tritium release from beryllium discs and lithium ceramics irradiated in the SIBELIUS experiment, <i>C.E. Johnson, D.L. Baldwin and J.P. Kopasz</i> . . . . .	966	Thermophysical properties of sapphire, AlN and MgAl <sub>2</sub> O <sub>4</sub> down to 70 K, <i>St. Burghartz and B. Schulz</i> . . . . .	1065
Thermal desorption of helium irradiated beryllium studied by THDS, NDP, PA and SEM, <i>H. Eleveld, A. van Veen, F. Labohm and M.W. de Moor</i> . . . . .	971	The effect of ionizing and displacive radiation on the thermal conductivity of alumina at low temperature, <i>D.P. White</i> . . . . .	1069
Tritium permeation through austenitic stainless steel with chemically densified coating as a tritium permeation barrier, <i>T. Terai, T. Yoneoka, H. Tanaka, H. Kawamura, M. Nakamichi and K. Miyajima</i> . . . . .	976	Issues related to mechanical properties of neutron-irradiated ceramics, <i>F.W. Clinard, Jr., W. Dienst and E.H. Farnum</i> . . . . .	1075
Hydrogen retention and release behaviour during full life use of Zr-V-Fe alloy for isotopic water processing, <i>F. Ghezzi, N. Venkataramani, A.L. Caterino, G. Bonizzoni, G. Gervasini and A. Conte</i> . . . . .	981	Dimensional changes of Al <sub>2</sub> O <sub>3</sub> and SiC, proton irradiated under tensile stress, <i>Z. Zhu and P. Jung</i> . . . . .	1081
Postirradiation examination of BEATRIX-II, phase I, <i>O.D. Slagle, T. Takahashi, F.D. Hobbs, K. Noda, D.L. Baldwin, G.W. Hollenberg and R.A. Verrall</i> . . . . .	988	Dimensional stability, optical and elastic properties of MgAl <sub>2</sub> O <sub>4</sub> spinel irradiated in FFTF to very high exposures, <i>F.A. Garner, G.W. Hollenberg, F.D. Hobbs, J.L. Ryan, Z. Li, C.A. Black and R.C. Bradt</i> . . . . .	1087
Analysis of BEATRIX-II tritium release results using MISTRAL, <i>A. Badawi, A.R. Raffray and M.A. Abdou</i> . . . . .	993	Fracture toughness and strength change of neutron-irradiated ceramic materials, <i>W. Dienst and H. Zimmermann</i> . . . . .	1091
LIBRETTO-3: Performance of tritium permeation barriers under irradiation at the HFR Petten, <i>R. Conrad, M.A. Fütterer, L. Giancarli, R. May, A. Perujo and T. Sample</i> . . . . .	998	Influence of high dose neutron irradiation at 385 and 750°C on the microhardness of MgAl <sub>2</sub> O <sub>4</sub> spinel, <i>C.A. Black, F.A. Garner and R.C. Bradt</i> . . . . .	1096
An assessment of models for tritium release from ceramic breeders for blanket analysis applications, <i>G. Federici, A.R. Raffray, M.C. Billone, C.H. Wu, S. Cho and M.A. Abdou</i> . . . . .	1003	Dielectric measurements on sapphire for electron cyclotron wave systems, <i>R. Heidinger</i> . . . . .	1101
The behaviour of ceramic breeder materials with respect to tritium release and pellet/pebble mechanical integrity, <i>H. Kwast, R. Conrad, R. May, S. Casadio, N. Roux and H. Werle</i> . . . . .	1010	In-core measurement of dc electrical conductivity of ceramics, <i>L.L. Snead, D.P. White and S.J. Zinkle</i> . . . . .	1107
A simplified model for tritium permeation transient predictions when trapping is active, <i>G.R. Longhurst</i> . . . . .	1015	Insulator dielectric properties during irradiation and influence of RIED effect, <i>J. Mollá, A. Ibarra and E.R. Hodgson</i> . . . . .	1113
		A lower temperature limit for the RIED effect, <i>A. Moroño and E.R. Hodgson</i> . . . . .	1119
		The paramount importance of dose rate in RIED effect experiments, <i>E.R. Hodgson</i> . . . . .	1123
<b>6.3. Liquid breeding materials</b>		Search for radiation-induced electrical degradation in alumina during spallation-neutron irradiation, <i>E.H. Farnum, F.W. Clinard, Jr., W.F. Sommer, J.C. Kennedy III and T. Shikama</i> . . . . .	1128
Thermodynamics of Pb-17Li-bismuth interactions, <i>P. Hubberstey and T. Sample</i> . . . . .	1021	Study of radiation induced electrical degradation of alumina in a dynamic pumping condition in a fission reactor, <i>T. Shikama, M. Narui, H. Kayano and T. Sagawa</i> . . . . .	1133
<b>Section 7. Ceramic Insulators and Windows</b>		<b>Section 8. High-Heat-Flux and Plasma-Facing Components</b>	
Alumina ceramics for heating systems, <i>J. Mollá, R. Heidinger and A. Ibarra</i> . . . . .	1029	<b>8.1. Graphite and carbon-carbon composites</b>	
Liquid nitrogen cooled window for high frequency plasma heating, <i>H.E. Häfner, E. Bojarsky, K. Heckert, P. Norajitra and H. Reiser</i> . . . . .	1035	High heat flux composites for plasma-facing materials, <i>J.-M. Ting and M.L. Lake</i> . . . . .	1141
Microstructural evolution in ion- and/or electron-irradiated single crystal Al <sub>2</sub> O <sub>3</sub> , <i>Y. Katano, S.J. Zinkle, K. Nakata, A. Hishinuma and H. Ohno</i> . . . . .	1039	Boron carbide based coatings on graphite for plasma-facing components, <i>P.G. Valentine, P.W. Trester, J. Winter, J. Linke, R. Duwe, E. Wallura and V. Philipps</i> . . . . .	1146
Effects of nonstoichiometry on physical properties in neutron-irradiated spinel ceramics, <i>T. Yano, Y. Fukushima, H. Sawada, H. Miyazaki and T. Iseki</i> . . . . .	1046		

Safety characteristics of the monolithic CFC divertor, <i>M. Zucchetti, M. Merola and R. Matera</i> . . . . .	1153	Internal friction and gas desorption of C/C composites, <i>H. Serizawa, S. Sato and A. Kohyama</i> . . . . .	1250
The prospects of using carbon-graphite materials as construction elements of the microwave plasma diagnostic in a fusion reactor, <i>V.V. Chebotarev, I.P. Fomin, R.O. Pavlichenko, A.I. Skibenko, V.I. Tereshin and V.S. Voitsenya</i> . . . . .	1157	Interaction of energetic oxygen with different boron/carbon materials, <i>A. Refke, V. Philipps, E. Vietzke, M. Erdweg and J. von Seggern</i> . . . . .	1255
Development of 1-D carbon composites for plasma-facing components, <i>D.A. Bowers, J.W. Davis and R.B. Dinwiddie</i> . . . . .	1163	The reaction of H <sub>2</sub> O, O <sub>2</sub> and energetic O <sub>2</sub> <sup>+</sup> on boron carbide, <i>N. Ogiwara, R. Jimbou, M. Saidoh, S. Michizono, Y. Saito, K. Mori and K. Morita</i> . . . . .	1260
Thermal conductivity changes in graphites and carbon/carbon fiber materials induced by low neutron damages, <i>C.H. Wu, J.P. Bonal and B. Thiele</i> . . . . .	1168		
Boronized and siliconized graphites – material processing and effects on properties, <i>R. Wolf</i> . . . . .	1174	<b>8.2. Non-graphite materials</b>	
Investigation of oxidation resistance of carbon based first-wall liner materials of fusion reactors, <i>R. Moormann, H.K. Hinssen, A.-K. Krüssenberg, B. Stauch and C.H. Wu</i> . . . . .	1178	Assessment of water-cooled beryllium components for plasma-facing applications, <i>E.B. Deksnis, H.D. Falter, A.T. Peacock, M.A. Pick and R. Viola</i> . . . . .	1266
Thermal shock resistance of graphite and carbon/carbon composites in plasma disruption simulation tests, <i>J.P. Qian, L.P. Lu, P.Y. Li, L. Lu, W. Cui and M. Ma</i> . . . . .	1183	Beryllium and graphite performance in ITER during a disruption, <i>A. Hassanein, D.A. Ehts and J. Gahl</i> . . . . .	1272
Behaviour of boron- and titanium-doped graphite limiters under high heat loads in TEXTOR, <i>V. Philipps, A. Pospieszczyk, B. Unterberg, H.G. Esser, M. Erdweg, J. Linke, B. Schweer, U. Samm, J. von Seggern, E. Vietzke, E. Wallura and J. Winter</i> . . . . .	1189	Plasma gun experiments and modeling of disruptions, <i>P.D. Rockett, J.A. Hunter, J.M. Gahl, J.T. Bradley III and R.R. Peterson</i> . . . . .	1278
Erosion of metals and carbon based materials during disruptions – simulation experiments in plasma accelerators, <i>J. Linke, V.R. Barabash, H. Bolt, A. Gervash, I. Mazul, I. Ovchinnikov and M. Rödig</i> . . . . .	1195	Postirradiation tensile properties of Mo and Mo alloys irradiated with 600 MeV protons, <i>G.V. Müller, D. Gavillet, M. Victoria and J.L. Martin</i> . . . . .	1283
Erosion of CFCs and W at high temperature under high heat loads, <i>K. Nakamura, S. Suzuki, K. Satoh, M. Araki, K. Yokoyama, M. Dairaku and M. Akiba</i> . . . . .	1201	Tensile and impact properties of TZM and Mo-5% Re, <i>G. Filacchioni, E. Casagrande, U. De Angelis, G. De Santis and D. Ferrara</i> . . . . .	1288
Sputtering of surface-boronized graphite by hydrogen ion bombardment, <i>B.A. Kalin, V.L. Yakushin, V.I. Palsky and Yu.S. Virgilev</i> . . . . .	1206	Effect of neutron irradiation on microstructure and tensile properties of TZM and Mo-5% Re alloys, <i>B.N. Singh, A. Horsewell, P. Toft and J.H. Evans</i> . . . . .	1292
Sputtering and surface composition modifications of Ti doped graphite RG-Ti at temperatures up to 2000 K, <i>C. García-Rosales, J. Roth and R. Behrisch</i> . . . . .	1211	Saturation of swelling in neutron-irradiated molybdenum and its dependence on irradiation temperature and starting microstructural state, <i>F.A. Garner and J.F. Stubbins</i> . . . . .	1298
Neutron induced dimensional changes in carbon materials at high temperatures and high damage doses, <i>J.P. Bonal, B. Thiele, G. Tsotridis and C.H. Wu</i> . . . . .	1218	Plasma-induced surface degradation in 304 stainless steel used for TRIAM-1M limiter, <i>N. Tsukuda, E. Kuramoto, K. Tokunaga, T. Muroga, N. Yoshida, S. Itoh and the TRIAM Group</i> . . . . .	1303
Mechanical properties of neutron-irradiated carbon-carbon composites for plasma facing components, <i>M. Eto, S. Ishiyama, H. Ugachi, K. Fukaya and S. Baba</i> . . . . .	1223	Room temperature fatigue behavior of OFHC copper and CuAl25 specimens of two sizes, <i>A. Singhal, J.F. Stubbins, B.N. Singh and F.A. Garner</i> . . . . .	1307
Effects of neutron irradiation on microstructure and mechanical properties of carbon/carbon composites, <i>K. Hamada, S. Sato and A. Kohyama</i> . . . . .	1228	Neutron-induced microstructural alteration of Glid-Cop™ alloys at ~415°C and high neutron exposure, <i>D.J. Edwards, F.A. Garner, J.W. Newkirk and A. Nadkarni</i> . . . . .	1313
Damaging process of graphite and diamond studied by Auger electron spectroscopy and laser Raman spectroscopy, <i>N. Kangai, T. Tanabe and K. Niwase</i> . . . . .	1234		
Behaviour of boron-carbide materials in TEXTOR and under electron beam irradiation, <i>H. Bolt, R. Duwe, V. Philipps, A. Pospieszczyk, B. Schweer, B. Unterberg and E. Wallura</i> . . . . .	1239	<b>8.3. Fabrication and analysis of plasma-facing components</b>	
Modification of the carbon and beryllium walls in JET by erosion, redeposition and deuterium trapping after the 1991 discharge period, <i>A.P. Martinelli, R. Behrisch and A.T. Peacock</i> . . . . .	1245	Thermal shock behaviour of various first-wall materials under simulation load tests by laser beam irradiation, <i>A. Benz, H. Nickel, A. Naoumidis, S. Menzel, K. Wetzig and U. Rossek</i> . . . . .	1318
		High-heat-flux experiment on plasma-facing materials by electron beam irradiation, <i>K. Tokunaga, K. Matsumoto, Y. Miyamoto, T. Muroga and N. Yoshida</i> . . . . .	1323
		Thermal response experiments of SiC/C and TiC/C functionally gradient materials as plasma facing materials for fusion application, <i>M. Araki, M. Sasaki, S. Kim, S. Suzuki, K. Nakamura and M. Akiba</i> . . . . .	1329
		The sputtering of different modifications of boron nitride under ion and electron irradiation, <i>S.S. Elovikov, V.A. Eltekov, N.N. Negrebetskaya, J.V. Sushkova, V.E. Yurasova, I.I. Shkarban, O.I. Buzhinskij and I.V. Opimach</i> . . . . .	1335

Spectroscopic study of ion-induced photon emission under D <sup>+</sup> and He <sup>+</sup> bombardment, <i>N. Otsuki and T. Tanabe</i> . . . . .	1339
Test of divertor materials under simulated ITER plasma disruption conditions at the GOL-3 facility, <i>A.V. Burdakov, V.V. Filippov, V.S. Koidan, S.V. Lebedev, K.I. Mekler, P.I. Melnikov, A.A. Nikiforov, V.V. Postupaev, A.F. Rovenskikh, M.A. Shcheglov, S.G. Voropaev and H. Würz</i> . . . . .	1345
Numerical modeling and experimental simulation of vapor shield formation and divertor material erosion for ITER typical plasma disruptions, <i>H. Würz, N.I. Arkhipov, V.P. Bakhin, B. Goel, W. Höbel, I. Konkashbaev, I. Landman, G. Piazza, V.M. Safonov, A.R. Sherbakov, D.A. Toporkov and A.M. Zhitlukhin</i> . . . . .	1349
Engineering and materials issues in designing a cold-gas divertor, <i>J.W. Davis, D.E. Driemeyer, J.R. Haines and R.T. McGrath</i> . . . . .	1353
Thermal cycling tests of RG-Ti/Mo monoblock divertor modules, <i>V.R. Barabash, T.A. Burtseva, A.A. Gervash, R.N. Giniyatulin, T.M. Gur'eva, R. Duwe and J. Linke</i> . . . . .	1360
High heat flux experiments of saddle type divertor module, <i>S. Suzuki, M. Akiba, M. Araki, K. Satoh, K. Yokoyama and M. Dairaku</i> . . . . .	1365
High-Z Mo-limiter test in TEXTOR. Impurity fluxes, thermal response and post-mortem analysis of Mo-limiter head, <i>T. Tanabe, V. Philipps, Y. Ueda, B. Unterberg, A. Pospieszczyk, B. Schweer, P. Wienhold, M. Rubel and B. Emmoth</i> . . . . .	1370
<b>Section 9. Hydrogen/Tritium Effects in Structural and First-Wall Materials</b>	
<b>9.1. Metallic structural materials</b>	
Hydrogen isotopes transport in fusion reactor first wall materials, <i>G. Gervasini and F. Reiter</i> . . . . .	1379
Diffusion, trapping and release process in the first-wall of thermonuclear fusion reactor, <i>E. Abramov</i> . . . . .	1384
Surface behaviour of first-wall materials due to the synergistic effect of helium and hydrogen isotopes, <i>E. Abramov, D. Moreno, G. Solovioff and D. Eliezer</i> . . . . .	1390
Effects of hydrogen on mechanical properties in irradiated austenitic stainless steels, <i>J. Morisawa, M. Kodama, S. Nishimura, K. Asano, K. Nakata and S. Shima</i> . . . . .	1396
Experimental studies on hydrogen diffusion and trapping in martensitic and austenitic stainless steels for fusion application, <i>G. Benamati, A. Donato, A. Solina, R. Valentini and S. Lanza</i> . . . . .	1401
Hydrogen trapping in nickel pre-implanted with helium, <i>E. Abramov, G. Solovioff and D. Eliezer</i> . . . . .	1406
Observations of trapped deuterium in nickel bombarded with <sup>3</sup> He and hydrogen ions at an elevated temperature, <i>I. Takagi, H. Fujita, K. Yoshida, K. Shin and K. Higashi</i> . . . . .	1411
Hydrogen permeation properties of plasma-sprayed tungsten, <i>R.A. Anderl, R.J. Pawelko, M.R. Hankins, G.R. Longhurst and R.A. Neiser</i> . . . . .	1416
Void growth and thermal desorption of deuterium from voids in tungsten, <i>H. Eleveld and A. van Veen</i> . . . . .	1421
Microstructural evolution in molybdenum during hydrogen ion implantation with energies comparable to the boundary plasma, <i>R. Sakamoto, T. Muroga and N. Yoshida</i> . . . . .	1426
Long-term measurement of helium-3 release behavior from zirconium-cobalt tritide, <i>T. Hayashi, T. Suzuki and K. Okuno</i> . . . . .	1431
<b>9.2. Non-Metallic materials</b>	
Tritium inventory and permeation in the ITER beryllium, <i>R.A. Causey and K.L. Wilson</i> . . . . .	1436
Laser desorption study of deuterium implanted in beryllium, <i>D. Kéroack and B. Terreault</i> . . . . .	1443
Comparison of hydrogen inventory and transport in beryllium and graphite materials, <i>E.A. Denisov, T.N. Kompaniets, A.A. Kurdyumov, S.N. Mazayev and Yu.G. Prokofiev</i> . . . . .	1448
Energy dependence of depth profiles and peak concentrations of hydrogen retained by implantation into graphite, <i>Y. Hasebe and K. Morita</i> . . . . .	1452
Consideration on reduced hydrocarbon formation from boronized graphite, <i>M. Yamawaki, T. Nakaguma, K. Yamaguchi and S. Tanaka</i> . . . . .	1456
Oxygen retention in D-ion-irradiated B <sub>4</sub> C and boron-doped graphites, <i>V.Kh. Alimov, R.Kh. Zalavutdinov and B.M.U. Scherzer</i> . . . . .	1461
Effects of deuterium ion irradiation on gas emission and sublimation of graphite by pulse high heat load, <i>K. Tokunaga, H. Yagi, S. Fukuda, T. Muroga and N. Yoshida</i> . . . . .	1467
The effect of neutron irradiation on the trapping of tritium in carbon-based materials, <i>H. Kwast, H. Werle, M. Glugla, C.H. Wu and G. Federici</i> . . . . .	1472
Trapping and detrapping of hydrogen in carbon-based materials exposed to hydrogen gas, <i>H. Atsumi, M. Iseki and T. Shikama</i> . . . . .	1478
Evolution of hydrogen-containing traps in graphite under helium ion bombardment, <i>M.A. Lomidze, S.L. Kanashenko, A.E. Gorodetsky, V.Kh. Alimov and A.P. Zakharov</i> . . . . .	1483
Degradation of refractory metal carbides by hot hydrogen, <i>J. Cohron, R. Zee and B. Chin</i> . . . . .	1488
The influence of a-B/C:H films on deuterium permeation through nickel under plasma irradiation, <i>V.M. Sharapov, A.I. Kanaev and A.P. Zakharov</i> . . . . .	1492
Hydrogen inventory in gallium, <i>S.N. Mazayev and Yu.G. Prokofiev</i> . . . . .	1497
<b>Section 10. Corrosion and Compatibility</b>	
Corrosion of insulating layers on MANET steel in flowing Pb-17Li, <i>H.U. Borgstedt, H. Glasbrenner and Z. Peric</i> . . . . .	1501
Influence of a magnetic field on the corrosion of austenitic and martensitic steels by semi-stagnant Pb17Li, <i>A. Terlain and T. Dufrenoy</i> . . . . .	1504

Stress corrosion cracking and intergranular corrosion of austenitic stainless steels irradiated at 323 K, <i>M. Kodama, J. Morisawa, S. Nishimura, K. Asano, S. Shima and K. Nakata</i> . . . . .	1509
Corrosion and low-cycle fatigue properties of AISI 316L in flowing Pb-17Li, <i>G. Benamati, M. Agostini, I. Alessandrini and S. Storai</i> . . . . .	1515
Effect of thermal aging on stress corrosion cracking of neutron-irradiated type 316 stainless steel in high temperature pure water, <i>T. Tsukada and H. Nakajima</i> . . . . .	1519
The compatibility test between Be and 316SS, <i>H. Kawamura, M. Kato, E. Ishitsuka, K. Nishida and M. Saito</i> . . . . .	1524
The compatibility of SiC/SiC composites with ceramic breeder materials, <i>T. Sample, P. Fenici, H. Kolbe and L. Orecchia</i> . . . . .	1529
The deposition of corrosion products in Pb-17Li, <i>M.G. Barker and M.J. Capaldi</i> . . . . .	1534
<b>Section 11. Coatings and Barriers</b>	
Silicon deposition on stainless steel surfaces in view of the conditioning of FTU vacuum chamber, <i>M.L. Apicella, G. Cicala, A. Neri and G. Traversari</i> . . . . .	1541
Wall treatment by reactive gas fuelling into TEXTOR plasma discharges, <i>H.G. Esser, J. Winter, V. Philipps, L. Könen and J. von Seggern</i> . . . . .	1546
Preparation and characteristic of chemical vapour deposition C + SiC on graphite, <i>Y. Yao, C. Long, Q. Li, G. Li, Y. Li, Y. Pan, D. Gao and S. Dai</i> . . . . .	1552
Thermomechanical cycling tests of coated AISI 316L in Pb-17Li, <i>G. Benamati, N. Elmi and M. Agostini</i> . . . . .	1557
Preparation and characterization of Al <sub>2</sub> O <sub>3</sub> /Fe <sub>x</sub> Al <sub>y</sub> layers on MANET steel, <i>H. Glasbrenner and H.U. Borgstedt</i> . . . . .	1561
<b>Section 12. Joining of Structural Materials</b>	
Creep, thermal-cyclic and tensile properties of Nb-1Zr to stainless steel transition joints, <i>S. Chen, W. Yu, R.H. Zee and B.A. Chin</i> . . . . .	1569
Pre- and postirradiation properties of brazed joints of AISI 316L stainless steel, <i>M. Brossa, E. Franconi, U. Guerreschi, L. Pierazzi, P. Poggi and V. Rustia</i> . . . . .	1574
Microstructural evolution under dual ion irradiation and in-reactor creep of type 316 stainless steel welded joints, <i>A. Kohyama, Y. Kohno and A. Hishinuma</i> . . . . .	1579
Solid-state diffusion bonding of alumina dispersion-strengthened copper to 316 stainless steel, <i>H. Nishi, Y. Muto and K. Sato</i> . . . . .	1585
Brazing of vanadium and carbon-carbon composites to stainless steel for fusion reactor applications, <i>J.Y. Liu, S. Chen and B.A. Chin</i> . . . . .	1590
The effect of ion irradiation on microstructural evolution and mechanical properties of Ni-P and Ni-Cr-P brazed joints of austenitic steel, <i>G. Schumacher, R.P. Wahi and H. Wollenberger</i> . . . . .	1594
Effect of alumina strengthening particles on brazed joints of GlidCop Al-15 copper alloy, <i>S. Chen, J.Y. Liu and B.A. Chin</i> . . . . .	1600
Beryllium-metals joints for application in the plasma-facing components, <i>V.R. Barabash, L.S. Ginarsky, G.S. Ignakovskaya and Yu.G. Prokofiev</i> . . . . .	1604
Effect of heat treatment on the microstructure and the mechanical behavior of TZM alloy, <i>F. Morito</i> . . . . .	1608
Joining of SiC <sub>f</sub> /SiC composites for thermonuclear fusion reactors, <i>M. Ferraris, C. Badini, M. Montorsi, P. Appendino and H.W. Scholz</i> . . . . .	1613
Neutron diffraction study of internal stresses in brazed CFC/Mo divertor structures for NET/ITER, <i>M. Ceretti, R. Coppola, E. Di Pietro, A. Lodini, M. Perrin, A. Piant and F. Rustichelli</i> . . . . .	1617
Brazing of the Tore Supra actively-cooled Phase III limiter, <i>R.E. Nygren, C.A. Walker, T.J. Lutz, F.M. Hosking and R.T. McGrath</i> . . . . .	1621
Brazing and machining of carbon based materials for plasma facing components, <i>M. Brossa, U. Guerreschi and M. Rossi</i> . . . . .	1627
<b>Section 13. Radiation Facilities and Specialized Test Techniques</b>	
The HFR Petten as a test bed for fusion materials and components, <i>J. Ahlf, R. Conrad, G.P. Tartaglia and G. Tsotridis</i> . . . . .	1635
Simulation of radiation effects on reflectors using heavy ion beams, <i>V.S. Vojtsenya, Yu.N. Borisenko, V.V. Bryk, V.V. Gann, B.V. Grigorenko, V.T. Gritsyna, V.K. Khorenko, V.G. Kononov, I.F. Koval, I.V. Lubinetsky, D.V. Orlinskij, M.Y. Pyatnitsky, A.N. Shapoval, V.N. Voevodin and A.V. Volobuev</i> . . . . .	1640
Development of experimental rigs for temperature-controlled reactor irradiations for fundamental study of radiation effects on fusion materials, <i>M. Narui, T. Sagawa, Y. Endo, T. Uramoto, T. Shikama, H. Kayano and M. Kiritani</i> . . . . .	1645
Present status of ESNIT (energy selective neutron irradiation test facility) program, <i>K. Noda, H. Ohno, M. Sugimoto, Y. Kato, H. Matsuo, K. Watanabe, T. Kikuchi, T. Sawai, T. Usui, Y. Oyama and T. Kondo</i> . . . . .	1649
Irradiation devices and testing facilities for small specimens of low-activation steels, <i>G.P. Tartaglia, M.I. de Vries, M.G. Horsten and R. Schmitt</i> . . . . .	1655
The 14 MeV Frascati neutron generator, <i>M. Martone, M. Angelone and M. Pillon</i> . . . . .	1661
Development of controlled temperature-cycle irradiation technique in JMTR, <i>M. Narui, H. Kurishita, H. Kayano, T. Sagawa, N. Yoshida and M. Kiritani</i> . . . . .	1665
Analysis of beam-on-target interaction in a neutron-source test facility, <i>A. Hassanein and D. Smith</i> . . . . .	1671
Calculation of displacement, gas, and transmutation production in stainless steel irradiated with spallation neutrons, <i>M.S. Wechsler, R. Ramavarapu, E.L. Daugherty, R.C. Palmer, D.B. Bullen and W.F. Sommer</i> . . . . .	1678

Current status of small specimen technology in Charpy impact testing, <i>H. Kurishita, H. Kayano, M. Narui and M. Yamazaki</i> . . . . .	1682	<b>Section 14. Miscellaneous</b>	
Small-scale nondestructive stress-strain and creep tests feasible during irradiation, <i>P. Gondi, R. Montanari and A. Sili</i> . . . . .	1688	Present status of Data-Free-Way – Distributed database for advanced nuclear materials, <i>H. Nakajima, N. Yokoyama, S. Kano, F. Ueno, M. Fujita, Y. Kurihara and S. Iwata</i> . . . . .	1711
Ratchetting of first-wall elements under combined thermo-mechanical and electro-mechanical stresses, <i>J. Wolters, M. Rödig, G. Breitbach, H. Nickel and G. Vieider</i> . . . . .	1693	Radiation damage calculations for Ignitor components, <i>S. Rollet, M. Zucchetti and P. Batistoni</i> . . . . .	1715
Development of the ultra-microhardness technique for evaluating stress-strain properties of metals, <i>K. Yasuda, K. Shinohara, C. Kinoshita, M. Yamada and M. Arai</i> . . . . .	1698	Investigation of neutron shielding efficiency and radioactivity of concrete shields containing colemanite, <i>Y. Yarar and A. Bayülken</i> . . . . .	1720
An application of the ultra-microhardness technique to high-energy ion-irradiated copper for evaluating stress-strain properties, <i>K. Yasuda, K. Shinohara, C. Kinoshita and M. Yamada</i> . . . . .	1703	The stainless steel bulk shielding benchmark experiment at the Frascati Neutron Generator (FNG), <i>P. Batistoni, M. Angelone, M. Martone, L. Petrizzi, M. Pillon, V. Rado, A. Santamarina, I. Abidi, G. Gastaldi, P. Joyer, J.P. Marquette and M. Martini</i> . .	1724
		Author index . . . . .	1729
		Subject index . . . . .	1751