

## LOCAL ARRANGEMENT COMMITTEE

M. Miyake	Osaka University (Chairman)		
M. Asano	Kyoto University	R. Oshima	Osaka University
H. Atsumi	Kinki University	P. Son	Osaka University
Y. Furuyama	Kobe University Mer. Mar.	T. Tanabe	Osaka University
K. Higashi	Kyoto University	S. Yamanaka	Osaka University
N. Iwamoto	Osaka University	T. Yamauchi	Kobe University Mer. Mar.
M. Katsura	Osaka University	H. Yoshida *	Kyoto University
T. Nakajima	Kobe University Mer. Mar.	(* deceased)	
M. Nishikawa	Osaka University		
T. Okada	Osaka University		

## PUBLICATION COMMITTEE

T. Kondo **	JAERI (Chairman)		
K. Anderko	KFZ Karlsruhe	M. Kiritani **	Nagoya University
A. Hishinuma	JAERI	J.L. Scott **	ORNL
S. Ishino **	University of Tokyo	N. Sekimura	University of Tokyo
(** Guest Editors)			

## SECRETARIATE

S. Iwata	University of Tokyo (General Secretary)		
T. Terai	University of Tokyo (Treasurer)		
H. Kawanishi	University of Tokyo	Y. Takahashi	University of Tokyo
A. Kohyama	University of Tokyo	S. Tanaka	University of Tokyo
M. Nakazawa	University of Tokyo	M. Yamawaki	University of Tokyo
N. Sekimura	University of Tokyo		

## Contents

## PART A

Preface	vii
Opening Address	ix

## Section 1. Invited Papers

History, present status and future of fusion reactor materials research in Japan, <i>S. Ishino, T. Kondo and M. Okada</i>	3
A perspective on the history, status and future of fusion materials research in the United States, <i>T.C. Reuther</i>	9
History, present status and future of fusion reactor materials research in the EC and other European countries, <i>P. Schiller, K. Ehrlich and J. Nihoul</i>	13
Thermal effects and other critical issues of plasma-facing components, <i>A. Miyahara and J.B. Whitley</i>	19
Radiation enhanced sublimation of carbon and carbon related materials, <i>V. Philipps, E. Vietzke and H. Trinkaus</i>	25
Sputtering of low-Z materials, <i>J. Roth, W. Eckstein, E. Gauthier and J. Laszlo</i>	34
Radiation damage and irradiation effects in solid breeders, <i>K. Noda</i>	37
Research and development status of ceramic breeder materials, <i>C.E. Johnson</i>	42
Research and development on liquid Pb-17Li breeder in Europe, <i>G. Casini and J. Sannier</i>	47
Characteristics of microstructural evolution of radiation damage in ceramics under fusion environment, <i>C. Kinoshita</i>	53
Dielectric and electrical design consideration of ceramics for fusion devices, <i>H. Ohno</i>	60
Design parameters of ceramic insulator materials for fusion reactors, <i>R. Heidinger</i>	64
Effects of the primary recoil spectrum on microstructural evolution, <i>H. Wiedersich</i>	70
Phase stability and cascade size, <i>H. Wollenberger</i>	76
Recoil energy spectrum effects and point defect processes characteristic of cascades, <i>M. Kiritani</i>	81
Molecular dynamics studies of displacement cascades, <i>R.S. Averbach, H. Hsieh, T. Diaz de la Rubia and R. Benedek</i>	87
Computer simulation of cascade damage in metals, <i>Y. Yamamura</i>	94
Theory of microstructure evolution under fusion neutron irradiation, <i>N.M. Ghoniem</i>	99
Theoretical basis for unified analysis of experimental data and design of swelling-resistant alloys, <i>L.K. Mansur and E.H. Lee</i>	105
New developments in fusion materials research using surrogate neutron spectra, <i>F.A. Garner</i>	111

Helium and hydrogen effects on the embrittlement of iron- and nickel-based alloys, <i>H. Schroeder and H. Ullmaier</i>	118
Radiation effects at fusion reactor He:dpa ratios: Overview of US/Japan spectrally tailored experiments, <i>A.F. Rowcliffe, A. Hishinuma, M.L. Grossbeck and S. Jitsukawa</i>	125
Low-temperature irradiation creep of fusion reactor structural materials, <i>M.L. Grossbeck and L.K. Mansur</i>	130
Objectives and prospects for low-activation materials, <i>G.J. Butterworth</i>	135
A proposal to alloy design for low activation high manganese austenitic stainless steel – Role of carbon and nitrogen, <i>Y. Hosoi</i>	143
Evaluation of low-activation vanadium alloys for use as structural material in fusion reactors, <i>B.A. Loomis, A.B. Hull and D.L. Smith</i>	148
Discussion on Invited Papers	157

## CONTRIBUTED PAPERS (Sections 2–8)

## Section 2. Plasma-facing Components

## 2.1. Graphite and C–C composites

Brazed graphite/refractory metal composites for first-wall protection elements, <i>I. Smid, C.D. Croessmann, J.C. Salmonson, J.B. Whitley, E. Kny, N. Reheis, G. Kneringer and H. Nickel</i>	169
Design optimization study of an innovative concept of divertor plate based on fibre composite technology, <i>R. Matera, W. Janssens, Y. Crutzen, F. Farfaletti-Casali and P. De Meester</i>	173
Thermal erosion of graphite by pulsed electron beam, <i>S. Nishikawa, M. Sawada, Y. Marukawa, P. Son and M. Miyake</i>	176
Study of Raman spectroscopy on carbon materials irradiated with a high current density electron beam, <i>M. Kitajima, K. Nakamura, M. Fujitsuka, H. Shinno, T. Tanabe and M. Yumoto</i>	180
Simulation and analysis of the response of carbon materials to off-normal heat loads accompanying plasma disruptions, <i>J.G. Van der Laan and H.T. Klippel</i>	184
Thermal shock experiments for carbon materials by electron beams, <i>M. Fujitsuka, H. Shinno, T. Tanabe and H. Shiraishi</i>	189
Pulse high heat flux experiment with laser beams on graphite, <i>H. Kamezaki, K. Tokunaga, S. Fukuda, N. Yoshida and T. Muroga</i>	193
Development of carbon composite property requirements for high heat flux components, <i>J.W. Davis, D.A. Bowers, F.R. Williams and J.R. Haines</i>	197

Positron annihilation study of irradiation effects on graphites, <i>E. Kuramoto, M. Takenaka, M. Hasegawa and T. Tanabe</i> . . . . .	202
The effects of radiation damage on the properties of GraphNOL N3M, <i>T.D. Burchell and W.P. Eatherly</i> . . . . .	205
Induced radioactivity of commercial isotropic graphites for high heat flux tiles, <i>T. Shikama, H. Kayano, M. Fujitsuka and T. Tanabe</i> . . . . .	209
Laser Raman microprobe analysis of the modified surface of He <sup>+</sup> -irradiated graphite, <i>K. Niwase, K. Nakamura, I. Tanaka, Y. Miyamoto and T. Tanabe</i> . . . . .	214
Modification of graphite structure by D <sup>+</sup> and He <sup>+</sup> bombardment – II, <i>K. Niwase and T. Tanabe</i> . . . . .	218
Solubility of hydrogen isotopes in graphite, <i>Y. Shirasu, S. Yamanaka and M. Miyake</i> . . . . .	223
Dissolution and diffusion of helium in graphite, <i>H. Atsumi, T. Yamauchi and M. Miyake</i> . . . . .	227
Hydrogen behavior in graphite at elevated temperatures, <i>T. Tanabe and Y. Watanabe</i> . . . . .	231
Tritium diffusion in pseudo-monocrystal graphite, observed with a tritium imaging camera, <i>K.N. Kushita, I. Youle, A.A. Haasz and J.A. Sawicki</i> . . . . .	235
Dependence of hydrogen permeabilities of isotropic graphites on the pore structure, <i>M. Yamawaki, K. Yamaguchi, Y. Suzuki and S. Tanaka</i> . . . . .	239
Effect of coatings on the hydrogen permeability of graphite, <i>K. Yamaguchi, Y. Suzuki, S. Tanaka and M. Yamawaki</i> . . . . .	242
<b>2.2. Non-graphite composites</b>	
Effects of He <sup>+</sup> irradiation on the mechanical properties of molybdenum, <i>K. Shinohara, A. Kawakami, S. Kitajima, Y. Nakamura and M. Kutsuwada</i> . . . . .	246
Neutron-induced changes in density and electrical conductivity of copper alloys at 16 to 98 dpa and 430°C, <i>F.A. Garner, H.R. Brager and K.R. Anderson</i> . . . . .	250
Effects of neutron irradiation on metal matrix composites, <i>A. Kohyama, S. Sato, H. Tezuka and M. Kondo</i> . . . . .	254
Microstructure, microchemistry and strength of insulating ceramics joined to a fusion candidate austenitic steel by diffusion bonding, <i>T. Muroga, Y. Aono, N. Yoshida, Y. Murata and Y. Fukuzawa</i> . . . . .	259
Strength and fatigue of dispersion-strengthened copper, <i>T.J. Miller, S.J. Zinkle and B.A. Chin</i> . . . . .	263
Magnetic particles induced by plasma disruptions in tokamaks, <i>E. Franconi</i> . . . . .	267
Structural and metallurgical effects in stainless steel for first-wall applications in simulated plasma disruptions, <i>J.G. Van der Laan, H.T. Klippel, J. Bakker and R.C.L. Van der Stad</i> . . . . .	270
Application of tungsten single crystals for fusion reactors, <i>Y. Hiraoka, M. Fujitsuka and T. Fujii</i> . . . . .	275
Cavity formation by thermal treatment in ODS steel, <i>N. Igata, T. Nagato and H. Yumoto</i> . . . . .	279
Response of stainless steels to plasma disruptions by simulation experiments with an intense hydrogen beam, <i>K. Kiuchi, M. Kikuchi, H. Bolt, M. Araki and M. Seki</i> . . . . .	282
Protection against arc erosion of 316 stainless steel by plasma source nitridation, <i>M. Nunogaki, S. Ooi and K. Miyazaki</i> . . . . .	286
Sputtering of tungsten by oxygen at temperatures up to 1900 K, <i>E. Hechtl, W. Eckstein, J. Roth and J. Laszlo</i> . . . . .	290
<b>2.3. Plasma-facing components related to specific tokamak machines</b>	
Sputtering of TiC coating by low-energy and high flux plasma bombardment in PISCES, <i>E. Franconi and F. Brossa</i> . . . . .	294
Topographical change of high-temperature copper surface bombarded by Ar ions, <i>Y. Takao, Y. Kanda, T. Yomura, A. Hashiguchi and S. Kurisu</i> . . . . .	298
Poisoning effect on solubility of hydrogen isotopes in getter materials, <i>S. Yamanaka, Y. Sato, H. Ogawa, Y. Shirasu and M. Miyake</i> . . . . .	303
Thermal release behavior of helium implanted into nickel, <i>T. Yamauchi, S. Yamanaka and M. Miyake</i> . . . . .	308
Tritium release behavior of a Al–Mg–Li alloy irradiated by thermal neutrons, <i>M. Sugisaki, H. Furuya, T. Ichigi, N. Koori and I. Kumabe</i> . . . . .	312
Recycling of hydrogen from stainless steel surfaces under ITER/NET conditions, <i>F. Reiter, J. Camposilvan, M. Caorlin, A. Perujo and S. Tominetti</i> . . . . .	316
In-situ depth-profiling of deuterium in nickel exposed to RF plasma, <i>I. Takagi, M. Matsuoka, H. Fujita, K. Shin and K. Higashi</i> . . . . .	319
The behavior of diffusion and permeation of tritium through 316L stainless steel, <i>S. Changqi, W. Aiju and C. Qingwang</i> . . . . .	322
The modeling of hydrogen transport in metals and its application to the evaluation of hydrogen permeation and inventories, <i>K. Yamaguchi, S. Tanaka and M. Yamawaki</i> . . . . .	325
Tritium release from irradiated beryllium at elevated temperatures, <i>D.L. Baldwin, O.D. Slagle and D.S. Gelles</i> . . . . .	329
Permeation of deuterium implanted into copper, <i>T. Nagasaki, R. Yamada and H. Ohno</i> . . . . .	335
Performance of JT-60 divertor plates, <i>T. Ando, H. Takatsu, H. Nakamura, M. Yamamoto, K. Kodama, T. Arai, M. Shimizu, K. Fukaya, M. Eto and T. Oku</i> . . . . .	339
Electron beam heating tests of newly-developed C/C composites for application to JT-60U divertor plate, <i>H. Takatsu, M. Seki, M. Araki, M. Yamamoto, K. Fukaya, M. Ogawa, M. Etoh, S. Yamazaki, S. Koga and T. Kobayashi</i> . . . . .	344
Study on hydrogen-isotope retention with collector probes in JFT-2M scrape-off layer, <i>T. Nakajima, I. Takaya, T. Akiyama, A. Kitamura, S. Yano, S. Sengoku, H. Ohtsuka and H. Maeda</i> . . . . .	349
Modification of a limiter under ultra long pulse operation in the superconducting high-field tokamak TRIAM-1M, <i>K. Tokunaga, T. Fujiwara, N. Yoshida, T. Muroga, S. Itoh and The TRIAM Group</i> . . . . .	353
Electron microscopy of materials modification induced by tokamak plasma, <i>K. Tokunaga, T. Muroga, Y. Miyamoto, T. Fujiwara, N. Yoshida, K. Nakamura, N. Hiraki, S. Itoh and The TRIAM Group</i> . . . . .	356

Evaluation of runaway-electron effects on plasma-facing components for NET, <i>H. Bolt and H. Calén</i> . . . . .	360
<b>Section 3. Ceramic Materials</b>	
<b>3.1. Materials development</b>	
Influence of thermal shocks on the strength of silicon carbide, <i>A. Brandstätter, K. Koizlik, J. Linke, H. Schiffers, E. Wallura and H. Nickel</i> . . . . .	367
Plasma-sprayed titanium carbide coatings for first-wall applications in fusion devices, <i>P. Groot, J.G. Van der Laan, M. Mack, M. Dvorak and P. Huber</i> . . . . .	370
The effect of ZrO <sub>2</sub> doping on mechanical and dielectric properties of Al <sub>2</sub> O <sub>3</sub> and MgAl <sub>2</sub> O <sub>4</sub> , <i>J. Mollá, A. Ibarra, H.M. Frost, III, F.W. Clinard, Jr., J.C. Kennedy, III and M. Jiménez de Castro</i> . . . . .	375
Carbon fiber/SiC composite for reduced activation, <i>T. Noda, H. Araki, F. Abe and M. Okada</i> . . . . .	379
<b>3.2. Radiation effects on properties</b>	
Radiation-enhanced electrical breakdown in fusion insulators, <i>E.R. Hodgson</i> . . . . .	383
Thermal and mechanical properties of neutron-irradiated aluminum nitride, <i>T. Yano and T. Iseki</i> . . . . .	387
Damage to Macor glass-ceramic from high-dose 14 MeV neutrons, <i>W.A. Coghlan and F.W. Clinard, Jr.</i> . . . . .	391
<b>3.3. Radiation effects on structures</b>	
Helium-assisted cavity formation in ion-irradiated ceramics, <i>S.J. Zinkle and S. Kojima</i> . . . . .	395
Kinetic study of defect clusters in the MgO–Al <sub>2</sub> O <sub>3</sub> system under electron- and/or ion-irradiation, <i>Y. Satoh, C. Kinoshita and K. Nakai</i> . . . . .	399
Damage structure obtained by cross-sectional observation in silicon carbide irradiated with helium ions, <i>K. Nakata, S. Kasahara, S. Shimanuki, Y. Katano, H. Ohno and J. Kuniya</i> . . . . .	403
Helium release and microstructure of neutron-irradiated SiC ceramics, <i>K. Sasaki, T. Yano, T. Maruyama and T. Iseki</i> . . . . .	407
New in-situ parallel-detection electron energy-loss spectroscopy of SiC crystals irradiated with hydrogen ions, <i>K. Hojou, S. Furuno, T. Soga and K. Izui</i> . . . . .	411
<b>Section 4. Structural Materials</b>	
<b>4.1. Miniaturized specimen techniques</b>	
Specimen size effects on tensile properties of neutron-irradiated steels, <i>A. Kohyama, K. Hamada and H. Matsui</i> . . . . .	417
Determination of the minimum quantity of irradiated ferritic steel specimens for small punch DBTT testing, <i>T. Misawa, K. Suzuki, M. Saito and Y. Hamaguchi</i> . . . . .	421
Charpy impact testing using miniature specimens and its application to the study of irradiation behavior of low-activation ferritic steels, <i>H. Kayano, H. Kurishita, A. Kimura, M. Narui, M. Yamazaki and Y. Suzuki</i> . . . . .	425
Application of ball punch tests to evaluating fracture mode transition in ferritic steels, <i>J. McNaney, G.E. Lucas and G.R. Odette</i> . . . . .	429
Development of disc compact tension specimens and test techniques for HFIR irradiations, <i>C. Elliott, M. Enmark, G.E. Lucas, G.R. Odette and A. Rowcliffe</i> . . . . .	434
Development of miniature bending fatigue specimens, <i>G.R. Rao, A. Rowcliffe and B.A. Chin</i> . . . . .	438
Evaluation of toughness degradation by small punch (SP) tests for neutron-irradiated 2 <sup>1</sup> / <sub>4</sub> Cr–1Mo steel, <i>M. Suzuki, M. Eto, K. Fukaya, Y. Nishiyama, T. Kodaira, T. Oku, M. Adachi, A. Umino, I. Takahashi, T. Misawa and Y. Hamaguchi</i> . . . . .	441
Microbulge testing applied to neutron irradiated materials, <i>A. Okada, M.L. Hamilton and F.A. Garner</i> . . . . .	445
<b>4.2. Radiation effects on microstructure</b>	
Correlation between hydrogen and helium retentions in stainless steel irradiated with helium and hydrogen, <i>M. Ogawa, M. Nakajima, K. Kurimoto and K. Hashimoto</i> . . . . .	449
Helium bubble microstructure in SS 316L, 20% c.w. and its correlation to the in-beam mechanical properties, <i>H. Schroeder and N. Yamamoto</i> . . . . .	453
Radiation-induced amorphization and swelling in ceramics, <i>A. Matsunaga, C. Kinoshita, K. Nakai and Y. Tomokiyo</i> . . . . .	457
Neutron irradiation damage in transition metal carbides, <i>H. Matsui, K. Nesaki and M. Kiritani</i> . . . . .	461
Structural changes of deposited Ti <sub>1-x</sub> B <sub>x</sub> films due to neutron irradiation, <i>T. Shikama and H. Kayano</i> . . . . .	465
Helium irradiation effects on structural properties of AlN thin films, <i>N. Kobayashi, H. Kobayashi, I. Sakamoto and N. Hayashi</i> . . . . .	469
Neutron irradiation effects of PbO–SiO <sub>2</sub> glasses, <i>H. Ohno, T. Nagasaki, N. Igawa and H. Kawamura</i> . . . . .	473
<b>4.3. Property and materials design</b>	
Alloy development for first wall materials used in water-cooling type fusion reactors, <i>K. Kiuchi, T. Ishiyama and A. Hishinuma</i> . . . . .	477
A new type of low temperature sensitization of austenitic stainless steels enhanced with defect–solute interactions, <i>K. Kiuchi, M. Kikuchi and T. Kondo</i> . . . . .	481
Behaviour of first-wall components under thermal fatigue, <i>R. Matera, M. Merola, M. Biggio, E. Cicchetti, V. Renda and M. Eto</i> . . . . .	485
High-temperature thermal fatigue of AISI 316L steel, <i>C. Petersen and G.H. Rubiolo</i> . . . . .	488
Effect of the δ-ferrite phase on the impact properties of martensitic chromium steels, <i>K. Anderko, L. Schäfer and E. Materna-Morris</i> . . . . .	492
Application of electron energy loss spectroscopy to microchemical analysis of Ti-modified austenitic stainless steel irradiated in HFIR, <i>K. Hojou, S. Jitsukawa, M. Suzuki, S. Hamada and A. Hishinuma</i> . . . . .	496
Effect of additional elements on cavity formation near grain boundary in proton-irradiated austenitic stainless steels, <i>S. Kasahara, K. Nakata, H. Takahashi, S. Ohnuki and J. Kuniya</i> . . . . .	500

Influence of minor elements on the dimensional stability of austenitic stainless steels under proton irradiation, <i>P. Jung and H. Klein</i> . . . . .	503
Compositional dependence of dislocation loop development and microstructures in austenitic Fe–Ni–Cr alloys under proton irradiation, <i>T. Kimoto, K. Furuya and H. Shiraishi</i> . . . . .	507
Synergistic effects of helium and other variables on microstructure change in neutron-irradiated Fe–Ni–Cr alloys doped with <sup>59</sup> Ni, <i>H. Kawanishi, F.A. Garner and R.L. Simons</i> . . . . .	511
Microstructural evolution in austenitic stainless steels irradiated to 57 dpa in HFIR, <i>S. Hamada, M. Suzuki, P.J. Maziasz and A. Hishinuma</i> . . . . .	515
Microstructural evolution of welded austenitic stainless steels irradiated in the spectrally-tailored ORR experiment at 400 °C, <i>T. Sawai, P.J. Maziasz and A. Hishinuma</i> . . . . .	519
The relative influence of helium/dpa ratio and other variables on neutron-induced swelling of Fe–Ni–Cr alloys at 495 °C and 14 dpa, <i>J.F. Stubbins and F.A. Garner</i> . . . . .	523
Electron irradiation damage in austenitic stainless steels, <i>S. Jiguang, Q. Jiapu, Z. Zhuoyong, C. Jiming and X. Zengyu</i> . . . . .	526
Effect of combined addition of phosphorus and titanium on microstructural evolution in Fe–Cr–Ni alloys, <i>H. Watanabe, A. Aoki, T. Muroga and N. Yoshida</i> . . . . .	529
Characterization of microstructure at 673 K in neutron-irradiated Fe–16Ni–15Cr with the addition of C, Ti and Nb, <i>H. Kawanishi and S. Ishino</i> . . . . .	534
Effect of phosphorus and boron additions on helium bubble microstructure in titanium-modified austenitic stainless steels, <i>S. Jitsukawa, K. Hojou and A. Hishinuma</i> . . . . .	538
The effect of titanium addition on microstructural evolution in austenitic steel irradiated with fast neutrons in FFTF, <i>N. Sekimura and S. Ishino</i> . . . . .	542
Microstructural investigation of swelling dependence on nickel content in fast neutron-irradiated Fe–Cr–Ni austenitic ternaries, <i>T. Muroga, F.A. Garner and S. Ohnuki</i> . . . . .	546
Damage profiles in a stainless steel irradiated with Ar and N ions, <i>K. Shiraishi, K. Fukai and E. Yagi</i> . . . . .	550
<b>4.4. Radiation effects on mechanical properties</b>	
Isotopic tailoring with <sup>59</sup> Ni to study the influence of helium/dpa ratio on tensile property changes, <i>F.A. Garner, M.L. Hamilton, R.L. Simons and M.K. Maxon</i> . . . . .	554
Tensile behavior and swelling of ternary austenitic alloys irradiated in different neutron spectra, <i>M.L. Hamilton, A. Okada and F.A. Garner</i> . . . . .	558
Stress–strain relations of HFIR-irradiated austenitic stainless steels, <i>S. Jitsukawa, M.L. Grossbeck and A. Hishinuma</i> . . . . .	563
Empirical relations for tensile properties of austenitic stainless steels irradiated in mixed-spectrum reactors, <i>M.L. Grossbeck</i> . . . . .	568
The effects of intermediate temperature irradiation on the mechanical behavior of 300-series austenitic stainless steels, <i>G.R. Odette and G.E. Lucas</i> . . . . .	572
Irradiation creep and swelling of the fusion heats of PCA, HT9 and 9Cr–1Mo irradiated to high neutron fluence, <i>F.A. Garner and R.J. Puigh</i> . . . . .	577
Irradiation creep and swelling of annealed Type 304L stainless steel at ~ 390 °C and high neutron fluence, <i>D.L. Porter, G.D. Hudman and F.A. Garner</i> . . . . .	581
Effects of in-situ pulse irradiation of 20 MeV protons and thermal pulses on the fatigue properties of low-carbon 316 stainless steel, <i>H. Mizubayashi, C. Yan, H. Kikuchi, S. Okuda and Y. Tagishi</i> . . . . .	585
Effects of neutron irradiation on strength of fusion reactor materials and their electron beam welded joints, <i>S. Kaga, T. Tamura, H. Yoshida and K. Miyata</i> . . . . .	588
Mechanical properties and neutron-irradiation effects in the welds of molybdenum and its alloys, <i>F. Morito and K. Shiraishi</i> . . . . .	592
<b>4.5. Environmental effects</b>	
Recent results on corrosion behaviour of MANET structural steel in flowing Pb–17Li eutectic, <i>H.U. Borgstedt and H.D. Röhrig</i> . . . . .	596
Corrosion of Type 316L stainless steel in Pb–17Li, <i>M.G. Barker, J.A. Lees, T. Sample and P. Hubbertsey</i> . . . . .	599
Corrosion of austenitic stainless steel in liquid lithium, <i>J. Qian, J. Chen, J. Chen, Z. Xu, W. Wang and C. Pan</i> . . . . .	603
Stress-corrosion cracking issues related to a water-cooled ITER, <i>R.H. Jones, S.M. Bruemmer and C.H. Henager, Jr.</i> . . . . .	607
Comparison of stress corrosion cracking susceptibility of austenitic and ferritic stainless steels in small punch testing, <i>T. Misawa, T. Ohtsuka, M. Seo and M. Saito</i> . . . . .	611
An investigation of the sensitization behavior of Fe–Mn–Cr austenitic steels, <i>G.E.C. Bell, P.F. Tortorelli, E.A. Kenik and R.L. Klueh</i> . . . . .	615
Electrochemical evaluation of sensitization in austenitic stainless steels using miniaturized specimens, <i>T. Inazumi, G.E.C. Bell and K. Kiuchi</i> . . . . .	619
<b>4.6. Low-activation austenitic steels</b>	
The effect of solute content on grain boundary segregation in electron-irradiated Fe–Cr–Mn alloys, <i>T. Kato, H. Takahashi, S. Ohnuki, K. Nakata and J. Kuniya</i> . . . . .	623
Phase evolution during neutron irradiation of commercial Fe–Cr–Mn alloys, <i>J.M. McCarthy</i> . . . . .	626
Effect of alloying elements on phase stability in neutron-irradiated Fe–Cr–Mn model alloys, <i>H. Takahashi, S. Ohnuki, H. Kinoshita and S. Nakahigashi</i> . . . . .	629
Neutron-induced swelling of model Fe–Cr–Mn–Ni alloys and commercial manganese-stabilized steels, <i>F.A. Garner, H.R. Brager and H. Takahashi</i> . . . . .	633
Mechanical characteristics and swelling of austenitic Fe–Cr–Mn steels irradiated in the SM-2 and BOR-60 reactors, <i>V.K. Shamardin, T.M. Bulanova, V.S. Neustroev, L.I. Ivanov, E.V. Djomina and Y.M. Platov</i> . . . . .	637

Irradiation effects on mechanical properties of low activation Mn–Si–Cr steels, <i>H. Yoshida, K. Miyata, S. Nishikawa and H. Kodaka</i> . . . . .	640	Microstructural developments in Fe–Cr–W low activation ferritic steels under dual beam charged particle irradiation, <i>S. Hiwatashi, Y. Kohno, K. Asakura and A. Kohyama</i> . . . . .	709
Fracture behavior of neutron-irradiated high-manganese austenitic steels, <i>H. Yoshida, K. Miyata, M. Narui and H. Kayano</i> . . . . .	644	Phase stability of a manganese-stabilized low-activation martensitic steel, <i>R.D. Griffin, D.S. Gelles, R.A. Dodd and G.L. Kulcinski</i> . . . . .	714
Formation of dislocations, precipitates and cavities in He-implanted Mn–Cr austenitic steels, <i>E. Ruedl and G. Valdrè</i> . . . . .	648	Microstructural development of 10Cr–2Mo ferritic steel irradiated to 57 dpa in HFIR, <i>M. Suzuki, T. Sawai, P.J. Maziasz and A. Hishinuma</i> . . . . .	718
Microstructure and mechanical properties of $\alpha$ -particle irradiated Cr–Mn and the other stainless steels, <i>K. Miyahara, Y. Sakamoto, S. Hamada, H. Kayano and Y. Hosoi</i> . . . . .	652	Development of damage structure in oxide dispersion strengthened steels, <i>H. Kinoshita, N. Akasaka, H. Takahashi, M. Itoh and S. Onose</i> . . . . .	722
Decrease of ductility due to hydrogen in Fe–Cr–Mn austenitic steel, <i>N. Igata, T. Fujiga and H. Yumoto</i> . . . . .	656	Microstructural examination of FFTF-irradiated manganese-stabilized martensitic stainless steel, <i>Y. Kohno, A. Kohyama and D.S. Gelles</i> . . . . .	725
<b>4.7. Low-activation ferritic steels</b>		Irradiation hardening of ferritic steels: Effect of composition, <i>R.L. Klueh</i> . . . . .	728
The mechanical behaviour of newly designed low-activation high-chromium martensitic steels, <i>E. Dequidt, J. Arroyo and M. Schirra</i> . . . . .	659	Impact behavior of 9Cr–1MoVNb and 12Cr–1MoVW steels irradiated in HFIR, <i>R.L. Klueh and D.J. Alexander</i> . . . . .	733
Alloy composition selection for improving strength and toughness of reduced activation 9Cr–W steels, <i>F. Abe, T. Noda, H. Araki and S. Nakazawa</i> . . . . .	663	Effects of neutron irradiation on hydrogen-induced intergranular fracture in a low activation 9%Cr–2%W steel, <i>A. Kimura, H. Kayano and M. Narui</i> . . . . .	737
Effects of W and Mn on the mechanical properties, microstructure and aging behaviors of 10% Cr ferritic steels considered as reduced radio-activation materials, <i>K. Miyahara, Y. Kobayashi and Y. Hosoi</i> . . . . .	667	Irradiation-induced suppression of creep in a low activation 9%Cr–2%W steel, <i>A. Kimura, H. Kayano and S. Ohta</i> . . . . .	741
Effects of small changes in alloy composition on the mechanical properties of low activation 9%Cr–2%W steel, <i>H. Kayano, A. Kimura, M. Narui, T. Kikuchi and S. Ohta</i> . . . . .	671	Investigations on creep and microstructure in proton-irradiated DIN 1.4914 martensitic stainless steel, <i>P. Jung</i> . . . . .	745
Internal strains after recovery of hardness in tempered martensitic steels for fusion reactors, <i>L. Brunelli, P. Gondì, R. Montanari and R. Coppola</i> . . . . .	675	Low temperature embrittlement of low energy He implanted pure iron and iron-based alloys, <i>Y. Nakamura, S. Kitajima, K. Shinohara, S. Ishimoto, T. Shodai, T. Torimaru and K. Yasuda</i> . . . . .	749
Heat-treatment effect on impact properties of reduced-activation steels, <i>R.L. Klueh, P.J. Maziasz and D.J. Alexander</i> . . . . .	679	Low-cycle fatigue properties of the helium-implanted 12% Cr steel 1.4914 (MANET), <i>R. Lindau and A. Möslang</i> . . . . .	753
The effect of ageing on the properties and structures of low activation martensitic 9 and 11% Cr, W, V stainless steels, <i>K.W. Tupholme, D. Dulieu and G.J. Butterworth</i> . . . . .	684	<b>4.8. Low-activation vanadium and other alloys</b>	
Effect of thermo-mechanical treatment on toughness of 9Cr–W ferritic–martensitic steels during aging, <i>S. Kunimitsu, Y. You, N. Kasuya, Y. Sasaki and Y. Hosoi</i> . . . . .	689	High-temperature deformation of modified V–Ti–Cr–Si type alloys, <i>M. Satou, K. Abe and H. Kayano</i> . . . . .	757
Mechanical properties of welded joints of the reduced-activation ferritic steel: 8% Cr–2% W–0.2% V–0.04% Ta–Fe, <i>H. Hayakawa, A. Yoshitake, M. Tamura, S. Natsume, A. Gotoh and A. Hishinuma</i> . . . . .	693	Compatibility of a V–15Cr–5Ti alloy with SiC at high temperatures, <i>K. Kurokawa, K.-y. Aota and H. Takahashi</i> . . . . .	762
The tensile and fatigue properties of Type 1.4914 ferritic steel for fusion reactor applications, <i>P. Marmy, R. Yuzhen and M. Victoria</i> . . . . .	697	Solid-state bonding between vanadium alloys and alumina, <i>K. Abe, T. Higuchi and Y. Fujino</i> . . . . .	766
Neutron damage in reduced activation martensitic alloys in inertial and magnetic fusion reactors: Comparison with fission reactors, <i>J. Sanz and J.M. Perlado</i> . . . . .	702	Swelling of neutron-irradiated vanadium alloys, <i>B.A. Loomis, D.L. Smith and F.A. Garner</i> . . . . .	771
Microstructural investigation of 12% Cr martensitic steel for NET by means of small angle neutron scattering, <i>G. Albertini, F. Carsughi, R. Coppola, F. Rusticelli, W.A.H.M. Vlak and C. Van Dijk</i> . . . . .	706	Microstructural examination of simple vanadium alloys irradiated in the FFTF/MOTA, <i>S. Ohnuki, D.S. Gelles, B.A. Loomis, F.A. Garner and H. Takahashi</i> . . . . .	775
		Hydrogen embrittlement of MFR candidate vanadium alloys, <i>S. Yano, M. Tada and H. Matsui</i> . . . . .	779
		Response of unirradiated and neutron-irradiated vanadium alloys to Charpy-impact loading, <i>B.A. Loomis and D.L. Smith</i> . . . . .	783
		Helium production and precipitates in neutron-irradiated Al–Li and Al–Mg–Li alloys, <i>I. Yoshizawa, Y. Katano, K. Kamada and H. Ohno</i> . . . . .	787

## PART B

## Section 5. Breeding Materials

## 5.1. Fabrication and properties

Process for the preparation of lithium metazirconate, <i>D. Vollath and H. Wedemeyer</i> . . . . .	793
Research and development work for the lithium ortho-silicate pebbles for the Karlsruhe ceramic breeder blanket, <i>M. Dalle Donne, E. Günther, G. Schumacher, G. Sordon, D. Vollath, H. Wedemeyer and H. Werle</i> . . . . .	796
Interaction of tritium gas with Li <sub>2</sub> O crystals and dissolution processes, <i>H. Kudo, S. O'hira, M. Fujie and K. Noda</i> . . . . .	800
Thermochemical study of vaporization of ceramic breeding materials by Knudsen effusion mass spectrometry, <i>M. Yamawaki, K. Yamaguchi and M. Yasumoto</i> . . . . .	804
Equilibrium pressure of water vapor over a Li <sub>2</sub> O(s)-LiOH(s, l) mixture, <i>T. Terai, H. Mohri and Y. Takahashi</i> . . . . .	808
Desorption of H <sub>2</sub> O and H <sub>2</sub> from steel and LiAlO <sub>2</sub> by temperature programmed desorption, <i>A.K. Fischer and C.E. Johnson</i> . . . . .	812
Enhanced tritium transport and release by solids modification, <i>J.P. Kopasz, S.W. Tam and C.E. Johnson</i> . . . . .	816
Compatibility problems in tritium breeding blankets, <i>M. Broc, T. Flament, A. Terlain and J. Sannier</i> . . . . .	820
Compatibility between vanadium-base alloys and flowing lithium: Partitioning of hydrogen at elevated temperatures, <i>A.B. Hull, O.K. Chopra, B. Loomis and D. Smith</i> . . . . .	824
The Sibelius experiment: Study of the irradiation behaviour of beryllium/ceramic and beryllium/steel compacts, <i>N. Roux, M. Briec, M. Bruet, T. Flament, C. Johnson, M. Masson, A. Terlain and F. Tournebize</i> . . . . .	827

## 5.2. Irradiation and tritium release

Comparative irradiation of different lithium ceramics, <i>K.R. Kummerer and H.-J. Ritzhaupt-Kleissl</i> . . . . .	831
Electrical conductivity of Li <sub>2</sub> O under and after irradiation, <i>K. Noda, Y. Ishii, H. Matsui, H. Ohno and H. Watanabe</i> . . . . .	835
The interactions of tritium with irradiation defects in solid breeder materials, <i>H. Moriyama, A. Okada, Y. Asaoka and Y. Ito</i> . . . . .	839
The FUBR-1B irradiation experiment – Tritium release and physical stability of solid breeder materials, <i>O.D. Slagle, G.W. Hollenberg and D.L. Baldwin</i> . . . . .	843
Experimental evidence for tritium release-controlling processes in lithium silicates, <i>W. Breitung and H. Werle</i> . . . . .	847
The influence of surface phenomena on in-situ tritium release from lithium oxide, <i>T. Kurasawa and H. Watanabe</i> . . . . .	851
Bubble formation in irradiated Li <sub>2</sub> O, <i>R.A. Verrall, D.H. Rose, J.M. Miller, I.J. Hastings and D.S. MacDonald</i> . . . . .	855

Investigations of hydrogen/Li <sub>2</sub> O surface interactions via quantum chemical cluster methods, <i>S.W. Tam, J. Wright, L.A. Curtiss and C.E. Johnson</i> . . . . .	859
Storage of tritium in ZrCo alloy: Effect of pre-exposure to impurities relevant to the fusion fuel cycle, <i>R.-D. Penzhorn, M. Devillers and M. Sirch</i> . . . . .	863
In situ tritium release experiments from solid breeding materials (TTEx) – Surface reaction on Li <sub>2</sub> O and LiAlO <sub>2</sub> for sweep gases of He + H <sub>2</sub> and He + H <sub>2</sub> O, <i>S. Tanaka, A. Kawamoto, D. Yamaki, K. Yamaguchi and M. Yamawaki</i> . . . . .	867
In-reactor tritium release experiment from molten lithium-lead alloy (Li <sub>17</sub> Pb <sub>83</sub> ), <i>T. Terai, S. Nagai and Y. Takahashi</i> . . . . .	871
Irradiation of liquid breeder material Pb-17Li with in-situ tritium release measurements in the LIBRETTO 2 experiment, <i>R. Conrad, L. Debarberis, V. Coen and T. Flament</i> . . . . .	875

## 5.3. Liquid breeder

Equilibrium distributions of tritium in liquid lithium/molten salt systems, <i>Y. Asaoka, H. Moriyama and Y. Ito</i> . . . . .	879
Transport of deuterium and rare gases by flowing molten Pb-17Li, <i>H. Feuerstein, H. Gräbner, S. Horn and J. Oschinski</i> . . . . .	882
Continuous monitoring of the composition of liquid Pb-17Li eutectic using electrical resistivity methods, <i>P. Hubberstey, T. Sample and M.G. Barker</i> . . . . .	886

## Section 6. Radiation Damage

## 6.1. Primary damage and collision cascades

The morphology of collision cascades as a function of recoil energy, <i>H.L. Heinisch and B.N. Singh</i> . . . . .	893
Time development of cascades by the binary collision approximation code, <i>A. Fukumura, N. Sekimura and S. Ishino</i> . . . . .	897
Criterion of subcascade formation in metals from atomic collision calculation, <i>Y. Satoh, S. Kojima, T. Yoshiie and M. Kiritani</i> . . . . .	901
Computer simulation of displacement cascade structures in D-T neutron-irradiated Au, Ag, Cu, Ni and Al with the MARLOWE code, <i>N. Watanabe, R. Nishiguchi and Y. Shimomura</i> . . . . .	905
The effects of many-body interactions on point-defect generation, <i>S.P. Chou and N.M. Ghoniem</i> . . . . .	909
Analysis of the sub-cascade structure in copper produced by ion irradiations, <i>I. Ishida, S. Sasaki, T. Yoshiie, A. Iwase, T. Iwata and M. Kiritani</i> . . . . .	913
Accumulation process of cascades in ceramics under ion and/or electron irradiation, <i>H. Abe, C. Kinoshita and K. Nakai</i> . . . . .	917
Disorder-induced amorphization of intermetallic compounds: A molecular dynamics study, <i>C. Massobrio, V. Pontikis, N.V. Doan and G. Martin</i> . . . . .	921

## 6.2. Point defect clusters from cascades

Defect structures in copper and gold irradiated with fast neutrons, 14 MeV neutrons and 600–800 MeV pro-	
--	--

tons, <i>A. Horsewell, B.N. Singh, S. Proennecke, W.F. Sommer and H.L. Heinisch</i> . . . . .	924
In-situ observation of cascade damage in nickel and copper under heavy ion irradiation, <i>H. Sakaida, N. Sekimura and S. Ishino</i> . . . . .	928
Positron lifetime measurement and latent vacancy clusters in 14 MeV neutron irradiated nickel, <i>T. Yoshiie, M. Hasegawa, S. Kojima, K. Sato, Y. Saitoh, S. Yamaguchi and M. Kiritani</i> . . . . .	931
Structure and kinetics of cascades in copper under ion and/or electron irradiation, <i>K. Fukumoto, C. Kinoshita, H. Abe, K. Shinohara and M. Kutsuwada</i> . . . . .	935
On the nature of TEM-observed defect clusters in low-dose neutron- and ion-irradiated Cu, Ag and Au at room temperature, <i>H. Fukushima, Y. Shimomura and H. Yoshida</i> . . . . .	939
Annealing experiments of low temperature 14 MeV neutron-irradiated ordered and disordered Cu <sub>3</sub> Au by TEM, <i>H. Fukushima, Y. Shimomura, M.W. Guinan, P.A. Hahn and M. Kiritani</i> . . . . .	943
Defects in Si irradiated with D-T neutrons, D and He ions, <i>R. Oshima, S. Honda, G.C. Hua, T. Tanabe and F.E. Fujita</i> . . . . .	947

## 6.3. Point defect processes and microstructure evolution

Diffusion-based evaluation of defect processes in cascade zones, <i>C.H. Woo, B.N. Singh and H.L. Heinisch</i> . . . . .	951
Effect of cascade localization induced bias on defect structure evolution, <i>T. Yoshiie, Y. Satoh, S. Kojima and M. Kiritani</i> . . . . .	954
Determination of sink concentrations in ion irradiated nickel and copper by diffusion measurements, <i>A. Müller, M.-P. Macht and V. Naundorf</i> . . . . .	958
Modification of microstructures induced by temperature variation during irradiation with 14 MeV neutrons, <i>M. Matsuda, N. Yoshida, T. Muroga and M. Kiritani</i> . . . . .	962
Effect of external tensile stress on the growth of interstitial loops, <i>H. Saka, K. Kawamura, Y. Morozumi and H. Teshima</i> . . . . .	966
Evolution of structural damage in high-purity aluminum alloys during ion irradiation and the following heat treatments, <i>N. Kamigaki, S. Furuno, K. Hojou, K. Izui and T. Kino</i> . . . . .	970
Depth distribution of damage in helium-ion and proton irradiated nickel, <i>T. Ezawa, M. Sugimoto, K. Niwase, S. Sasaki, A. Iwase, T. Iwata and F.E. Fujita</i> . . . . .	974
Effect of hydrogen on the formation of interstitial loops in hydrogen-irradiated aluminum, <i>K. Ono, T. Kino, S. Furuno, K. Hojou, K. Izui, K. Mizuno and K. Ito</i> . . . . .	978
Radiation hardening in neutron-irradiated polycrystalline copper: Barrier strength of defect clusters, <i>S. Kojima, S.J. Zinkle and H.L. Heinisch</i> . . . . .	982
Computer simulation of early-stage irradiation creep, <i>J. Nagakawa, N. Yamamoto and H. Shiraishi</i> . . . . .	986

## 6.4. Helium effects, bubbles and voids

Some limitations of simulation studies using the ppm to dpa ratio as the helium generation rate, <i>B.N. Singh and A.J.E. Foreman</i> . . . . .	990
---	-----

Microstructure and cavity swelling in reactor-irradiated dilute copper-boron alloy, <i>S.J. Zinkle, K. Farrell and H. Kanazawa</i> . . . . .	994
Helium gas release due to grain boundary fracture in neutron-irradiated high-nickel austenitic alloys and a ferritic steel, <i>N. Kishimoto, R.E. Clausing, L. Heatherly, Jr. and K. Farrell</i> . . . . .	998
In-situ observation of bubble formation in superconducting YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> during He-ion irradiation in an electron microscope, <i>H. Maeta, S. Furuno, K. Hojou, H. Otsu and M. Watanabe</i> . . . . .	1003
On the coarsening mechanisms of helium bubbles – Ostwald ripening versus migration and coalescence, <i>H. Schroeder and P.F.P. Fichtner</i> . . . . .	1007
In-situ observation of the dynamic behavior of bubbles in aluminum during 10 keV H <sub>2</sub> <sup>+</sup> ion irradiation and successive annealing, <i>S. Furuno, K. Hojou, H. Otsu, K. Izui, N. Kamigaki and T. Kino</i> . . . . .	1011
Coprecipitation of M <sub>23</sub> C <sub>6</sub> and MC type carbide under the influence of irradiation, <i>W. Kesternich and R.V. Nandedkar</i> . . . . .	1015
Computer simulation of void swelling in metals and alloys, <i>E. Kuramoto</i> . . . . .	1019

## 6.5. Phase stability and segregation

Stochastic description of compound stability under irradiation: Temperature, flux and cascade size effects, <i>F. Haider, P. Bellon, N.V. Doan and G. Martin</i> . . . . .	1023
Enhanced diffusion of nickel in ion-irradiated FeNiB metallic glass, <i>A.K. Tyagi, M.-P. Macht and V. Naundorf</i> . . . . .	1026
Microstructural stability in a Cu-Cr-Si alloy under 300 keV Cu <sup>+</sup> ion irradiation, <i>C. Ramachandra, N. Wanderka, R.P. Wahi and H. Wollenberger</i> . . . . .	1030
Intergranular impurity segregation and embrittlement in neutron-irradiated iron alloys, <i>J. Kameda, X. Mao and A.J. Bevelo</i> . . . . .	1034
The effect of helium atoms on radiation-induced segregation and precipitation in Al-Zn alloys, <i>T. Ezawa, J. Tanimura, T. Tanabe and F.E. Fujita</i> . . . . .	1038
Irradiation induced diffusion and precipitate growth in ferritic Fe(Al,Ni), <i>J. Fischer and P. Jung</i> . . . . .	1042
Irradiation-induced spinodal decomposition and its process in Fe-Mo alloys, <i>K. Nakai, C. Kinoshita and N. Nishimura</i> . . . . .	1046
Inducement process and mechanism of spinodal decomposition in electron-irradiated Au-Ni alloys, <i>Y. Asai, Y. Isobe, K. Nakai, C. Kinoshita and K. Shinohara</i> . . . . .	1050
Effect of Xe-ion irradiation on austenitic stainless steel, <i>I. Sakamoto, N. Hayashi, B. Furubayashi and H. Tanoue</i> . . . . .	1053
Effects of phosphorus, silicon and sulphur on microstructural evolution in austenitic stainless steels during electron irradiation, <i>K. Fukuya, S. Nakahigashi, S. Ozaki and S. Shima</i> . . . . .	1057
Effects of neutron irradiation on corrosion and segregation behavior in austenitic stainless steels, <i>S. Nakahigashi, M. Kodama, K. Fukuya, S. Nishimura, S. Yamamoto, K. Saito and T. Saito</i> . . . . .	1061

Radiation-induced segregation and high-temperature ductility in 12%CrMoVNb ferritic–martensitic steel, <i>N.C. Waite, G.J. Adetunji, R.G. Faulkner and E.A. Little</i> . . . . .	1065	Materials database for materials design, <i>S. Iwata, T. Ashino and S. Ishino</i> . . . . .	1135
		Development of an international fusion materials database, <i>J.W. Davis</i> . . . . .	1139
<b>6.6. Damage mechanism and correlation</b>		<b>Section 8. Irradiation Facilities</b>	
Determination of basic parameters for damage correlation, <i>H. Wollenberger and V. Naundorf</i> . . . . .	1069	Characteristics of an energy selective neutron irradiation test facility (ESNIT) for material irradiation studies, <i>K. Noda, H. Matsuo, K. Watanabe, M. Sugimoto, Y. Kato, H. Sakai, T. Kikuchi, Y. Oyama, H. Ohno and T. Kondo</i> . . . . .	1147
Comparison of PKA energy spectra, gas-atom production and damage energy deposition in neutron irradiation at various facilities, <i>R. Nishiguchi, Y. Shimomura, P.A. Hahn, M.W. Guinan and M. Kiritani</i> . . . . .	1073	Production of transmutants and displacement effect in the EURAC spallation neutron source for testing of fusion materials, <i>J.M. Perlado, J. Sanz and M. Pierra</i> . . . . .	1151
Microstructure–tensile property correlation of 316 SS in low-dose neutron irradiations, <i>N. Yoshida, H.L. Heinisch, T. Muroga, K. Araki and M. Kiritani</i> . . . . .	1078	Irradiation facilities development at CEA for solid and liquid breeder blankets qualification programs, <i>A. Alberman, F. Lefevre, G. Thevenot, M. Masson and M. Savineau</i> . . . . .	1154
Mechanical property changes and microstructures of iron irradiated with fission and fusion neutrons, <i>A. Okada, T. Yasujima, T. Yoshiie, I. Ishida and M. Kiritani</i> . . . . .	1083	Irradiation facilities for testing solid and liquid blanket breeder materials with in-situ tritium release measurements in the HFR Petten, <i>R. Conrad and L. Debarberis</i> . . . . .	1158
Fusion–fission–light ion correlation of mechanical property change in a TZM alloy, <i>K. Abe, F. Nagase and S. Morozumi</i> . . . . .	1088	Discussion on Contributed Papers . . . . .	1165
Magnetic study of defects in iron induced by 14 MeV neutron irradiation, <i>S. Takehana, K. Hakozaki, M.W. Guinan and H. Matsui</i> . . . . .	1092	<b>Section 9. Review on Design/Materials Interface for ITER</b>	
The solute dependence of bias factors in irradiated Fe–Ni alloys, <i>J.J. Hoyt and F.A. Garner</i> . . . . .	1096	ITER: design overview, <i>K. Tomabechi for the ITER Team</i> . . . . .	1173
Neutron irradiation test matrix for carbon-based materials for the first wall of fusion reactors, <i>K. Koizlik, J. Linke and H. Nickel</i> . . . . .	1100	Structural material requirements and related R and D for ITER plasma-facing components, <i>J.L. Boutard</i> . . . . .	1179
Fission reactor irradiation of materials with improved control of neutron flux–temperature history, <i>M. Kiritani, T. Endoh, K. Hamada, T. Yoshiie, A. Okada, S. Kojima, Y. Satoh and H. Kayano</i> . . . . .	1104	ITER R&D on breeder blanket materials, <i>D.L. Smith, W. Daenner, G. Kalinin and H. Yoshida</i> . . . . .	1185
		ITER related R&D on low-Z plasma-facing materials for divertor and first wall, <i>M. Seki, M. Guseva, G. Vieider and J. Whitley</i> . . . . .	1189
<b>Section 7. Engineering and Design, Database</b>		High-Z plasma-facing and related materials, <i>G.M. Kalinin</i> . . . . .	1193
Polymer composites as magnet materials: Irradiation effects and degradation mechanism of mechanical properties, <i>S. Egusa and T. Seguchi</i> . . . . .	1111	<b>Section 10. Discussion Sessions</b>	
Mechanical characteristics of the shape memory alloy driver focusing on quick replacement technology for fusion devices, <i>M. Nishikawa, M. Kawai, T. Yokoyama, T. Hoshiya, M. Naganuma, M. Kondo, K. Yoshikawa and K. Watanabe</i> . . . . .	1115	10.1. Cascade characteristics and defect production . . . . .	1201
Fast neutron irradiation of Ti–Ni shape memory alloys, <i>T. Hoshiya, S. Shimakawa, Y. Ichihashi, M. Nishikawa and K. Watanabe</i> . . . . .	1119	10.2. Materials aspects of breeding blanket design . . . . .	1213
Nuclear properties of magnet structural materials for fusion reactors, <i>M. Zucchetti, E. Medda and G. Maizza</i> . . . . .	1123	10.3. Criteria of low-activation and materials design . . . . .	1221
Fusion neutron irradiation effects in commercial Nb <sub>3</sub> Sn superconductors, <i>P.A. Hahn, M.W. Guinan, L.T. Summers, T. Okada and D.B. Smathers</i> . . . . .	1127	10.4. Present limit and future direction of plasma-facing materials . . . . .	1231
The feasibility of welding irradiated materials, <i>H.T. Lin and B.A. Chin</i> . . . . .	1131	10.5. Design–material interface of ITER . . . . .	1239
		10.6. Irradiation correlation and need of intense high-energy neutron source . . . . .	1245
		Author index . . . . .	1257
		Subject index . . . . .	1271

## Section 1

## INVITED PAPERS