

Contents

| | |
|---|-----|
| Preface | 17 |
| ICEC 23 – ICMC 2010 Committees, Sponsors and Exhibitors | 19 |
| Conference Snaps | 23 |
| PLENARY SESSIONS | |
| Superconductivity in power applications. | |
| The role of cryogenics in transforming the power enterprise worldwide | |
| <i>Grant P.M.</i> | 33 |
| Bose–Einstein Condensate – from superfluidity to superconductivity | |
| <i>Kempinski W., Trybula Z., Kempinski M., Wroblewski M., Markowski D., Zawierucha M.</i> | 35 |
| Commissioning and first operation of the Large Hadron Collider (LHC) | |
| <i>Lebrun Ph.</i> | 41 |
| Application Relevant Properties of Pnictide Superconductors | |
| <i>Putti M.</i> | 49 |
| Contactless levitation systems and bearings using bulk superconductors | |
| <i>Schultz L.</i> | 51 |
| Cryotherapy – state of art | |
| <i>Sieron A., Stanek A., Cieslar G.</i> | 53 |
| CRYOCOOLERS | |
| Progress of a low pressure mixed gas Joule–Thomson micro-cryocooler | |
| – summary of performance with 5 and 3 component mixtures | |
| <i>Bradley P.E., Lin M.-H., Radebaugh R., Huber M., Lee Y.C.</i> | 61 |
| Microcooling developments at the University of Twente | |
| <i>ter Brake H.J.M., Derking J.H., Cao H.S., Holland H.J., Garcia M., Mudaliar A.V., Lerou P.P.P.M.</i> | 67 |
| Numerical study of effects of heat exchanger geometry on heat transfer | |
| and performance in Joule–Thomson refrigerator | |
| <i>Hong Y.J., Park S.J., Choi Y.D.</i> | 73 |
| An idealized model for Joule–Thomson cryogenic refrigeration cycles | |
| <i>Yu J., Liu Y., Li Y.</i> | 79 |
| Optimal design and experimental study on the 10 K G-M refrigerator | |
| with labyrinth sealing displacer | |
| <i>Hao X.H., Ju Y.L., Lu Y.J.</i> | 87 |
| Performance analysis of a free piston free displacer miniature Stirling cryocooler | |
| <i>Jindal T.K.</i> | 93 |
| Magnetic structure optimization of moving coil linear alternator | |
| <i>Li Z.Y., Hu Z.J., Zhao S., Li Q., Li Q.</i> | 101 |

| | | | |
|--|-----|---|-----|
| Numerical simulation of flow and energy fields in the stack of a thermoacoustic refrigerator <i>Gao G., Xie X., Li Q., Zhao S., Zhou G.</i> | 105 | Experimental studies on a two-stage Pulse Tube Cryocooler and cooling a small superconducting magnet <i>Kasthuriangan S., Behera U., Kuzhiveli B.T., Pal G., Gangrdey R.</i> | 197 |
| Experimental studies and numerical analysis of a thermoacoustic prime mover <i>Kasthuriangan S., Behera U., Kuzhiveli B.T., Kamble B.V.</i> | 113 | Constructing P-V and T-S diagrams for pulse tube refrigerators <i>Kittel P.</i> | 205 |
| Experimental study on a thermoacoustic engine with coupling oscillation of helium and ionic liquid <i>Tang K., Lei T., Lin X.G., Jin T., Zhang Y.</i> | 119 | About a new type of pulse tube cooler with linear motor drive and phase shifter <i>Kuhn M., Kaiser G., Hadlich J., Bauer R., Klier J.</i> | 211 |
| Experimental investigation on the impedance characteristics of inertance tubes <i>Li S.S., Dang H.Z., Wu Y.N., Wang L.B., Yang K.X.</i> | 123 | Experimental investigation of high frequency pulse tube cryocooler without reservoir <i>Liu Y.J., Yang L.W., Liang J.T.</i> | 217 |
| Oscillatory flow and temperature fields inside a pipe with temperature difference at the ends <i>T.R. A., G.S.V.L. N., Jacob S.</i> | 129 | Investigation on operating parameters of a pulse tube using real gas equation of state for temperatures below 20 K <i>Roshanghalb F., Ghahremani A.R., Jahanbakhshi R., Saidi M.H., Jafarian A.</i> | 223 |
| Optimization of moving magnet type linear motor for cryocoolers <i>V.R.R., Kuzhiveli B.T.</i> | 137 | A simplified numerical simulation method for high frequency single-stage inertance pulse tube cryocoolers above 50 K <i>Wang L.B., Dang H.Z., Wu Y.N., Li S.S., Yang K.X.</i> | 229 |
| Heat capacity of Er₃Ni hydride at low temperatures <i>Jin T., Li C.H., Xu B., Tang K.</i> | 143 | Performance characteristics in tilted pulse tube refrigerators <i>Yang L., Thummes G.</i> | 235 |
| PULSE TUBE CRYOCOOLERS | | Efficiency of medium size high frequency pulse tube coolers at 80 K <i>Yang L., Thummes G.</i> | 243 |
| Analysis on gas element displacement of pulse tube cryocooler <i>Cai H.K., Gu C., Xue X.D., Wang J.J., Zhou Y.</i> | 149 | GAS SEPARATION AND LIQUEFACTION | |
| Performance characterization of SITP's large capacity high frequency coaxial pulse tube cryocoolers <i>Dang H.Z., Wang L.B., Wu Y.N., Li S.S., Yang K.X., Shen W.B., Fu H.</i> | 155 | Experiment on freeze-out removal of carbon dioxide from methane mixture <i>Chang H.M., Lee S.Y., Kim M.J., Park S.B.</i> | 251 |
| Performance characterization of SITP's miniature coaxial pulse tube cryocoolers for small space-borne infrared detector systems <i>Dang H.Z., Wang L.B., Wu Y.N., Li S.S., Yang K.X., Shen W.B., Fu H., Xiong C.</i> | 161 | New concept of natural gas liquefaction cycle with combined refrigerants <i>Chang H.M., Park J.H., Woo H.S., Lee S., Choe K.H.</i> | 257 |
| Development of a high-power two-stage high frequency pulse tube cooler for refrigeration at 25 K <i>Dietrich M., Thummes G.</i> | 167 | Systems, services and solutions for helium liquefaction applications <i>Grabié V., Crispel S., Fauve E., Flavien G., Delcayre F., Grillot D., Bernhardt J.M.</i> | 263 |
| Phasor analysis of the displacement of oscillating gas parcels in pulse tube cryocooler <i>Gu C., Cai H.K., Xue X.D., Wang J.J., Zhou Y.</i> | 173 | Development of a high-efficiency hydrogen transportation and storage system using slush hydrogen <i>Ohira K.</i> | 269 |
| Pulse tube cryocooler-assisted liquid xenon cryogenic system and its long-term operation <i>Haruyama T., Kasami K., Nishitani T.</i> | 179 | Numerical study of slush nitrogen flow in a horizontal pipe <i>Ohira K., Mukai Y., Ota A.</i> | 275 |
| Development and testing of linear motor compressor driven miniature pulse tube cooler <i>Jacob S., Ramanarayanan V., Karunanithi R., Narasimham G.S.V.L., Damu C., Mallappa Achanur., Jagadish G., Kranthi K.J., Abhay S.G., Ajit Gaunekar., Sriram Prabhu</i> | 185 | Cavitating flow of subcooled liquid nitrogen in a C-D nozzle <i>Ohira K., Nagai T., Takahashi K.</i> | 281 |
| Thermoacoustic drive for pulse tube cryocooler <i>Kamble B.V., Kuzhiveli B.T., Kasthuriangan S., Behera U.</i> | 191 | The Darwin helium facility operation of a helium purification, liquefaction and distribution plant <i>Ohlig K.</i> | 287 |
| | | Thermodynamic analysis of Collins cycle: aspects of designing large-scale helium liquefiers <i>Thomas R.J., Ghosh P., Chowdhury K.</i> | 291 |
| | | Cryogenic air separation industry in China: past, present and future <i>Yao L., Qiu L.M., Zhou Z.Y., Lu T.F., Tan J.R., Zhang X.B., Tang L., Zhang S.Y., He H.</i> | 299 |

CRYOGENIC FLUIDS

Comparison of different equations of state for hydrogen
Essler J., Haberstroh Ch. 307

Vapor pressures of ³He-⁴He mixtures at temperatures up to 5.1953 K over the entire concentration range
Huang Y.H., Wang X.J., Fang L., Wang R.Z. 313

Visual observation of film boiling in saturated He II under micro gravity using drop tower
Takada S., Kimura N., Koh B., Murakami M., Okamura T. 319

Visualization study of transition between the noisy and the silent film boiling in He II around a thin wire heater
Takada S., Murakami M., Kimura N., Koh B. 325

PIV measurement of superfluid turbulent flow in He II thermal counterflow jet
Murakami M., Yokota N., Takada S., Maeda M. 331

Single atom detection of cryofluids noble gas contaminants
Zuzel G., Simgen H. 337

HYDROGEN TECHNOLOGIES

Automatic refuel coupling for liquid hydrogen tank trailers
Boersch M., Holdener F. 343

Indirect hydrogen versus helium or nitrogen cooling for fusion cryogenic and magnet systems
Clarke R.H., Glowacki B.A. 347

Hydrogen cryomagnetics: the way forward for superconductivity
Glowacki B.A. 353

Magnetic refrigeration for hydrogen liquefaction
Matsumoto K., Numazawa T. 359

Use of He gas cooled by liquid hydrogen with a 15-T pulsed copper solenoid magnet
McDonald K.T., Iarocci M., Kirk H.G., Mulholland G.T., Titus P.H., Weggel R.J. 365

NASA's Cryogenic Fluid Management Project
Salerno L.J., Doherty M.P., Meyer M.L. 371

Performance test of a centrifugal supercritical hydrogen pump
Tatsumoto H., Aso T., Ohtsu K., Uehara T., Sakurayama H., Kawakami Y., Kato T., Futakawa M., Yoshinaga S. 377

Design of 1 GW class hybrid energy transfer line of hydrogen and electricity and development of its MgB₂ cable
Yamada S., Hishinuma Y., Uede T., Schippl K., Yanagi N., Mito T., Sato M. 383

CRYOGENIC HEAT TRANSFER

Recuperative type microchannel heat exchanger with transverse bypass to enhance flow distribution
Baek S., Kim J., Jeong S. 393

Experimental investigation on nucleate pool boiling heat transfer of pure HC170, FC14 and their binary mixtures
Ding L., Gong M.Q., Bao J.X., Sun Zh.H., Wu J.F. 399

A new laser flash system for thermal diffusivity measurement at cryogenic temperatures
Göbel A., Hemberger F., Ebert H.-P. 405

Heat transfer in the LHC main superconducting bus bars
Granieri P.P., Casali M., Richter D. 411

Principle mechanisms of heat transfer for cryogenic insulations with temperature dependent deposition-/condensation-evacuation of the filling gas (self-evacuating systems)
Geisler M., Vidi S., Ebert H.-P. 417

3-dimensional analysis for steady state heat transfer in superfluid helium
Kobayashi H., Yoshikawa K., Shiotsu M., Shirai Y., Hama K. 425

Free convective heat transfer in inclined pipes as a mechanism of heat intake to cryogenic devices
Langebach R., Haberstroh Ch. 431

Propagation characteristics of two-phase pressure wave in a gas-liquid condensation flow
Li Y. Z., Li C., Chen E. F., Ying Y.Y. 439

Pressure drop and heat transfer characteristics of boiling liquid nitrogen in a horizontal pipe flow
Ohira K., Shimizu R., Takahashi K., Kobayashi H., Taguchi H. 445

Vortical structures and heat transfer characteristics of natural convection during a laminar-turbulent transition between two vertical parallel heaters in supercritical helium
Okamura T. 453

Unsteady heat dissipation in accelerator superconducting cables insulated with polyimide insulation in normal and supercritical helium
Pietrowicz S., Kimura N., Baudouy B., Yamamoto A. 459

Specific heat measurements on carbon-glass hybrid composites at cryogenic temperatures
Praveen R.S., Jacob S., Murthy C.R.L., Balachandran P., Rao Y.V.K.S. 465

Forced convection heat transfer of He I in a horizontal cylinder under supercritical conditions
Shiotsu M., Shirai Y., Hama K. 471

Axial temperature distribution in a heated pipe cooled by forced flow of liquid hydrogen
Shirai Y., Tatsumoto H., Kobayashi H., Yoshikawa K., Shiotsu M., Hata K., Kobayashi H., Naruo Y., Inatani Y., Kinoshita K. 477

Numerical and experimental investigation of PCM freezing process outside a Tube with Internal Cryogenic Flow
Tan H.B., Li Y.Z., Tian B.C. 483

Forced convection heat transfer of subcooled liquid hydrogen in a small tube
Tatsumoto H., Shirai Y., Shiotsu M., Hata K., Kobayashi H., Naruo Y., Inatani Y., Kato T., Futakawa M., Kinoshita K. 491

Investigation of the maldistribution of the plate-fin heat exchanger
Zhang P., Huang C.J. 497

| | |
|---|-----|
| Study on heat transfer for high frequency miniature thermoacoustic device <i>Zhao S., Li Z., Li Q., Gao G.</i> | 503 |
| Matching research between a miniature thermoacoustic engine and cooler <i>Zhou G., Li Q., Li Z.Y.</i> | 509 |
| INSTRUMENTATION AND PROCESS CONTROL | |
| An innovative control of a warm compression system for a helium refrigerator subject to high pulsed loads <i>Clavel F., Bonnay P., Bornard G., Alamir M., Barraud A., Deschildre C.</i> | 517 |
| Instrumentation status of the low-β magnet systems at the Large Hadron Collider (LHC) <i>Darve C., Balle C., Casas-Cubillos J., Perin A., Vauthier N.</i> | 525 |
| Instrumentations for W7-X cryogenic systems <i>Dhard C.P., Bau H., Nagel M., Friedrich A., Meyer U., Raatz S.</i> | 531 |
| Choice of temperature sensors for XFEL project <i>Filippov Yu.P., Miklayev V.M.</i> | 537 |
| Experience with the EAST cryogenic instrumentation and control system <i>Hu L.B., Zhuang M., Yuan C.Y., Zhou Z.W.</i> | 543 |
| Magnetic behaviour of Rhodium-Iron cryogenic sensor and high magnetic field correction <i>Mao H., Schlachter S., Süßner M.</i> | 549 |
| Investigation of Fiber Bragg Grating based displacement sensors in cryogenic environment <i>Ramalingam R., Süßner M.</i> | 555 |
| Conditioning of 27 ω rhodium-iron ceramic sensors for extremely difficult applications <i>Süßner M.</i> | 561 |
| CRYOGENIC EQUIPMENT AND SAFETY SYSTEMS | |
| Properties of internal RC oscillator of Atmega16A structure at low temperatures <i>Arnold K.</i> | 567 |
| Evaluation of self-heating of AVR microcontrollers in low temperatures <i>Arnold K., Michalak S., Pajakowski J.</i> | 571 |
| Modeling of the electrical arc discharge in liquid gases environment <i>Bielowka P., Chorowski M., Polinski J.</i> | 575 |
| Behaviour of ATtiny microprocessors at low temperatures <i>Michalak S.</i> | 581 |
| The operation of microprocessor's ADC at liquid nitrogen temperature <i>Michalak S., Pajakowski J.</i> | 585 |
| High efficiency light emitting diodes in low temperatures <i>Pajakowski J.</i> | 591 |
| Thermal shield design for the CTB of ITER feeders <i>Song Y., Lu K., Wang Z., Liu S.</i> | 595 |

| | |
|--|-----|
| Safety interlock of the cryogenic hydrogen system at J-PARC <i>Tatsumoto H., Aso T., Ohtsu K., Uehara T., Sakurayama H., Kawakami Y., Kato T., Futakawa M.</i> | 601 |
|--|-----|

CRYOSTATS AND INSULATION

| | |
|---|-----|
| Cryogenic vacuum insulation for vessels and piping <i>Kogan A., Fesmire J., Johnson W., Minnick J.</i> | 609 |
| Research and manufacture of large EXFEL cryostat <i>Li S.P., Ge R., Guo L.S., Bian L., Yang H.</i> | 615 |
| LN2 continuous flow cryostats, a compact cooling device for detector systems <i>Lizon J.L., Accardo M.</i> | 621 |
| Cryogenic characteristics of the R3B-GLAD magnet <i>Lottin J.P., Eppel  D., Gastineau B., Graffin P., Mayri C., Massinger M., Queinec Y., Pes C.</i> | 627 |
| Thickness of vapor deposited aluminum layer on reflective film of multilayer insulation <i>Ohmori T., Nakajima M., Yamamoto A., Yanagihara N., Yamanaka Y., Dobashi S., Uchida S., Watanabe Y., Iwase W., Kaneko H., Shinozaki T.</i> | 633 |
| High accuracy measurement of heat leak of cryogenic pipes for DC superconducting power cable <i>Sugino M., Hamabe M., Watanabe H., Kawahara T., Yamaguchi S., Ishiguro Y., Shinshi O.</i> | 639 |
| Design and performance of a double stage He4/He3 refrigerator with cryosorption pumps <i>Trofimov V.N., Chernikov A.N., Vdovin V.F., Perminov V.G., Mansfeld M.A.</i> | 645 |
| Evacuation procedures of long cryogenic pipes for superconducting power transmission <i>Watanabe H., Hamabe M., Kawahara T., Yamaguchi S.</i> | 649 |

NEW DEVICES AND NOVEL CONCEPTS

| | |
|---|-----|
| Low-temperature near field optical scanning microscope for nanotechnology applications <i>Demikhov E.I., Petrova M.G., Sharkov A.I., Mishakov G.V.</i> | 655 |
| Cooling of electrically insulated high voltage electrodes down to 30 mK <i>Eisel T., Bremer J., Burghart G., Feigl S., Haug F., Koettig T.</i> | 659 |
| The cryogenic storage ring project <i>Fellenberger F., Berg F., Blaum K., Froese M., Grieser M., von Hahn R., Krantz C., Lange M., Laux F., Menk S., Repnow R., Shornikov A., Wolf A.</i> | 665 |
| Design of the argon frost pump in the KATRIN experiment <i>Grohmann S., Kazachenko O., Putselyk S.</i> | 671 |
| Development of a neon turbo-compressor with active magnetic bearings <i>Hirai H., Hirokawa M., Yoshida S., Takaike A., Ozaki S., Nara N., Uwamori K., Kamioka Y., Hayashi H., Okamoto H., Shiohara Y.</i> | 677 |
| First conceptual design of the cryogenic infrastructure for the new European giant telescope <i>Lizon J.L.</i> | 683 |

| | | |
|--|-----|--|
| A light-weight cryogenic buoyancy system for the controlled removal of heavy objects from the seabed | | |
| <i>McDonald P., Nicholls-Lee R., Tan M., Turnock S., Sheno R.A.</i> | 689 | |
| Development of a cryogenic system for the proposed new light source (NLS) | | |
| <i>Pattalwar S., Bate R., Buckley R., Goulden A., Fell B., McIntosh P.</i> | 693 | |
| A closed cycle helium sorption pump system and its use in making hyperpolarized compounds for MRI | | |
| <i>Urbahn J., Ardenkjaer-Larsen J., Anderson D., Clarke N., Leach A., Stautner W., Zhang T.</i> | 697 | |
| Development of neon refrigerator for HTS power machines | | |
| <i>Yoshida S., Nara N., Uwamori K., Ozaki S., Hirai H., Takaike A., Hirokawa M., Kamioka Y., Okamoto H., Hayashi H., Shiohara Y.</i> | 703 | |
| SPACE CRYOGENICS | | |
| 14.5 K sorption cooler development for space applications | | |
| <i>ter Brake H.J.M., Burger J.F., Holland H.J., Meijer R.J., Zalewski D.R., Mudaliar A.V., Linder M., Tirolien T.</i> | 713 | |
| LH₂-LOX cryogenic rocket engine thrust chamber – heat transfer characteristics and optimization of regeneratively cooled channel | | |
| <i>Kuzhiveli B.T., Balachandran P.</i> | 719 | |
| Developments of porous plug phase separator and superfluid film flow suppression system for Soft X-ray Spectrometer (SXS) on board ASTRO-H | | |
| <i>Yamaguchi H., Ezoe Y., Ishikawa K., Ohashi T., Fujimoto R., Mitsuda K., Takei Y., Murakami M., Tsunematsu S., Kanao K., Yoshida S., DiPirro M., Shirron P.</i> | 725 | |
| CRYOGENICS FOR MEDICAL APPLICATIONS | | |
| A modern instrument for local cryotherapy | | |
| <i>Adamowicz B., Jedrusyna A., Kosek J.</i> | 733 | |
| Development of the closed-loop J–T (Joule–Thomson) cryoablation device for large cooling area | | |
| <i>Lee Ch., Hwang G., Jeong S., Park S.W.</i> | 739 | |
| Safety of the influence of cryotemperatures on ventilation activity of lungs in men in various ages | | |
| <i>Rożek K., Piechura J.R., Skrzek A.</i> | 745 | |
| Usefulness of the cryotherapy treatment in patients with posttraumatic sudeck algodystrophy of the hand | | |
| <i>Wrzosek Z., Sokółowski M., Sutkowska E.</i> | 749 | |
| FUSION | | |
| Dynamic simulation of a large scale helium refrigerator for Tokamak applications | | |
| <i>Briend P., Deschildre C., Tater E., Aigouy G.</i> | 759 | |
| Cryogenic process optimization for the operation of superconducting magnet system for fusion devices in the downstream sub-loops | | |
| <i>Bhattacharya R., Sarkar B., Vaghela H., Shah N., Badgujar S.</i> | 765 | |
| Various ways to smooth energy pulses into the cryogenic system of a tokamak | | |
| <i>Gistau Bague G.M.</i> | 773 | |
| How to efficiently control the power that is absorbed by the cryogenic system of a tokamak | | |
| <i>Gistau Bague G.M.</i> | 779 | |
| Numerical modeling of the helium flows from the ITER TF coil windings and cases to the cold quench tank after the fast energy discharge | | |
| <i>Fydrych J., Chorowski M., Zajaczkowski B.</i> | 783 | |
| HELIOS helium loop for high loads smoothing: a cryogenic scaled down experiment of the cooling circuit of JT-60SA superconducting magnets | | |
| <i>Hoa C., Bon-Mardion M., Bonnay P., Charvin P., Cheynet J.-N., Girard A., Lagier B., Michel F., Monteiro L., Poncet J.-M., Roussel P., Rousset B., Vallcorba-Carbonell R.</i> | 791 | |
| Design and trial manufacturing of the thermal shield for JT-60SA | | |
| <i>Kamiya K., Ichige T., Honda A., Yoshida K.</i> | 797 | |
| Overpressure relief port of the Coil Terminal Boxes for the ITER magnet systems | | |
| <i>Kun Lu, Yuntao Song, Zhongwei Wang</i> | 803 | |
| Determination of heat loads at the interface of the JT-60SA cryogenic system | | |
| <i>Lamaison V., Hitz D., Hoa C., Michel F., Reynaud P., Roussel P., Wanner M.</i> | 809 | |
| Design and assembly progress of the thermal insulation of the Wendelstein 7-X cryostat | | |
| <i>Nagel M., Braatz A., Gömöry A., Hughes S., Heenemann Ch., Mohr S., Pietsch M., Risse K., Theuerkauf D., Binni A., Prebeck M., Posselt H.</i> | 815 | |
| Analysis for the upgrade of the helium refrigerator of EAST superconducting tokamak | | |
| <i>Qiu L.L., Bi Y.F., Zhuang M., Xu G.F., Yuan C.Y.</i> | 821 | |
| Thermohydraulic investigation on the ITER neutral beam injector cryopump | | |
| <i>Scannapiego M., Day C., Hanke S., Hauer V.</i> | 827 | |
| The conceptual design of the ITER cryodistribution system | | |
| <i>Serio L., Chang H.-S., Parente C., Forgeas A., Chalifour M., Voigt T., Monneret E., Vaghela H., Bhattacharya R., Badgujar S., Shah N.D., Sarkar B., Peng N., Xiong L.Y., Liu L.Q., Gistau G.</i> | 833 | |
| Preventive maintenance experience for 1 kW class helium liquefier/refrigerator system at IPR | | |
| <i>Tank J., Panchal R., Patel R., Patel J.C., Sonara D., Mqhisuria G., Srikanth G.L.N., Christian D., Singh M., Patel K., Bairagi N., Garg A., Gupta M.K., Nimavat H., Sharma R., Tanna V.L., Pradhan S.</i> | 839 | |
| The operation performance and analysis of EAST cryogenic system | | |
| <i>Zhuang M., Qiu L.L., Hu L.B., Xu G.F., Yuan C.Y., Zhang Q.Y.</i> | 847 | |
| CRYOGENICS FOR ACCELERATORS | | |
| 4.5-K refrigerator cold box system for the 12 GeV upgrade at JLab | | |
| <i>Arnold Ph., Knudsen P.</i> | 853 | |
| Compressor system for the 12 GeV upgrade at JLab | | |
| <i>Ganni V., Dixon K., Creel J., Knudsen P., Arenius D.</i> | 859 | |

| | |
|---|-----|
| The liquid helium storage system for the Large Hadron Collider <i>Benda V., Bel J.-F., Fathallah M., Goiffon T., Parente C., Perez-Duenas E., Perret Ph., Pirotte O., Serio L., Vullierme B.</i> | 865 |
| The LHC cryogenic operation for first collisions and physics run <i>Brodzinski K., Barth K., Benda V., Bremer J., Casas-Cubillos J., Claudet S., Delikaris D., Ferlin G., Fernandez Penacoba G., Perin A., Pirotte O., Soubiran M., Tavian L., van Weelderen R., Wagner U.</i> | 871 |
| Risk analysis update of the LHC cryogenic system following the 19th September 2008 incident <i>Chorowski M., Fydrych J., Modlinski Z., Polinski J., Tavian L., Wach J.</i> | 879 |
| Cryogenic safety aspect of the low-β magnet systems at the Large Hadron Collider (LHC) <i>Darve C.</i> | 885 |
| Heat transfer measurements through thermally enhanced insulation schemes for Nb-Ti superconducting magnets operating in He-II <i>Granieri P.P., Richter D.</i> | 893 |
| The cryogenic design of the Phase I Upgrade inner triplet magnets for LHC <i>van Weelderen R., Vullierme B., Peterson T.</i> | 899 |
| Helium driven physical explosions in confined spaces <i>Wach J.</i> | 905 |
| Cryogenics of European XFEL Accelerator Module Test Facility <i>Bozhko Y., Petersen B., Schnautz T., Sellmann D., Wang X.L., Zhirnov A., Zolotov A.</i> | 911 |
| Sudden catastrophic loss of vacuum of a scaled superconducting radio frequency cavity beam tube <i>Dalesandro A., Theilacker J., Van Sciver S.W.</i> | 919 |
| Vertical test cryostat for SCRF cavities testing below 2.17 K with closed loop helium circulation <i>Koveshnikov A., Laxdal R., Sekachev I., Yosifov D.</i> | 925 |
| Experimental study of thermal radiation shield for ILC cryomodule <i>Ohuchi N., Tsuchiya K., Zong Z., Terashima A., Kondo Y., Kojima Y., Nakai H.</i> | 931 |
| Thermo-hydraulic behavior and modeling during quench of a J-PARC neutrino superconducting magnet system <i>Okamura T., Sasaki K., Kimura N., Makida Y., Nakamoto T., Ohhata H., Iida M., Araoka O., Suzuki S., Ogitsu T.</i> | 937 |
| Comparative study of UHV beam pipe for the fast ramping superconducting accelerator magnet <i>Shim S.Y., Wilfert S., Mierau A., Fischer E., Schnizer P., Schroeder C., Walter F.</i> | 945 |
| Conceptual design of the cryogenic system for CSNS <i>Wang G.P., Xiao J., Li S.P.</i> | 951 |
| Conceptual design of the cryogenic system for the SuperB interaction region magnets <i>Weisend II J.G., Bettoni S., Sullivan M., Paoloni E., Rogers R.</i> | 957 |

CRYOGENICS FOR SUPERCONDUCTING MACHINES

| | |
|--|------|
| Construction of the SKS superconducting magnet using GM/JT cryocoolers <i>Aoki K., Makida Y., Okamura T., Araoka O., Iida M., Ohhata H., Suzuki S., Kawai M., Kondo Y., Kasami K., Haruyama T., Takahashi T., Kakiguchi Y., Shirakabe Y., Sekimoto M.</i> | 965 |
| Mid range size cryogenics systems for superconducting magnets <i>Bernhardt J.M., Crispel S., Grillot D., Gratiot F., Delcayre F., Deschildre C., Grabié V., Ouyang Z., Bredy P.</i> | 971 |
| Prediction on performance of cryogenic turboexpander using meanline approach <i>Ghosh P., Nandi B.R., Sarangi S.</i> | 977 |
| Design of cryogenic system dedicated to ultra cold neutron source in Garching <i>Gratiot F., Crispel S., Grillot D., Deschildre C., Roussel T., Dauguet P., Mantileri C., Stoepler R.</i> | 985 |
| Heat transfer characteristics of cryogenic oscillating heat pipes for high temperature superconducting magnets <i>Natsume K., Mito T., Yanagi N., Tamura H., Tamada T., Shikimachi K., Hirano N., Nagaya S.</i> | 991 |
| Design and status of the cryogenic system for SPIRAL2 superconducting Linac <i>Souli M., Commeaux C., Bernhardt J.-M., Dauguet P., Delcayre F., Ferrand F., Flavien G., Grillot D.</i> | 997 |
| Planned extension of cryogenic test facility for FAIR <i>Stafiniak A., Schroeder C.H., Welker H., Gumenyuk O., Muehle C.</i> | 1003 |
| Pressure control characteristics of the cryogenic hydrogen system for a 300-kW proton beam operation <i>Tatsumoto H., Aso T., Ohtsu K., Uehara T., Sakurayama H., Kawakami Y., Kato T., Futakawa M.</i> | 1009 |
| SUPERCONDUCTING POWER CABLES | |
| Superconducting power transmission line cooled with naturally circulating LN₂ <i>Ivanov Yu., Watanabe H., Kawahara T., Hamabe M., Sun J., Yamaguchi S.</i> | 1017 |
| Refrigeration characteristics of slush nitrogen for High Temperature Superconducting Cable <i>Nakamura N., Komagome T., Ono R., Ikeuchi M., Yaguchi H., Machida A.</i> | 1023 |
| Experimental investigation of thermal insulation arrangement within a flexible cryostat for HTS power cables <i>Neumann H.</i> | 1029 |
| Development and operation of the measurement system for a 200 m HTS cable <i>Sun J., Emoto M., Yoshimura K., Ivanov Y., Watanabe H., Hamabe M., Kawahara T., Yamaguchi S.</i> | 1035 |
| Design and construction of 200-meter high temperature superconducting DC power cable test facility in Chubu University <i>Yamaguchi S., Kawahara T., Hamabe M., Watanabe H., Ivanov Yu., Sun, J., Iiyoshi A.</i> | 1041 |

| | |
|---|------|
| Liquid nitrogen cooling system (LINCS) for Yokohama HTS cable project <i>Watanabe M., Masuda T., Yumura H., Honjo S., Mimura T., Kitoh Y., Noguchi Y., Yaguchi H., Ikeuchi M., Ohno R., Nakamura N.</i> | 1049 |
| SUPERCONDUCTING SYSTEMS | |
| Status and technological risks of the European in-kind contributions to the ITER magnet system <i>Bellesia B., Bonito-Oliva A., Boter Rebollo E., Boutboul T., Bratu E., Cornelis M., Harrison R., Rajainmäki H., Readman P., Sborchia C., Valente P.</i> | 1059 |
| New 2D thermal model applied to an LHC inner triplet quadrupole magnet <i>Bielert E.R., Kirby G., Ten Kate H.H.J., Verweij A.P.</i> | 1065 |
| First test of a fast ramped superconducting curved dipole for FAIR <i>Fischer E., Mierau A., Schnizer P., Schroeder C., Bleile A., Walter F.</i> | 1071 |
| Quench of ITER central solenoid: Thermo-hydraulic detection and main impact on cryogenic system <i>Nicollet S., Bessette D., Duchateau J.L., Lacroix B., Coatanéa-Gouachet M., Rodriguez-Mateos F.</i> | 1077 |
| Design study of a superconducting dipole magnet for a rotating gantry <i>Obana T., Ogitsu T.</i> | 1083 |
| Reduction of nonlinear oscillation generated in a high-Tc superconducting magnetic levitation system <i>Taguchi D., Sugiura T.</i> | 1089 |
| Operation experience with the six 24 kA current leads in the ATLAS superconducting toroids <i>Ten Kate H.H.J., Dudarev A.</i> | 1095 |
| A simple measurement system for determination of critical currents in superconducting composite wires by a pulse method <i>Trojanowski S., Cizek M.</i> | 1101 |
| Heat loads measurements for the first accelerator prototype module of European XFEL <i>Wang X.L., Maschmann W., Eschke J., Jensch K., Petersen B.</i> | 1107 |
| Intrinsic stability in pulse field – pulse current measurements of critical currents <i>Wozniak M., Hopkins S.C., Glowacki B.A.</i> | 1113 |
| MATERIAL PROPERTIES AT CRYOGENIC TEMPERATURES | |
| Modelling of the influence of plastic strain energy on the plastic behaviour of an austenitic steel at cryogenic conditions <i>Czarkowski P., Kurzydowski K.J.</i> | 1123 |
| Reducing risk in cryogenic instrument design: thermal conductivity measurements at the Cryogenic Instrumentation Research Lab <i>Kennedy J.S., Beveridge N.L., Rowan S., Van Veggel A.A., Woodcraft A.L.</i> | 1129 |
| Thermal conductivity of CuCrZr alloy <i>Kralik T., Hanzelka P., Musilova V., Vonka J.</i> | 1135 |

| | |
|--|------|
| Constitutive modelling of functionally graded materials for cryogenic structural applications <i>Sitko M., Skoczen B.</i> | 1143 |
| Characteristics of the magnetic materials in 30–77 K <i>Stepien M., Grzesik B.</i> | 1149 |
| Nature of the low temperature magnetic phase transitions in ternary RT₂X₂ (X = Si, Ge) intermetallic <i>Szytula A., Baran S., Balanda M., Gondek L., Hoser A., Nenkov K., Penc B.</i> | 1155 |
| Physically based fitting functions: an easy way to extend our knowledge of the thermal conductivity of structural materials <i>Woodcraft A.L.</i> | 1161 |
| SUPERCONDUCTORS | |
| 2D and 3D FEA simulations of defects in 13 kA interconnects of LHC magnets <i>Berkelaar R.P., Verweij A., Willering G., Ten Kate H.H.J.</i> | 1169 |
| Low magnetic field AC losses and critical currents in MgB₂ single crystals <i>Cizek M., Rogacki K., Karpinski J.</i> | 1175 |
| Study of the Nb₃Sn strand current-carrying ability correlation with their design peculiarity and reaction heat treatment conditions <i>Dergunova E., Vorobyeva A., Shikov A., Abdyukhanov I., Mareev K., Tronza V., Balaev S.</i> | 1181 |
| Thermal stability analysis of a test coil using a Ta-barrier MgB₂ multifilamentary superconducting wire <i>Funaki K., Uratake Y., Nakao A., Kajikawa K., Tanaka K., Okada M.</i> | 1189 |
| Acoustic emission from YBa₂Cu₃O_x-ZrO₂ superconducting materials <i>Mazurek B., Wozny L., Kisiel A., Ziaja J.</i> | 1195 |
| Change in superconducting properties of Nb₃Sn strand by 14 MeV neutron irradiation <i>Nishimura A., Takeuchi T., Nishijima G.</i> | 1199 |
| The effect of cu/noncu ratio on the critical current density in model NbTi strands for the ITER PF coils <i>Potantina L.V., Patsyrnyy V.I., Kozlenkova N.I., Shikov A.K., Korpusov V.Yu., Gubkin I.N., Salunin N.I., Emhofer J., Eisterer M., Weber H.W.</i> | 1205 |
| High-pressure synthesized MgB₂-based materials with high critical current density and upper critical field <i>Prikhna T., Gawalek W., Savchuk Ya., Goldacker W., Eisterer M., Weber H., Noudem J., Serga M., Tkach V., Habisreuther T., Chaud X., Dellith J., Wendt M., Dub S., Moshchil V., Sergienko N., Fesenko I., Litzkendorf D., Karau F., Tomsic M., Nagorny P., Sverdun V., Borimskiy A., Schmidt Ch.</i> | 1213 |
| High current density in layer-wound coated conductor coils <i>Uglietti D., Choi S., Matsumoto S., Kiyoshi T.</i> | 1219 |
| Current-carrying properties before thermal runaway for YBa₂Cu₃O₇ coated conductor tape <i>Watanabe K., Kawase Y., Awaji S., Nishijima G., Romanovskii V.R., Inoue I., Sakamoto H., Mimura M., Nagaya S.</i> | 1223 |

| | |
|--|------|
| IC-bending strain characteristics of RE123 wires in various fabrication processes <i>Yamada Yuichi., Yamada Yutaka., Machi T., Ibi A., Izumi T., Kutami H., Iijima Y., Saito T., Koizumi T., Nakanishi T., Aoki Y.</i> | 1229 |
| MgB₂ WIRES AND FILMS | |
| The high gas pressure HIP influence on structure and transport properties of MgB₂ superconductors of single and multicore composition <i>Cetner T., Morawski A., Rindfleisch M., Tomsic M., Presz A., Gajda D., Zaleski A., Tkachenko O.</i> | 1237 |
| The pinning forces created by various type of pinning centers in MgB₂/Cu wires <i>Gajda D., Morawski A., Zaleski A., Cetner T., Rindfleisch M., Tomsic M.</i> | 1243 |
| Nanometer thickness effects on critical properties in MgB₂ thin films prepared on SiC/Si substrate <i>Nishida A., Taka C., Chromik S., Durny R.</i> | 1249 |
| List of Authors | 1255 |
| Sponsors' Profiles | 1261 |