

CONTENTS

Abstract/Indexed in: Current Contents, ISI SciSearch, Engineered Materials Abstracts, Ei Compendex, Ei Engineering, Applied Mechanics Reviews, Chemical Abstract Services, INSPEC, Energy Science and Technology, Fuel and Energy Abstracts, Health and Safety Science Abstracts, METADEX, PASCAL, UnCover.

23rd Symposium on Fusion Technology (SOFT 23) Venice, Italy, September 20–24, 2004, Part A

Preface, <i>F. Gnesotto, R. Piovan and M. Basso</i>	1
Invited Papers	
The need for fusion, <i>C.L. Smith</i>	3
ITER towards the construction, <i>Y. Shimomura</i>	9
Overview of recent JET results in preparation for ITER operation: Interplay between technical and scientific progress, <i>J. Pamela, J. Ongena, D. Borba, R. Buttery, G. Counsell, R. Felton, E. Joffrin, P. Lomas, A. Murari, J.-M. Noterdaeme, G. Piazza, V. Riccardo, R. Pitts, S. Rosanvallon, D. Stork and K.-D. Zastrow</i>	17
Advanced materials for fusion technology, <i>S.J. Zinkle</i>	31
WENDELSTEIN 7-X at the transition to assembly, <i>L. Wegener</i>	41
High heat flux actively cooled plasma facing components development, realisation and first results in Tore Supra, <i>A. Grosman and Tore Supra Team</i>	49
R&D issues to reach operational level for ITER divertor remote handling equipments, <i>J.P. Friconneau</i>	59
Spherical tokamaks: Present status and role in the development of fusion power, <i>A.W. Morris, R.J. Akers, G.F. Counsell, T.C. Hender, B. Lloyd, A. Sykes, G.M. Voss and H.R. Wilson</i>	67
Results of magnet tests as a basis for the design of ITER magnets, <i>P. Komarek</i>	77
The electric power handling from present machines to fusion power stations, <i>G. Rostagni</i>	87
Control of non-axisymmetric magnetic fields for plasma enhanced performances: The RFX Contribution, <i>P. Sonato, R. Piovan, A. Luchetta and The RFX Team</i>	97
Technological challenges of ITER diagnostics, <i>A.E. Costley, T. Sugie, G. Vayakis and C.I. Walker</i>	109
Current and Next Step Devices	
Studies for site preparation for ITER construction, <i>A. Fardeau, F. Blanc, J.-D. Cardettini, J.-R. Mandine, R. Guérin, L. Patisson, P. Bergégère, A. Santagiustina and P. Garin</i>	121
Transport, logistics and packaging of ITER components, <i>O. Guérin, B. Couturier, A. Maas and EISS Team</i>	129

Nuclear analyses of some key aspects of the ITER design with Monte Carlo codes, <i>H. Iida, L. Petrizzi, V. Khripunov, G. Federici and E. Polunovskiy</i>	133
The JET-Enhanced Performance programme: More heating power and diagnostic capabilities in preparation for ITER, <i>A. Lioure, A. Kaye, A. Murari, J. Sanchez, T. Todd, C. Damiani, J. Pamela and JET-EFDA Contributors</i>	141
The Laser Mégajoule (LMJ) Project dedicated to inertial confinement fusion: Development and construction status, <i>N. Fleurot, C. Cavailler and J.L. Bourgade</i>	147
Magnum-psi, a plasma generator for plasma–surface interaction research in ITER-like conditions, <i>B. de Groot, G.J. van Rooij, V. Veremiyenko, M.G. von Hellermann, H.J.N. van Eck, C.J. Barth, G.L. Kruijtzter, J.C. Wolff, W.J. Goedheer, N.J. Lopes Cardozo, A.W. Kleyn, P.H.M. Smeets, S. Brezinsek, A. Pospieszczyk, R.A.H. Engeln and R.P. Dahiya</i>	155
The WENDELSTEIN 7-X mechanical structure support elements: Design and tests, <i>M. Gasparotto, F. Elio, B. Heinemann, N. Jaksic, B. Mendelevitch, J. Simon-Weidner and B. Streibl</i>	161
Commissioning and preliminary operation of HL-2A tokamak, <i>D. Liu, Y. Liu, J. Yan, Z. Cao, Q. Yang, C. Zhou, X. Li and HL-2A Team</i>	167
Overview of the DIII-D program and construction plans, <i>P.I. Petersen</i>	171
The PROTO-SPHERA load assembly, <i>S. Papastergiou, F. Alladio, A. Mancuso and P. Micozzi</i>	179
Selection of design solutions and fabrication methods and supporting R&D for procurement of ITER vessel and FW/blanket, <i>K. Ioki, F. Elio, S. Maruyama, M. Morimoto, V. Rozov, R. Tivey and Y. Utin</i>	185
Plasma Heating and Current Drive	
Matching to ELMy plasmas in the ICRF domain, <i>J.-M. Noterdaeme, V.V. Bobkov, S. Brémond, A. Parisot, I. Monakhov, B. Beaumont, P. Lamalle, F. Durodié, M. Nightingale and the ASDEX Upgrade Team, the Tore Supra Team and the JET-EFDA Contributors</i>	191
Status of the new ECRH system for ASDEX Upgrade, <i>F. Leuterer, G. Grünwald, F. Monaco, M. Münich, H. Schütz, F. Ryter, D. Wagner, H. Zohm, T. Franke, G. Dammertz, R. Heidinger, K. Koppenburg, M. Thumm, W. Kasperek, G. Gantenbein, H. Hailer, G.G. Denisov, A. Litvak and V. Zapevalov</i>	199
Design of cryosorption pumps for TEST BEDS of ITER relevant Neutral Beam Injectors, <i>M. Dremel, C. Day, A. Mack, H. Jensen, E. Speth, H.D. Falter, R. Riedl, J.J. Cordier, B. Gravit, D. Henry and P. Zaccaria</i>	205
Development of the 140 GHz gyrotron and its subsystems for ECH and ECCD in TEXTOR, <i>J. Scholten, M.R. de Baar, W.A. Bongers, A.F. van der Grift, J.A. Hoekzema, O.G. Kruijt, J.W. Oosterbeek, A.J. Poelman, P.R. Prins, C.J. Tito, E. Westerhof and The TEC Team</i>	211
140 GHz high-power gyrotron development for the stellarator W7-X, <i>G. Dammertz, S. Alberti, D. Bariou, P. Brand, H. Braune, V. Erckmann, G. Gantenbein, E. Giguët, R. Heidinger, J.P. Hogge, W. Kasperek, H.P. Laqua, C. Liévin, W. Leonhardt, G. Michel, G. Müller, G. Neffe, B. Piosczyk, M. Schmid and M. Thumm</i>	217
Main design features and challenges of the ITER-like ICRF antenna for JET, <i>F. Durodié, P. Chappuis, J. Fanthome, R.H. Goulding, J. Hosea, P.U. Lamalle, A. Lorenz, M.P.S. Nightingale, L. Semeraro and F. Wesner</i>	223
Neutronics analysis of the ECW launching system in the ITER upper port, <i>A. Serikov, U. Fischer, Y. Chen, K. Lang, R. Heidinger, Y. Luo, E. Stratmanns and H. Tsige-Tamirat</i>	229
The test of a PAM launcher on FTU: The first step toward the LHCD launcher for ITER, <i>F. Mirizzi, M.L. Apicella, P. Bibet, G. Calabrò, L. Panaccione, V. Pericoli Ridolfini, S. Podda and A.A. Tuccillo</i>	237
Status of the 140 GHz, 10 MW CW transmission system for ECRH on the stellarator W7-X, <i>W. Kasperek, P. Brand, H. Braune, G. Dammertz, V. Erckmann, G. Gantenbein, F. Hollmann, M. Grünert, H. Kumric, L. Jonitz, H.P. Laqua, W. Leonhardt, G. Michel, F. Noke, B. Plaum, F. Purps, M. Schmid, T. Schulz, K. Schwörer, M. Thumm and M. Weissgerber</i>	243

Neutral beam injection optimization at TJ-II, <i>C. Fuentes, M. Liniers, G. Wolfers, J. Alonso, G. Marcon, R. Carrasco, J. Guasp, M. Acedo, E. Sánchez, M. Medrano, A. García, J. Doncel, C. Alejaldre, C.C. Tsai, G. Barber and D. Sparks</i>	249
Maintenance schemes for the ITER neutral beam test facility, <i>P. Zaccaria, S.D. Bello, D. Marcuzzi, A. Masiello, J.J. Cordier, R. Hemsworth, A. Antipenkov, C. Day, M. Dremel, A. Mack, T. Jones, A. Coniglio, M. Pillon, S. Sandri, E. Speth, A. Tanga, V. Antoni, E.Di. Pietro and P.L. Mondino</i>	255
Tore Supra ITER-like antenna characterization by FEM analysis, <i>P. Testoni, G. Bosia, F. Cau and P. Sonato</i>	261
First results of the Tore Supra ITER like ICRF antenna prototype, <i>K. Vulliez, G. Bosia, S. Brémond, G. Agarici, B. Beaumont, G. Lombard, L. Millon, P. Mollard and D. Volpe</i>	267
Performance of the LH antenna with carbon grill in JT-60U, <i>M. Seki, S. Moriyama, S.-i. Shinozaki, K. Hasegawa, S. Hiranai, K. Yokokura, M. Shimono, M. Terakado and T. Fujii</i>	273
Development of a RF source for ITER NBI: First results with D ⁻ operation, <i>E. Speth, H.D. Falter, P. Franzen, B. Heinemann, M. Bandyopadhyay, U. Fantz, W. Kraus, P. McNeely, R. Riedl, A. Tanga and R. Wilhelm</i>	279
ITER-like PAM launcher for Tore Supra's LHCD system, <i>J.H. Belo, Ph. Bibet, M. Missirlian, J. Achard, B. Beaumont, B. Bertrand, M. Chantant, P. Chappuis, L. Doceul, A. Durocher, L. Gargiulo, A. Saille, F. Samaille and E. Villedieu</i>	283
Development of CW and short-pulse calorimetric loads for high power millimeter-wave beams, <i>A. Bruschi, S. Cirant, F. Gandini, G. Gittini, G. Granucci, V. Mellerà, V. Muzzini, A. Nardone, A. Simonetto, C. Sozzi, N. Spinicchia, G. Angella and E. Signorelli</i>	289
Negative ion yield in long pulse operation of the KAMABOKO III source, <i>D. Boilson, A.R. Ellingboe, R. Faulkner, R.S. Hemsworth, H.P.L. de Esch, A. Krylov, P. Massmann and L. Svensson</i>	295
Diagnostics of the cesium amount in an RF negative ion source and the correlation with the extracted current density, <i>U. Fantz, H.D. Falter, P. Franzen, M. Bandyopadhyay, B. Heinemann, W. Kraus, P. McNeely, R. Riedl, E. Speth, A. Tanga and R. Wilhelm</i>	299
Development of reliable diamond window for EC launcher on fusion reactors, <i>K. Takahashi, S. Illy, R. Heidinger, A. Kasugai, R. Minami, K. Sakamoto, M. Thumm and T. Imai</i>	305
Experimental study on spatial uniformity of H ⁻ ion beam in a large negative ion source, <i>M. Hanada, T. Seki, N. Takado, T. Inoue, T. Morishita, T. Mizuno, A. Hatayama, T. Imai, M. Kashiwagi, K. Sakamoto, M. Taniguchi and K. Watanabe</i>	311
The ASDEX Upgrade ICRF system: Operational experience and developments, <i>H. Faugel, P. Angene, W. Becker, F. Braun, V.V. Bobkov, B. Eckert, F. Fischer, D.A. Hartmann, G. Heilmaier, J. Kneidl, J.-M. Noterdaeme, G. Siegl and E. Würsching</i>	319
Status of the TJ-II Electron Bernstein Waves heating project, <i>A. Fernández, K. Sarkisyan, N. Matveev, A. García, M. Medrano, J. Doane, C. Moeller, J. Doncel, A. Pardo, A. Cappa, F. Castejón, N. Khartchev, M. Tereschenko, A. Tolkachev and G. Catalán</i>	325
ECH MW-level CW transmission line components suitable for ITER, <i>R.A. Olstad, J.L. Doane and C.P. Moeller</i>	331
RF-source development for ITER: Large area H ⁻ beam extraction, modifications for long pulse operation and design of a half size ITER source, <i>W. Kraus, B. Heinemann, H.D. Falter, P. Franzen, E. Speth, A. Entsheva, U. Fantz, T. Franke, D. Holtum, Ch. Martens, P. McNeely, R. Riedl and R. Wilhelm</i>	337
Development and contribution of rf heating and current drive systems to long pulse, high performance experiments in JT-60U, <i>S. Moriyama, M. Seki, M. Terakado, M. Shimono, S. Ide, A. Isayama, T. Suzuki, T. Fujii and JT-60 Team</i>	343
Status and plans for the development of a RF negative ion source for ITER NBI, <i>P. Franzen, H.D. Falter, E. Speth, W. Kraus, M. Bandyopadhyay, A. Encheva, U. Fantz, Th. Franke, B. Heinemann, D. Holtum, C. Martens, P. McNeely, R. Riedl, A. Tanga and R. Wilhelm</i>	351

Study of mutual coupling effects in the antenna array of the ICRH plug-in for ITER, <i>P.U. Lamalle, A. Messiaen, P. Dumortier, F. Durodié, M. Evrard and F. Louche</i>	359
Realisation of a test facility for the ITER ICRH antenna plug-in by means of a mock-up with salted water load, <i>A. Messiaen, P. Dumortier, R. Koch, P. Lamalle, F. Louche, J.L. Martini and M. Vervier</i>	367
Tests and matching analysis of a load resilient ICRH antenna on TEXTOR, <i>M. Vervier, P. Dumortier, S. Grine, A. Messiaen and G.V. Wassenhove</i>	377
Recent progress of negative ion based neutral beam injector for JT-60U, <i>N. Umeda, T. Yamamoto, M. Hanada, L. Grisham, M. Kawai, T. Ohga, N. Akino, T. Inoue, M. Kazawa, K. Kikuchi, K. Mogaki, H. Yamazaki, K. Watanabe and Y. Ikeda</i>	385
Progress of the KSTAR ICRF components development for long pulse operation, <i>B.G. Hong, Y.D. Bae, C.K. Hwang, J.G. Kwak, S.J. Wang and J.S. Yoon</i>	391
The ITER neutral beam test facility: Designs of the general infrastructure, cryosystem and cooling plant, <i>J.J. Cordier, R. Hemsworth, M. Chantant, B. Gravit, D. Henry, F. Sabathier, L. Doceul, E. Thomas, D. van Houtte, P. Zaccaria, V. Antoni, S.D. Bello, D. Marcuzzi, A. Antipenkov, C. Day, M. Dremel and P.L. Mondino</i>	397
MAST neutral beam long pulse upgrade, <i>S.J. Gee, R. Baldwin, A. Borthwick, D. Ciric, G. Crawford, L. Hackett, D. Homfray, D. Martin, J. Milnes, T. Mutters, M. Simmonds, R. Smith, R. Stephen, P. Stevenson, E. Surrey, C. Waldon, S. Warder, A. Whitehead and D. Young</i>	403
Design and fabrication of the “ITER-like” SINGAP D ⁻ acceleration system, <i>P. Massmann, H.P.L. de Esch, R.S. Hemsworth and L. Svensson</i>	409
An <i>n</i> -port error model and calibration procedure for measuring the scattering matrices of lower-hybrid multijunctions, <i>J.P.S. Bizarro</i>	413
Toward a LHCD system for ITER, <i>Ph. Bibet, B. Beaumont, J.H. Belo, L. Delpech, A. Ekedahl, G. Granucci, F. Kazarian, X. Litaudon, J. Mailloux, F. Mirizzi, V. Pericoli, M. Prou, K. Rantamäki and A. Tuccillo</i>	419
Developing the next LHCD source for Tore Supra, <i>F. Kazarian, B. Beaumont, E. Bertrand, L. Delpech, S. Duthheil, C. Goletto, M. Prou, A. Beunas, F. Peauger and Ph. Thouvenin</i>	425
Design of the mm-wave system of the ITER ECRH upper launcher, <i>A.G.A. Verhoeven, W.A. Bongers, A. Bruschi, S. Cirant, B.S.Q. Elzendoorn, G. Gantenbein, M.F. Graswinckel, R. Heidinger, W. Kasperek, O.G. Kruyt, B. Lamers, B. Piosczyk, B. Plaum, D.M.S. Ronden, G. Saibene, M. Stuivinga and H. Zohm</i>	431
An alternative ECRH front steering launcher for the ITER upper port, <i>R. Chavan, M. Henderson and F. Sanchez</i>	437
Digital mock-up design of the remote steerable ITER ECRH launching system, <i>D.M.S. Ronden, A. Bruschi, I. Danilov, B.S.Q. Elzendoorn, M.F. Graswinckel, R. Heidinger, G. Ramponi and A.G.A. Verhoeven</i>	443
Development of a full scale ECRH mm-wave launching system mock-up for ITER, <i>B.S.Q. Elzendoorn, M.P.A. van Asselen, W.A. Bongers, J.W. Genuit, M.F. Graswinckel, R. Heidinger, O.G. Kruijt, B. Lamers, B. Piosczyk, T.C. Plomp, D.M.S. Ronden and A.G.A. Verhoeven</i>	449
A review of JET neutral beam system performance 1994–2003, <i>R. King, C. Challis and D. Ciric</i>	455
Neutronic analysis of ITER neutral beam test bed, <i>M.J. Loughlin</i>	461
Tests of load-tolerant external conjugate-T matching system for A2 ICRF antenna at JET, <i>I. Monakhov, A. Walden, T. Blackman, D. Child, M. Graham, W. Hardiman, P.U. Lamalle, M.-L. Mayoral, M. Nightingale and A. Whitehurst</i>	467
Thermal analysis and Ohmic loss estimation of polarizer for ITER ECCD system, <i>M. Saigusa, K. Takahashi, Y. Kashiwa, S. Oishi, Y. Hoshi, H. Nakahata, A. Kasugai, K. Sakamoto and T. Imai</i>	473
The LHCD launcher for Alcator C-Mod—Design, construction, calibration and testing, <i>J. Hosea, D. Beals, W. Beck, S. Bernabei, W. Burke, R. Childs, R. Ellis, E. Fredd, N. Greenough, M. Grimes, D. Gwinn, J. Irby, S. Jurczynski, P. Koert, C.C. Kung, G.D. Loesser, E. Marmar, R. Parker, J. Rushinski, G. Schilling, D. Terry, R. Vieira, J.R. Wilson and J. Zaks</i>	479

The upgrade of the DIII-D EC system using 120 GHz ITER gyrotrons, <i>R.W. Callis, J. Lohr, I.A. Gorelov, D. Ponce, K. Kajiwara and J.F. Tooker</i>	485
Design of an ultra-broadband single-disk output window for a frequency step-tunable 1 MW gyrotron, <i>X. Yang, G. Dammertz, R. Heidinger, K. Koppenburg, F. Leuterer, A. Meier, B. Piosczyk, D. Wagner and M. Thumm</i>	489
The Alcator C-Mod lower hybrid current drive experiment transmitter, <i>M. Grimes, D. Terry, R. Parker, D. Beals, J. Irby, R. Vieira, D. Gwinn, J. Zaks, J. Hosea, N. Greenough and J.R. Wilson</i>	495
Plasma Engineering and Control	
Plasma feedback controller reorganisation for ASDEX Upgrade’s new discharge control and data acquisition system, <i>W. Treutterer, T. Zehetbauer, V. Mertens, G. Neu, G. Raupp, D. Zasche and ASDEX Upgrade Team</i>	501
Optimization of the IGNITOR operating scenario at 11 MA, <i>R. Giuseppe, C. Valter, C. Alberto, C. Antonio, G. Giuseppe, P. Aldo, R. Camillo, R. Massimo, S. Maurizio and C. Bruno</i>	507
A flexible and reusable software for real-time control applications at JET, <i>G. De Tommasi, F. Piccolo, F. Sartori and JET-EFDA Contributors</i>	515
XSC plasma control: Tool development for the session leader, <i>G. Ambrosino, R. Albanese, M. Ariola, A. Cenedese, F. Crisanti, G.D. Tommasi, M. Mattei, F. Piccolo, A. Pironti, F. Sartori, F. Villone and JET-EFDA Contributors</i>	521
The basic methods for understanding of plasma equilibrium toward advanced control, <i>K. Kenichi, K. Youichi, S. Michiharu, H. Hiroki, Y. Izuru, S. Takahiro, O. Toshihiro, I. Shunsuke and JT-60 Team</i>	527
Vertical stability of ITER plasmas with 3D passive structures and a double-loop control system, <i>A. Portone, R. Albanese, R. Fresa, M. Mattei, G. Rubinacci and F. Villone</i>	537
Optimization of RF power absorption by optimization techniques using the lower hybrid current drive of FTU, <i>C. Centioli, F. Iannone, G. Mazza, M. Panella, L. Pangione, S. Podda, A. Tuccillo, V. Vitale and L. Zaccarian</i>	543
Comparison of strategies and regulator design for active control of MHD modes, <i>M. Cavinato, D. Gregoratto, G. Marchiori, R. Paccagnella, P. Brunzell and D. Yadikin</i>	549
Open loop characterization of an active control system of MHD modes, <i>G. Marchiori, A. Masiello, P. Brunzell and D. Yadikin</i>	555
Real-time measurement and control at JET experiment control, <i>R. Felton, E. Joffrin, A. Murari, L. Zabeo, F. Sartori, F. Piccolo, J. Farthing, T. Budd, S. Dorling, P. McCullen, J. Harling, S. Dalley, A. Goodyear, A. Stephen, P. Card, M. Bright, R. Lucock, E. Jones, S. Griph, C. Hogben, M. Beldishevski, M. Buckley, J. Davis, I. Young, O. Hemming, M. Wheatley, P. Heesterman, G. Lloyd, M. Walters, R. Bridge, H. Leggate, D. Howell, K.-D. Zastrow, C. Giroud, I. Coffey, N. Hawkes, M. Stamp, R. Barnsley, T. Edlington, K. Guenther, C. Gowers, S. Popovich, A. Huber, C. Ingesson, D. Mazon, D. Moreau, D. Alves, J. Sousa, M. Riva, O. Barana, T. Bolzonella, M. Valisa, P. Innocente, M. Zerbini, K. Bosak, J. Blum, E. Vitale, F. Crisanti, E. de la Luna, J. Sanchez and EFDA-JET Contributors</i>	561
Design of the new RFX equilibrium active control system, <i>M. Cavinato and G. Marchiori</i>	567
Linearized models of the plasma response in the new RFX load assembly, <i>P. Bettini, M. Cavinato, G. Marchiori and F. Villone</i>	573
An integral approach to plasma shape control, <i>A. Beghi, M. Cavinato, A. Cenedese, D. Ciscato, S. Sionato and A. Soppelsa</i>	579
The system architecture of the new JET Shape Controller, <i>F. Sartori, G. Ambrosino, M. Ariola, A. Cenedese, F. Crisanti, G.D. Tommasi, P.M. Cullen, F. Piccolo and A. Pironti</i>	587
Using Real Time Workshop for rapid and reliable control implementation in the Frascati Tokamak Upgrade Feedback Control System running under RTAI-GNU/Linux, <i>C. Centioli, F. Iannone, M. Ledauphin, M. Panella, L. Pangione, S. Podda, V. Vitale and L. Zaccarian</i>	593

A new controller for the JET error field correction coils, <i>L. Zanotto, F. Sartori, M. Bigi, F. Piccolo and M. De Benedetti</i>	599
Web-based ground loop supervision system for the TJ-II Stellarator, <i>A. de la Peña, F. Lapayese, L. Pacios and R. Carrasco</i>	605
A fast and versatile interlock system, <i>G. Michel</i>	611
Real-time control environment for the RFX experiment, <i>O. Barana, M. Cavinato, A. Luchetta, G. Manduchi and C. Taliercio</i>	617
Correction possibilities of magnetic field errors in WENDELSTEIN 7-X, <i>J. Kießlinger and T. Andreeva</i>	623
Design, implementation and test of the XSC extreme shape controller in JET, <i>R. Albanese, G. Ambrosino, M. Ariola, A. Cenedese, F. Crisanti, G.D. Tommasi, M. Mattei, F. Piccolo, A. Pironti, F. Sartori, F. Villone and JET-EFDA Contributors</i>	627
Evolution of the DINA-CH tokamak full discharge simulator, <i>J.B. Lister, V.N. Dokouka, R.R. Khayrutdinov, V.E. Lukash, B.P. Duval, J.-M. Moret, J.-F. Artaud, V. Baziuk and M. Cavinato</i>	633
Configuration and perturbation dependence of the Neutral Point in JET, <i>F. Villone, V. Riccardo, F. Sartori, A. Cenedese, D. Howell, B. Alper, P. Beaumont and Contributors to the EFDA-JET Workprogramme</i>	639
DIII-D integrated plasma control tools applied to next generation tokamaks, <i>J.A. Leuer, R.D. Deranian, J.R. Ferron, D.A. Humphreys, R.D. Johnson, B.G. Penaflor, M.L. Walker, A.S. Welander, D. Gates, R. Hatcher, J. Menard, D. Mueller, G. McArdle, J. Storrs, B. Wan, Y. Gribov, M. Kwon, H. Jhang, R.R. Khayrutdinov and A. Kavin</i>	645
Real time control of fully non-inductive operation in Tore Supra leading to 6 min, 1 GJ plasma discharges, <i>D. van Houtte, G. Martin, A. Bécoulet, J. Bucalossi, F. Saint-Laurent, B. Saoutic and Tore Supra Team</i>	651
Progress towards achieving profile control in the recently upgraded DIII-D plasma control system, <i>B.G. Penaflor, J.R. Ferron, D.A. Piglowski, R.D. Johnson, D.R. Baker, M.R. Wade and M.E. Austin</i>	659
High performance integrated plasma control in DIII-D, <i>D.A. Humphreys, R.D. Deranian, J.R. Ferron, R.J. Jayakumar, R.D. Johnson, R.R. Khayrutdinov, R.J. La Haye, J.A. Leuer, M.A. Makowski, B.G. Penaflor, M.L. Walker and A.S. Welander</i>	665
Optimized modelling of the Tore Supra tokamak for plasma equilibrium calculations with the proteus code, <i>P. Hertout, T. Pelletier, F. Saint-Laurent, F. Rimini and J. Bucalossi</i>	671
Diagnostics, Data Acquisition and Remote Participation	
New bolometry cameras for the JET Enhanced Performance Phase, <i>K. McCormick, A. Huber, C. Ingesson, F. Mast, J. Fink, W. Zeidner, A. Guigon and S. Sanders</i>	679
ITER diagnostics: Maintenance and commissioning in the hot cell test bed, <i>C.I. Walker, R. Barnsley, A.E. Costley, R. Gottfried, B. Haist, K. Itami, T. Kondoh, G.D. Loesser, J. Palmer, T. Sugie, A. Tesini and G. Vayakis</i>	685
Optical design of the oblique ECE antenna system for JET, <i>C. Sozzi, A. Bruschi, A. Simonetto, E. DeLaLuna, J. Fessey and V. Riccardo</i>	691
Control process structure of ASDEX Upgrade's new Control and Data Acquisition System, <i>G. Raupp, G. Neu, W. Treutterer, V. Mertens, D. Zasche, Th. Zehetbauer and ASDEX Upgrade Team</i>	697
New millimeter-wave access for JET reflectometry and ECE, <i>L. Cupido, E. de la Luna, C. Antonucci, A. Guigon, F.J. van Amerongen, W.A. Bongers, A.J.H. Donné, M.F. Graswinckel, A. Bruschi, S. Cirant, A. Simonetto, C. Sozzi, D. Wagner, E. Manso, L. Meneses, F. Silva, P. Varela, N. Balshaw, J.M. Chareau, G. Conway, J. Fessey, S. Hanks, R. Pearce, V. Ricardo, D. Sands, D. Starky, T. Tisconia and JET-EFDA Contributors</i>	707
Li-beam developments for high-energy plasma diagnostics, <i>G. Anda, G. Petravich, S. Zoletnik and S. Bató</i>	715
Transducers and signal conditioners of the RFX new magnetic measurement system, <i>N. Pomaro and F. Basso</i>	721

Design of ex-vessel magnetic probes for JET-EP, <i>G. Chitarin, F. Basso, V. Coccoresse, S. Peruzzo, N. Pomaro, T. Edlington, C. Sowden, S. Cramp, K. Fullard and JET-EFDA Contributors</i>	727
Status of design and manufacture of the Upper Coils and Outer Poloidal Limiter Coils subsystems for the JET-EP magnetic diagnostic, <i>S. Peruzzo, W. Baker, V. Coccoresse, T. Edlington, S. Gerasimov, S. Huntley, N. Lam, A. Loving, C. Marren, N. Pomaro, V. Riccardo and JET-EFDA Contributors</i>	733
The TEXTOR diagnostic data management chain, <i>J.G. Krom, M. Korten, H.R. Koslowski and A. Krämer-Flecken</i>	739
Diagnostics for studying deposition and erosion processes in JET, <i>J.P. Coad, H.-G. Esser, J. Likonen, M. Mayer, G. Neill, V. Philipps, M. Rubel, J. Vince and JET-EFDA Contributors</i>	745
Development of an actively cooled periscope head suitable for divertor observation during quasi-continuous operation of the W7-X stellarator, <i>R. König, K. Grosser, D. Hildebrandt, O.V. Ogorodnikova, C. von Sehren and T. Klinger</i>	751
Status of the halo current sensor project for JET-EP, <i>P. Sonato, W.R. Baker, P. Beaumont, C. Damiani, P. Fiorentin, A. Guigon, K. Fullard, A. Goodyear, L. Grando, S. Huntley, N. Lam, A. Lioure, A. Loving, D. Marcuzzi, S. Mills, S. Peruzzo, N. Pomaro, V. Riccardo, M. Way and JET-EFDA Contributors</i>	757
Optical fibers for plasma diagnostics under gamma-ray and UV irradiation, <i>D. Sporea, A. Sporea and B. Constantinescu</i>	763
Real-time measurement and control at JET signal processing and physics analysis for diagnostics, <i>R. Felton, E. Joffrin, A. Murari and JET-EFDA Contributors</i>	769
Present status of the TJ-II remote participation system, <i>J. Vega, E. Sánchez, A. López, A. Portas, M. Ochando, E. Ascasibar, A. Mollinedo, J. Muñoz, A. Sánchez, M. Ruiz, E. Barrera, S. López, R. Castro and D. López</i>	775
First results of Minimum Fisher Regularisation as unfolding method for JET NE213 liquid scintillator neutron spectrometry, <i>J. Mlynar, J.M. Adams, L. Bertalot and S. Conroy</i>	781
The new FTU continuous monitoring system, <i>A. Bertocchi, S. Podda and V. Vitale</i>	787
Radiation enhanced degradation of SiO overcoated aluminium mirrors, <i>T. Hernandez, A. Moróño and E.R. Hodgson</i>	793
Adsorption on insulator materials enhanced by D implantation, <i>A. Ibarra, A. Climent-Font and A. Muñoz-Martín</i>	797
Advances in remote participation for fusion experiments, <i>D.P. Schissel, J.W. Farthing and V. Schmidt</i>	803
Wide area data replication in an ITER-relevant data environment, <i>C. Centioli, F. Iannone, M. Panella, V. Vitale, G. Bracco, R. Guadagni, S. Migliori, M. Steffè, S. Eccher, A. Maslennikov, M. Mililotti, M. Molowny, G. Palumbo and M. Carboni</i>	809
Laser damage of KU-1 quartz glass coated with hydrocarbon films, <i>A.V. Gorbunov, N.V. Klassen, D.V. Orłinski and K.Y. Vukolov</i>	815
Quench detection and data acquisition system for SST-1 superconducting magnets, <i>A.N. Sharma, C.J. Hansalia, Y. Yeole, G. Bansal, S. Pradhan, A. Moitra and Y.C. Saxena</i>	819
Reconstruction capability of JET magnetic sensors, <i>A. Cenedese, R. Albanese, G. Artaserse, M. Mattei, F. Sartori and JET-EFDA Contributors</i>	825
Optical and electrical degradation of H ⁺ implanted KS-4V quartz glass, <i>S.M. González, A. Moróño and E.R. Hodgson</i>	831
ITER relevant developments in neutron diagnostics during the JET Trace Tritium campaign, <i>L. Bertalot, J.M. Adams, M. Angelone, S. Conroy, B. Esposito, Y. Kaschuck, H. Henriksson, P. Lamalle, D. Marocco, A. Murari, N. Hawkes, M. Pillon, S. Popovichev, M. Reginatto, M. Riva, H. Schuhmacher, D. Stork, K.-D. Zastrow, A. Zimbal and JET-EFDA Contributors</i>	835
Data acquisition upgrade in the RFX experiment, <i>O. Barana, A. Luchetta, G. Manduchi and C. Taliercio</i>	841
Development of a phase counter with real-time fringe jump corrector for heterodyne interferometer on LHD, <i>Y. Ito, K. Tanaka, T. Tokuzawa, T. Akiyama, S. Okajima and K. Kawahata</i>	847

Design of lost alpha particle diagnostics for JET, <i>S. Baeumel, A. Werner, R. Semler, S. Mukherjee, D.S. Darrow, R. Ellis, F.E. Cecil, L. Pedrick, H. Altmann, V. Kiptily, J. Gafert and JET-EFDA Contributors</i>	853
Laser damage investigations of Cu mirrors, <i>A. Gorshkov, I. Bel'bas, M. Maslov, V. Sannikov and K. Vukolov</i>	859
Thermal and neutron tests of multilayered dielectric mirrors, <i>I.I. Orlovskiy and K.Y. Vukolov</i>	865
Temperature dependence of the transmission loss in KU-1 and KS-4V quartz glasses for the ITER diagnostic window, <i>T. Nishitani, T. Sugie, N. Morishita and N. Yokoo</i>	871
Radiation resistant bolometers using platinum on Al ₂ O ₃ and AlN, <i>M. Gonzalez and E.R. Hodgson</i>	875
Tore-Supra infrared thermography system, a real steady-state diagnostic, <i>D. Guilhem, J.L. Bondil, B. Bertrand, C. Desgranges, M. Lipa, P. Messina, M. Missirlian, C. Portafaix, R. Reichle, H. Roche and A. Saille</i>	879
Experimental study of radiation-induced currents in copper and stainless steel core mineral-insulated cables in the BR2 research reactor, <i>L. Vermeeren</i>	885
Real-time multiple networked viewer capability of the DIII-D EC data acquisition system, <i>D. Ponce, I.A. Gorelov, H.K. Chiu and F.W. Baity Jr.</i>	891
Calorimetry measurements during high energy discharges at Tore Supra, <i>M. Chantant, B. Beaumont, P. Bibet, A. Ekedahl, A. Martinez and J.C. Vallet</i>	897
Using remote participation tools to improve collaborations, <i>S. Balme, J. How, J.M. Theis and N. Utzel</i>	903
The integrated visualisation software for the ITER in vessel viewing system (IVVS), <i>M. Riva, C. Neri, F. Bonaccorso and F. Massaioli</i>	909
Author Index	917