

CONTENTS

Abstract/Indexed in: Current Contents, ISI SciSearch, Engineered Materials Abstracts, Ei Compendex, Ei Engineering, Applied Mechanics Reviews, Chemical Abstract Services, INSPEC, Energy Science and Technology, Fuel and Energy Abstracts, Health and Safety Science Abstracts, METADEX, PASCAL, UnCover.

23rd Symposium on Fusion Technology (SOFT-23) Venice, Italy, September 20–24, 2004, Part B

Magnets and Power Supplies

- A success story: LHC cable production at ALSTOM-MSA, *G. Grunblatt, P. Mocaer, Ch. Verwaerde and C. Kohler* 1
- Winding machines for the manufacturing of superconductive coils of the main European fusion research machines, *R. Cazzaniga, N. Valle and C. D'Urzo* 7
- DC and transient current distribution analysis from self-field measurements on ITER PFIS conductor, *A. Formisano, Yu. Ilyin, L. Muzzi, R. Martone, P. Gislou, A. Nijhuis, M. Polak, C. Sborchia and B. Stepanov* 11
- Power dissipation and energy transfer during testing of the ITER toroidal field model coil, *V. Marchese, W.H. Fietz, R. Heller, M. Süsler, F. Wüchner and G. Zahn* 17
- Modeling AC losses in the ITER NbTi poloidal field full size joint sample (PF-FSJS) using the THELMA code, *R. Zanino, M. Bagnasco, F. Bellina, P. Gislou, P.L. Ribani and L.S. Richard* 23
- First integrated test of the superconducting magnet systems for the Levitated Dipole Experiment (LDX), *A. Zhukovsky, P.C. Michael, J.H. Schultz, B.A. Smith, J.V. Minervini, J. Kesner, A. Radovinsky, D. Garnier and M. Mauel* 29
- Magnetic compatibility of standard components for electrical installations: Tests on low voltage circuit breakers and contactors, *A. De Lorenzi, L. Grando, G. Bettanini and D. Desideri* 33
- Commissioning and operation of 130 kV/130 A switched-mode HV power supplies with the upgraded JET neutral beam injectors, *D.C. Edwards, M. Bigi, D.P.D. Brown, D. Ganuza, F. Garcia, Z. Hudson, T.T.C. Jones and A. Perez* 41
- Components and system tests on the RFX toroidal power supply, *V. Toigo, L. Zanotto, E. Gaio, M. Perna, P. Bordignon, A. Coffetti, R. Novaro, P. Bertolotto, E. Rinaldi and G. Villa* 49
- The control system of the RFX toroidal power supply, *V. Toigo, R. Piovan, L. Zanotto, M. Perna, A. Coffetti, M. Freghieri and M. Povolero* 55
- EMI on diagnostics and control circuits due to switching power supplies, *E. Gaio, R. Piovan and V. Toigo* 61
- Conceptual design of spherical torus with TF-CS hybrid coils based on virial theorem, *H. Tsutsui, S. Nomura, S. Tsuji-Iio and R. Shimada* 67

Modular coil design developments for the National Compact Stellarator Experiment (NCSX), <i>D. Williamson, A. Brooks, T. Brown, J. Chrzanowski, M. Cole, H.-M. Fan, K. Freudenberg, P. Fogarty, T. Hargrove, P. Heitzenroeder, G. Lovett, P. Miller, R. Myatt, B. Nelson, W. Reiersen and D. Strickler</i>	71
Cyclic testing of shear keys for the ITER magnet system, <i>P. Rossi, L.F. Moreschi, A. Pizzuto, S. Storai and C. Sborchia</i>	75
How should we test the ITER TF coils? <i>P. Libeyre, D. Ciazynski, J.L. Duchateau, T. Schild, W.H. Fietz and G. Zahn</i>	81
Fatigue assessment of the ITER TF coil case based on JJI fatigue tests, <i>K. Hamada, H. Nakajima, K. Takano, Y. Kudo, F. Tsutsumi, K. Okuno and C. Jong</i>	87
Elimination of variable harmonics on motor generator circuit for experimental fusion facility, <i>S. Yamada, Y. Nakanishi, H. Kojima, H. Hiue, T. Uede and T. Mito</i>	93
Effective bending strain estimated from I_c test results of a D-shaped Nb ₃ Al CICC coil fabricated with a react-and-wind process for the National Centralized Tokamak, <i>T. Ando, K. Kizu, Y.M. Miura, K. Tsuchiya, M. Matsukawa, H. Tamai, S. Ishida, N. Koizumi and K. Okuno</i>	99
High temperature superconductors for the ITER magnet system and beyond, <i>W.H. Fietz, S. Fink, R. Heller, P. Komarek, V.L. Tanna, G. Zahn, G. Pasztor, R. Wesche, E. Salpietro and A. Vostner</i>	105
Anomalies on $V-I$ characteristic of NbTi cable-in-conduit conductors, <i>P. Bruzzone, B. Stepanov and E. Zapretina</i>	111
Manufacture and test of the non-planar coils for WENDELSTEIN 7-X, <i>Th. Rummel, K. Rißbe and H. Ehmler</i>	117
High power IGBT bridge application for the harmonic suppression on the load side of the power supply system of the Spanish Stellarator TJ-II, <i>P. Méndez, I. Kirpichev, M. Blaumoser, M. Visiers, A. Agudo and J. Iglesias</i>	123
Studies on the behavior of multisecondary transformers used for regulated HV power supplies, <i>N.P. Singh, U.K. Baruah, P.J. Patel and S.K. Mattoo</i>	127
Transient electrical behaviour of the ITER TF coils during fast discharge and two fault cases, <i>S. Fink, T. Bonicelli, W.H. Fietz, A. Miri, X. Quan and A. Ulbricht</i>	135
Thermal and structural analysis of the W7-X magnet heat radiation shield, <i>M. Nagel, S.Y. Shim and F. Schauer</i>	139
Quench current measurement and performance evaluation of the EAST toroidal field coils, <i>P.D. Weng, Z.M. Chen, Y. Wu and Y.F. Tan</i>	143
Thyristor crowbar system for the high current power supplies of ASDEX upgrade, <i>C.-P. Käsemann, L. van Lieshout, M. Huart and C. Sihler</i>	149
The ITER thermal shields for the magnet system: Design evolution and analysis, <i>V. Bykov, Yu. Krasikov, S. Grigoriev, V. Komarov, V. Krylov, A. Labusov, V. Pyrjaev, S. Chiocchio, V. Smirnov, V. Sorin and V. Tanchuk</i>	155
Design and development of the power supply system for HL-2A tokamak, <i>Y. Lieying, X. Weimin, L. Huajun, C. Yuhong, B. Mingnan, S. Kui, H. Haotian, M. Xiaohui, W. Shujin and R. Juqian</i>	163
The European Nb ₃ Sn advanced strand development programme, <i>A. Vostner and E. Salpietro</i>	169
Design, fabrication and installation of cryogenic target system for 14 MeV neutron irradiation on superconducting magnet materials, <i>A. Nishimura, Y. Hishinuma, T. Tanaka, T. Muroga, S. Nishijima, Y. Shindo, T. Takeuchi, K. Ochiai, T. Nishitani and K. Okuno</i>	173
Magnetic compatibility of standard components for electrical installations. Tests on programmable logical controllers and other electronic devices, <i>J. Hourtoule, D. van Houtte, P. Fejoz and P. Hertout</i>	179
Influence of parameter variations on the fatigue behavior of magnet insulation systems, <i>K. Bittner-Rohrhofer, K. Humer and H.W. Weber</i>	185
Mechanical performance of magnet insulation materials fabricated by the “Insulate-Wind-and-React” technique, <i>K. Bittner-Rohrhofer, K. Humer, H. Fillunger, R.K. Maix and H.W. Weber</i>	189

The European development of a full scale switching unit for the ITER switching and discharging net- works, <i>T. Bonicelli, A. De Lorenzi, D. Hrabal, R. Piovan, E. Sachs, E. Salpietro and S.R. Shaw</i>	193
Fabrication of the planar coils for WENDELSTEIN 7-X, <i>H. Viebke, Th. Rummel, K. Rißbe, R. Schroeder and R. Winter</i>	201
Design optimisation of the ITER TF coil case and structures, <i>M. Ferrari, P. Barabaschi, C.T.J. Jong, Y. Krivchenkov, R.K. Maix and N. Mitchell</i>	207
Stability and design criterion for cable-in-conduit-conductors with a broad transition to normal state, <i>N.N. Martovetsky</i>	215
Pioneering superconducting magnets in large tokamaks: Evaluation after 16 years of operating experience in tore supra, <i>P. Libeyre, J.L. Duchateau, B. Gravil, E. Tena, D. Henry and J.Y. Journeaux</i>	221
Analyses and implications of $V-I$ characteristic of PF insert conductor sample, <i>R. Wesche, A. Anghel, P. Bruzzone, P. Gislou and L. Muzzi</i>	229
Magnetic compatibility of standard components for electrical installations: Computation of the back- ground field and consequences on the design of the electrical distribution boards and control boards for the ITER Tokamak building, <i>I. Benfatto, P. Bettini, M. Cavinato, A. De Lorenzi, J. Hourtoule and E. Serra</i>	235
Updating the design of the feeder components for the ITER magnet system, <i>K. Yoshida, Y. Takahashi, T. Isono and N. Mitchell</i>	241
Fibreglass unidirectional composite to be used for ITER pre-compression rings, <i>C. Nardi, L. Bettinali and A. Pizzuto</i>	249
130 kV 130 A high voltage switching mode power supply for neutral beam injectors—Control issues and algorithms, <i>D. Ganuza, F. García, M. Zulaika, A. Perez and T.T.C. Jones</i>	253
A low cost joint for the ITER PF coils, design and test results, <i>B. Stepanov, P. Bruzzone and M. Vogel</i>	259
The batch production for superconducting magnet coils of EAST (HT-7U), <i>G. Daming, C. Siyue, Y. Jie, W. Jiefeng, P. Yinnian, W. Weiyue, L. Baozeng, W. Jun, Z. Ping, Z. Wenhua, T. Yuming, P. wanjiang and W. Yu</i>	265
Plasma Facing Components	
Development of the plasma facing components for the dome-liner component of the ITER divertor, <i>U. Luconi, M. Di Marco, A. Federici, M. Grattarola, G. Gualco, J.M. Larrea, M. Merola, C. Ozzano and G. Pasquale</i>	271
Manufacturing and testing in reactor relevant conditions of brazed plasma facing components of the ITER divertor, <i>M. Bisio, V. Branca, M. Di Marco, A. Federici, M. Grattarola, G. Gualco, P. Guarnone, U. Luconi, M. Merola, C. Ozzano, G. Pasquale, P. Poggi, S. Rizzo and F. Varone</i>	277
The MAST improved divertor, <i>A.C. Darke, R.J. Hayward, G.F. Counsell and K. Hawkins</i>	285
Manufacture of blanket shield modules for ITER, <i>P. Lorenzetto, B. Boireau, C. Boudot, P. Bucci, A. Furmanek, K. Ioki, J. Liimatainen, A. Peacock, P. Sherlock and S. Tähtinen</i>	291
Design and thermal performance of an improved mechanically attached module for divertor plate of LHD, <i>Y. Kubota, S. Masuzaki, T. Morisaki, K. Tokunaga and N. Noda</i>	297
Testing of actively cooled mock-ups in several high heat flux facilities—An International Round Robin Test, <i>M. Rödig, I. Bobin-Vastra, S. Cox, F. Escourbiac, A. Gervash, A. Kapoustina, W. Kuehnlein, V. Kuznetsov, M. Merola, R. Nygren and D.L. Youchison</i>	303
Status of He-cooled divertor development for DEMO, <i>P. Norajitra, R. Giniyatulin, N. Holstein, T. Ihli, W. Krauss, R. Kruessmann, V. Kuznetsov, I. Mazul, I. Ovchinnikov and B. Zeep</i>	307
Critical heat flux testing on screw cooling tube made of RAFM-steel F82H for divertor application, <i>K. Ezato, S. Suzuki, M. Dairaku and M. Akiba</i>	313
Thermal modeling of W rod armor, <i>R.E. Nygren</i>	319
EU R&D on divertor components, <i>M. Merola, W. Dänner, M. Pick and The EUIITER Participating Team</i>	325

Vacuum plasma-sprayed tungsten on EUROFER and 316L: Results of characterisation and thermal loading tests, <i>H. Greuner, H. Bolt, B. Böswirth, S. Lindig, W. Kühnlein, T. Huber, K. Sato and S. Suzuk</i>	333
Spectroscopic studies of homogeneous thin carbon erosion films on mirrors and flakes with a high deuterium content formed in tokamak T-10, <i>N.Yu. Svechnikov, V.G. Stankevich, A.M. Lebedev, K.A. Menshikov, B.N. Kolbasov, M.I. Guseva, K.Yu. Vukolov, D. Rajarathnam, N.M. Kocherginsky and Yu. Kostetski</i>	339
Design, performance and construction of a 2 MW ion beam test facility for plasma facing components, <i>H. Greuner, H. Bolt, B. Böswirth, T. Franke, P. McNeely, S. Obermayer, N. Rust and R. Süß</i>	345
Preliminary analysis on a liquid lithium limiter in capillary porous system (CPS) configuration in view of a “litzation” experiment on FTU tokamak, <i>M.L. Apicella, G. Mazzitelli, V.B. Lazarev, E.A. Azizov, S.V. Mirnov, V.G. Petrov, V.A. Evtikhin, I.E. Lyublinski, A.V. Vertkov, F. Lucca, E.D. Ferdinando, G. Mazzone, G. Ramogida and M. Roccella</i>	351
Activity of the European high heat flux test facility: FE200, <i>I. Bobin-Vastra, F. Escourbiac, M. Merola and P. Lorenzetto</i>	357
The new electron beam test facility JUDITH II for high heat flux experiments on plasma facing components, <i>P. Majerus, R. Duwe, T. Hirai, W. Kühnlein, J. Linke and M. Rödig</i>	365
An advanced He-cooled divertor concept: Design, cooling technology, and thermohydraulic analyses with CFD, <i>T. Ihli, R. Kruessmann, I. Ovchinnikov, P. Norajitra, V. Kuznetsov and R. Giniyatulin</i>	371
Development of a copper alloy to beryllium HIP bonding technology for the ITER first wall, <i>P. Sherlock, A.T. Peacock and A.D. Mc Callum</i>	377
Conceptual design of a high temperature water-cooled divertor for a fusion power reactor, <i>L. Giancarli, J.P. Bonal, A.L. Puma, B. Michel, P. Sardain and J.F. Salavy</i>	383
A mature industrial solution for ITER divertor plasma facing components: Hypervapotron cooling concept adapted to Tore Supra flat tile technology, <i>F. Escourbiac, I. Bobin-Vastra, V. Kuznetsov, M. Missirlian, B. Schedler and J. Schlosser</i>	387
High temperature stresses in brazed Glidcop/W model structures of interest for ITER divertor technology, <i>C. Braham, R. Coppola, C. Nardi and M. Valli</i>	391
Plasma sprayed tungsten-based coatings and their performance under fusion relevant conditions, <i>J. Matějčiček, Y. Koza and V. Weinzettl</i>	395
Development of an original active thermography method adapted to ITER plasma facing components control, <i>A. Durocher, N. Vignal, F. Escourbiac, J.L. Farjon, J. Schlosser and F. Cisondi</i>	401
Erosion of macrobrush tungsten armor after multiple intense transient events in ITER, <i>B.N. Bazylev, G. Janeschitz, I.S. Landman and S.E. Pestchanyi</i>	407
Design of a limiter for the JET EP ICRH antenna, <i>Ph. Chappuis, C. Portafaix, E. Thomas, B. Bertrand, R. Walton, V. Riccardo, R. Baker, I. Barlow, A. Kaye, A. Lorenz and F. Durodier</i>	413
Simulation of multi-atomic interactions in H–O–W system with the MD code CADAC, <i>I.S. Landman</i>	417
Crack propagation behavior by thermal fatigue around DSCu/SS316 HIP bonded interface, <i>T. Oyama, A. Yamamoto, K. Mohri and M. Saito</i>	423
Structural and fracture mechanics analysis of ITER toroidal field coil, <i>K. Watanabe, S. Iki, K. Takiue and M. Saito</i>	429
Results and analysis of high heat flux tests on a full-scale vertical target prototype of ITER divertor, <i>M. Missirlian, F. Escourbiac, M. Merola, I. Bobin-Vastra, J. Schlosser and A. Durocher</i>	435
Towards the development of workable acceptance criteria for the divertor CFC monoblock armour, <i>E. D’Agata and R. Tivey</i>	441
Overview of the engineering design of the ITER divertor improvements towards manufacture, <i>R. Tivey, E. D’Agata, V. Chuyanov and H. Heidl</i>	447
Applied technologies and inspections for the W7-X pre-series target elements, <i>J. Boscary, H. Greuner, B. Mendelevitch, B. Schedler, K. Scheiber, J. Schlosser and B. Streibl</i>	451

Steady state and transient thermal–hydraulic analyses on ITER divertor module, <i>G. Dell’Orco, A. Ancona, A.D. Maio, M. Merola, V. Tomarchio, G. Vella and I. Zammuto</i>	457
Manufacturing of the Wendelstein 7-X divertor and wall protection, <i>S. Benhard, J. Boscary, H. Greuner, P. Grigull, J. Kießlinger, C. Li, B. Mendelevitch, T. Pirsch, N. Rust, S. Schweizer, A. Vorköper and M. Weißgerber</i>	463
The use of copper alloy CuCrZr as a structural material for actively cooled plasma facing and in vessel components, <i>M. Lipa, A. Durocher, R. Tivey, T. Huber, B. Schedler and J. Weigert</i>	469
Manufacturing technology development for vacuum vessel and plasma facing components, <i>A. Laitinen, J. Liimatainen and P. Hallila</i>	475
HETS performances in He cooled power plant divertor, <i>A. Pizzuto, P.J. Karditsas, C. Nardi and S. Papastergiou</i>	481
Hot radial pressing: An alternative technique for the manufacturing of plasma-facing components, <i>E. Visca, S. Libera, A. Mancini, G. Mazzone, A. Pizzuto and C. Testani</i>	485
EAST in-vessel components design, <i>D.M. Yao, J.G. Li, Y.T. Song, S.J. Du, J.L. Chen and P.D. Weng</i>	491
The dynamic ergodic divertor in TEXTOR—A novel tool for studying magnetic perturbation field effects, <i>O. Neubauer, G. Czymek, K.H. Finken, B. Giesen, P.W. Hüttemann, H.T. Lambertz, J. Schruff and TEXTOR Team</i>	495
Thermal and mechanical analysis of the EAST plasma facing components, <i>Y.T. Song, D.M. Yao, S.T. Wu and P.D. Weng</i>	499
Tiles chamfering and power handling of the MK II HD divertor, <i>J.-F. Salavy, P. Chappuis, P.J. Lomas and V. Riccardo</i>	505
Vessel-in vessel Engineering and Remote Handling	
Ignitor plasma chamber structural design with dynamic loads due to plasma disruption event, <i>A. Cucchiario, A. Bianchi, B. Coppi, C. Crescenzi, M. Linari, F. Lucca, A. Marin, G. Mazzone, B. Parodi, A. Pizzuto, G. Ramogida, M. Roccella and G.P. Sanguinetti</i>	511
Operational experience feedback in JET Remote Handling, <i>O. David, A.B. Loving, J.D. Palmer, S. Ciattaglia and J.P. Friconneau</i>	519
RF tests of the electrical insulations for the toroidal structures of RFX, <i>A. Masiello, G. Mella, P. Sonato and C. Taccon</i>	525
Assessment of a cooperative maintenance scheme for ITER divertor cooling pipes, <i>J.P. Friconneau, O. David, J.P. Martins, J.D. Palmer and A. Tesini</i>	531
ITER articulated inspection arm (AIA): R&d progress on vacuum and temperature technology for remote handling, <i>Y. Perrot, J.J. Cordier, J.P. Friconneau, L. Gargiulo, E. Martin, J.D. Palmer and A. Tesini</i>	537
ITER Articulated Inspection Arm (AIA): Geometric calibration issues of a long-reach flexible robot, <i>D. Arthur, Y. Perrot, C. Bidard, J.P. Friconneau, J.D. Palmer and L. Semeraro</i>	543
Analyses of the ITER vacuum vessel with the use of a new modelling technique, <i>V. Rozov, E. D’Agata, K. Ioki, M. Morimoto and G. Sannazzaro</i>	547
Generic control system design for the Cassette Multifunctional Mover and other ITER remote handling equipment, <i>M. Irving, J. Palmer and M. Siuko</i>	553
Dynamic identification of the hydraulic Maestro manipulator—Relevance for monitoring, <i>C. Bidard, C. Libersa, D. Arthur, Y. Measson, J.-P. Friconneau and J.-D. Palmer</i>	559
Manufacture of the vacuum vessels and the ports of Wendelstein 7-X, <i>J. Reich, W. Gardebrecht, B. Hein, B. Missal, J. Tretter, M. Wanner, F. Leher and S. Langone</i>	565
Design progress of the ITER vacuum vessel and ports, <i>Yu. Utin, V. Chuyanov, F. Elio, K. Ioki, L. Jones, V. Komarov, E. Kuzmin, M. Morimoto, M. Nakahira and G. Sannazzaro</i>	571
Management of a water leak on actively cooled fusion devices, <i>F. Samaille, M. Chantant, D. van Houtte, J.J. Cordier and L. Gargiulo</i>	577

Recent developments towards ITER 2001 divertor maintenance, <i>J. Palmer, M. Siuko, P. Agostini, R. Gottfried, M. Irving, E. Martin, A. Tesini and M. Van Uffelen</i>	583
Vertical displacement events simulations for tokamak plasmas, <i>R. Paccagnella, M. Cavinato, T. Bolzonella, S. Ortolani, G. Pautasso, W. Schneider, V. Lukash, R. Khayrutdinov and H.R. Strauss</i>	589
Non-destructive testing of bonded structures for plasma facing components, <i>M. Onozuka, K. Kikuchi, A. Kiriigashi, Y. Oda and K. Shimizu</i>	595
Special blanket design in the NB region of ITER, <i>F. Elio, K. Ioki, Y. Utin and M. Morimoto</i>	601
ITER vacuum vessel sector manufacturing development in Europe, <i>L. Jones, A. Bianchi, A. Cros, E. di Pietro, B. Giraud, K. Ioki, L. Junek, B. Parodi, M. Pick, G.-P. Sanguinetti, R. Tivey and Y. Utin</i>	607
Experimental result of the laser in vessel viewing and ranging system (IVVS) for ITER, <i>C. Neri, L. Bartolini, B. Brichard, A. Coletti, M.F. de Collibus, G. Fornetti, F. Pollastrone, M. Riva and L. Semeraro</i>	613
Irradiation tests on water hydraulic polymer components, <i>T. Hernandez and E.R. Hodgson</i>	619
Development and control towards a parallel water hydraulic weld/cut robot for machining processes in ITER vacuum vessel, <i>H. Wu, H. Handroos, P. Pessi, J. Kilkki and L. Jones</i>	625
Fuel Cycle	
Supercritical helium as a coolant for DIII–D cryopumps, <i>C.B. Baxi</i>	633
Protection of the primary circuits and effect on the design of the inner deuterium/tritium fuel cycle of ITER, <i>M. Glugla, C. Caldwell-Nichols, I.R. Cristescu, L. Doerr, G. Hellriegel, R. Laesser, D. Murdoch and P. Schaefer</i>	637
Experimental validation of a method for performance monitoring of the front-end permeators in the TEP system of ITER, <i>B. Bornschein, M. Glugla, K. Günther, T.L. Le and K.H. Simon</i>	645
Influence of deuterium on the design of the JET water detritiation system, <i>I. Cristescu, I.-R. Cristescu, L. Dörr, M. Glugla, A. Bell, D. Brennan and D. Murdoch</i>	651
Gas puffing by molecular beam injection in Aditya tokamak, <i>S.B. Bhatt, A. Kumar, K.P. Subramanian, P.K. Atrey and A. Team</i>	655
Requirements and selection criteria for the mechanical pumps for the ITER tritium plant, <i>C.J. Caldwell-Nichols, M. Glugla, S. Welte and D.K. Murdoch</i>	663
Strategy for determination of ITER in-vessel tritium inventory, <i>D. Murdoch, I.-R. Cristescu and R. Lässer</i>	667
Comparison of modelling of tritium release from ceramic breeder materials, <i>K. Munakata, Y. Yokoyama, A. Baba, R.D. Penzhorn, M. Oyaidzu and K. Okuno</i>	673
JET contribution to ITER fuel cycle issues, <i>C. Grisolia, N. Bekris, J. Likonen, P. Coad, A. Semerok, D. Brennan, G. Piazza and S. Rosanvallon</i>	679
Pellet injectors for steady state plasma fuelling, <i>I. Vinyar, A. Géraud, H. Yamada, A. Lukin, R. Sakamoto, S. Skoblikov, A. Umov, Y. Oda, G. Gros, I. Krasilnikov, P. Reznichenko and V. Panchenko</i>	685
Pellet delivery and survivability through curved guide tubes for fusion fueling and its implications for ITER, <i>S.K. Combs, L.R. Baylor, J.B.O. Caughman, D.T. Fehling, C.R. Foust, T.C. Jernigan, S. Maruyama, J.M. McGill, D.A. Rasmussen, J.A. Ridenour and M. Watson</i>	691
Materials Technology and Breeding Blankets	
Mixed MHD convection and Tritium transport in fusion-relevant configurations, <i>G. Sposito, M. Ciofalo, P.A. Di Maio and G. Vella</i>	697
EU contributions to the ITER materials properties data assessment, <i>A.T. Peacock, V. Barabash, F. Gillemot, P. Karditsas, G. Lloyd, J.-W. Rensman, A.-A.F. Tavassoli and M. Walters</i>	703
Production and thermal stability of beryllium with fine grain structure to improve tritium release during neutron irradiation, <i>P. Kurinsky, A. Cardella, M. Klimiankou, A. Möslang and A.A. Goraieb</i>	709

Preliminary neutronics design of the dual-cooled lithium lead blanket for FDS-II, <i>J. Li, S. Zheng, Q. Zeng, D. Xu, H. Liu and FDS Team</i>	715
Gettering of nitrogen in liquid lithium, <i>S. Hirakane, T. Yoneoka and S. Tanaka</i>	721
On the nuclear response of the helium-cooled lithium lead test blanket module in ITER, <i>P. Chiovaro, P.A. Di Maio and G. Vella</i>	725
Influence of heat treatments on residual tritium amount in tritiated stainless steel waste, <i>A. Lassoued, J. Chêne, A.-M. Brass, O. Gastaldi, P. Trabuc and G. Marbach</i>	731
Fabrication of yttrium oxide and erbium oxide coatings by PVD methods, <i>A. Sawada, A. Suzuki, H. Maier, F. Koch, T. Terai and T. Muroga</i>	737
The European breeding blankets development and the test strategy in ITER, <i>Y. Poitevin, L.V. Boccaccini, A. Cardella, L. Giancarli, R. Meyder, E. Diegele, R. Laesser and G. Benamati</i>	741
Neutronic design optimisation of modular HCPB blankets for fusion power reactors, <i>U. Fischer, P. Pereslavtsev and S. Hermsmeyer</i>	751
Characterization and stability studies of titanium beryllides, <i>E. Alves, L.C. Alves, N. Franco, M.R. da Silva, A. Paúl, J.B. Hegeman and F. Druyts</i>	759
Behavior of Li_2TiO_3 under varied surface condition, <i>R.U. Olivares, T. Oda, Y. Oya, S. Tanaka and K. Tsuchiya</i>	765
The HFR Petten high dose irradiation programme of beryllium for blanket application, <i>J.B.J. Hegeman, J.G. van der Laan, H. Kawamura, A. Möslang, I. Kupriyanov, M. Uchida and K. Hayashi</i>	769
Development and fabrication aspects regarding tungsten components for a He-cooled divertor, <i>W. Krauss, N. Holstein and J. Konys</i>	775
Reactor integration of the helium cooled pebble bed blanket for DEMO, <i>S. Hermsmeyer, L.V. Boccaccini, U. Fischer, C. Köhly, J. Rey and D. Ward</i>	779
Thermal-hydraulic analysis and optimization of breeder unit for EU helium cooled pebble bed blanket, <i>Z. Xu and S. Hermsmeyer</i>	785
Mechanical and thermal properties of SiC_f/SiC composites irradiated with neutrons at high temperatures, <i>J.B.J. Hegeman, J.G. van der Laan, M. van Kranenburg, M. Jong, D. d'Hulst and P. ten Pierick</i>	789
New modular concept for the helium cooled pebble bed test blanket module for ITER, <i>R. Meyder, L.V. Boccaccini, B. Dolensky, S. Hermsmeyer, M. Ilic, M.X. Jin, M. Lux, P. Pereslavtsev, P. Schanz, S. Stickel and Z. Xu</i>	795
Effective thermal conductivity of a compressed Li_2TiO_3 pebble bed, <i>H. Tanigawa, T. Hatano, M. Enoeda and M. Akiba</i>	801
Design, manufacture and testing of the IFMIF lithium target bayonet concept, <i>G. Miccichè and B. Riccardi</i>	807
Neutronics and activation characteristics of the international fusion material irradiation facility, <i>S.P. Simakov, U. Fischer, A. Möslang, P. Vladimirov, F. Wasastjerna and P.P.H. Wilson</i>	813
In situ in-reactor testing of fusion materials and components, <i>A. Gusarov, L. Vermeeren, B. Brichard, R. van Nieuwenhove, A.F. Fernandez, H. Ooms, M. Decréton and F. Berghmans</i>	819
Development of an RF-input coupler with a multi-loop antenna for the RFQ linac in IFMIF project, <i>S. Maebara, S. Moriyama, M. Saigusa, M. Sugimoto, T. Imai and H. Takeuchi</i>	823
Activation of Eurofer in an IFMIF-like neutron field, <i>P. Bém, V. Burjan, M. Götz, M. Honusek, U. Fischer, V. Kroha, U. von Möllendorff, J. Novák, S.P. Simakov and E. Šimečková</i>	829
Thermal desorption behavior of hydrogen isotopes interacting with radiation defects in Li_2O , <i>T. Oda, Y. Oya and S. Tanaka</i>	835
Preliminary thermal-hydraulics design of the dual-cooled lithium lead blanket for FDS-II, <i>H. Wang, W. Wang, Y. Bai and H. Chen</i>	841
Thermal and thermal-stress analyses of IFMIF liquid lithium target assembly, <i>M. Ida, H. Nakamura, K. Shimizu and T. Yamamura</i>	847

Structural analysis for the gas-cooled high flux test module of IFMIF, <i>S. Ebara, T. Yokomine and A. Shimizu</i>	853
Measurement of energetic charged particles produced in fusion materials with 14 MeV neutron irradiation, <i>K. Ochiai, K. Kondo, I. Murata, H. Miyamaru, N. Kubota, A. Takahashi and T. Nishitani</i>	859
Surface wave on high speed liquid lithium flow for IFMIF, <i>H. Kondo, A. Fujisato, N. Yamaoka, S. Inoue, S. Miyamoto, T. Iida, H. Nakamura, M. Ida, I. Matushita, T. Muroga and H. Horiike</i>	865
Fusion-driven hybrid system with ITER model, <i>I. Murata, Y. Yamamoto, S. Shido, K. Kondo, A. Takahashi, E. Ichimura and K. Ochiai</i>	871
Effects of gelation and sintering conditions on granulation of Li_2TiO_3 pebbles from Li–Ti complex solution, <i>K. Tsuchiya, H. Kawamura, S. Casadio and C. Alvani</i>	877
Tritium breeding experiments with blanket mock-ups containing ^6Li -enriched lithium titanate and beryllium irradiated with DT neutrons, <i>A. Klix, K. Ochiai, Y. Verzilov, T. Nishitani, A. Takahashi and T. Terai</i>	881
Some features of beryllium corrosion behavior in Be–liquid Li–V–4Ti–4Cr alloy system, <i>I.B. Kupriyanov, E.N. Bazaleev, L.A. Kurbatova, I.E. Lyublinski, A.V. Vertkov and V.A. Evtikhin</i>	885
Automatic generation of a JET 3D neutronics model from CAD geometry data for Monte Carlo calculations, <i>H. Tsige-Tamirat, U. Fischer, P.P. Carman and M. Loughlin</i>	891
Behaviour of tritium in breeding materials, <i>G. Kizāne, J. Tiliks, A. Vitiņš, J. Tiliks Jr. and J. Rudzītis</i>	897
Pebble bed thermal–mechanical theoretical model. Application at the geometry of test blanket module of ITER-FEAT nuclear fusion reactor, <i>D. Aquaro and N. Zaccari</i>	903
International comparison of measuring techniques of tritium production for fusion neutronics experiments. Status and preliminary results, <i>P. Batistoni, M. Angelone, P. Carconi, K. Ochiai, I. Schäfer, K. Seidel, Y. Verzilov, G. Zappa and M. Pillon</i>	911
HCLL TBM for ITER-design studies, <i>G. Rampal, A. Li Puma, Y. Poitevin, E. Rigal, J. Szczepanski and C. Boudot</i>	917
Magnetohydrodynamic pressure-driven flows in the HCLL blanket, <i>L. Bühler</i>	923
Ab initio evaluations of the He solubility in liquid Li, <i>L.A. Sedano, A. Hassanein and J. Sanz</i>	927
Evaluation of insulating property of ceramic materials for V/Li blanket system under fission reactor irradiation, <i>T. Tanaka, T. Shikama, M. Narui, B. Tsuchiya, A. Suzuki and T. Muroga</i>	933
Non-stoichiometry of Li_2TiO_3 under hydrogen atmosphere condition, <i>T. Hoshino, K. Tsuchiya, K. Hayashi, T. Terai, S. Tanaka and Y. Takahashi</i>	939
Hydrogen isotope distributions and retentions in the inner divertor tile of JT-60U, <i>Y. Oya, Y. Hirohata, T. Tanabe, T. Shibahara, H. Kimura, M. Oyaidzu, T. Arai, K. Masaki, Y. Gotoh, K. Okuno, N. Miya, T. Hino and S. Tanaka</i>	945
The helium-cooled lithium lead blanket test proposal in ITER and requirements on test blanket modules instrumentation, <i>A.L. Puma, Y. Poitevin, L. Giancarli, G. Rampal and W. Farabolini</i>	951
Hydrogen effects on the tensile and fatigue properties of Eurofer'97, <i>M.-F. Maday and L. Pilloni</i>	957
Evaluation of nuclear heating, tritium breeding and shielding efficiency of the DEMO HCLL breeder blanket, <i>J. Jordanova, U. Fischer, P. Pereslavtsev, Y. Poitevin, A.L. Puma, A. Cardella and A. Adamski</i>	963
Measurement and analysis of radioactivity induced in yttrium and lead in fusion peak neutron field, <i>K. Seidel, R. Eichin, R.A. Forrest, H. Freiesleben and S. Unholzer</i>	969
Environmentally assisted cracking of Eurofer 97 in water, <i>S.V. Dyck and R.-W. Bosch</i>	973
The effect of reduced oxygen content powder on the impact toughness of 316 steel powder joined to 316 steel by low temperature HIP, <i>A. Lind, J. Sundström and A. Peacock</i>	979
Microstructural investigation, using small-angle neutron scattering, of neutron irradiated Eurofer97 steel, <i>R. Coppola, R. Lindau, M. Magnani, R.P. May, A. Möslang, J.W. Rensman, B. van der Schaaf and M. Valli</i>	985

Present development status of EUROFER and ODS-EUROFER for application in blanket concepts, <i>R. Lindau, A. Möslang, M. Rieth, M. Klimiankou, E. Materna-Morris, A. Alamo, A.-A.F. Tavassoli, C. Cayron, A.-M. Lancha, P. Fernandez, N. Baluc, R. Schäublin, E. Diegele, G. Filacchioni, J.W. Rensman, B.v.d. Schaaf, E. Lucon and W. Dietz</i>	989
Reaction of titanium beryllide with water vapor, <i>K. Munakata, H. Kawamura and M. Uchida</i>	997
Creep strength of reduced activation ferritic/martensitic steel Eurofer'97, <i>P. Fernández, A.M. Lancha, J. Lapeña, R. Lindau, M. Rieth and M. Schirra</i>	1003
Tritium generation rate in the $\text{Li}_{20}\text{Sn}_{80}$ neutron irradiation experiments, <i>Y. Kang, K. Okamura and T. Terai</i>	1009
In situ formation and chemical stability of Er_2O_3 coating on V–4Cr–4Ti in liquid lithium, <i>Z. Yao, A. Suzuki, T. Muroga and K. Katahira</i>	1015
VITAMIN-J/COVA/EFF-3 cross-section covariance matrix library and its use to analyse benchmark experiments in sinbad database, <i>I.-A. Kodeli</i>	1021
Threshold energy of formation of an oxygen vacancy defect in SiO_2 by atomic displacements using molecular dynamics, <i>F. Mota, M.-J. Caturla, J.M. Perlado, E. Dominguez and A. Kubota</i>	1027
Segregated void swelling in a spatially heterogeneous material, <i>S.L. Dudarev, A.A. Semenov and C.H. Woo</i>	1031
Thermal creep behaviour of the EUROFER 97 RAFM steel and two European ODS EUROFER 97 steels, <i>G. Yu, N. Nita and N. Baluc</i>	1037
Thermal creep of beryllium pebble beds, <i>J. Reimann and H. Harsch</i>	1043
Inner structures of compressed pebble beds determined by X-ray tomography, <i>J. Reimann, R.A. Pieritz, M. di Michiel and C. Ferrero</i>	1049
Non-destructive analysis of miniaturized fusion materials samples and irradiation capsules by X-ray micro-tomography, <i>I. Tiseanu, T. Craciunescu and B.N. Mandache</i>	1055
Microstructural characterization of Eurofer-ODS RAFM steel in the normalized and tempered condition and after thermal aging in simulated fusion conditions, <i>A. Paúl, E. Alves, L.C. Alves, C. Marques, R. Lindau and J.A. Odriozola</i>	1061
A neutronic investigation of He-cooled liquid Li-breeder blankets for fusion power reactor, <i>Y. Kim, B.G. Hong and C.H. Kim</i>	1067
Experimental study of lithium MHD flow in slotted channel from V–4Ti–4Cr alloy, <i>I.E. Lyublinski, V.A. Evtikhin, A.V. Vertkov, N.I. Ezhov and V.M. Shcherbakov</i>	1071
Radiation induced conductivity and surface electrical degradation of plasma sprayed spinel for NBI systems, <i>A. Moroño and E.R. Hodgson</i>	1075
Use of the SPIRAL 2 facility for material irradiations with 14 MeV energy neutrons, <i>A. Mosnier, D. Ridikas, X. Ledoux, F. Pellemoine, R. Anne, Y. Huguet, M. Lipa, P. Magaud, G. Marbach, M.G. Saint-Laurent and A.C.C. Villari</i>	1079
Power Plants, Safety and Environment, Socio-economics	
Alara applied to iter design and operation, <i>J. Uzan-Elbez, L. Rodríguez-Rodrigo, M.T. Porfiri, N. Taylor, C. Gordon, P. Garin, J.-P. Girard and EISS Team</i>	1085
Progress in licensing ITER in Cadarache, <i>L. Rodríguez-Rodrigo, J.-P. Girard, J. Uzan-Elbez, G. Marbach, P. Garin and S. Rosanvallon</i>	1091
Fire risk analysis in ITER tritium building, <i>F. Lignini, J. Uzan-Elbez, J.-P. Girard, M.T. Porfiri, L. Rodríguez-Rodrigo and EISS Team</i>	1097
Methodology for reference accidents definition for ITER, <i>T. Pinna, S. Raboin, J. Uzan-Elbez, N. Taylor, L. Semeraro and EISS Team</i>	1103
Design earthquakes for ITER in Europe at Cadarache, <i>J.-P. Girard, G. Grünthal, M. Nicolas and EISS Team</i>	1109

Neutron activation and dose rates minimization in Laser Megajoule (LMJ) facility, <i>Ph. Joyer, H.P. Jacquet, M. Dupont, M. Messaoudi and J. Murillo</i>	1115
Fusion safety studies in Russia in 2003, <i>B.N. Kolbasov, M.I. Guseva, B.I. Khripunov, Yu.V. Martynenko, A.M. Zimin, V.G. Stankevich, N.Yu. Svechnikov and S.A. Bartenev</i>	1121
Preliminary leakage reliability analysis of DFLL-TBM based on a combinational approach, <i>P. Liu, Y.C. Wu, Q.Y. Huang and FDS Team</i>	1127
Dust explosion hazard in ITER: Explosion indices of fine graphite and tungsten dusts and their mixtures, <i>A. Denkevits and S. Dorofeev</i>	1135
A global energy model with fusion, <i>Y. Lechon, H. Cabal, M. Varela, R. Saez, C. Eherer, M. Baumann, J. Düweke, T. Hamacher and G.C. Tosato</i>	1141
Progress in the development of a PIE-PIT for the ITER Tokamak, <i>J. Izquierdo, N.P. Taylor, J. Dies, J. García and F. Albajar</i>	1145
Evaluation of fusion study from socio-economic aspects, <i>S. Konishi, K. Okano, Y. Ogawa, S. Nagumo, K. Tokimatsu and K. Tobita</i>	1151
Effect of activation cross-section uncertainties in selecting steels for the HYLIFE-II chamber to successful waste management, <i>J. Sanz, O. Cabellos and S. Reyes</i>	1157
Availability of lithium in the context of future D–T fusion reactors, <i>D. Fasel and M.Q. Tran</i>	1163
Accessibility evaluation of the IFMIF liquid lithium loop considering activated erosion/corrosion materials deposition, <i>H. Nakamura, M. Takemura, M. Yamauchi, U. Fischer, M. Ida, S. Mori, T. Nishitani, S. Simakov and M. Sugimoto</i>	1169
The European power plant conceptual study, <i>D. Maisonnier, I. Cook, S. Pierre, B. Lorenzo, B. Edgar, B. Karin, D.P. Luigi, F. Robin, G. Luciano, H. Stephan, N. Claudio, N. Prachai, P. Aldo, T. Neill and W. David</i>	1173
Factors affecting the inhalation dose from tritiated dust and flakes, <i>L. Di Pace and B. Patel</i>	1181
TFTR occupational radiation exposure data collection and analysis, <i>A. Natalizio, T. Pinna and J.D. Levine</i>	1187
Collection and analysis of occupational radiation exposure data from the jet tokamak, <i>A. Natalizio, M.T. Porfiri and B. Patel</i>	1193
Collection and analysis of data related to fusion machines (JET and TLK) operating experience on component failure, <i>T. Pinna, G. Cambi, S. Ciattaglia, A. Lo Bue, S. Knipe, J. Orchard, R. Pearce and U. Bessere</i>	1199
Consequence calculations for PPCS bounding accidents, <i>W.E. Han</i>	1205
Environmental release targets for fusion power plants, <i>W. Gulden and W. Raskob</i>	1211
ITER divertor ex-vessel pipe break, <i>C. Sheng and L.-L. Spontón</i>	1217
The economic viability of fusion power, <i>D.J. Ward, I. Cook, Y. Lechon and R. Saez</i>	1221
Categorisation of activated material from fusion power reactors and acceptability for final disposal, <i>K. Brodén and G. Olsson</i>	1229
3D-analysis of an ITER accident scenario, <i>R. Redlinger, W. Baumann, W. Breitung, S. Dorofeev, W. Gulden, M. Kuznetsov, A. Lelyakin, G. Necker, P. Royle, R.-K. Singh, J. Travis and A. Vesper</i>	1233
Radioactive waste management and safety for the Ignitor fusion experiment, <i>I. Antonaci, A. Ciampichetti and M. Zucchetti</i>	1237
Validation of the ECART code for the safety analysis of fusion reactors, <i>S. Paci, F. Parozzi and M.T. Porfiri</i>	1243
Safety analysis for ITER licensing, <i>C. Gordon, H.-W. Bartels, M. Iseli, H. Okada, J. Raeder and N. Taylor</i>	1247
Experimental fusion material photon and electron decay heat measurements: Its use for activation codes validation, <i>G. Cambi, D.G. Cepraga and M. Frisoni</i>	1253
Materials activation induced by high-energy neutrons: A comparison of ANITA-IEAF calculation with measurements from the Karlsruhe Isochronous Cyclotron, <i>D.G. Cepraga, G. Cambi and M. Frisoni</i>	1257

Corrosion of Be-based fusion-specific waste materials, <i>F. Druyts</i>	1261
The EVITA programme: Experimental and numerical simulation of a fluid ingress in the cryostat of a water-cooled fusion reactor, <i>P. Sardain, L. Ayrault, G. Laffont, F. Challet, L.B. Marie, B. Merrill, M.T. Porfiri and G. Caruso</i>	1265
Low level cleaning of a fusion target chamber, <i>D. Raffestin and J.M. Teillerie</i>	1271
Transfer of Technology	
Development and application of MCNP auto-modeling tool: Mcam 3.0, <i>X. Liu, Y. Luo, L. Tong and FDS Group</i>	1275
100 kV solid-state switch for fusion heating systems, <i>B. Beaumont, E. Bertrand, R. Brugnetti, D. Chatroux, F. Kazarian, R. Milly, M. Prou and H. Rigole</i>	1281
Author Index	1287