



CONTENTS

Proceedings of the 25th Symposium on Fusion Technology (SOFT-25) Rostock, Germany, September 15th–19th, 2008	
Editorial	
Editorial, <i>H. Zohm</i>	97
Invited Papers	
The status of the ITER design, <i>N. Holtkamp</i>	98
Status of Wendelstein 7-X construction, <i>L. Wegener</i>	106
Status of the ITER magnets, <i>N. Mitchell, P. Bauer, D. Bessette, A. Devred, R. Gallix, C. Jong, J. Knaster, P. Libeyre, B. Lim, A. Sahu and F. Simon</i>	113
Broader Approach to fusion energy, <i>T. Tsunematsu</i>	122
Progress on the heating and current drive systems for ITER, <i>J. Jacquinot, F. Albajar, B. Beaumont, A. Becoulet, T. Bonicelli, D. Bora, D. Campbell, A. Chakraborty, C. Darbos, H. Decamps, G. Denisov, R. Goulding, J. Graceffa, T. Gassmann, R. Hemsworth, M. Henderson, G.T. Hoang, T. Inoue, N. Kobayashi, P.U. Lamalle, A. Mukherjee, M. Nightingale, D. Rasmussen, S.L. Rao, G. Saibene, K. Sakamoto, R. Sartori, B. Schunke, P. Sonato, D. Swain, K. Takahashi, M. Tanaka, A. Tanga and K. Watanabe</i>	125
Steady state ECRH for next step superconducting fusion devices, <i>V. Erckmann</i>	131
Fusion for Energy: A new European organization for the development of fusion energy, <i>D. Gambier</i>	138
Design and technical status of the EU contribution to ITER, <i>M. Gasparotto, G. Federici and F.R. Casci</i>	143
Recent contribution of JET to the ITER physics, <i>F. Romanelli, J. Paméla, R. Kamendje, M.L. Watkins, S. Brezinsek, Y. Liang, X. Litaudon, T. Loarer, D. Moreau, D. Mazon, G. Saibene, F. Sartori, P.C. de Vries and JET-EFDA Contributors</i>	150
Development of key ITER relevant technologies on the Tore Supra tokamak, <i>B. Saoutic</i>	161
ASDEX Upgrade enhancements in view of ITER application, <i>O. Gruber</i>	170
Physics and engineering issues associated with edge localized mode control in ITER, <i>M.R. Wade</i>	178
10 years of engineering and physics achievements by the Large Helical Device project, <i>H. Yamada, S. Imagawa, Y. Takeiri, O. Kaneko, T. Mutoh, T. Mito, H. Chikaraishi, S. Hamaguchi, K. Ida, H. Igami, K. Ikeda, H. Kasahara, M. Kobayashi, S. Kubo, R. Kumazawa, R. Maekawa, S. Masuzaki, J. Miyazawa, T. Morisaki, S. Morita, K. Nagaoka, Y. Nakamura, Y. Narushima, M. Osakabe, K. Saito, S. Sakakibara, R. Sakamoto, T. Seki, T. Shimozuma, M. Shoji, Y. Suzuki, K. Takahata, H. Tamura, K. Tsumori, K.Y. Watanabe, S. Yamada, N. Yanagi, Y. Yoshimura, K. Kawahata, N. Ohyabu, A. Komori, O. Motojima and LHD Experimental Group</i>	186
Efficiency and availability driven R&D issues for DEMO, <i>J. Pamela, A. Bécoulet, D. Borba, J.-L. Boutard, L. Horton and D. Maisonnier</i>	194
Oral Papers	
Qualification tests for ITER TF conductors in SULTAN, <i>P. Bruzzone, B. Stepanov and R. Wesche</i>	205
Critical issues for the manufacture of the ITER TF coil winding pack, <i>N. Koizumi, T. Hemmi, K. Matsui, H. Nakajima, K. Okuno, K. Kuno and K. Nomoto</i>	210
Structural analysis of W7-X: Overview, <i>V. Bykov, F. Schauer, K. Egorov, A. Tereshchenko, P. van Eeten, A. Dübner, M. Sochor, D. Zacharias, A. Dudek, W. Chen, P. Czarkowski, L. Sonnerup, J. Fellingner, D. Hathiramani, M.Y. Ye, W. Dänner and W7-X team</i>	215
Operation of an ITER relevant inspection robot on Tore Supra tokamak, <i>L. Gargiulo, P. Bayetti, V. Bruno, J.-C. Hatchressian, C. Hernandez, M. Houry, D. Keller, J.-P. Martins, Y. Measson, Y. Perrot and F. Samaille</i>	220
The upgraded laser in vessel viewing system (IVVS) for ITER, <i>C. Neri, A. Coletti, M. Ferri de Collibus, G. Fornetti and F. Pollastrone</i>	224

	ITER vacuum vessel: Design review and start of procurement process, <i>K. Ioki, C. Bachmann, P. Chappuis, J.-J. Cordier, B. Giraud, Y. Gribov, L. Jones, C. Jun, B.C. Kim, E. Kuzmin, H. Pathak, P. Readman, M. Sugihara, Y. Utin, X. Wang and S. Wu</i>	
	The ITER Remote Maintenance Management System, <i>A. Tesini and A.C. Rolfe</i>	
	Progress in compatibility experiments on lithium–lead with candidate structural materials for fusion in China, <i>Q. Huang, S. Gao, Z. Zhu, M. Zhang, Y. Song, C. Li, Y. Chen, X. Ling and X. Zhou</i>	
	Overview of the main challenges for the engineering design of the test facilities system of IFMIF, <i>J. Molla and K. Nakamura</i>	
	Status of engineering design of liquid lithium target in IFMIF-EVEDA, <i>H. Nakamura, P. Agostini, K. Ara, S. Fukada, K. Furuya, P. Garin, A. Gessi, D. Giusti, F. Groeschel, H. Horiike, M. Ida, T. Kanenmura, H. Kondo, N. Loginov, G. Micciche, M. Miyashita, F.S. Nitti, A. Suzuki, T. Terai, K. Watanabe, J. Yagi, E. Yoshida and A. Mikheyev</i>	
	Main baseline of IFMIF/EVEDA project, <i>P. Garin, M. Sugimoto and on behalf of the Project Team and all associated Institutes</i>	
	Development of a RF-driven ion source for the ITER NBI system, <i>A. Staebler, U. Fantz, P. Franzen, M. Berger, S. Christ-Koch, H.D. Falter, M. Froeschle, R. Gutser, B. Heinemann, D. Holtum, W. Kraus, C. Martens, P. McNeely, R. Nocentini, S. Obermayer, R. Riedl, E. Speth and D. Wunderlich</i>	
	The ITER full size plasma source device design, <i>P. Sonato, P. Agostinetti, G. Anaclerio, V. Antoni, O. Barana, M. Bigi, M. Boldrin, M. Cavenago, S. Dal Bello, M.D. Palma, A. Daniele, M. D'Arienzo, A. De Lorenzi, A. Ferro, A. Fiorentin, E. Gaio, E. Gazza, L. Grando, F. Fantini, F. Fellin, A. Luchetta, G. Manduchi, F. Milani, D. Marcuzzi, L. Novello, R. Pasqualotto, M. Pavei, R. Pengo, S. Peruzzo, A. Pesce, N. Pihan, R. Piovan, N. Pomaro, M. Recchia, W. Rigato, A. Rizzolo, G. Serianni, M. Spolaore, P. Spolaore, S. Sandri, C. Taliercio, V. Toigo, M. Valisa, P. Veltri, P. Zaccaria, A. Zamengo and L. Zanutto</i>	
	ICRH ITER-like antenna tested on TS commissioning, electrical modeling and load resilience studies, <i>A. Argouarch, K. Vulliez, P. Mollard, G. Lombard, G. Bosia, L. Colas, A. Mendes, D. Volpe, L. Millon, A. Ekedahl, S. Bremond, F. Clairet, G.T. Hoang, A. Mendes, M. Elkhaldi, B. Beaumont, A. Bécoulet, G. Berger-by, G. Giruzzi, J. Gunn, P. Hertout, F. Rimini, F. Saint-Laurent and TS Team</i>	
	Commissioning of the ITER-like ICRF antenna for JET, <i>F. Durodié, M. Nightingale, A. Argouarch, G. Berger-By, T. Blackman, J. Caughman, V. Cocilovo, P. Dumortier, P. Edwards, J. Fanthome, D. Frigione, R. Goulding, M. Graham, J. Hobrik, S. Huygen, S. Jachmich, P. Jacquet, A. Kaye, P.U. Lamalle, E. Lerche, T. Loarer, M.-L. Mayoral, A. Messiaen, I. Monakhov, M.F.F. Nave, K. Nicholls, J. Ongena, F. Rimini, D. Van Eester, M. Vervier, M. Vrancken, C. Sozzi, D. Stork, M. Tsalas, A. Walden, A. Whitehurst, K.-D. Zastrow, JET EDFA contributors and JET EFDA, Culham Science Centre, Abingdon OX14 3DB, United Kingdom</i>	
	Conceptual design of the ECH upper launcher system for ITER, <i>R. Heidinger, R. Bertizzolo, A. Bruschi, R. Chavan, S. Cirant, A. Collazos, M. de Baar, B. Elzendoorn, D. Farina, U. Fischer, J. Gafert, F. Gandini, G. Gantenbein, A. Goede, T. Goodman, G. Hailfinger, M. Henderson, W. Kasperek, K. Kleefeldt, J.-D. Landis, A. Meier, A. Moro, P. Platania, E. Poli, G. Ramponi, G. Saibene, F. Sanchez, O. Sauter, T. Scherer, A. Serikov, H. Shidara, C. Sozzi, P. Spaeh, D. Strauss, V.S. Udintsev, A. Vaccaro, H. Zohm and C. Zucca</i>	
	In-vessel saddle coils for MHD control in ASDEX Upgrade, <i>W. Suttrop, O. Gruber, S. Günter, D. Hahn, A. Herrmann, M. Rott, T. Vierle, U. Seidel, M. Sempff, B. Streibl, E. Strumberger, D. Yadikin, O. Neubauer, B. Unterberg, E. Gaio, V. Toigo, P. Brunzell and the ASDEX Upgrade Team</i>	
	The magnetics diagnostic set for ITER, <i>R. Chavan, G. Chitarin, R.S. Delogu, A. Encheva, A. Gallo, E.R. Hodgson, L.C. Ingesson, A. Le-Luyer, J.B. Lister, P. Moreau, J.-M. Moret, S. Peruzzo, J. Roméro, D.S. Testa, M. Toussaint, G. Vayakis and R. Vila</i>	
	ITER operational space for full plasma current H-mode operation, <i>M. Mattei, M. Cavinato, G. Saibene, A. Portone, R. Albanese, G. Ambrosino, L.D. Horton, C. Kessel, F. Koechl, P.J. Lomas, I. Nunes, V. Parail, R. Sartori, A.C.C. Sips and P.R. Thomas</i>	
	The in-vessel components of the experiment WENDELSTEIN 7-X, <i>R. Stadler, A. Vorköper, J. Boscary, A. Cardella, F. Hurd, C. Li, B. Mendelevitch, A. Peacock and H. Pirsch</i>	
	Testing of high heat flux components manufactured by ENEA for ITER divertor, <i>E. Visca, F. Escourbiac, S. Libera, A. Mancini, G. Mazzone, M. Merola and A. Pizzuto</i>	
	Infrared thermography inspection of the ITER vertical target qualification prototypes manufactured by European industry using SATIR, <i>A. Durocher, F. Escourbiac, M. Richou, N. Vignal, M. Merola, B. Riccardi, V. Cantone and S. Constans</i>	
	A review of physical and mechanical properties of titanium beryllides with specific modern application of TiBe ₁₂ , <i>C.K. Dorn, W.J. Haws and E.E. Vidal</i>	
	Neutronics design analyses of fusion power reactors based on a novel integral approach, <i>U. Fischer, D. Große, P. Pereslavitsev, S. Stickel, H. Tsige-Tamirat and V. Weber</i>	
	Development of water-cooled solid breeder test blanket module in JAEA, <i>M. Akiba, M. Enoda, D. Tsuru, H. Tanigawa, T. Hirose, K. Mohri, Y. Seki, K. Ezato, S. Suzuki, H. Nishi and S. Mori</i>	
	The EU TBM systems: Design and development programme, <i>L.V. Boccaccini, J.-F. Salavy, O. Bede, H. Neuberger, I. Ricapito, P. Sardain, L. Sedano and K. Splichal</i>	

	Modification, enhancement and operation of a water detritiation facility at the Tritium Laboratory Karlsruhe, <i>R. Michling, I. Cristescu, L. Dörr, S. Welte and W. Wurster</i>	338
229	Commissioning and initial operation of KSTAR superconducting tokamak, <i>Y.-K. Oh, W.C. Kim, K.R. Park, M.K. Park, H.L. Yang, Y.S. Kim, Y. Chu, Y.O. Kim, J.G. Bak, E.N. Baang, S.W. Yoon, S.H. Hahn, H.J. Lee, S.H. Park, K.H. Kim, J. Hong, S.H. Baek, M.K. Kim, T.G. Lee, S.I. Lee, Y.S. Bae, H. Yonekawa, J.H. Choi, I.S. Hwang, Y.J. Kim, K.W. Cho, Y.M. Park, J.Y. Kim, J.H. Lee, J.S. Bak, M. Kwon, G.S. Lee, J.G. Kwak, H.S. Ahn, M.L. Walker, D.A. Humphreys, J.A. Leuer, A. Hyatt, G. Jackson, D. Mueller and D.P. Ivanov</i>	344
236	Status of the NCSX construction, <i>L.E. Dudek, J.H. Chrzanowski, P.J. Heitzenroeder, S. Raftopoulos, M.E. Viola, G.H. Neilson, D. Rej, M.J. Cole, P. Goranson and K. Freudenberg</i>	351
242	Contributed Papers	
247	Experimental investigation on the possible techniques of pebbles packing for the HCPB Test Blanket Module, <i>A. Abou-Sena, H. Neuberger and T. Ihli</i>	355
252	Analytical and numerical models for estimates of power loads from calorimetric measurements, <i>P. Agostinetti</i>	359
259	Approach to the lifetime assessment of the bayonet back plate for IFMIF target, <i>P. Agostini, M. Ida, G. Micciché, H. Nakamura and P. Turrioni</i>	364
265	Unified software development approach for the safety-critical ITER maintenance devices, <i>L. Aha, H. Saarinen, J. Tiitinen, A. Muhammad, J. Mattila, M. Siuko, M. Vilenius, J. Järvenpää, M. Irving, C. Damiani and L. Semeraro</i>	369
269	Mock-up of a support structure of the ITER vacuum vessel, <i>H.J. Ahn, J.W. Sa, Y.K. Kim, Y.S. Hong, J.H. Choi, T.H. Kwon, J.S. Lee, K.H. Park, T.S. Kim, W.I. Ha, I.S. Choi, B.C. Kim, K.H. Hong and C.H. Choi</i>	375
275	LOCA analysis for Korean helium cooled solid breeder TBM, <i>M.-Y. Ahn, S. Cho, D.Y. Ku, H.-S. Kim and J.-S. Suh</i>	380
	Experimental study of efficiency of natural oxide layers for reduction of tritium permeation through Eurofer 97, <i>A. Aiello, M. Utili, S. Scalia and G. Coccoluto</i>	385
	A new cooling scheme for the HCLL TBM, <i>G. Aiello, F. Gabriel, G. Rampal and J.-F. Salavy</i>	390
	ITER vertical stabilization system, <i>R. Albanese, G. Ambrosino, M. Ariola, M. Cavinato, G. De Tommasi, Y. Liu, M. Mattei, A. Pironti, A. Portone, G. Rubinacci, G. Saibene, F. Sartori and F. Villone</i>	394
	Design and experimental activities in view of Water Detritiation–Isotopic Separation Systems combination in TRENTA facility, <i>R.G. Ana, I. Cristescu, L. Dörr, R. Michling, S. Welte and W. Wurster</i>	398
	Mechanical design for modification of a neutral beam for off-axis injection, <i>P.M. Anderson and R.-M. Hong</i>	404
279	Influence of construction errors on Wendelstein 7-X magnetic configurations, <i>T. Andreeva, T. Bräuer, M. Endler, J. Kießlinger and U.v. Toussaint</i>	408
	Feasibility of a fast optical pressure interlock for the ITER neutral beam injectors, <i>A. Ash and E. Surrey</i>	413
	Analysis of deuteron elastic scattering and induced activation cross-sections of light and medium nuclei for IFMIF EVEDA, <i>M. Avrigeanu, W. von Oertzen, R.A. Forrest, A.C. Obreja, F.L. Roman and V. Avrigeanu</i>	418
284	Calorimetric method for current sharing temperature measurements in ITER conductor samples in SULTAN, <i>M. Bagnasco</i>	423
	An improved procedure for radiochemical processing of activated fusion-reactor-relevant V–Cr–Ti alloy, <i>S.A. Bartenev, B.N. Kolbasov, E.N. Li, P.V. Romanov, V.N. Romanovskij and N.G. Firsin</i>	427
290	Design optimisation and measuring techniques for the neutronics experiment on a HCLL–TBM mock-up, <i>P. Batistoni, M. Angelone, U. Fischer, D. Leichtle, A. Klix, I. Kodeli, L. Petrizzi, W. Pohorecki, A. Trkov and R. Villari</i>	430
	Configuration space control for Wendelstein 7-X, <i>C. Baylard, D.A. Hartmann, H. Greve and F. Herold</i>	435
295	Experimental and theoretical investigation of droplet emission from tungsten melt layer, <i>B. Bazylev, G. Janeschitz, I. Landman, A. Loarte, N.S. Klimov, V.L. Podkovyrov and V.M. Safronov</i>	441
300	A model for electrical fast transient analyses of the ITER NBI power supplies and the MAMuG accelerator, <i>M. Bigi, A. De Lorenzi, L. Grando, K. Watanabe and M. Yamamoto</i>	446
305	Design of a new ECRH launcher for FTU tokamak, <i>W. Bin, A. Bruschi, S. Cirant, G. Granucci, S. Mantovani, A. Moro and S. Nowak</i>	451
309	Processing of the quench detection signals in W7-X, <i>D. Birus, M. Schneider, T. Rummel, M. Fricke, K. Petry and A. Ebersoldt</i>	457
314	Common browsing and retrieval of technical and experimental data for steady state experiments, <i>T. Bluhm, P. Heimann, C. Hennig, G. Kühner, H. Kroiss, H. Laqua, M. Lewerentz, J. Maier, H. Riemann, J. Schacht, A. Spring, A. Werner and M. Zilker</i>	461
319	Potential failure mode and effects analysis for the ITER NB injector, <i>M. Boldrin, A. De Lorenzi, A. Fiorentin, L. Grando, D. Marcuzzi, S. Peruzzo, N. Pomaro, W. Rigato and G. Serianni</i>	466
323	Design issues of the High Voltage platform and feedthrough for the ITER NBI Ion Source, <i>M. Boldrin, M.D. Palma and F. Milani</i>	470
329	A Web Services based system for the distribution of live information at the FTU fusion experiment, <i>L. Boncagni, C. Centioli, L. Lattanzio, M. Panella, C. Torelli and L. Zaccarian</i>	475
333	Contribution to DEMO reactor RH maintenance assessment, <i>J. Bonnemason, J.-P. Friconneau, D. Maisonnier and Y. Perrot</i>	480

Evaluation of tritium diffusion through the Neutral Beam Injector calorimeter panel, <i>F. Borgognoni, A. Moriani, S. Sandri and S. Tosti</i>	485
Mechanical design features and challenges for the ITER ICRH antenna, <i>A. Borthwick, G. Agarici, A. Davis, P. Dumortier, F. Durodie, J. Fanthome, C. Hamlyn-Harris, A.D. Hancock, D. Lockley, R. Mitteau, M. Nightingale, R. Sartori and K. Vulliez</i>	493
Pre-series and testing route for the serial fabrication of W7-X target elements, <i>J. Boscary, H. Greuner, T. Friedrich, H. Traxler, B. Mendelevitch, B. Böswirth, J. Schlosser, M. Smirnow and R. Stadler</i>	497
Numerical simulation of swirl-tube cooling concept, application to the ITER project, <i>Y. Bourmonville, M. Grandotto, S. Pascal-Ribot, P. Spitz and F. Escourbiac</i>	501
Configuration Management for Wendelstein 7-X, <i>R. Brakel, P.v. Eeten, D.A. Hartmann, K. Henkelmann, J. Knauer, K. Müller, A. Okkenga-Wolf and U. Wenzel</i>	505
Design of a beam dump for the IFMIF-EVEDA accelerator, <i>B. Brañas, D. Iglesias, F. Arranz, G. Barrera, N. Casal, M. García, J. Gómez, D. López, J.J. Martínez, F. Martín-Fuertes, F. Ogando, C. Oliver, J. Sanz, P. Sauvan and A. Ibarra</i>	509
Comparison of neutron and gamma irradiation effects on KU1 fused silica monitored by electron paramagnetic resonance, <i>D. Bravo, J.C. Lagomacini, M. León, P. Martín, A. Martín, F.J. López and A. Ibarra</i>	514
Measurements of time-dependent liquid-metal magnetohydrodynamic flows in a flat rectangular duct, <i>L. Bühler and S. Horanyi</i>	518
Toroidal Field Ripple reduction studies for ITER and FAST, <i>G. Calabro, V. Cocilovo, F. Crisanti, A. Cucchiario, F. Lucca, A. Marin, A. Pizzuto, G. Ramogida, C. Rita and M. Roccella</i>	522
Design and testing of ITER ECH & CD transmission line components, <i>R.W. Callis, J.L. Doane, H.J. Grunloh, K. Kajiwara, A. Kasugai, C.P. Moeller, Y. Oda, R.A. Olstad, K. Sakamoto and K. Takahashi</i>	526
Issues from activation/dose rates calculation for full W ITER machine and increased fluence, <i>G. Cambi, D.G. Cepraga, L. Petrizzi, R. Villari and F. Moro</i>	530
Criteria and algorithms for constructing reliable databases for statistical analysis of disruptions at ASDEX Upgrade, <i>B. Cannas, A. Fanni, G. Pautasso, G. Sias, P. Sonato and the ASDEX Upgrade Team</i>	534
Studies for the design of the Wendelstein 7-X Thomson Scattering polychromators, <i>J. Cantarini, J.P. Knauer and E. Pasch</i>	540
Multipurpose ANSYS FE procedure for welding processes simulation, <i>A. Capriccioli and P. Frosi</i>	546
A new extremum seeking technique and its application to maximize RF heating on FTU, <i>D. Carnevale, A. Astolfi, C. Centioli, S. Podda, V. Vitale and L. Zaccarian</i>	554
Tritium permeation experiment at IFMIF Medium Flux Test Module, <i>N. Casal, A. García, A. Ibarra, F. Sordo, D. Rapisarda, V. Qeral and F. Mota</i>	559
Data distribution architecture based on standard real time protocol, <i>R. Castro, J. Vega, A. Pereira and A. Portas</i>	565
AC loss measurements on Cable in Conduit Conductor with random-changing magnetic fields, <i>F. Cau, P. Bruzzone and F. Stähli</i>	569
Thermal-hydraulic and thermo-structural analysis of first wall for Indian DEMO blanket module, <i>P. Chaudhuri, C. Danani, V. Chaudhari, C. Chakrapani, R. Srinivasan, I. Sandeep, E.R. Kumar and S.P. Deshpande</i>	573
Designing and manufacturing of the coil support structure of W7-X, <i>D. Chauvin, T. Koppe, A. Cardella, B. Missal, D. Pilopp, J. Reich, G. Di Bartolo, R. Camin, I. Gonzales, L. Giordano, S. Langone and Didier Chauvin on behalf of the W7-X Team</i>	578
Initiation and propagation of damage in actively cooled CFC armoured high heat flux components in fusion machines, <i>G. Chevet, J. Schlosser, E. Martin, V. Herb, G. Camus and F. Escourbiac</i>	586
Deuterium permeation behavior of erbium oxide coating on austenitic, ferritic, and ferritic/martensitic steels, <i>T. Chikada, A. Suzuki, Z. Yao, D. Levchuk, H. Maier, T. Terai and T. Muroga</i>	590
Technology developments for ITER in-vessel equilibrium magnetic sensors, <i>G. Chitarin, R. Delogu, A. Gallo and S. Peruzzo</i>	593
Korea's progress on the ITER tritium systems, <i>H. Chung, M. Shim, H. Yoshida, H. Jin, J. Lee, D.-H. Ahn, K.-K. Kim, K.-M. Song, D.J. Kim, M.H. Chang, H.-G. Kang, S.-H. Yun and S. Cho</i>	599
Proposal for a flowing liquid Lithium Heating Experiment (Lithex), <i>M. Ciotti</i>	604
Design update, thermal and fluid dynamic analyses of the EU-HCPB TBM in vertical arrangement, <i>F. Cismondi, S. Kecskés, M. Ilic, G. Légrádi, B. Kiss, O. Bitz, B. Dolensky, H. Neuberger, L.V. Boccaccini and T. Ihli</i>	607
Evaluation of the mechanical behavior of W7-X central support connections by means of semi-automated FE analysis, <i>Ł. Ciupiński, G. Krzesiński, K. Kurzydłowski, P. Marek, T. Zagrajek, V. Bykov, P. Czarkowski, W. Daenner, A. Dudek and F. Schauer</i>	613
Progress on the ITER ECRH upper launcher steering mirror identification and control, <i>A. Collazos, R. Bertizzolo, R. Chavan, F. Dolizy, F. Felici, M.A. Henderson, J.-D. Landis and F. Sanchez</i>	618
The key role of twist pitch and mechanical pre-treatment in the transport properties of Nb ₃ Sn wires subject to bending strain, <i>V. Corato, L. Muzzi, A. della Corte and R. Viola</i>	623
Health monitoring of Tore-Supra Toroidal Pump Limiter using Lock-in thermography, <i>X. Courtois, A. Durocher and M. Lipa</i>	628

DC insulation tests of W7-X coils at CEA, Saclay, <i>G. Croari, H. Viebke, K. Hertel, J. Baldzuhn, L. Genini, R. Bertrand and L. Vieillard</i>	632
Structural analysis of the central support elements for the Wendelstein 7-X magnet system, <i>P. Czarkowski, V. Bykov and A. Dudek</i>	636
Model-based control of the resistive wall mode in DIII-D: A comparison study, <i>J. Dalessio, E. Schuster, D.A. Humphreys, M.L. Walker, Y. In and J.-S. Kim</i>	641
The European contribution to the procurement of the ITER Remote Handling systems, <i>C. Damiani, M. Irving and L. Semeraro</i>	646
Progress in design and integration of the ITER Electron Cyclotron H&CD system, <i>C. Darbos, M. Henderson, F. Albajar, T. Bigelow, T. Bonicelli, R. Chavan, G.G. Denisov, D. Fasel, R. Heidinger, J.P. Hogge, N. Kobayashi, B. Piosczyk, S.L. Rao, D. Rasmussen, G. Saibene, K. Sakamoto, K. Takahashi and M. Thumm</i>	651
Tests of a 105 Ghz prototype diplexer-combiner based on square corrugated waveguide, <i>O. D'Arcangelo, W. Bin, A. Bruschi, W. Kasperek, A. Moro, V. Muzzini, B. Plaum and A. Simonetto</i>	656
Overview of the preliminary remote handling handbook for IFMIF, <i>O. David, G. Miccichè, A. Ibarra, J.-P. Friconeau and G. Piazza</i>	660
Experimental assessment of the ITER cryosorption pump high temperature regeneration, <i>C. Day and H. Haas</i>	665
Results of the SINGAP neutral beam accelerator experiment at JAEA, <i>H.P.L. de Esch, L. Svensson, T. Inoue, M. Taniguchi, N. Umeda, M. Kashiwagi and G. Fubiani</i>	669
A real-time current driving control system for the TJ-II coils, <i>A. de la Peña, L. Pacios, R. Carrasco and F. Lapayese</i>	676
Preparation of spherical particles of Li ₂ TiO ₃ (with diameters below 100 μm) by sol-gel process, <i>A. Deptuła, M. Brykała, W. Łada, T. Olczak, B. Sartowska, A.G. Chmielewski, D. Wawszczak and C. Alvani</i>	681
Characterization of arcs in ICRF transmission lines, <i>R. D'Inca, A. Onyshchenko, F. Braun, G. Siegl, V. Bobkov, H. Faugel and J.-M. Noterdaeme</i>	685
Cryopump design development for the ITER Neutral Beam Injectors, <i>M. Dremel, C. Day, S. Hanke and X. Luo</i>	689
Structural analysis of the W7-X cryogenic pipe system, <i>A. Dübner, D. Zacharias, M. Nagel, V. Bykov, F. Schauer and M. Ihrke</i>	694
PREFIT project: Integration of man-in-the-loop and automation for manipulation of heavy loads and forces in ITER, <i>G. Dubus, O. David, Y. Measson and J.-P. Friconeau</i>	698
Verification tests of critical bolted connections of the W7-X coils, <i>A. Dudek, V. Bykov, P. Czarkowski, D. Hathiramani, M. Nitz, F. Schauer, J. Klammer, C. Zauner and C. Damiani</i>	703
RF optimization of the ITER ICRF antenna plug including its broad banding by a service stub, <i>P. Dumortier, F. Louche, A. Messiaen, P. Tamain and M. Vervier</i>	707
Automated recognition system for ELM classification in JET, <i>N. Duro, R. Dormido, J. Vega, S. Dormido-Canto, G. Farias, J. Sánchez, H. Vargas, A. Murari and JET-EFDA Contributors</i>	712
Design optimisation of air-fed full pressurised suits, <i>P. Edwards, K. Tesch, T.G. Karayiannis, M.W. Collins, M.A. Atherton, P. Young, M. Large and R. Brade</i>	716
Structural analysis of Wendelstein 7-X magnet weight supports, <i>K. Egorov, V. Bykov, F. Schauer and P. van Eeten</i>	722
Transition of W7-X non-planar coils from manufacturing to assembly, <i>G. Ehrke and W7-X Team</i>	729
Analysis of the ITER ECH Upper Port Launcher remote maintenance using virtual reality, <i>B. Elzendoorn, M. de Baar, R. Chavan, T. Goodman, C. Heemskerk, R. Heidinger, K. Kleefeldt, J. Koning, S. Sanders, P. Späh, D. Strauss, T. Verhoeven and F. de Vreede</i>	733
Integration of ITER in-vessel diagnostic components in the vacuum vessel, <i>A. Encheva, L. Bertalot, B. Macklin, G. Vayakis and C. Walker</i>	736
Measurements investigating the embedding procedure of the Wendelstein 7-X non-planar coils, <i>M. Endler, T. Bräuer, T. Kluck, J. Müller and L. Wegener</i>	743
Experimental activity on the definition of acceptance criteria for the ITER divertor plasma facing components, <i>F. Escourbiac, S. Constans, N. Vignal, V. Cantone, M. Richou, A. Durocher, B. Riccardi, I. Bobin, J.L. Jouvelot and M. Merola</i>	747
The use of digital mock-ups on the development of the Divertor Test Platform 2, <i>S. Esque, J. Mattila, M. Siuko, M. Vilenius, J. Järvenpää, L. Semeraro, M. Irving and C. Damiani</i>	752
Hydrogen transport and trapping in the GlidCop Al25 IG alloy, <i>G.A. Esteban, G. Alberro, I. Peñalva, A. Peña, F. Legarda and B. Riccardi</i>	757
Progress on the design of the cryogenic plant for the ITER Neutral Beam Injector test facility in Padova, <i>F. Fantini, G. Anaclerio, O. Barana, F. Fellin and R. Pengo</i>	762
Weld integrity of the superconducting cable aluminium jackets of W7-X, <i>J. Fellingner, A. Dudek, D. Zacharias, H. Dutz, K. Risse, D. Hathiramani, V. Bykov and F. Schauer</i>	766
Performance of the TJ-II ECRH system with the new –80 kV 50 A high voltage power supply, <i>A. Fernández, J.M. de la Fuente, D. Ganuza, I. Kirpichev, J. Alonso, F. García, E. Ascasibar, J.M. del Río, I. García, A. Ros, P. Álvarez, A. Tolkachev and G. Catalán</i>	772
Status of HTS current leads for WENDELSTEIN 7-X and JT-60SA, <i>W.H. Fietz, R. Heller, A. Kienzler and R. Lietzow</i>	776

Axial compression test on ITER-TFMC conductors at room temperature, <i>H. Fillunger, R.K. Maix, R. Prokopec and A. Danninger</i>	
Preliminary evaluation of the expected radiation damage of the bayonet IFMIF back-plate, <i>M. Frisoni, P. Agostini, D. Fasanella and G. Micciché</i>	
Recent developments at IPP on evaporation and control of caesium in negative ion sources, <i>M. Frösche, R. Riedl, H. Falter, R. Gutser, U. Fantz and the IPP NNBI team</i>	
Modified blanket cooling manifold system for ITER, <i>A. Furmanek, P. Lorenzetto and C. Damiani</i>	
A methodology to assess the impact of the manufacturing margins of the HCLL-TBM first wall in the design criteria, <i>F. Gabriel, G. Aiello and J.-F. Salavy</i>	
Conceptual design of the quench protection circuits for the JT-60SA superconducting magnets, <i>E. Gaio, L. Novello, R. Piovan, K. Shimada, T. Terakado, K. Kurihara and M. Matsukawa</i>	
The design and manufacture of the enhanced radial field amplifier (ERFA) for the jet project, <i>D. Gamuza, D. Rendell, B. Arenal, J.M. de la Fuente, S.R. Shaw, V. Toigo, M. Zulaika, A. Arenal and JET EFDA contributors</i>	
Optimisation of operating parameters for plasma facing components detritiation, <i>O. Gastaldi and N. Ghirelli</i>	
Pre-study of a detritiation process for plasma facing components in the ITER hot cells, <i>N. Ghirelli, V. Blet and O. Gastaldi</i>	
Real time magnetic field and flux measurements for tokamak control using a multi-core PCI Express system, <i>L. Giannone, W. Schneider, P.J. McCarthy, A.C.C. Sips, W. Treutterer, K. Behler, T. Eich, J.C. Fuchs, N. Hicks, A. Kallenbach, M. Maraschek, A. Mlynek, G. Neu, G. Pautasso, G. Raupp, M. Reich, K.H. Schuhbeck, J. Stober, F. Volpe, T. Zehetbauer, M. Cerna, T. Debelle, B. Marker, S. McCaslin, M. Munroe, L. Wenzel and ASDEX Upgrade Team</i>	
Radiation resistant bolometers with Al ₂ O ₃ and AlN substrates, anodized aluminium support frames, and improved electrical contacts, <i>M. Gonzalez and E.R. Hodgson</i>	
Configuration and supervision of advanced distributed data acquisition and processing systems for long pulse experiments using JINI technology, <i>J. González, M. Ruiz, E. Barrera, J.M. López, G. de Arcas and J. Vega</i>	
Origin of surface electrical degradation of insulators due to ionic bombardment, <i>S.M. González de Vicente, A. Moroño and E.R. Hodgson</i>	
Cryogenic vacuum tests of scaled down narrow support elements for the W7-X coil system, <i>T. Gradt, T. Schneider, J. Lingertat, D. Hathiramani, P. Junghanns, K. Assmus and F. Schauer</i>	
Preliminary electrostatic and mechanical design of a SINGAP-MAMuG compatible accelerator, <i>L. Grando, S. Dal Bello, A. De Lorenzi, N. Pilan, A. Rizzolo and P. Zaccaria</i>	
Review of the high heat flux testing as an integrated part of W7-X divertor development, <i>H. Greuner, B. Bösowirth, J. Boscary, T. Friedrich, C. Lavergne, C. Linsmeier, J. Schlosser and A. Wiltner</i>	
Numerical simulation of the temperature response of the JET Bulk-W Divertor Row on pulsed heat loading, <i>S. Grigoriev, P. Mertens, O. Neubauer, S. Sadakov, K. Senik and V. Tanchuk</i>	
Innovative image processing techniques applied to the thermographic inspection of PFC with SATIR facility, <i>R. Guigon, C. Le Niliot, M. Missirlian, X. Courtois and F. Cismondi</i>	
Radiation and temperature resistant electrical contacts for ITER diagnostic components, <i>A. Gusarov, S. Huysmans, M. Gonzalez and E.R. Hodgson</i>	
Plasma control system for “Day-One” operation of KSTAR tokamak, <i>S.-h. Hahn, M.L. Walker, K. Kim, H.S. Ahn, B.G. Penaflo, D.A. Piglowski, R.D. Johnson, J. Choi, D.-k. Lee, J. Kim, S.W. Yoon, S.-H. Seo, H.T. Kim, K.P. Kim, T.G. Lee, M.K. Park, J.G. Bak, S.G. Lee, Y.U. Nam, N.W. Eidietis, J.A. Leuer, A.W. Hyatt, G.L. Jackson, D. Mueller, A.S. Welander, G. Abla, D.A. Humphreys, W.C. Kim and Y.-K. Oh</i>	
Remote handling preparations for JET EP2 shutdown, <i>B. Haist, S. Mills and A. Loving</i>	
Design verification of the heating neutral beam port liner for the ITER vacuum vessel, <i>J.K. Ham, Y.K. Kim, Y.S. Hong, D.H. Kim, H.J. Ahn, J.W. Sa and B.C. Kim</i>	
Engineering design of an RF vacuum window for the ITER ICRH antenna, <i>C. Hamlyn-Harris, A. Borthwick, J. Fanthome, C. Waldon, M. Nightingale and N. Richardson</i>	
Revised assessments of the economics of fusion power, <i>W.E. Han and D.J. Ward</i>	
Full-scale friction test on tilted sliding bearings for Wendelstein 7-X coils, <i>D. Hathiramani, J. Lingertat, P.v. Eeten, M. Sochor, M. Laux, V. Bykov, F. Schauer, B. Heinemann, P. Junghanns, A. Brenner, C. Zauner and H. Langer</i>	
Conductance modelling of ITER vacuum systems, <i>V. Hauer and C. Day</i>	
Analysis of residual gas by high-resolution mass spectrometry during helium glow discharge cleaning in JT-60U, <i>T. Hayashi, A. Kaminaga, T. Arai and M. Sato</i>	
Applying principles of Design For Assembly to ITER maintenance operations, <i>C. Heemskerk, M. de Baar, B. Elzendoorn, J. Koning, T. Verhoeven and F. de Vreede</i>	
Design of the “half-size” ITER neutral beam source for the test facility ELISE, <i>B. Heinemann, H. Falter, U. Fantz, P. Franzen, M. Frösche, R. Gutser, W. Kraus, R. Nocentini, R. Riedl, E. Speth, A. Stäbler, D. Wünderlich, P. Agostinetti and T. Jiang</i>	
Development of insulation technology with Cyanate Ester resins for ITER TF coils, <i>T. Hemmi, N. Koizumi, K. Matsui, K. Okuno, A. Nishimura, M. Sakai and S. Asano</i>	

780	A closed-loop control system for stabilization of MHD events on TEXTOR, <i>B.A. Hennen, E. Westerhof, J.W. Oosterbeek, P.W.J.M. Nuij, D. De Lazzari, G.W. Spakman, M. de Baar, M. Steinbuch and the TEXTOR team</i>	928
784	Effects of irradiation conditions and environment on the reflectivity of different steel mirrors for ITER diagnostics systems, <i>T. Hernandez, P. Martin, P. Fernandez and E.R. Hodgson</i>	935
788	Development of a Laser Ablation System Kit (LASK) for Tokamak in vessel tritium and dust inventory control, <i>C. Hernandez, H. Roche, C. Pocheau, C. Grisolia, L. Gargiulo, A. Semerok, A. Vatry, P. Delaporte and L. Mercadier</i>	939
793	Documentation and first data-analysis on acceptance tests of W7-X coils, <i>K. Hertel, J. Baldzuhn, H. Viebke, G. Croari, L. Genini, B. Renard, L. Vieillard and H. Ehmler</i>	943
798	Mock-up test results of monoblock-type CFC divertor armor for JT-60SA, <i>S. Higashijima, S. Sakurai, S. Suzuki, K. Yokoyama, Y. Kashiwa, K. Masaki, Y.K. Shibama, M. Takechi, K. Shibamura, A. Sakasai, M. Matsukawa and M. Kikuchi</i>	949
804	Modeling of lower hybrid antennas using the ALOHA code and comparisons with Tore Supra experiments, <i>J. Hillairet, D. Voyer, B. Frincu, O. Meneghini, A. Ekedahl and M. Goniche</i>	953
810	New synthesis method of advanced lithium titanate with Li ₄ TiO ₄ additives for ITER-TBM, <i>T. Hoshino, K. Kato, Y. Natori, M. Nakamura, K. Sasaki, K. Hayashi, T. Terai and K. Tatenuma</i>	956
815	Insulation systems for superconducting fusion magnets based on cyanate ester blends, <i>K. Humer, R. Prokopec, R.K. Maix, H. Fillunger and H.W. Weber</i>	960
821	Efficient helium cooling methods for nuclear fusion devices: Status and prospects, <i>T. Ihli and M. Ilić</i>	964
825	Review of design principles for ITER VV remote inspection in magnetic field, <i>J.-B. Izard, Y. Perrot and J.-P. Friconneau</i>	969
829	HELOKA data acquisition and control system: Current development status, <i>A. Jianu, V. Marchese, B.E. Ghidersa, G. Messemer and T. Ihli</i>	974
832	Conceptual design of a compact absolute valve for the ITER neutral beam injectors, <i>C. Jones, C. Waldon, D. Martin, M. Watson, K. Sonderegger, B. Lenherr, I. Andrews and S. Mansbridge</i>	979
837	Nuclear performance analyses of the HCLL breeder blanket for a fusion power reactor, <i>J. Jordanova, U. Fischer and P. Pereslavtsev</i>	985
840	Thermo-hydraulic analysis on in-bed calorimetry in a thin double-layered annulus metal hydride bed, <i>H.-G. Kang, E.-S. Lee, S. Cho, M.H. Chang, S.-H. Yun, M.-Y. Ahn, K.J. Jung, H. Chung, M. Shim, K.-M. Song and H. Yoshida</i>	989
844	The diagnostic neutral beam injector with arc-discharge plasma source on the TCV Tokamak, <i>A.N. Karpushov, Y. Andrebe, B.P. Duval and A. Bortolon</i>	993
848	10MVA thyristor converters for the active damping of generator shaft oscillations at ASDEX Upgrade, <i>C.-P. Käsemann, L. van Lieshout, M. Huart, M. Rott and ASDEX Upgrade Team</i>	998
853	High-power microwave diplexers for advanced ECRH systems, <i>W. Kasperek, M. Petelin, V. Erckmann, A. Bruschi, F. Noke, F. Purps, F. Hollmann, Y. Koshurinov, L. Lubyako, B. Plaum and W. Wubie</i>	1002
859	Progress in the high power CW klystron development for Tore Supra, <i>F. Kazarian, E. Bertrand, L. Delpech, C. Goletto, M. Prou, J. Achard, G. Berger By, F. Bouquey, R. Magne, A. Beunas, C. Bellemere, R. Marchesin, B. Beaumont and C. Darbos</i>	1006
864	Development and design optimization of water hydraulic manipulator for ITER, <i>T. Kekäläinen, J. Mattila and T. Virvalo</i>	1010
867	Real time command control architecture for an ITER relevant inspection robot in operation on Tore Supra, <i>D. Keller, P. Bayetti, J. Bonnemason, V. Bruno, P. Chambaud, J.P. Friconneau, L. Gargiulo, M. Itchah, S. Lamy, R. Le, Y. Measson, Y. Perrot and D. Ponsort</i>	1015
875	Shielding of the NBI boxes against W7-X magnetic stray fields, <i>M. Kick, J. Sielanko, B. Heinemann, R. Riedl, E. Speth and A. Stäbler</i>	1020
880	Wall conditioning of the KSTAR vacuum vessel, <i>K.M. Kim, H.L. Yang, S.H. Hong, S.T. Kim, H.T. Kim, K.P. Kim, K.S. Lee, H.K. Kim, J.S. Bak and KSTAR team</i>	1026
887	Design features of the KSTAR in-vessel control coils, <i>H.K. Kim, H.L. Yang, G.H. Kim, J.-Y. Kim, H. Jhang, J.S. Bak and G.S. Lee</i>	1029
895	Three-dimensional shakedown analysis of fiber-reinforced metal matrix composite (FRMMC) layered plasma-facing component for high heat flux loading, <i>B.Y. Kim and J.H. You</i>	1033
899	Overview of the KSTAR vacuum pumping system, <i>K.P. Kim, K.S. Lee, H.L. Yang, M.K. Kim, H.K. Kim, G.H. Kim, K.M. Kim, H.T. Kim, K.H. Kim, M.K. Park, Y.K. Oh and J.S. Bak</i>	1038
903	KSTAR thermal shield, <i>G.H. Kim, W.C. Kim, H.L. Yang, E.N. Bang, K.P. Kim, K.S. Lee, H.T. Kim, Y.S. Kim, J.S. Bak, D.K. Kang and Y.S. Lee</i>	1043
911	Development and commissioning results of the KSTAR discharge control system, <i>K. Kim, M. Park, S.-H. Hahn, M. Kim, J. Hong, S. Baek, T. Lee, S.-I. Lee, J.-S. Park, J. Choi, J. Kim, H.S. Ahn, K.-R. Park and Y.-K. Oh</i>	1049
915	Augmented virtualised reality–Applications and benefits in remote handling for fusion, <i>R. King and D. Hamilton</i>	1055
923	Critical current measurement of prototype NbTi cable-in-conduit conductor for JT-60SA, <i>K. Kizu, K. Tsuchiya, T. Obana, K. Takahata, R. Hoshi, S. Hamaguchi, Y. Nunoya, K. Yoshida, M. Matsukawa, N. Yanagi, S. Imagawa and T. Mito</i>	1058

- Design study of an ECRF antenna for JT-60SA, *T. Kobayashi, S. Moriyama, T. Fujii, K. Takahashi, K. Kajiwara and K. Sakamoto* 1063
- The impact of specific surface area on the retention of deuterium in carbon fiber composite materials, *R.D. Kolasinski, K.R. Umstadter, J.P. Sharpe, R.A. Causey, R.J. Pawelko, J.A. Whaley, D.A. Buchenauer and M. Shimada* 1068