

**IEEE EIGHTEENTH INTERNATIONAL CONFERENCE ON MAGNET TECHNOLOGY**

Hosted by National Institute for Materials Science and Iwate Prefecture  
Morioka City, Iwate Prefecture, Japan, October 20–24, 2003

Chairman's Introduction . . . . .	<i>H. Wada</i>	139
Address by Mr. Hiroya Masuda, Governor of Iwate Prefecture . . . . .	<i>H. Masuda</i>	141
Message From the Chairman of the Scientific Program Committee . . . . .	<i>T. Shintomi</i>	142
Organizing Committees . . . . .		143
List of Hosts and Sponsors . . . . .		144
List of Exhibitors . . . . .		145
Group Photo . . . . .		146

**Superconducting Magnets**

Status of the Large Hadron Collider (LHC) . . . . .	<i>L. R. Evans</i>	147
Superconducting Magnets for the LHC Main Lattice . . . . .	<i>L. Rossi</i>	153
LHC Cable Production in Japan . . . . .	<i>S. Meguro</i>	159
Quench Performance and Field Quality of the LHC Preseries Superconducting Dipoles . . . . .	<i>A. Siemko, O. Berrig, L. Bottura, M. Buzio, V. Chohan, E. Floch, V. Granata, M. Pojer, P. Pugnati, L. Rossi, S. Sanfilippo, N. Smirnov, J. Vloagaert, and L. Walckiers</i>	165
Industrialization of LHC Main Quadrupole Cold Masses Up to Series Production . . . . .	<i>R. Burgmer, D. Krischel, U. Klein, K. Knitsch, P. Schmidt, T. Tortschanoff, K. Schirm, M. Durante, J. M. Rifflet, and F. Simon</i>	169

(Contents Continued on Page 122)

Production Follow-Up of the LHC Main Dipoles Through Magnetic Measurements at Room Temperature . . . . . 173  
 . . . . . *E. Wildner, S. Pauletta, V. Remondino, W. Scandale, E. Todesco, and C. Vollinger*  
 Steering Field Quality in the Main Dipole Magnets of the Large Hadron Collider . . . . . 177  
 . . . . . *E. Todesco, B. Bellesia, L. Bottura, A. Devred, V. Remondino, S. Pauletta, S. Sanfilippo, W. Scandale, C. Vollinger, and E. Wildner*  
 Superconducting Magnets for LHC Insertions . . . . . 181  
 . . . . . *R. Ostojic*  
 Test Results From the LQXB Quadrupole Production Program at Fermilab for the LHC Interaction Regions . . . . .  
 . . . . . *R. Bossert, J. Carson, D. R. Chichili, S. Feher, J. Kerby, M. J. Lamm, A. Nobrega, T. Nicol, T. Ogitsu, D. Orris, T. Page, T. Peterson, R. Rabehl, W. Robotham, R. Scanlan, P. Schlabach, C. Sylvester, J. Strait, M. Tartaglia, J. C. Tompkins, G. Velev, S. Yadav, and A. V. Zlobin* 187  
 Magnetic Field Characteristics of the Low-Beta Quadrupole Magnets, MQXA, for LHC . . . . .  
 . . . . . *N. Ohuchi, Y. Ajima, T. Nakamoto, T. Ogitsu, T. Shintomi, K. Sugita, K. Tsuchiya, and A. Yamamoto* 191  
 Status of the Production of the LHC Superconducting Corrector Magnets . . . . .  
 . . . . . *M. Allitt, A. Ijspeert, M. Karppinen, J. Mazet, and R. Wolf* 195  
 Construction and Qualification of the Pre-Series MQM Superconducting Quadrupoles for the LHC Insertions . . . . .  
 . . . . . *R. Ostojic, N. Catalan Lasheras, J. Lucas, W. Venturini Delsolaro, and D. Landgrebe* 199  
 Design and Assembly of the Pre-Series Quadrupoles for the LHC Insertions . . . . .  
 . . . . . *R. Ostojic, J. Lucas, G. Kirby, J. C. Perez, and H. Prin* 203  
 Fabrication of the Pre-Series Wide Aperture Superconducting Quadrupoles for the LHC Insertions . . . . .  
 . . . . . *G. A. Kirby, N. Catalan Lasheras, R. Ostojic, R. Burgmer, M. Jordan, D. Krischel, and P. Schmidt* 207  
 Deformations and Displacements of the LHC Superconducting Dipoles Induced by Standard and Non-Standard  
 Operational Modes . . . . . *M. La China, J. Garcia Perez, G. Gubello, and W. Scandale* 211  
 The LHC Pre-Series Dipole Cold Mass Geometry . . . . .  
 . . . . . *M. Bajko, R. Chamizo, F. Savary, B. Skoczen, R. Veness, and J. B. Jeanneret* 215  
 Correlations Between Field Quality and Geometry of Components in the Collared Coils of the LHC Main Dipoles . . . . .  
 . . . . . *B. Bellesia, V. Remondino, W. Scandale, E. Todesco, and C. Vollinger* 219  
 Statistical Analysis of Conductor Motion in LHC Superconducting Dipole Magnets . . . . .  
 . . . . . *M. Calvi, N. Ponomarev, P. Pugnati, and A. Siemko* 223  
 Magnetic Alignment Measurements at Room and Cryogenic Temperature of LHC Cryodipoles and Associated Correctors  
 at CERN . . . . . *L. Bottura, M. Buzio, M. Coccoli, G. Deferne, J. Garcia-Perez, and N. Smirnov* 227  
 Shape Analysis of the LHC Pre-Series Dipoles . . . . . *G. Gubello, M. La China, and W. Scandale* 231  
 Mechanical Design of a Second Generation LHC IR Quadrupole . . . . . *S. Caspi, S. E. Bartlett, D. R. Dietderich,*  
*P. Ferracin, S. A. Gourlay, R. R. Hafalia, C. R. Hannaford, A. F. Lietzke, A. D. McInturff, G. Sabbi, and R. M. Scanlan* 235  
 Magnetic Field Measurements of the LHC-IR MQXA Magnets at Room Temperature . . . . .  
 . . . . . *N. Ohuchi, Y. Ajima, T. Nakamoto, T. Ogitsu, T. Shintomi, K. Tsuchiya, and A. Yamamoto* 239  
 Results of Magnetic Axis Measurements on a Prototype Main Lattice Quadrupole for the LHC . . . . .  
 . . . . . *N. Smirnov, L. Bottura, M. Buzio, G. Deferne, V. Parma, P. Rohmig, and T. Tortschanoff* 243  
 LHC Interaction Region Quadrupole Cryostat Production, Alignment, and Performance Summary . . . . .  
 . . . . . *T. H. Nicol, J. E. DiMarco, J. S. Kerby, T. M. Page, T. J. Peterson, and R. J. Rabehl* 247  
 The Quench Protection System for the LHC Test String 2 . . . . .  
 . . . . . *K. Dahlerup-Petersen, R. Denz, D. Milani, F. Rodriguez-Mateos, and F. Tegenfeldt* 251  
 Study of Time Dependent Magnetic Field Variation Due to Current Redistribution in Rutherford Cable . . . . .  
 . . . . . *K. Sugita, T. Ogitsu, N. Ohuchi, T. Nakamoto, T. Shintomi, K. Tsuchiya, and A. Yamamoto* 255  
 Open Midplane Dipole Design for LHC IR Upgrade . . . *R. Gupta, M. Anerella, M. Harrison, J. Schmalzle, and N. Mokhov* 259  
 Performance of UNK Superconducting Dipoles With Natural Oxide Coating of Strands . . . . .  
 . . . . . *A. I. Ageyev, N. I. Andreev, I. V. Bogdanov, S. S. Kozub, K. P. Myznikov, A. A. Olyunin, A. P. Orlov, P. A. Shcherbakov, V. V. Sytnik, L. M. Tkachenko, and A. V. Zlobin* 263  
 Investigation of the Power Losses in a Laminated Dipole Magnet With Superconducting Coils . . . . .  
 . . . . . *A. Kalimov, E. Fischer, G. Hess, G. Moritz, and C. Mühle* 267  
 Design of a Superferric Dipole Magnet With High Field Quality in the Aperture . . . *A. Kalimov, G. Moritz, and A. Zeller* 271  
 Superconducting Bending Magnet for the RIKEN Superconducting Ring Cyclotron . . . . .  
 . . . . . *H. Okuno, S. Fujishima, T. Tominaka, J. Ohnishi, K. Ikegami, A. Goto, and Y. Yano* 275

Normal Zone Propagation in High-Current Density Nb<sub>3</sub>Sn Conductors for Accelerator Magnets . . . . . 279  
 . . . . . *A. den Ouden, H. van Weeren, W. A. J. Wessel, H. H. J. ten Kate, G. A. Kirby, N. Siegel, and T. Taylor*  
 HD1: Design and Fabrication of a 16 Tesla Nb<sub>3</sub>Sn Dipole Magnet . . . . .  
 . . . . . *A. R. Hafalia, S. E. Bartlett, S. Caspi, L. Chiesa, D. R. Dietderich, P. Ferracin, M. Goli, S. A. Gourlay, C. R. Hannaford, H. Higley, A. F. Lietzke, N. Liggins, S. Mattafirri, A. D. McInturff, M. Nyman, G. L. Sabbi, R. M. Scanlan, and J. Swanson* 283  
 Field Quality Measurements of Fermilab Nb<sub>3</sub>Sn Common Coil Dipole Model . . . . .  
 . . . . . *V. S. Kashikhin, N. Andreev, J. DiMarco, S. Feher, V. V. Kashikhin, M. Lamm, I. Novitski, D. Orris, P. Schlabach, C. Sylvester, M. Tartaglia, G. Velev, and A. V. Zlobin* 287  
 3D ANSYS Quench Simulation of Cosine Theta Nb<sub>3</sub>Sn High Field Dipole Magnets . . . . .  
 . . . . . *R. Yamada, E. Marscin, A. Lee, and M. Wake* 291  
 Development of Superconducting Dipole Design for Creation of Fast-Cycling Magnetic Fields . . . . . *A. Ageev,*  
*I. Bogdanov, S. Kozub, P. Shcherbakov, P. Slabodchikov, V. Sytnik, L. Tkachenko, V. Zubko, J. Kaugerts, and G. Moritz* 295  
 Sector Magnets for the RIKEN Superconducting Ring Cyclotron . . . . . *A. Goto, H. Okuno,*  
*J. Ohnishi, T. Tominaka, S. Fujishima, K. Ikegami, N. Fukunishi, Y. Miyazawa, T. Mitsumoto, and Y. Yano* 300  
 Measured and Calculated Losses in Model Dipole for GSI's Heavy Ion Synchrotron . . . . .  
 . . . . . *M. N. Wilson, M. Anerella, G. Ganetis, A. K. Ghosh, P. Joshi, A. Marone, C. Muehle, J. Muratore, J. Schmalzle, R. Soika, R. Thomas, P. Wanderer, J. Kaugerts, G. Moritz, and W. V. Hassenzahl* 306  
 Prototype of Superferric Quadrupole Magnets for the BigRIPS Separator at RIKEN . . . . .  
 . . . . . *K. Kusaka, T. Kubo, Y. Mizoi, K. Yoshida, A. Yoshida, T. Tominaka, Y. Yano, T. Tsuchihashi, N. Kakutani, and K. Sato* 310  
 Development and Testing of the Improved Focusing Quadrupole for Heavy Ion Fusion Accelerators . . . . .  
 . . . . . *N. N. Martovetsky, R. R. Manahan, R. B. Meinke, L. Chiesa, A. F. Lietzke, G. L. Sabbi, and P. A. Seidl* 316  
 Progress in the Design and Study of a Superferric Dipole Magnet for the GSI Fast-Pulsed Synchrotron SIS100 . . . . .  
 . . . . . *A. D. Kovalenko, N. N. Agapov, V. G. Aksenov, I. E. Karpunina, H. G. Khodzhbagiyani, G. L. Kuznetsov, M. A. Voevodin, G. Moritz, E. Fischer, G. Hess, and C. Muehle* 321  
 Precursory Voltage Signals in Cosine Theta Nb<sub>3</sub>Sn High Field Model Magnets . . . . . *R. Yamada and E. Marscin* 325  
 Hydrogen Cooled Superferric Magnets for Accelerators and Beam Lines . . . . .  
 . . . . . *H. Hirabayashi, N. Kimura, Y. Makida, and T. Shintomi* 329  
 High Field Magnet R&D in the USA . . . . . *S. A. Gourlay* 333  
 High Field Accelerator Magnet R&D in Europe . . . . . *A. Devred, D. E. Baynham, L. Bottura,*  
*M. Chorowski, P. Fabbriatore, D. Leroy, A. den Ouden, J. M. Rifflet, L. Rossi, O. Vincent-Viry, and G. Volpini* 339  
 Test Results for HD1, a 16 Tesla Nb<sub>3</sub>Sn Dipole Magnet . . . . . *A. F. Lietzke,*  
*S. Bartlett, P. Bish, S. Caspi, L. Chiesa, D. Dietderich, P. Ferracin, S. A. Gourlay, M. Goli, R. R. Hafalia, H. Higley, R. Hannaford, W. Lau, N. Liggins, S. Mattafirri, A. McInturff, M. Nyman, G. Sabbi, R. Scanlan, and J. Swanson* 345  
 Test Results of Shell-Type Nb<sub>3</sub>Sn Dipole Coils . . . . .  
 . . . . . *S. Feher, G. Ambrosio, N. Andreev, E. Barzi, R. Carcagno, D. R. Chichili, V. Kashikhin, V. V. Kashikhin, M. J. Lamm, D. Orris, Y. Pischalnikov, C. Sylvester, M. Tartaglia, J. C. Tompkins, S. Yadav, R. Yamada, and A. V. Zlobin* 349  
 Development and Test of Single-Layer Common Coil Dipole Wound With Reacted Nb<sub>3</sub>Sn Cable . . . . .  
 . . . . . *V. S. Kashikhin, G. Ambrosio, N. Andreev, E. Barzi, D. Chichili, L. Imbasciati, S. Feher, V. V. Kashikhin, M. Lamm, P. J. Limon, I. Novitski, D. Orris, C. Sylvester, M. Tartaglia, J. Tompkins, S. Yadav, R. Yamada, G. Velev, and A. V. Zlobin* 353  
 Development and Manufacturing of a Nb<sub>3</sub>Sn Quadrupole Magnet Model at CEA/Saclay for the TESLA Interaction Region  
 . . . . . *M. Durante, A. Devred, M. Fratini, D. Lebeuf, M. Segreti, and P. Védrine* 357  
 Thermal, Electrical and Mechanical Response in Nb<sub>3</sub>Sn Superconducting Coils . . . . .  
 . . . . . *P. Ferracin, S. Caspi, L. Chiesa, S. A. Gourlay, R. R. Hafalia, L. Imbasciati, A. F. Lietzke, G. Sabbi, and R. M. Scanlan* 361  
 Construction and Tests of MgB<sub>2</sub> React & Wind Coils . . . . . *R. Musenich, P. Fabbriatore,*  
*C. Fanciulli, C. Ferdeghini, G. Grasso, M. Greco, A. Malagoli, R. Marabotto, M. Modica, A. Siri, and A. Tumino* 365  
**Conduction-Cooled Magnets**  
 Design of a Cryocooler-Cooled Large Bore Superconducting Magnet for a 30 T Hybrid Magnet . . . . .  
 . . . . . *T. Hasebe, S. Okada, M. Ishizuka, T. Tsurudome, T. Ito, H. Ookubo, J. Sakuraba, K. Watanabe, S. Awaji, K. Koyama, G. Nishijima, and K. Takahashi* 368  
 Development of Wide-Bore Conduction-Cooled Superconducting Magnet System for Material Processing Applications  
 . . . . . *Q. Wang, L. Yan, B. Zhao, S. Song, and Y. Lei* 372  
 NbTi Magnet Cooled by SRDK-408 Cryocooler-Results and Numerical Model . . . . .  
 . . . . . *S. Kozak, T. Janowski, G. Wojtasiewicz, B. Kondratowicz-Kucewicz, J. Kozak, and P. Surdacki* 376

Fabrication of a Variable-Field-Direction Superconducting Magnet . . . . . S. Matsumoto, J. Fujihira, T. Kiyoshi, and H. Wada 380

Development of a Cryo-Cooled Superconducting Magnet With a Large Magnetic-Force Field. . . . . M. Kyoto, S. Hanai, H. Takano, K. Takahashi, G. Nishijima, S. Awaji, K. Watanabe, and M. Motokawa 384

Advances in the First Cryogen-Free Hybrid Magnet . . . . . K. Watanabe, G. Nishijima, S. Awaji, K. Takahashi, K. Koyama, M. Motokawa, M. Ishizuka, T. Hasebe, and J. Sakuraba 388

A Cryocooler-Cooled 19 T Superconducting Magnet With 52 mm Room Temperature Bore . . . . . T. Kurusu, M. Ono, S. Hanai, M. Kyoto, H. Takigami, H. Takano, K. Watanabe, S. Awaji, K. Koyama, G. Nishijima, and K. Togano 393

**Resistive Magnets**

The Magnet Design Study for the FFAG Accelerator . . . . . M. Yoshimoto, T. Ogitsu, M. Aiba, T. Obana, S. Machida, and Y. Mori 397

Development of Radiation Resistant Magnets for JHF/J-PARC . . . . . K. H. Tanaka, E. Hirose, H. Takahashi, K. Agari, A. Toyoda, Y. Sato, M. Minakawa, H. Noumi, Y. Yamanoi, M. Ieiri, Y. Katoh, Y. Yamada, Y. Suzuki, M. Takasaki, T. Birumachi, S. Tsukada, Y. Saitoh, N. Saitoh, K. Yahata, K. Kato, and H. Tanaka 402

Quadrupole Magnets for Indus-2. . . . . K. Ruwali, V. Thakur, and S. P. Mhaskar 406

Design of RCS Magnets for J-PARC 3-GeV Synchrotron . . . . . N. Tani, T. Adachi, S. Igarashi, Y. Watanabe, H. Someya, H. Sato, and J. Kishiro 409

Comparison Study of Electromagnet and Permanent Magnet Systems for an Accelerator Using Cost-Based Failure Modes and Effects Analysis. . . . . C. M. Spencer and S. J. Rhee 413

Design and Construction of the Magnets and Insertion Devices for the SOLEIL Synchrotron . . . . . A. Daël, C. Benabderrahmane, O. Chubar, M. Corlier, O. Marcouille, and F. Marteau 417

Eddy Current Effect of Magnets for J-PARC 3-GeV Synchrotron . . . . . N. Tani, T. Adachi, H. Someya, Y. Watanabe, H. Sato, and J. Kishiro 421

Hardware R&D of the KEK/JAERI 50 GeV Synchrotron Fast Extraction Kicker Magnets. . . . . Y. Shirakabe, Y. Arakaki, T. Kawakubo, Y. Mori, S. Murasugi, E. Nakamura, I. Sakai, and M. Tomizawa 425

The Septum Magnet System of the New Fast Extraction Channel of the SPS at CERN . . . . . W. Weterings, B. Balhan, B. Goddard, and A. Rizzo 429

DC Septum Magnets and Their Leakage Field Effects on an Electron Beam in the SPring-8 Storage Ring . . . . . K. Tsumaki, T. Shimada, K. Kajimoto, H. Yonehara, and N. Kumagai 433

Normal Conducting Separation Dipoles for the LHC Beam Cleaning Insertions . . . . . S. Bidon, D. Gerard, O. Hans, W. Kalbreier, O. Kiselev, V. Petrov, I. Protopopov, Y. Pupkov, S. Ramberger, G. De Rijk, E. Ruvinsky, and A. Sukhanov 437

Stray Field of a Pulse Septum Induced by Eddy Currents . . . . . Y. Shoji and K. Kumagai 441

Design and Measurement of the S-LSR Quadrupole Magnet Considering the Influence of a Neighboring Field Clamp. . . . . T. Takeuchi, K. Noda, S. Shibuya, H. Fadil, M. Ikegami, H. Tongu, T. Shirai, Y. Iwashita, and A. Noda 445

Development and Production of Open-Type Quadrupole Magnets With Advanced Techniques for a 2.5 GeV SRS at CAT . . . . . S. Konjeti, P. K. Kulshreshtha, S. Laxman, and K. Mangesh 449

Sextupole Winding in a Dipole Magnet Gap for a Storage Ring. . . . . Y. Shoji, S. Hashimoto, A. Ando, and S. Fukumoto 453

Design Study of a Normal Conducting Helical Snake for AGS . . . . . J. Takano, T. Hattori, M. Okamura, T. Roser, W. W. MacKay, A. Luccio, and K. Takano 457

Magnets for the Heavy-Ion Cancer Therapy Accelerator Facility (HICAT) for the Clinic in Heidelberg . . . . . C. Muehle, B. Langenbeck, A. Kalimov, F. Klos, G. Moritz, and B. Schlitt 461

Conceptual Design of a Bipolar Kicker Magnet for the J-PARC-Kamioka Neutrino Project. . . . . M. J. Barnes, G. D. Wait, Y. Shirakabe, and Y. Mori 465

Super Strong Permanent Magnet Quadrupole for a Linear Collider . . . . . T. Mihara, Y. Iwashita, M. Kumada, A. Evgeny, and C. M. Spencer 469

Permanent Magnet Designs With Large Variations in Field Strength . . . . . R. Gupta 473

**Detectors**

Advances in Superconducting Magnets for Particle Physics . . . . . A. Yamamoto 477

ATLAS End Cap Toroid Magnets Cold Mass Design and Manufacturing Status . . . . . D. E. Baynham, J. Butterworth, F. S. Carr, C. J. Densham, E. Holtom, D. Morrow, E. F. Towndrow, G. Luijckx, and J. Geerinck 485

Manufacturing and Integration Progress of the ATLAS Barrel Toroid Magnet at CERN . . . . . P. Vadrine, F. Alessandria, M. Arnaud, C. Berriaud, R. Berthier, A. Dudarev, A. Leone, B. Levesy, C. Mayri, Y. Pabot, J. M. Rey, Z. Sun, H. ten Kate, G. Volpini, and Y. Zaitsev 491

Review of the ATLAS B0 Model Coil Test Program . . . . . N. Dolgetta, P. Miele, E. Acerbi, C. Berriaud, H. Boxman, F. Broggi, F. Cataneo, A. Dael, N. Delruelle, A. Dudarev, A. Foussat, F. Haug, H. J. ten Kate, C. Mayri, A. Paccalini, R. Pengo, G. Rivoltella, and E. Sbrissa 495

On-Surface Integration and Test of the ATLAS Central Solenoid and Its Proximity Cryogenics . . . . . R. J. M. Y. Ruber, Y. Makida, G. Cipolla, L. Deront, Y. Doi, T. Haruyama, F. Haug, T. Kanahara, M. Kawai, T. Kondo, Y. Kondo, N. Kopeykin, S. Mizumaki, J. Metselaar, A. Park, O. V. Pavlov, M. Pezzetti, O. Pirotte, S. Ravat, E. Sbrissa, V. Stepanov, H. H. J. ten Kate, and A. Yamamoto 500

ATLAS Magnet Common Cryogenic, Vacuum, Electrical and Control Systems . . . . . P. Miele, F. Cataneo, N. Delruelle, C. Geich-Gimbel, F. Haug, G. Olesen, R. Pengo, E. Sbrissa, H. Tyrvaenen, and H. H. J. ten Kate 504

Status of the LHCb Dipole Magnet . . . . . J. André, W. Flegel, P. A. Giudici, O. Jamet, and M. Losasso 509

Electromagnetic Behavior and Stress Analysis of BT Thermal Shields. . . . . P. Fazilleau and C. Mayri 514

Quench Evolution and Hot Spot Temperature in the ATLAS B0 Model Coil. . . . . A. Dudarev, C. Berriaud, H. Boxman, F. Broggi, N. Dolgetta, F. P. Juster, M. Tetteroo, and H. H. J. ten Kate 518

ATLAS End Cap Toroid Magnets Cryostat Design, Manufacture and Integration at CERN . . . . . D. E. Baynham, J. Butterworth, F. S. Carr, C. J. Densham, E. Holtom, J. H. Rochford, E. F. Towndrow, G. Luijckx, H. J. Geerinck, Y. Lefevre, and M. Doets 522

Quality Monitoring of the Electron Beam Welding of the CMS Conductor Using Ultrasonics . . . . . J. Neuenschwander, B. Blau, R. Christin, T. Lüthi, and G. Rössler 526

Mechanical Properties of the CMS Conductor . . . . . B. Curé, B. Blau, A. Hervé, P. Riboni, S. S. Tavares, and S. Sgobba 530

Electro-Mechanical Behavior of the ATLAS Toroids in Fault Condition. . . . . A. Foussat, A. Abramov, P. L. Fegiz, A. Dudarev, G. Volpini, and H. H. J. ten Kate 534

BEPCII Interaction Region Superconducting Magnet System . . . . . Q. L. Peng, B. Parker, A. Marone, Y. Z. Wu, and M. T. Wang 539

Status of the Construction of the CMS Magnet. . . . . A. Hervé, B. Blau, P. Brédy, D. Campi, P. Cannarsa, B. Curé, T. Dupont, P. Fabbriatore, S. Farinon, F. Feyzi, P. Fazilleau, A. Gaddi, H. Gerwig, M. Greco, J. P. Grillet, V. Kaftanov, F. Kircher, V. Klyukhin, B. Levesy, R. Loveless, G. Maire, R. Musenich, Y. Pabot, A. Payn, G. Perinić, P. Petiot, F. Rondeaux, H. Rykaczewski, E. Sbrissa, S. Sequeira Tavares, S. Sgobba, R. P. Smith, L. Veillet, and G. Waurick 542

Superconducting Strand Properties at Each Production Stage of the CMS Solenoid Conductor Manufacturing . . . . . B. Blau, D. Campi, B. Curé, M. Greco, F. Kircher, R. Liikamaa, J. Seppälä, R. Smith, and L. Vieillard 548

The Construction of the Modules Composing the CMS Superconducting Coil . . . . . P. Fabbriatore, D. Campi, C. D'Urzo, S. Farinon, A. Gaddi, M. Greco, B. Levesy, L. Loche, R. Musenich, F. Rondeaux, and R. Penco 552

Mechanical Performance at Cryogenic Temperature of the Modules of the External Cylinder of CMS and Quality Controls Applied During Their Fabrication . . . . . S. Sgobba, C. D'Urzo, P. Fabbriatore, and S. Sequeira Tavares 556

Toward Starting Up of the ALICE Dipole Magnet . . . . . D. Swoboda, D. Cacaot, and S. Evrard 560

Cryostat Design and Fabrication for the NHMFL/NSCL Sweeper Magnet . . . . . M. D. Bird, S. Bole, S. Gundlach, S. Kenney, J. Miller, J. Toth, and A. Zeller 564

Development of a Thin-Wall Superconducting Magnet for the Positron Spectrometer in the MEG Experiment . . . . . W. Ootani, W. Odashima, S. Kimura, T. Kobayashi, Y. Makida, T. Mitsuhashi, S. Mizumaki, R. Ruber, and A. Yamamoto 568

**Beam Line and Undulators**

Magnetic Field Correction of 11-m-Long Undulator of NewSUBARU. . . . . Y. Shoji, S. Miyamoto, M. Niibe, T. Tanaka, and H. Kitamura 572

Designing a Multi-Staggered Array Undulator . . . . . H.-C. Su and C. H. Chang 576

Comparison of Predesign Parameters for Mini-Pole In-Vacuo Superconducting Undulators. . . . . C. S. Hwang, W. P. Li, P. H. Lin, and C. H. Chang 580

The Winding Method and Model of a Superconducting Bending Dipole for Hadrontherapy. . . . . S. Farinon, R. Cereseto, S. Cuneo, P. Fabbriatore, R. Musenich, M. Parodi, M. Perrella, P. Pollovio, C. Priano, R. Puppo, S. Rebora, S. Squarcia, and A. Vinci 585

The KATRIN Magnet System. . . . . R. Gehring, J. Bonn, B. Bornschein, B. Flatt, K. P. Juengst, H. Neumann, A. Osipowicz, and J. Pitel 589

Quench Stability Against Beam-Loss in Superconducting Magnets at the 50 GeV Proton Beam Line for the J-PARC Neutrino Experiment . . . . . Y. Iwamoto, N. Kimura, T. Ogitsu, H. Ohhata, T. Nakamoto, K. Tanabe, A. Ichikawa, and A. Yamamoto 592

Septum Magnet MNP-23 for the CERN PS Experimental Area and Its Fast Interlock System . . . . . J. Borburgh, T. Masson, A. Prost, and T. Zickler 596

QTG Quadrupole Magnets for the CNGS Transfer Line . . . . . 600  
*D. Cornuet, O. Kiselev, E. Levichev, O. Pavlov, Y. Pupkov, E. Ruvinsky, and T. Zickler*

Superconducting Magnet System at the 50 GeV Proton Beam Line for the J-PARC Neutrino Experiment. . . . . 604  
*T. Ogitsu, Y. Makida, T. Kobayashi, Y. Ajima, Y. Doi, N. Higashi, Y. Iwamoto, A. Ichikawa, N. Kimura, T. Nakamoto, H. Ohhata, T. Shintomi, M. Takasaki, K. Tanaka, A. Terashima, A. Yamamoto, T. Obana, M. Anerella, J. Escallier, R. Gupta, G. Ganetis, M. Harrison, A. Jain, J. Muratore, B. Parker, and P. Wanderer*

Design and Manufacture of High Temperature Superconducting Magnets for an Electron Cyclotron Resonance Ion Source . . . . . 608  
*R. McMahon, S. Harrison, S. Milward, J. Ross, R. Stafford Allen, C. Bieth, S. Kantas, and G. Rodrigues*

Geometric and Magnetic Measurements of the Gantry Dipole for the HICAT Medical Accelerator . . . . . 612  
*G. Moritz, I. Pschorn, F. Klos, and M. Weipert*

Design of Superconducting Combined Function Magnets for the 50 GeV Proton Beam Line for the J-PARC Neutrino Experiment . . . . . 616  
*T. Nakamoto, N. Higashi, T. Ogitsu, A. Terashima, Y. Ajima, M. Anerella, R. Gupta, H. Hattori, T. Ichihara, Y. Iwamoto, N. Kimura, Y. Makida, T. Obana, K. Tanaka, P. Wanderer, and A. Yamamoto*

**Power Applications**

Design Study of Model Cable Conductor by Using HoBCO Thin Film Tape . . . . . 620  
*K. Ohmatsu, K. Muranaka, K. Fujino, M. Konishi, and K. Yasuda*

Experiment Using Variable Reactor of Rectifier Type Superconducting Fault Current Limiter With a Short-Circuited Trigger Coil. . . . . 626  
*T. Hoshino, K. M. Salim, I. Muta, T. Nakamura, and M. Yamada*

Magnetization Loss in HTS Stacked Tapes by Various Directional External Magnetic Fields. . . . . 630  
*J.-k. Lee, S.-W. Lee, M.-j. Park, and G. Cha*

Trapped Field Analysis in an HTS Bulk With a Crack Using 3D Finite Element Method. . . . . 634  
*S.-Y. Hahn, S.-H. Kim, and S.-Y. Hahn*

Transport Performance in Bi2212 Cylinders Prepared by the Diffusion Process for Current Lead Application. . . . . 638  
*Y. Yamada, S. Chikai, M. Watanabe, K. Tachikawa, H. Tamura, A. Iwamoto, and T. Mito*

AC Loss Reduction of Coaxial Multi-Layer HTS Cable . . . . . 642  
*M. Tsuda, J. Fujimoto, N. Harada, and T. Hamajima*

Effect of AC Magnetic Field on Transport Current Loss of HTS Tapes. . . . . 646  
*S.-W. Kim, K. W. Ryu, D. H. Huh, H. J. Kim, J.-H. Joo, and K. J. Song*

Determination of Heater Triggering Parameters of Superconducting Power Supply With Series-Connected Double-Pancake Load . . . . . 650  
*Y. S. Kim, Y. S. Yoon, M. C. Kim, D. K. Bae, M. C. Ahn, W. Y. Cheon, and T. K. Ko*

The Shielding Effect of HTS Power Cable Based on *E*-*J* Power Law . . . . . 654  
*D. Miyagi, S. Iwata, T. Wakatsuki, N. Takahashi, S. Torii, K. Ueda, and K. Yasuda*

Fault Current Characteristics in a Technical High *T<sub>c</sub>* Superconductor . . . . . 658  
*K. Ryu, S. W. Kim, B. J. Choi, and S. D. Hwang*

Calculation of Alternating Current Distribution on the Current Lead for HTS Power Cable . . . . . 662  
*S. Cho, S.-H. Kim, D.-L. Kim, K.-H. Im, H. S. Yang, D.-H. Kim, and W.-M. Jung*

Design of HTS Tape Characteristics Measurement System . . . . . 666  
*J.-H. Joo, S.-W. Kim, H. J. Kim, K. J. Song, and J.-P. Hong*

DC Critical Current Estimate of the Short HTS Cable Consisted of Bi-2223 Tapes . . . . . 670  
*J. H. Bae, D. K. Bae, J. W. Cho, K. D. Sim, H. J. Kim, K. C. Seong, and T. K. Ko*

Numerical Evaluation of AC Loss in High Temperature Superconducting Coil . . . . . 674  
*H. Tonsho, M. Toyoda, S. Fukui, M. Yamaguchi, T. Sato, M. Furuse, H. Tanaka, K. Araki, and M. Umeda*

Numerical Analysis of AC Loss and Current Distribution Characteristics of Co-Axial Multi-Layer High Temperature Superconducting Cable. . . . . 678  
*A. Watabe, S. Fukui, M. Yamaguchi, T. Sato, T. Takao, and O. Tsukamoto*

Magnetic Force Distributions in Saturated Magnetic System Using Magnetic Charge Method and Other Methods . . . . . 682  
*S.-H. Lee, S.-J. Han, H.-S. Choi, J.-H. Lee, and I.-H. Park*

Design Study of HTS Current Lead Using Reinforced Bi-2212 Tubular Bulk . . . . . 686  
*H. Tamura, T. Mito, Y. Yamada, K. Tachikawa, and R. Heller*

Basic Study on Conductive Characteristics of SiC Power Device for Its Application to AC/DC Converter . . . . . 690  
*T. Matsukawa, H. Chikaraishi, Y. Sato, and R. Shimada*

**SMES**

Development of SMES for Power System Control . . . . . 693  
*Y. Tatsuta, S. Koso, H. Abe, M. Urata, H. Ohsaki, A. Ishiyama, S. Taniguchi, S. Nagaya, S. Akita, K. Terazono, N. Hirano, T. Semba, and S. Hanai*

Development and Performance Results of 5 MVA SMES for Bridging Instantaneous Voltage Dips . . . . . 699  
*S. Nagaya, N. Hirano, M. Kondo, T. Tanaka, H. Nakabayashi, K. Shikimachi, S. Hanai, J. Inagaki, S. Ioka, and S. Kawashima*

Scaling Law of Fringe Fields as Functions of Stored Energy and Maximum Magnetic Field for SMES Configurations . . . . . 705  
*T. Hamajima, T. Yagai, N. Harada, M. Tsuda, H. Hayashi, and T. Ezaki*

Helically Wound Coils for High Field Magnets . . . . . 709  
*S. Nomura, Y. Ohata, T. Hagita, H. Tsutsui, S. Tsuji-Iio, and R. Shimada*

Effective Application of Superconducting Magnetic Energy Storage (SMES) to Load Leveling for High Speed Transportation System . . . . . 713  
*S. Suzuki, J. Baba, K. Shutoh, and E. Masada*

A 0.3 MJ SMES Magnet of a Voltage Sag Compensation System . . . . . 717  
*X. Jiang, X. Liu, X. Zhu, Y. He, Z. Cheng, X. Ren, Z. Chen, L. Gou, and X. Huang*

Development of UPS-SMES as a Protection From Momentary Voltage Drop . . . . . 721  
*T. Mito, A. Kawagoe, H. Chikaraishi, K. Okumura, R. Abe, T. Baba, K. Yamauchi, M. Yokota, T. Henmi, K. Seo, K. Hayashi, M. Iwakuma, and F. Sumiyoshi*

Winding Techniques for Conduction Cooled LTS Pulse Coils for 100 kJ Class UPS-SMES as a Protection From Momentary Voltage Drops . . . . . 727  
*A. Kawagoe, F. Sumiyoshi, T. Mito, H. Chikaraishi, T. Baba, K. Okumura, M. Iwakuma, T. Hemmi, K. Hayashi, R. Abe, T. Ushiku, and K. Miyoshi*

AC Operating Test Results for a Conduction-Cooled HTS Coil . . . . . 731  
*K. Tasaki, T. Kuriyama, S. Nomura, Y. Sumiyoshi, H. Hayashi, H. Kimura, M. Iwakuma, and K. Funaki*

Design and Characteristic Measurements of Current Lead for 3MJ SMES . . . . . 735  
*K.-D. Sim, J.-W. Cho, J.-H. Bae, H.-J. Kim, and K.-C. Seong*

Design and Fabrication of a 7-T Force-Balanced Helical Coil . . . . . 739  
*S. Nomura, Y. Ohata, T. Hagita, H. Tsutsui, S. Tsuji-Iio, and R. Shimada*

Fabrication and Test of a 3MJ SMES Magnet. . . . . 743  
*J. W. Cho, H. J. Kim, J. H. Bae, K. D. Sim, and K. C. Seong*

Toroidal-Type Shielding Coil Systems for the Power System Control SMES . . . . . 746  
*T. Ezaki, Y. Horiuchi, T. Hatanaka, M. Joko, S. Setoguchi, and H. Hayashi*

FEM Analysis of Stress Distribution in Force-Balanced Coils . . . . . 750  
*H. Tsutsui, S. Kajita, Y. Ohata, S. Nomura, S. Tsuji-Iio, and R. Shimada*

Line Voltage Detector for SMES System Designed to Protect From Momentary Voltage Drop. . . . . 754  
*H. Chikaraishi, K. Hayashi, T. Mito, K. Okumura, and R. Abe*

Power Controllable Region of a Power Conversion System for SMES by Use of a Single Natural Commutation Converter and an ICB Energy Transfer Circuit. . . . . 758  
*J. Baba, T. Nitta, Y. Shirai, and Y. Hayashi*

Studies on Deformation and Mechanical Loss of a Superconducting Coil Caused by Electromagnetic Force. . . . . 762  
*H. Hayashi, T. Esaki, Y. Horiuchi, K. Funaki, H. Takigami, T. Kobayashi, and T. Bohno*

Development of HTS Coil With Bi-2223 Transposed Segment Conductor . . . . . 766  
*K. Miyoshi, M. Mimura, S. Meguro, T. Hasegawa, T. Saitoh, N. Kashima, and S. Nagaya*

Development of MJ-Class HTS SMES for Bridging Instantaneous Voltage Dips. . . . . 770  
*S. Nagaya, N. Hirano, K. Shikimachi, S. Hanai, J. Inagaki, K. Maruyama, S. Ioka, M. Ono, K. Ohsemochi, and T. Kurusu*

Ac Loss and Thermal Runaway of 1 T Cryocooler-Cooled Oxide Superconducting Pulsed Coil. . . . . 774  
*H. Miyazaki, A. Iwamoto, M. Iwakuma, K. Funaki, H. Hayashi, and A. Tomioka*

Transient Behavior Research on the Combined Equipment of SMES-SFCL . . . . . 778  
*G. Zhu, Z. Wang, X. Liu, G. Zhang, and X. Jiang*

FEM Analysis of AC Loss in Twisted Bi-2223 Multifilamentary Tapes Carrying AC Transport Current in AC Transverse Magnetic Field with Arbitrary Orientation . . . . . 782  
*N. Amemiya, N. Enomoto, and S. Shirai*

**Fault Current Limiters**

Development of 66 kV/750 A High-*T<sub>c</sub>* Superconducting Fault Current Limiter Magnet . . . . . 786  
*T. Yazawa, Y. Ootani, M. Sakai, T. Kuriyama, S. Nomura, T. Ohkuma, N. Hobara, Y. Takahashi, and K. Inoue*

Current Sharing in Multi-Stacked HTS Solenoid Coil . . . . . 791  
*D. K. Bae, Y. S. Yoon, H. Kang, M. C. Ahn, S. Lee, and T. K. Ko*

Single Layer Cylindrical and Helicoidal Coil With Voids Between Successive Turns Electromagnetic Field Calculation to be Used in Superconductor Current Limiter Simulator for Design Purpose . . . . . 796  
*C. A. Baldan, R. C. Freitas, R. P. Homrich, D. G. Pinatti, E. Ruppert Filho, and C. Y. Shigue*

A Study on DC Hybrid Three-Phase Fault Current Limiting Interrupter . . . . . 800  
*H. Shao, M. Yamaguchi, S. Fukui, T. Sato, and Y. Watanabe*

Reduction of Steady-State Impedance in Magnetic Shielding Type Superconducting Fault Current Limiter . . . . . 804  
*E. Mukai and S. Washimiya*

Comparison of Fundamental Performance of Different Type of Fault Current Limiters With Two Air Core Coils . . . . . 807  
*H. Shimizu, Y. Yokomizu, and T. Matsumura*

The Influence of Superconducting Fault Current Limiter Structure on the *V-I* Characteristic . . . . . 811  
*J. Kozak, T. Janowski, S. Kozak, H. Malinowski, G. Wojtasiewicz, B. Kondratowicz-Kucewicz, and P. Surdacki*

Characteristics Analysis of Transformer Type Superconducting Fault Current Limiter. . . . . 815  
*H. Yamaguchi, T. Kataoka, K. Yaguchi, S. Fujita, K. Yoshikawa, and K. Kaiho*

Experimental Study on the Relationship Between the Trigger Current of Transformer-Type Superconducting Fault Current Limiter and the Fault Phase. . . . . 819  
*H. Hatta, T. Nitta, M. Chiba, S. Muroya, and Y. Shirai*

Fast Single Layer Cylindrical and Helicoidal Coil With Voids Between Turns Electromagnetic Field Calculation to Be Used in Superconducting Current Limiter Simulator for Design Purpose . . . . . 823  
*C. A. Baldan, R. C. Freitas, R. P. Homrich, D. G. Pinatti, E. R. Filho, and C. Y. Shigue*

Design, Fabrication, and Test of High-Tc Superconducting DC Reactor for Inductive Superconducting Fault Current Limiter . . . . . 827  
*M. C. Ahn, S. Lee, H. Kang, D. K. Bae, M. Joo, H. S. Kim, and T. K. Ko*

Harmonics Control of Inductive Superconducting Fault Current Limiter System With DC Reactor. . . . . 831  
*M. Joo*

Losses of Thyristor on Modified Bridge Type High-Temperature Superconducting Fault Current Limiter. . . . . 835  
*M. Joo*

Modeling and Simulation of High Temperature Resistive Superconducting Fault Current Limiters. . . . . 839  
*L. Ye and K.-P. Juengst*

Electrical Insulation Design and Withstand Test of Model Coils for 6.6 kV Class HTSFCL. . . . . 843  
*S.-M. Baek, J.-M. Joung, and S.-H. Kim*

Numerical Study on Fundamental Properties of a Resistive Type Fault Current Limiter With QMG Bulk Superconductor Reinforced by Metal Bypass . . . . . 847  
*K. Kajikawa, K. Funaki, H. Hayashi, K. Terazono, M. Morita, H. Hirano, and T. Hamajima*

Bi-2223 and Bi-2212 Tubes for Small Fault Current Limiters . . . . . 851  
*T. Janowski, H. D. Stryczewska, S. Kozak, B. Kondratowicz-Kucewicz, G. Wojtasiewicz, J. Kozak, P. Surdacki, and H. Malinowski*

Cryostat for 66 kV/750 A High-T<sub>c</sub> Superconducting Fault Current Limiter Magnet . . . . . 855  
*Y. Ohtani, T. Yazawa, S. Kurita, T. Kuriyama, S. Nomura, T. Ohkuma, N. Hobara, Y. Takahashi, and K. Inoue*

Heat Generation by Vibration and Coil Rigidity of Bi2223 Pancake Coil . . . . . 859  
*H. Tanaka, M. Furuse, and M. Umeda*

Design and Test of HTS Coils for Resistive Fault Current Limiter . . . . . 863  
*C. A. Baldan, C. Y. Shigue, D. G. Pinatti, E. Ruppert-Filho, R. C. Freitas, and R. P. Homrich*

Development of 6.6 kV-200 A DC Reactor Type Superconducting Fault Current Limiter . . . . . 867  
*S. Lee, H. Kang, D. K. Bae, M. C. Ahn, T. Mun, K. Park, Y. Lee, and T. K. Ko*

Current Limiting Characteristics of Superconducting Fault Current Limiter With Parallel and Series Connection in Experimental Power System . . . . . 871  
*Y. Shirai, A. Mochida, M. Shiotsu, H. Hatta, T. Oide, and T. Nitta*

Fault Current Limiting Transformer With Variable Reactance . . . . . 875  
*J. Kondoh and I. Ishii*

Effect of Magnetic Diffusion on Temperature Distribution in Conduction Cooled Bi2223 Fault Current Limiter . . . . . 879  
*K. Sasaki, C. Nishizawa, and T. Onishi*

Design and Cooling Characteristic Results of Cryogenic System for 6.6 kV/200 A Inductive Fault Current Limiter . . . . . 883  
*H. Kang, M. C. Ahn, H. J. Kim, H.-M. Chang, and T. K. Ko*

**Motors, Generators, and Transformers**

Design Study of Small-Scale to Large-Scale Superconducting Generators . . . . . 887  
*N. Maki, H. Oso, M. Asada, and R. Takahashi*

Theoretical and Experimental Study on Characteristics of Slow Response Type Superconducting Generator for High Harmonic Armature Current . . . . . 892  
*O. Sakamoto, T. Nakano, T. Nitta, H. Kameda, T. Kumano, M. Asada, and A. Izumi*

An Approach of Optimal Design of HTS Synchronous Motor Using Genetic Algorithm . . . . . 896  
*S.-I. Han, I. Muta, T. Hoshino, and T. Nakamura*

Development of High Temperature Superconducting Fault Current Limiting Transformer (HT<sub>c</sub>-SFCLT) with Bi2212 Bulk Coil. . . . . 900  
*C. Kurupakorn, N. Hayakawa, N. Kashima, S. Nagaya, M. Noe, K.-P. Juengst, and H. Okubo*

Characteristic Test of a 1 MVA Single Phase HTS Transformer With Pancake Windings . . . . . 904  
*W.-S. Kim, J.-H. Han, S.-H. Kim, W.-G. Min, T. Chang, K.-D. Choi, H.-G. Joo, G.-W. Hong, S.-Y. Hahn, J.-H. Park, and H.-S. Song*

Dynamic Control of Large-Scale High-T<sub>c</sub> Superconducting Synchronous Motor . . . . . 908  
*M. Joo*

Performance of High Temperature Superconducting Field Coils for a 100 HP Motor . . . . . 912  
*M. H. Sohn, S. K. Baik, Y. S. Jo, E. Y. Lee, W. S. Kwon, Y. K. Kwon, T. S. Moon, Y. C. Kim, C. H. Cho, and I. Muta*

Development of a HTS Squirrel Cage Induction Motor With HTS Rotor Bars . . . . . 916  
*J. Sim, K. Lee, G. Cha, and J.-K. Lee*

Performance Evaluation of HTS Synchronous Motor Using Finite Element Method . . . . . 920  
*S.-K. Baik, M.-H. Sohn, Y.-K. Kwon, I. Muta, T.-S. Moon, and Y.-C. Kim*

Development of Solenoid and Double Pancake Windings for a Three-Phase 26 kVA HTS Transformer . . . . . 924  
*Y. S. Wang, X. Zhao, H. D. Li, G. H. Lu, L. Y. Xiao, L. Z. Lin, Y. Guan, Q. Bao, X. Xu, Z. Q. Zhu, Z. K. Wang, S. T. Dai, and D. Hui*

Manufacturing and Test of Model Double-Pancake Coils of HTS Transformer for Cryogenic Insulation Design . . . . . 928  
*J.-M. Joung, S.-M. Baek, and S.-H. Kim*

Analysis of Perpendicular Magnetic Fields on a 1 MVA HTS Transformer Windings With Flux Diverters . . . . . 932  
*S. H. Kim, W. S. Kim, W. G. Min, C. B. Park, S. J. Lee, J. T. Kim, D. K. Lee, K. D. Choi, H. G. Joo, G. W. Hong, J. H. Han, and S. Hahn*

**Transportation**

Suggestion for Selection of Maglev Option for Beijing-Shanghai High-Speed Line . . . . . 936  
*L. Yan*

Basic Sensitivity Analysis of Parameters for the Maglev Highway. . . . . 940  
*M. Minakami*

Magnetic Rail Construction for a Low Loss Superconducting Magnetic Levitation Linear Guide. . . . . 944  
*M. Okano, T. Iwamoto, M. Senokuchi, S. Fuchino, and I. Ishii*

Dependence of Lateral Stiffness on Magnetic Field Distribution at Field-Cooling Process of HTS Bulk System . . . . . 948  
*M. Tsuda, K. Tsuchiya, N. Harada, and T. Hamajima*

Dependence of Size and Position of Ferromagnetic Bars on Lift Force in Magnetic Levitation System. . . . . 952  
*T. Takao, A. Niuro, M. Yamaguchi, S. Suzuki, H. Kamijo, and H. Fujimoto*

**Low Temperature Superconductors**

Development of RHQ-Processed Nb<sub>3</sub>Ga Wire . . . . . 956  
*K. Inoue, A. Kikuchi, Y. Iijima, N. Banno, T. Takeuchi, and T. Fukuzaki*

Microstructure and *n*-Value of RHQT Processed Nb<sub>3</sub>Al Superconductors for NMR Uses . . . . . 961  
*T. Takeuchi, N. Banno, K. Tagawa, T. Kobayashi, K. Tsuchiya, N. Tatsumi, H. Kitaguchi, T. Fukuzaki, M. Kosuge, H. Wada, Y. Iijima, A. Kikuchi, and K. Inoue*

Superconducting Property of Nb<sub>3</sub>(Al, Ge) Conductors Prepared by Diffusion Process . . . . . 967  
*N. Banno, T. Takeuchi, A. Kikuchi, Y. Iijima, K. Inoue, M. Kosuge, M. Yuyama, and H. Wada*

Fabrication and Performance of Nb<sub>3</sub>Sn Rutherford-Type Cable With Cu Added as a Separate Component . . . . . 971  
*M. Coccoli, R. M. Scanlan, M. Calvi, S. Caspi, L. Chiesa, R. Hafalia, H. C. Higley, D. R. Dietderich, S. A. Gourlay, A. Lietzke, A. D. McInturff, and G. Sabbi*

Development of High Sn Content Bronze Processed Nb<sub>3</sub>Sn Superconducting Wire for High Field Magnets . . . . . 975  
*T. Miyazaki, H. Kato, T. Hase, M. Hamada, Y. Murakami, K. Itoh, T. Kiyoshi, and H. Wada*

New High-Field (Nb, Ta)<sub>3</sub>Sn Superconductors Prepared From Sn-Ta Matrix . . . . . 979  
*K. Tachikawa, H. Izawa, Y. Ikeda, T. Koyata, and T. Takeuchi*

Improvement of *I<sub>c</sub>* by Loading and Unloading Bending Strain for High Strength Nb<sub>3</sub>Sn Wires . . . . . 983  
*S. Awaji, H. Oguro, G. Nishijima, K. Watanabe, K. Katagiri, K. Miyoshi, and S. Meguro*

Improved Fabrication Process for Nb<sub>3</sub>Sn Superconductors with Ta-Sn Powder Core . . . . . 987  
*H. Kato, T. Miyazaki, T. Hase, M. Hamada, and K. Tachikawa*

Derivation of *I<sub>c</sub>* Degradation Rate for Nb<sub>3</sub>Sn Coils Through the React & Wind Technique . . . . . 991  
*Y. Kubo, S. Yokoyama, T. Ozawa, S. Komatsu, and K. Hiramoto*

Nb<sub>3</sub>Sn Superconducting Wire, Reinforced by Cu-Nb Microcomposite Material . . . . . 996  
*V. Pantsyrnyi, A. Shikov, A. Vorobieva, S. Soudiev, V. Sergeev, E. Dergunova, I. Sinityn, N. Beliakov, and S. Kukin*

Investigation on *I<sub>c</sub>*(B, T), *H<sub>c2</sub>*(T), and Microstructure of Internal-Tin Nb<sub>3</sub>Sn Wires . . . . . 1000  
*V. I. Pantsyrnyi, A. K. Shikov, A. E. Vorobieva, N. I. Kozlenkova, S. V. Soudiev, A. E. Mitin, V. V. Sergeev, and K. A. Mareev*

Development of High-Strength Nb<sub>3</sub>Sn Conductor . . . . . 1004  
*K. Miyoshi, S. Endoh, S. Meguro, G. Nishijima, S. Awaji, and K. Watanabe*

Microstructure and *J<sub>c</sub> - B* Performance of DRHQ Processed Nb<sub>3</sub>Al Tape with Ag Stabilizer . . . . . 1008  
*A. Kikuchi, Y. Iijima, N. Banno, T. Takeuchi, K. Inoue, S. Nimori, M. Kosuge, and M. Yuyama*

Optimization of Cu Addition and RHQ-Treatment Time for Cu-Added Nb<sub>3</sub>Al Wire. . . . . 1012  
*Y. Iijima, A. Kikuchi, N. Banno, T. Takeuchi, K. Inoue, M. Kosuge, and M. Yuyama*

Development of Nb<sub>3</sub>Al Superconducting Wire for Accelerator Magnets . . . . . 1016  
*T. Kobayashi, K. Tsuchiya, T. Shintomi, A. Terashima, N. Banno, S. Nimori, T. Takeuchi, K. Tagawa, and G. Iwaki*

Attempts to Enhance a Current Capacity by a RHQ Operation of Nb/Al Rectangular Strand . . . . . 1020  
*N. Tatsumi, T. Takeuchi, Y. Iijima, N. Banno, H. Kitaguchi, T. Kiyoshi, M. Yuyama, M. Kosuge, H. Wada, A. Kikuchi, K. Inoue, T. Fukuzaki, K. Tagawa, and G. Iwaki*

Superconducting Properties Depending on the Processing Parameters of Nb<sub>3</sub>Al Wires by the Clad-Chip Extrusion Method and the Rapid-Heating, Quenching and Transformation Treatment. . . . . 1024  
*S. Saito, H. Sugawara, J. Yuuki, N. Kodaira, A. Kikuchi, Y. Iijima, T. Takeuchi, K. Inoue, S. Nimori, M. Kosuge, and M. Yuyama*

Study on  $I_c(T, B)$  for the NbTi Strand Intended for ITER PF Insert Coil . . . . . *N. I. Kozlenkova, G. P. Vedernikov, A. K. Shikov, L. V. Potanina, A. V. Filatov, A. E. Vorobieva, V. I. Patsyrnyi, and I. N. Gubkin* 1028

Some Aspects of Cable Design for Fast Cycling Superconducting Synchrotron Magnets . . . . . *H. G. Khodzhbagiyani, A. D. Kovalenko, and E. Fischer* 1031

Multifilamentary Composite MgB<sub>2</sub> Wires: Preparation and Testing . . . . . *I. I. Akimov, D. B. Gusakov, M. I. Medvedev, V. I. Patsyrnyi, A. K. Shikov, and A. E. Vorobieva* 1035

Fabrication and Transport Properties of MgB<sub>2</sub>/(SUS316/Cu) Multifilament Wires . . . . . *K. Tanaka, M. Okada, M. Hirakawa, H. Yamada, H. Kumakura, and H. Kitaguchi* 1039

Geometry Dependence of Superconducting Shielding for Sensitive Detectors . . . . . *K. Kamiya, B. A. Warner, and T. Numazawa* 1042

**High Temperature Superconductors**

Fracture Toughness of Sm123 Bulk Superconductors Evaluated by Tensile and Bending Tests . . . . . *K. Katagiri, A. Murakami, T. Okudera, Y. Yoshino, A. Iwabuchi, K. Noto, N. Sakai, and M. Murakami* 1046

Mechanical Properties of Gd123 Bulk Superconductor at Liquid Nitrogen Temperature . . . . . *A. Murakami, K. Katagiri, K. Kasaba, Y. Shoji, K. Noto, H. Teshima, M. Sawamura, and M. Murakami* 1050

Flux Motion Studies by Means of Temperature Measurement in Magnetizing Processes for HTSC Bulks . . . . . *H. Fujishiro, T. Oka, K. Yokoyama, M. Kaneyama, and K. Noto* 1054

Construction of Strong Magnetic Field Generators by High T<sub>c</sub> Bulk Superconductors and Its Applications . . . . . *T. Oka, K. Yokoyama, and K. Noto* 1058

Recovery Time of Bi-2223/Ag HTS Tape After Quench by Short-Time Over-Current . . . . . *T. Ishigohka, M. Inaba, T. Fujinami, A. Ninomiya, K. Arai, and M. Umeda* 1062

12 kA HTS Rutherford Cable . . . . . *T. Hasegawa, J. Nishioka, N. Ohtani, Y. Hikichi, R. Scanlan, R. Gupta, N. Hirano, and S. Nagaya* 1066

Influence of Transversal Compressive Strain on Degradation of Bi2223 Tapes . . . . . *T. Takao, T. Ito, K. Umekawa, Y. Fukasawa, H. Tanaka, and M. Umeda* 1070

Hall Sensor Magnetometer Measurements of Bi-HTS Tapes for Low AC Loss Applications . . . . . *M. Masti, J. Lehtonen, R. Perälä, J. Joronen, W. Goldacker, O. Zabara, R. Nast, T. J. Arndt, C.-E. Bruzek, and N. Lallouet* 1074

AC Losses in Long Bi-2223 Tapes Wound Into a Solenoidal-Coil . . . . . *H. Kasahara, F. Sumiyoshi, A. Kawagoe, K. Kubota, and S. Akita* 1078

Analysis of HTS Bulk During Pulsed Field Magnetization With Experimental and Numerical Methods . . . . . *H. Huo, M. Qiu, and D. Xia* 1082

Development of Textured Ni Substrates for Coated Conductor Prepared by Powder Metallurgy and Plasma Arc Melting Method . . . . . *J. H. Lim, K. T. Kim, J. H. Kim, S. H. Jang, J. Joo, W. Nah, G.-W. Hong, B. K. Ji, and C.-J. Kim* 1086

Experimental Study on AC Loss Reduction of HTS Coils by Use of Ferromagnetic Disks . . . . . *M. Furuse, H. Tanaka, J. Kondoh, and M. Umeda* 1090

Fabrication and Characteristics of the Joint Properties in (Bi, Pb)<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>x</sub> Closed Double Pancake Coil . . . . . *J. H. Kim, S. H. Jang, K. T. Kim, J. H. Lim, J. Joo, S. Choi, and W. Nah* 1094

Magnetization Property of Bi-2212 Round Wires . . . . . *S. Kasai, N. Amemiya, K. Yamagishi, K. Yoda, T. Ogitsu, T. Nakamoto, N. Banno, T. Takeuchi, and S. Nimori* 1098

Usage of Bi-HTS in High Field Magnets . . . . . *F. Hornung, M. Kläser, and T. Schneider* 1102

Effect of the Stack in HTS Tapes Exposed to External Magnetic Field . . . . . *M. Park, M. Choi, S. Hahn, G. Cha, and J. Lee* 1106

Transport Current Loss and I<sub>c</sub> Degradation of HTS Tapes Under Mechanical Load . . . . . *S.-W. Kim, H. J. Kim, J.-H. Joo, and K. J. Song* 1110

Deformation and Fracture Behavior of Sm123 Bulk Superconductors by Compressive Loading at Room Temperature . . . . . *R. Kan, K. Katagiri, A. Murakami, K. Kasaba, Y. Shoji, K. Noto, N. Sakai, and M. Murakami* 1114

Fracture Toughness of SmBaCuO Bulk Superconductors at Cryogenic Temperatures . . . . . *Y. Yoshino, A. Iwabuchi, N. Takahashi, K. Katagiri, K. Noto, N. Sakai, and M. Murakami* 1118

Numerical Evaluation of Maximum Stress of a Bulk Superconductor in Partial Magnetization . . . . . *M. Tsuchimoto, K. Murata, M. Iori, and Y. Itoh* 1122

Proposal of Transformer Using Magnetic Shielding With Bulk High T<sub>c</sub> Superconductors . . . . . *K. Fukuoka and M. Hashimoto* 1126

FEM Analysis of Three Directional Strain States Under Applied Tensile Stress for Various Composite Superconductors . . . . . *S. Murase and H. Okamoto* 1130

Unusual Behavior of Thermoremanent Magnetization in Single Crystal Bi2212 . . . . . *S. Nimori, T. Mochiku, H. Wada, T. Numazawa, and A. Sato* 1134

Superconductivity in La<sub>3</sub>Rh<sub>2</sub>Ge<sub>2</sub> and La<sub>3</sub>Pt<sub>2</sub>Ge<sub>2</sub> . . . . . *D. X. Li, S. Nimori, Y. Shiokawa, Y. Haga, T. D. Matsuda, S. Ikeda, and Y. Onuki* 1137

**Magnetic and Structural Materials**

Reinforcement Materials for High Field Magnets . . . . . *K. Han, J. R. Sims, C. A. Swanson, and H. J. Schneider-Muntau* 1141

Development of Low Carbon and Boron Added 22Mn-13Cr-9Ni-1Mo-0.24N Steel (JK2LB) for Jacket Which Undergoes Nb<sub>3</sub>Sn Heat Treatment . . . . . *H. Nakajima, K. Hamada, K. Takano, K. Okuno, and N. Fujitsuna* 1145

Multi-Composite Wire for High Performance Pulsed Magnets . . . . . *K. Rossel, F. Herlach, J. Vanacken, and J. Van Humbeek* 1149

Materials for 100 T Monocoil Magnets . . . . . *H. J. Schneider-Muntau, K. Han, N. A. Bednar, C. A. Swenson, and R. Walsh* 1153

Optimization of Hysteresis Parameters for the Jiles-Atherton Model Using a Genetic Algorithm . . . . . *S. Cao, B. Wang, R. Yan, W. Huang, and Q. Yang* 1157

Influence of Mechanical Losses in AC Superconducting Coils Having Composite Materials Reinforced with Dyneema and Glass Fibers . . . . . *N. Sekine, S. Tada, T. Higuchi, T. Takao, A. Yamanaka, and S. Fukui* 1161

The Influence of Annealing on the Microstructure and Electrical Resistivity of Jelly-Rolled Cu-Nb Composite Wires . . . . . *M. J. R. Sandim, H. H. Bernardi, C. Y. Shigue, H. R. Z. Sandim, S. Awaji, K. Watanabe, and G. Iwaki* 1165

Shear/Compressive Strength of GFRP Under Mixed Load Condition at Low Temperature . . . . . *T. Suzuki, S. Usami, and T. Miyatake* 1169

Monitoring the Epoxy Curing by the Dielectric Thermal Analysis Method . . . . . *C. Y. Shigue, R. G. S. dos Santos, C. A. Baldan, and E. Ruppert-Filho* 1173

Polymer Plating of 6-(N-Allyl-1,1,2,2-Tetrahydroperfluorodecyl)Amino-1,3,5-Triazine-2,4-Dithiol Monosodium on Aluminum in Magnetic Field and its Electrostatic Capacity . . . . . *K. Mori, Z. Kang, F. Wang, and Y. Oishi* 1177

Dielectric Characteristics of 66 kV/750 A High-T<sub>c</sub> Superconducting Fault Current Limiter Coil . . . . . *H. Koyama, M. Hanai, M. Sakai, S. Nomura, T. Ohkuma, N. Hobara, Y. Takahashi, and K. Inoue* 1181

Reliability of the Longitudinal Welds of LHC Main Dipoles . . . . . *P. Fessia, C. Lanza, and S. Gobba* 1185

Characteristic Analysis of Solid Materials for Electrical Insulation of HTS Magnets . . . . . *D.-K. Bae, J.-M. Joung, S.-M. Baek, C.-J. Lee, S.-J. Lee, T.-K. Ko, and S.-H. Kim* 1189

**HTS Coils and Coil Systems**

Cryocooler-Cooled High T<sub>c</sub> Superconducting Magnet Excited by Thermoelectromotive Force . . . . . *M. Ono, T. Kuriyama, A. Oguchi, J. Ueda, and T. Okamura* 1194

Status of High Temperature Superconductor Magnet R&D at BNL . . . . . *R. Gupta, M. Anerella, J. Cozzolino, J. Escallier, G. Ganetis, A. Ghosh, M. Harrison, A. Marone, J. Muratore, J. Schmalzle, W. Sampson, and P. Wanderer* 1198

A Versatile Laboratory Electromagnet With HTS Coils . . . . . *D. M. Pooke, V. Chamrinski, S. Gibson, M. P. Staines, M. Fee, and R. G. Buckley* 1202

High-T<sub>c</sub> Superconducting Magnets That Function at Liquid Oxygen Temperature . . . . . *M. Muralidhar, N. Sakai, M. Jirsa, M. Murakami, and N. Koshizuka* 1206

Mechanical and Superconducting Properties of Bi-2223 Tape for 19 T Cryogen-Free Superconducting Magnet . . . . . *G. Nishijima, S. Awaji, K. Watanabe, K. Hiroi, K. Katagiri, T. Kurusu, S. Hanai, and H. Takano* 1210

Fatigue Tests of HTS Coils . . . . . *T. Yazawa, T. Tosaka, T. Kuriyama, K. Kuwano, M. Igarashi, and M. Terai* 1214

Development of a Persistent Current Switch for HTS Magnets . . . . . *T. Tosaka, T. Kuriyama, M. Yamaji, K. Kuwano, M. Igarashi, and M. Terai* 1218

Development of a Low Heat Leak Current-Lead System . . . . . *K. Nemoto, K. Kuwano, T. Okutomi, M. Igarashi, H. Nakao, M. Terai, Y. Yanase, T. Yamashita, and M. Yamaji* 1222

Conceptual Design of a Novel Industrial-Scale HTS Reciprocating High Gradient Magnetic Separator . . . . . *C. K. Hoffmann, K. Keller, W. C. Hoffman, Jr., and C. M. Rey* 1225

**Pulsed Magnets**

Frontiers of Pulsed Magnet Design . . . . . *F. Herlach, K. Rosseel, and J. Vanacken* 1229

Pulse Magnet Development Program at NHMFL . . . . . *C. A. Swenson, W. S. Marshall, E. L. Miller, K. W. Pickard, A. V. Gavrilin, K. Han, and H. J. Schneider-Muntau* 1233

Identification of Aging Mechanisms for Non-Destructive Pulsed Magnets Operating in the 60 T Range . . . . . *J. Billette, F. Lecouturier, and O. Portugall* 1237

Development of 'Poly-Layer' Assembly Technology for Pulsed Magnets . . . . . *W. S. Marshall, C. A. Swenson, Jr., A. V. Gavrilin, D. G. Rickel, and H. J. Schneider-Muntau* 1241

**High-Field Magnets**

Generation of the Highest Continuous Magnetic Fields . . . . . *H. J. Schneider-Muntau, J. Toth, and H. W. Weijers* 1245

Design of the Next Generation of Florida-Bitter Magnets at the NHMFL . . . . . *M. D. Bird, I. R. Dixon, and J. Toth* 1253

Design for a 30 T Resistive Insert in a 40+ T Hybrid Magnet at the Nijmegen HFML . . . . . *S. A. J. Wieggers, B. J. Gao, J. A. A. J. Perenboom, and J. C. Maan* 1257

Quench Detection and Protection of the Wide Bore 900 MHz NMR Magnet at the National High Magnetic Field Laboratory . . . . . *I. R. Dixon, W. D. Markiewicz, P. Murphy, T. A. Painter, and A. Powell* 1260

Design of a 2.3 T Rotating Permanent Dipole Magnet . . . . . *Z. Wang, W. Yang, T. Song, and L. Xiao* 1264

Field Trapping and Shielding Measurements Within a Cylindrical Hole in a Block of Sm-Ba-Cu-O Bulk Superconductor . . . . . *M. Masuzawa, K. Egawa, M. Murakami, H. Nakayama, K. Tsuchiya, and K. Yamaguchi* 1267

Florida-Helix Resistive Magnets . . . . . *M. D. Bird* 1271

First Operation of the 20 MW Nijmegen High Field Magnet Laboratory . . . . . *J. A. A. J. Perenboom, S. A. J. Wieggers, J. K. Maan, and P. H. Frings* 1276

Hybrid and Giga-NMR Projects at the Grenoble High Magnetic Field Laboratory . . . . . *G. Aubert, F. Debray, J. Dumas, K. Egorov, H. Jongbloets, W. Joss, G. Martinez, E. Mossang, P. Petmezakis, P. Sala, C. Triophine, and N. Vidal* 1280

A New Series-Connected Hybrid Magnet System for the National High Magnetic Field Laboratory . . . . . *J. R. Miller and M. D. Bird* 1283

Super Strong Permanent Dipole Magnet . . . . . *M. Kumada, E. I. Antokhin, Y. Iwashita, M. Aoki, and E. Sugiyama* 1287

**Stability**

Stability of Bare and Copper-Laminated YBCO Samples: Experimental & Simulation Results . . . . . *H. M. Kim, J. Jankowski, H. Lee, J. Bascuñán, S. Fleshler, and Y. Iwasa* 1290

Effect of External Heat Input on Stability of Conduction Cooled HTS Coils . . . . . *Y. Lvovsky* 1294

Detection of 'Hot Spots' in HTS Coils and Test Samples With Acoustic Emission Signals . . . . . *H. Lee, H. M. Kim, J. Jankowski, and Y. Iwasa* 1298

Influence of Insulation Properties on Steady Normal-Zone Velocity Inside Superconducting Magnet . . . . . *V. R. Romanovskii* 1302

Effects of Contact Resistance Between Strands With Cr/Non-Cr Coating in Cable-in-Conduit Conductors . . . . . *K. Nakamura, M. Yamanouchi, K. Hashimoto, and T. Takao* 1306

Void Ratios and Mechanical Losses in Simulated CIC Conductors With Non-Metallic Conduit Materials . . . . . *T. Takao, Y. Yamaguchi, J. Obama, Y. Seki, D. Miyagi, and A. Yamanaka* 1310

Reduction of Mechanical Losses by Use of ZFRP Bobbins in AC Superconducting Coils . . . . . *N. Sekine, S. Tada, T. Higuchi, T. Takao, and A. Yamanaka* 1313

Target Field Approach for Spherical Coordinates . . . . . *Y. Bai, Q. Wang, Y. Yu, and K. Kim* 1317

Conceptual and Experimental Results of the Transverse Normal Zone Propagation in the B0 ATLAS-Barrel Model Coil . . . . . *F.-P. Juster, A. V. Dudarev, P. Fazilleau, and F. Kircher* 1322

Lattice Boltzmann Method Analyzing Helium Bubbles Motion in Liquid Helium . . . . . *Y. Izumi, A. Iwamoto, Y. Tatsumi, S. Takeda, and S. Nishijima* 1326

Transient Stability Analysis of Large Aluminum Stabilized Superconductor by 2D and 3D Finite Element Analysis . . . . . *T. Tsuchiya, S. Noguchi, H. Yamashita, A. Ishiyama, N. Yanagi, and T. Mito* 1330

Operating Characteristics of the KSTAR Superconducting TF Coil . . . . . *W. Chung, Q. Wang, S. Jeong, C. S. Yoon, H. Park, and K. Kim* 1334

Influence of Inter-Strand Electrical and Thermal Conductivity on Stability of Rutherford Cables in Accelerator Magnets . . . . . *Y. Lei, Y. Yu, H. Nan, Y. Dai, and Q. Wang* 1338

The Design of a Variable Elliptically Polarized Undulator for the Coherent THz Light Source . . . . . *Q. Zhou, J. Zhang, H. Zhang, and L. Ouyang* 1343

Thermohydraulic Analysis of ITER Central Solenoid by a Quasi-2D Model . . . . . *J. Feng* 1346

Stability Criteria for Cable-in-Conduit Superconducting Cables for Steady or Slow Pulse Operation . . . . . *N. Mitchell* 1350

Electromagnetic Analysis of Superconducting Cables and Joints in Transient Regime . . . . . *F. Bellina, P. Bettini, and F. Trevisan* 1356

Numerical Analyses of Non-Uniform Current Distribution Within the Multi-Strand Superconducting Cable for Fusion Apparatus . . . . . *K. Seo, K. Takahata, T. Mito, and S. Nishijima* 1360

Investigation of Heat Transfer Effect on Ramp-Rate Limitation of Superconducting Cable . . . . . *S. Kim and S. Jeong* 1365

**Fusion**

Review of the ITER Project . . . . . *Y. Shimomura and W. Spears* 1369

Progress in the Superconducting Magnet Technology Through the ITER CS Model Coil Programme . . . . . *K. Okuno* 1376

Mechanical Tests of the ITER Toroidal Field Model Coil . . . . . *P. Libeyre, N. Dolgetta, P. Decool, S. Raff, P. Schanz, F. Wuechner, and H. Fillunger* 1382

Performance of the Helical Coils for the Large Helical Device in Six Years' Operation . . . . . *S. Imagawa, N. Yanagi, H. Sekiguchi, T. Mito, and O. Motojima* 1388

Accuracy of the Construction of the Superconducting Coils for WENDELSTEIN 7-X . . . . . *T. Rummel, K. Risse, H. Viebke, T. Braeuer, and J. Kisslinger* 1394

Design Optimization Study of the JT-60 Superconducting Coil Modification . . . . . *M. Matsukawa and the JT-60SC Design Team* 1399

Proposals for the Final Design of the ITER Central Solenoid . . . . . *K. Yoshida, Y. Takahashi, N. Mitchell, D. Bessette, H. Kubo, M. Sugimoto, Y. Nunoya, and K. Okuno* 1405

Performance of Joints in the CS Model Coil and Application to the Full Size ITER Coils . . . . . *Y. Takahashi, K. Yoshida, N. Mitchell, D. Bessette, Y. Nunoya, K. Matsui, N. Koizumi, T. Isono, and K. Okuno* 1410

Measurement of High Frequency Impedance of ITER CS Model Coil and the Simulation Analysis of Internal Resonance Phenomenon . . . . . *M. Matsukawa, Y. M. Miura, K. Shimada, T. Terakado, J. Okano, T. Isono, and Y. Nunoya* 1414

Modeling Techniques for Correcting Measured Data on the ITER Toroidal Field Insert Coil . . . . . *D. Bessette* 1418

Design and Analysis of Poloidal Field Magnet Structures for KSTAR . . . . . *H. J. Ahn, T. H. Kwon, Y. W. Lee, C. D. Lee, C. H. Choi, J. W. Sa, and Y. K. Oh* 1423

Design and Stress Analysis of Support Structure of Toroidal Field Coil for the JT-60SC . . . . . *K. Tsuchiya, K. Kizu, Y. M. Miura, T. Ando, A. Sakasai, M. Matsukawa, H. Tamai, and S. Ishida* 1427

Current Control System of the Power Supplies for LHD Superconducting Coils . . . . . *H. Chikaraishi, S. Takami, T. Inoue, S. Sakakibara, K. Matsuoka, T. Ise, D. Eto, T. Haga, and the LHD Experimental Group* 1431

Design and Operation of the Sub-Cooled Helium Test Facility for the LHD Helical Coils . . . . . *Y. Hishinuma, S. Imagawa, N. Yanagi, T. Mito, A. Nishimura, S. Yamada, K. Takahata, H. Chikaraishi, H. Tamura, A. Iwamoto, S. Hamaguchi, K. Seo, T. Honda, T. Shinba, S. Yoshinaga, M. Satoh, H. Kakui, and O. Motojima* 1435

Thermal Hydraulic Characteristics of Superconducting Coil Cooled by Subcooled He I . . . . . *S. Hamaguchi, S. Imagawa, N. Yanagi, Y. Hishinuma, T. Mito, K. Takahata, H. Chikaraishi, H. Tamura, A. Iwamoto, S. Yamada, and A. Nishimura* 1439

Cooling Stability Test of He II Cooled LHD Conductor (1)—Current Supply and Measuring Method . . . . . *A. Higuchi, M. Ohya, Y. Shirai, M. Shiotsu, and S. Imagawa* 1443

Cooling Stability Test of He II Cooled LHD Conductor (2)—Experimental Results . . . . . *M. Ohya, A. Higuchi, Y. Shirai, M. Shiotsu, and S. Imagawa* 1447

Heating Surge and Temperature Oscillation in KSTAR PF and TF Coils for Plasma Disruption Under Continuous Plasma Discharging Conditions . . . . . *Q. Wang, K. Kim, H. Park, W. Chung, C. S. Yoon, and Z. Fen* 1451

Stability Study on the HT-7U TF and PF Superconducting Magnets . . . . . *Q. Wang, P. Weng, L. Huang, and J. Zong* 1455

JORDI, a Test Facility for Measurement of Contact Resistance Distribution in Full-Size Conductor Terminations . . . . . *A. Anghel and P. Bruzzone* 1460

Effect of Periodic Cyclic Deformation on the Voltage Current Transition of Nb<sub>3</sub>Sn Strands Tested in the Novel 'TARSIS' Setup . . . . . *A. Nijhuis, Y. Ilyin, W. A. J. Wessel, W. Abbas, and H. H. J. ten Kate* 1464

Experimental Investigation on the Effect of Transverse Electromagnetic Force on the V-T Curve of the CIC Conductor . . . . . *Y. Nunoya, T. Isono, and K. Okuno* 1468

The CEA JOSEFA Test Facility for Subsize Conductors and Joints . . . . . *P. Decool, P. Libeyre, D. Van Houtte, D. Ciazynski, L. Zani, S. Nicollet, J. P. Serries, H. Cloez, and S. Bej* 1473

Thermal Contact Conductance Between the Bundle and the Conduit in Cable-in-Conduit Conductors . . . . . *K. Takahata, H. Tamura, and T. Mito* 1477

Design of the High-T<sub>c</sub> Superconducting TF Coil for the Tight Aspect Ratio Tokamak Power Reactor (VECTOR) . . . . . *T. Ando, S. Nishio, and H. Yoshimura* 1481

Design of Force-Balanced Coils for High Field Tokamak Reactors . . . . . *H. Tsutsui, S. Nomura, S. Tsuji-Iio, and R. Shimada* 1485

Performance of an ITER CS1 Model Coil Conductor Under Transverse Cyclic Loading up to 40,000 Cycles . . . . . *A. Nijhuis, Y. Ilyin, W. Abbas, B. ten Haken, and H. H. J. ten Kate* 1489

Impact of Impressed Current Unbalance on n-Index . . . . . *B. Stepanov, A. Anghel, P. Bruzzone, and M. Vogel* 1495

DC Performance of Subsize NbTi Cable-in-Conduit Conductors . . . . R. Wesche, A. Anghel, B. Stepanov, and P. Bruzzone 1499

Electromagnetic Performance of Sub-Size NbTi CICC's Subjected to Transverse Cyclic Loading . . . . . Y. A. Ilyin, A. Nijhuis, W. Abbas, and H. H. J. ten Kate 1503

Asymmetrical Normal-Zone Propagation Observed in the Aluminum-Stabilized Superconductor for the LHD Helical Coils . . . . . N. Yanagi, S. Imagawa, Y. Hishinuma, K. Seo, K. Takahata, S. Hamaguchi, A. Iwamoto, H. Chikaraishi, H. Tamura, S. Moriuchi, S. Yamada, A. Nishimura, T. Mito, and O. Motojima 1507

Results of Stability Test in Subcooled Helium for the R&D Coil of the LHD Helical Coil . . . . . S. Imagawa, N. Yanagi, Y. Hishinuma, T. Mito, K. Takahata, H. Chikaraishi, H. Tamura, A. Iwamoto, S. Hamaguchi, K. Seo, S. Yamada, A. Nishimura, and O. Motojima 1511

Measurement of Superconductor Motion in R&D Coil for Supercooling of the LHD Helical Coil . . . . . A. Nishimura, T. Mito, S. Yamada, S. Imagawa, K. Takahata, N. Yanagi, H. Chikaraishi, H. Tamura, A. Iwamoto, S. Hamaguchi, Y. Hishinuma, and A. Nyilas 1515

T<sub>cs</sub> Tests and Performance Assessment of the ITER Toroidal Field Model Coil (Phase II) . . . . . R. Zanino, M. Bagnasco, G. Dittrich, W. H. Fietz, H. Fillunger, D. P. Hampshire, R. Heller, P. Komarek, O. Langhans, R. Maix, V. Marchese, N. Martovetsky, N. Mitchell, A. Nijhuis, S. Raff, M. Ricci, M. Suesser, E. Salpietro, L. S. Richard, D. M. J. Taylor, A. Ulbricht, A. Vostner, F. Wuechner, and G. Zahn 1519

Analysis and Interpretation of T<sub>cs</sub> Tests of the ITER Toroidal Field Conductor Insert . . . . . C. Marinucci, L. Bottura, P. Bruzzone, N. Mitchell, B. Stepanov, and R. Wesche 1523

An Alternative CICC Design Aimed at Understanding Critical Performance Issues in Nb<sub>3</sub>Sn Conductors for ITER . . . . G. Pasztor, P. Bruzzone, A. Anghel, and B. Stepanov 1527

Development of Nb<sub>3</sub>Sn Cable-in-Conduit Conductors With Stainless Steel Jackets for Central Solenoid of JT-60SC . . . . . Y. M. Miura, K. Kizu, K. Tsuchiya, T. Isono, N. Koizumi, K. Matsui, Y. Nunoya, T. Ando, A. Sakasai, M. Matsukawa, H. Tamai, S. Ishida, and K. Okuno 1531

Application of React-and-Wind Method to D-Shaped Test Coil Using the 20 kA Nb<sub>3</sub>Al Conductor Developed for JT-60SC . . . . . K. Kizu, Y. M. Miura, K. Tsuchiya, N. Koizumi, K. Matsui, T. Ando, K. Hamada, E. Hara, K. Imahashi, S. Ishida, T. Isono, K. Kawano, M. Kawabe, T. Kawasaki, H. Kubo, M. Matsukawa, Y. Nabara, Y. Nunoya, K. Okuno, K. Ootsu, M. Oshikiri, A. Sakasai, S. Seki, K. Takano, H. Tamai, F. Tsutsumi, and Y. Uno 1535

Experiments of the HTS Floating Coil System in the Mini-RT Project . . . . . N. Yanagi, T. Mito, J. Morikawa, Y. Ogawa, K. Ohkuni, D. Hori, S. Yamakoshi, M. Iwakuma, T. Uede, I. Itoh, M. Fukagawa, and S. Fukui 1539

**Magnetic Separation**

Flow Control of Seawater With a Diverging Duct by MHD Separation Method . . . . . M. Takeda, N. Tomomori, T. Akazawa, K. Nishigaki, and A. Iwata 1543

Magneto-Gravitational Separation and Magneto-Gravitational Chromatography—Fundamental Concepts and Some Examples . . . . . H. Sakaguchi and S. Nimori 1547

Removal of As, Cd, Hg and Pb Ions From Solution by Adsorption With Bacterially-Produced Magnetic Iron Sulfide Particles Using High Gradient Magnetic Separation . . . . . D. Ito, K. Miura, T. Ichimura, I. Ihara, and T. Watanabe 1551

Effect of Zeta Potential of Particles Dispersed in an Aqueous Solution on Magnetic Filtration Efficiency . . . . . S. Sato, K. Mitsuhashi, and T. Ohara 1554

High Gradient Magnetic Separation Combined With Electrocoagulation and Electrochemical Oxidation for the Treatment of Landfill Leachate . . . . . I. Ihara, K. Kanamura, E. Shimada, and T. Watanabe 1558

A Study on the Development of an Open-Gradient Magnetic Separator Under Dry Condition . . . . . F. Mishima, S. Yamazaki, K. Yoshida, H. Nakane, S. Yoshizawa, S. Takeda, Y. Izumi, and S. Nishijima 1561

Superconducting High Gradient Magnetic Separation for Purification of Wastewater From Paper Factory . . . . . Y. Kakahara, T. Fukumishi, S. Takeda, S. Nishijima, and A. Nakahira 1565

Study on Open Gradient Magnetic Separation Using Superconducting Solenoid Magnet . . . . . S. Fukui, Y. Takahashi, M. Yamaguchi, T. Sato, H. Imaizumi, M. Oizumi, S. Nishijima, and T. Watanabe 1568

Analytical Study on Open Gradient Magnetic Separation Using Quadrupole Magnetic Field . . . . . S. Fukui, M. Takahashi, T. Fujita, M. Yamaguchi, T. Sato, H. Imaizumi, M. Oizumi, S. Nishijima, and T. Watanabe 1572

Removal System of Arsenic From Geothermal Water by High Gradient Magnetic Separation—HGMS Reciprocal Filter . . . . . H. Okada, Y. Kudo, H. Nakazawa, A. Chiba, K. Mitsuhashi, T. Ohara, and H. Wada 1576

Cryogenic Design of an Isodynamic Magnetic Separator . . . . . J. Tuisku, M. Ahoranta, A. Korpela, J. Lehtonen, R. Mikkonen, and R. Perälä 1580

**Crystal Growth and Structural Control**

Texture Development in Zirconia-Dispersed Alumina Composites by Slip Casting in a High Magnetic Field . . . . . T. S. Suzuki, Y. Sakka, and K. Kitazawa 1584

Effect of Static Magnetic Field on Crystallization of Triacylglycerols . . . . . M. Miura, A. Kusanagi, S. Kobayashi, S. Tokairin, and Z. Jin 1588

Electropolymerization of Monosodium Salts of Triazine Thiols in Magnetic Field . . . . . J. Oravec, K. Mori, Y. Oishi, and Z. Kang 1592

Effect of Magnetic Gradient on the Growth Rate of L-Alanine Crystal . . . . . B. Zhao, L. A. Guzman, K. Ogawa, and K. Shimizu 1596

Magnetic Field Effects on Electrochemical Property of Self-Assembled Monolayers With Charge-Transfer Groups . . . . N. Yoshimoto, K. Ogawa, and S. Ogawa 1600

Magnetic Orientation of Side-Chain Liquid Crystalline Polyguanamines . . . . . Y. Oishi, T. Suzuki, H. Awano, and K. Yonetake 1604

**Biological and Medical Applications**

Present Status of 920 MHz High-Resolution NMR Spectrometers . . . . . T. Kiyoshi, H. Maeda, J. Kikuchi, Y. Ito, H. Hirota, S. Yokoyama, S. Ito, T. Miki, M. Hamada, O. Ozaki, S. Hayashi, N. Kurihara, H. Suematsu, M. Yoshikawa, S. Matsumoto, A. Sato, and H. Wada 1608

Voltage Spike and Magnet Quench Behavior in the NHMFL 900 MHz Bucket Test . . . . . T. A. Painter, I. R. Dixon, and W. D. Markiewicz 1613

Electrical Characteristics of Real Head Model Based on Electrical Impedance Tomography . . . . . G. Xu, Q. Yang, S. Yang, F. Liu, and W. Yan 1617

Development of an Open 0.3 T NdFeB MRI Magnet . . . . . X. Jiang, G. Shen, Y. Lai, and J. Tian 1621

Three-Dimensional Optimization of Correction Iron Pieces for Open High Field MRI System . . . . . S. Kakugawa, N. Hino, A. Komura, M. Kitamura, H. Takeshima, T. Yatsuo, and H. Tazaki 1624

Effects of Magnetic Fields on Breathing . . . . . N. I. Wakayama, M. Wakayama, and T. Nishiyasu 1628

NMR at 23.5 T by a Resistive Magnet in NIMS . . . . . T. Shimizu, A. Goto, K. Hashi, and S. Ohki 1632

Development of an Optical Pumping Nuclear Spin Polarizer . . . . . A. Goto, T. Shimizu, K. Hashi, S. Ohki, T. Iijima, and G. Kido 1635

Shielding Stray Magnetic Fields of Open High Field MRI Magnets . . . . . S. Kakugawa, N. Hino, A. Komura, M. Kitamura, H. Takeshima, T. Yatsuo, and H. Tazaki 1639

Rotating Permanent Magnetic Fields Exposure System for In Vitro Study . . . . . T. Song, Z. Wang, D. Zhao, Q. Zhu, X. Huo, and L. Xiao 1643

**Applications of Magnetic Fields**

Advanced Applications of Magnetic Fields in Japan . . . . . K. Noto 1647

Improving the Dynamics of a Flywheel Energy Storage System With Superconducting Magnetic Bearings . . . . . M. Komori and T. Kawashima 1655

Development of a Liquid Nitrogen Pump Using Superconducting Bulk Motor . . . . . M. Komori and K. Uchino 1659

Development of a Magnetic Force Booster . . . . . O. Ozaki, T. Kiyoshi, S. Matsumoto, J. Fujihira, and H. Wada 1663

Magnetic Flux Concentration Using YBCO Hollow and Solid Cylinders . . . . . S. Matsumoto, T. Asano, T. Kiyoshi, and H. Wada 1666

Numerical Simulation of Contactless Method for Measuring Critical Current Density—Relation Between Flux Flow in Whole Volume and Onset of Third Harmonics . . . . . A. Kamitani, A. Saitoh, and S. Ikuno 1670

Numerical Prediction on Heat Transfer Phenomenon in Paramagnetic and Diamagnetic Fluids Under a Vertical Magnetic Field Gradient . . . . . M. Akamatsu, M. Higano, Y. Takahashi, and H. Ozoe 1674

Heat Transfer in Water Under Strong Gradient Magnetic Fields . . . . . I. Mogi, C. Umeki, K. Takahashi, S. Awaji, K. Watanabe, and M. Motokawa 1682

Numerical Simulation of Diffusion Flames With and Without Magnetic Field . . . . . S. Kinoshita, T. Takagi, H. Kotera, and N. I. Wakayama 1685

Characteristics of a Thick High-Critical Temperature Superconductor Film Used as a Highly Sensitive Magnetic Sensor . . . . . K. Yamagata, N. Hayashi, Y. Maeji, H. Kezuka, and M. Itoh 1689



Development of a Superconducting Magnet for High Magnetic Force Application . . . . . 1693  
*R. Hirose, K. Saito, Y. Watanabe, and Y. Tanimoto*

A Superconducting Magnetic Lens for Solar Rays Protection in Manned Interplanetary Missions . . . . . 1696  
*L. Rossi, M. Sorbi, and P. Spillantini*

**Cryogenic Systems, Regenerators, and Heat Transfers**

Integrated Cryogenic Fluid Flow Distribution and Cooling Scheme With Helium Liquefier/Refrigerator for SST-1 Magnet System . . . . . 1700  
*B. Sarkar, C. P. Dhard, A. K. Sahu, N. C. Gupta, R. Misra, J. Tank, P. Panchal, V. L. Tanna, G. Phadke, J. C. Patel, and Y. C. Saxena*

Heat Load Measurements on a Large Superconducting Magnet: An Application of a Void Fraction Meter . . . . . 1704  
*R. Pengo, N. Dolgetta, S. Junker, G. Passardi, and H. ten Kate*

Installation and Commissioning of the Helium Refrigeration System for the CMS Magnet . . . . . 1708  
*G. Perinić, T. Dupont, D. Legrand, and M. Pezzetti*

Superconducting Current Feeder System With Associated Test Results for SST-1 Tokamak . . . . . 1711  
*V. L. Tanna, B. Sarkar, N. C. Gupta, A. Amardas, R. Misra, C. P. Dhard, P. S. Jadhav, P. Rewatkar, D. Sonara, and Y. C. Saxena*

Long Term Operation of Superfluid-Cooled Cryostat for 920 MHz NMR Spectrometer . . . . . 1715  
*S. Ito, T. Miki, M. Hamada, A. Sato, T. Kiyoshi, M. Yoshikawa, F. Matsumoto, H. Nagai, H. Wada, S. Fukui, and T. Noguchi*

Experimental and Numerical Characteristics of Peltier Current Lead for Direct Current Mode . . . . . 1719  
*T. Yamaguchi, S. Mizutani, M. Moriguchi, H. Okumura, K. Nakamura, and S. Yamaguchi*

Performances of a Linear Type Magnetic Flux Pump for Compensating a Little Decremental Persistent Current of HTS Magnets . . . . . 1723  
*Y. Chung, I. Muta, T. Hoshino, and T. Nakamura*

Thermal and Magnetic Responses of a Solid Nitrogen/Magnetized YBCO Disk System Undergoing Temperature Cycles in the Range of 8–60 K . . . . . 1727  
*Y. Iwasa, J. Bascuñán, J. Jankowski, H. M. Kim, and H. Lee*

Performance of Ceramic Magnetic Regenerator Materials for Sub-2 K Cryocoolers . . . . . 1731  
*T. Numazawa, K. Kamiya, T. Satoh, H. Nozawa, and T. Yanagitani*

Thermal Property of Magnetic Materials for Hydrogen Magnetic Refrigeration and Effect of Magnetic Field on Them . . . . . 1734  
*K. Kamiya, T. Numazawa, T. Koen, T. Okano, K. Matsumoto, and S. Nimori*

Magnetic Entropy Change of Magnetic Refrigerants With First Order Phase Transition Suitable for Hydrogen Refrigeration . . . . . 1738  
*K. Matsumoto, T. Okano, T. Kouen, S. Abe, T. Numazawa, K. Kamiya, and S. Nimori*

The Measurement and Control System for 920 MHz NMR Magnet . . . . . 1742  
*T. Miki, S. Ito, M. Hamada, M. Yoshikawa, A. Sato, T. Kiyoshi, H. Wada, F. Matsumoto, H. Nagai, T. Noguchi, and S. Fukui*

Performance Tests of High Temperature Superconducting Power Cable Cooling System . . . . . 1746  
*D. Koh, H. Yeom, Y. Hong, and K. Lee*

Cryogenic Design of Termination Cryostat for HTS Power Cable . . . . . 1750  
*H. S. Yang, D. L. Kim, D. H. Kim, W. M. Jung, S. Cho, H. S. Ryoo, and J. W. Cho*

Hydraulic Characteristics of Long Nitrogen Cooling Channels . . . . . 1754  
*S. Fuchino, M. Furuse, N. Higuchi, M. Okano, and K. Agatsuma*

Numerical Analysis on Forced Convection Heat Transfer in Pressurized He II . . . . . 1758  
*T. Okamura, M. Saeki, and M. Shiotsu*

Effect of Orifice Location on Heat Transfer in a Duct Filled With Pressurized He II . . . . . 1762  
*S. Konishi, K. Fujita, T. Okamura, Y. Shirai, and M. Shiotsu*

**Current Leads and Power Sources**

Design, Construction and Tests of 20 kA Current Leads for the CMS Solenoid . . . . . 1766  
*P. Fazilleau, P. Bredy, F. P. Juster, F. Kircher, Y. Pabot, L. Scola, and B. Curé*

Engineering Design Status of the KSTAR SC Bus-Line . . . . . 1770  
*Y. M. Park, Y. S. Kim, Y. J. Lee, Y. K. Oh, S. W. Kwag, J. S. Bak, and G. S. Lee*

Design and Fabrication of a 70 kA Current Lead Using Ag/Au Stabilized Bi-2223 Tapes as a Demonstrator for the ITER TF-Coil System . . . . . 1774  
*R. Heller, D. Aized, A. Akhmetov, W. H. Fietz, F. Hurd, J. Kellers, A. Kienzler, A. Lingor, J. Maguire, A. Vostner, and R. Wesche*

Critical Current of Y-Ba-Cu-O Bulk Current Leads . . . . . 1778  
*H. Teshima, M. Morita, and H. Hirano*

Development of 1.8 K HTS Current Feedthrough Using Large-Sized YBCO Bulk Conductors . . . . . 1782  
*K. Maehata, A. Iwamoto, Y. Iwamoto, R. Maekawa, T. Mito, K. Ishibashi, T. Shintomi, M. Takeo, K. Tachikawa, Y. Yamada, and S. Yamada*

Polarity Change Switch for Peltier Current Lead . . . . . 1786  
*M. Moriguchi, S. Mizutani, S. Miwa, T. Famakinwa, T. Yamaguchi, M. Hamabe, H. Takahashi, K. Nakamura, S. Yamaguchi, H. Okumura, and Y. Hasegawa*

R&D Progress on the KSTAR Current Leads . . . . . 1790  
*Y. J. Lee, Y. M. Park, Y. S. Kim, S. B. Jin, W. C. Kim, Y. K. Oh, J. S. Bak, and G. S. Lee*

Power Supply for Pulsed Magnets With Magnetic Energy Recovery Current Switch . . . . . 1794  
*T. Takaku, T. Isobe, J. Narushima, and R. Shimada*

Development of Temperature Fixed Points Applicable to the Calibration of Thermometers in Magnetic Fields . . . . . 1798  
*K. Nara*

Radiation Effects on Cryogenic Temperature Sensors of Cernox, CGR and PtCo . . . . . 1802  
*T. Tominaka, H. Okuno, J. Ohnishi, N. Fukunishi, H. Ryuto, M. Ohtake, K. Ikegami, A. Goto, and Y. Yano*

Experimental Apparatus for Measuring the Characteristics of HTS Coils Under Controllable Magnetic Field, Orientation and Temperature . . . . . 1806  
*T. Hemmi, K. Takahata, T. Mito, A. Iwamoto, H. Tamura, and N. Yanagi*

Highly Accurate Measurement of Sheet Thickness: The Planar Error Correction . . . . . 1810  
*F. Tojo, S. Hirakawa, T. Toyoda, K. Yamagata, A. Omura, Y. Maeji, and M. Itoh*

A New 3-Axis Magnetic Field Measurement System Based on Hall Elements . . . . . 1814  
*E. Hirose, K. H. Tanaka, T. Takahashi, Y. Sato, K. Agari, M. Ieiri, Y. Kato, M. Minakawa, H. Noumi, Y. Sato, Y. Suzuki, H. Takahashi, M. Takasaki, A. Toyoda, Y. Yamada, and Y. Yamanoi*

High Precision Mapper for Cyclotron Magnet . . . . . 1818  
*I. Bolshakova, R. Holyaka, V. Erashok, and M. Kumada*

Field Decay and Snapback Measurements Using a Fast Hall Probe Sensor . . . . . 1822  
*T. Pieloni, S. Sanfilippo, L. Bottura, M. Haverkamp, A. Tikhov, E. Effinger, E. Benedico, and N. Smirnov*

Development of a Precise Magnetic Field Measurement System for Fast-Changing Magnetic Fields . . . . . 1826  
*P. Wanderer, J. Escallier, G. Ganetis, A. Jain, W. Louie, A. Marone, and R. Thomas*

Measuring the Magnetic Field in the CMS Steel Yoke Elements . . . . . 1830  
*R. P. Smith, D. Campi, B. Curé, A. Gaddi, H. Gerwig, J.-P. Grillet, A. Hervé, V. I. Klyukhin, and R. Loveless*

AC Loss and Current Distribution Measurement for Superconducting Tapes . . . . . 1834  
*T. Famakinwa, S. Fukuwa, Y. Suzuki, M. Susumi, S. Yamaguchi, K. Nakamura, S. Ikezawa, S. Nomura, A. Ninomiya, and T. Ishigohka*

**Design and Analysis**

Analytical Field Calculations for Various Helical Conductors . . . . . 1838  
*T. Tominaka*

Comparison of Shape and Topology Optimization Methods for HTS Solenoid Design . . . . . 1842  
*J.-K. Byun, I.-H. Park, W. Nah, J.-H. Lee, and J. Kang*

Improvement of Transverse Flux Linear Induction Motors Performances With Third Order Harmonics Current Injection . . . . . 1846  
*Y. Nozaki, J. Baba, K. Shutoh, and E. Masada*

Optimal Design and FEM Analysis of the Superconducting Magnets of EMS-MAGLEV Models Using Bi-2223 Tapes . . . . . 1850  
*G. Zhang, Y. Fang, F. Song, G. Zhu, and Z. Wang*

The Use of Neural Networks Combined With FEM to Optimize the Coil Geometry and Structure of Transverse Flux Induction Equipments . . . . . 1854  
*X. Yang, Y. Wang, F. Liu, Q. Yang, and W. Yan*

Study on a Cross Section of High Temperature Superconducting Coil . . . . . 1858  
*S. Ishiguri, M. Yamaguchi, S. Fukui, and T. Sato*

An Optimal Design of Coaxial Coils With Constraints on Inner and Outer Multipole Magnetic Fields . . . . . 1862  
*M. Kitamura, S. Kakugawa, and K. Maki*

Improvement of the Element-Free Galerkin Method for Electromagnetic Field Calculation . . . . . 1866  
*S. Liu, Q. Yang, H. Chen, G. Xu, and F. Liu*

Improvement of Open Boundary Magnetic Field Analysis of Air-Core Magnet Using High Order Boundary Sensitivity . . . . . 1870  
*I.-G. Kwak, S.-H. Lee, D.-I. Lee, and I.-H. Park*

Application of Parallelized SOR Method to Electromagnetic Field Analysis of Superconductors . . . . . 1874  
*F. Ito and N. Amemiya*

Utilization of Magnetic Fields for Highly Advanced Aircraft Flight Control . . . . . 1878  
*N. R. Brooks and T. L. Baldwin*

A Comparative Life-Cycle Assessment Between NbTi and Copper Magnets . . . . . 1882  
*T. Hartikainen, A. Korpela, J. Lehtonen, and R. Mikkonen*

Further Developments on Beth's Current-Sheet Theorem: Computation of Magnetic Field, Energy and Mechanical Stresses in the Cross-Section of Particle Accelerator Magnets . . . . . 1886  
*F. Toral, P. Abramian, J. Calero, L. García-Tabarés, J. L. Gutiérrez, and C. Vázquez*

Cooling Performance of High Thermal Conduction Plastics on Conduction Cooled Bi2223 Tapes . . . . . 1890  
*T. Takao, M. Yamaguchi, H. Yamamoto, A. Watanabe, and A. Yamanaka*

AC Transport Current Loss of Horizontally Attached Bi-2223/Ag Tapes . . . . . 1894  
*S. Choi, W. Nah, J. H. Kim, J. Joo, Y.-H. Jo, and K.-W. Ryu*

Electromagnetic Phenomena in HTS Bulk Subjected to a Rotating Field . . . . . 1898  
*M. Qiu, H. K. Huo, Z. Xu, D. Xia, and L. Z. Lin*

---

An Optimal Design of Interior Permanent Magnet Synchronous Motor for the Next Generation Commuter Train . . . . .	1902
..... <i>Y. Fujishima, S. Wakao, M. Kondo, and N. Terauchi</i>	
Maximization of Flux-Linkage in HTS Motors Using Shape Design Sensitivity Analysis With Critical Current Constraint . . . . .	1906
..... <i>J.-H. Lee, H.-S. Choi, W. Nah, I.-H. Park, J. Kang, J. Joo, J.-K. Byun, Y.-K. Kwon, M.-H. Sohn, and S.-W. Kim</i>	
Multiojective Design Optimization of Brushless Permanent Magnet Motor Using 3D Equivalent Magnetic Circuit Network Method . . . . .	1910
..... <i>Y. D. Chun, S. Wakao, T. H. Kim, K. B. Jang, and J. Lee</i>	
A Numerical Model of Displacement for Giant Magnetostrictive Actuator . . . . .	1914
..... <i>R. Yan, B. Wang, Q. Yang, F. Liu, S. Cao, and W. Huang</i>	
An Improved Approach to Calculate the Dynamic Characteristics of Permanent Magnetic Actuator of Vacuum Circuit Breaker . . . . .	1918
..... <i>F. Liu, H. Guo, Q. Yang, L. Zhang, and W. Yan</i>	
Multipurpose Design Optimization of EMS—Type Magnetically Levitated Vehicle Based on Genetic Algorithm . . . . .	1922
..... <i>S. Kusagawa, J. Baba, K. Shutoh, and E. Masada</i>	
Fast Solving Technique for Mechanical Dynamic Characteristic in Electromagnetic Motional System by Electro-Mechanical State Equation Including Extracted Circuit Parameter . . . . .	1926
..... <i>S.-H. Lee, I.-G. Kwak, H.-S. Choi, S.-M. Lee, I.-H. Park, and W.-K. Moon</i>	
<b>CONFERENCE AUTHOR INDEX . . . . .</b>	<b>1930</b>

---