

IEEE TRANSACTIONS ON APPLIED SUPERCONDUCTIVITY

A PUBLICATION OF THE IEEE COUNCIL ON SUPERCONDUCTIVITY

JUNE 2011

VOLUME 21

NUMBER 3

ITASE9

(ISSN 1051-8223)

PART I OF THREE PARTS

THE 2010 APPLIED SUPERCONDUCTIVITY CONFERENCE
Washington, DC, August 1–6, 2010

ELECTRONICS

ASC 2010 Chair's Introduction	<i>B. Strauss, D. Gubser, M. Osofsky, M. Green, and S. Farinon</i>	83
2010 Conference Organization		85
ASC 2010 Sponsors and Supporters		91
The IEEE Council on Superconductivity Awards for Contributions in the Field of Applied Superconductivity (2010) ...		92

Device Fabrication

Integration of Planarized Internally-Shunted Submicron NbN Junctions	<i>J.-C. Villégier, S. Bouat, M. Aurino, C. Socquet-Clerc, and D. Renaud</i>	102
Magnesium Diboride Flexible Flat Cables for Cryogenic Electronics	<i>C. S. Yung and B. H. Moeckly</i>	107
Improved Characteristics of Intrinsically Shunted Nb/Al – AlO _x – Nb Josephson Junctions	<i>V. Lacquaniti, N. De Leo, M. Fretto, A. Sosso, D. Andreone, and M. Belogolovskii</i>	111
MgB ₂ /MgO/MgB ₂ Josephson Junctions for High-Speed Circuits	<i>K. Chen, C. G. Zhuang, Q. Li, X. Weng, J. M. Redwing, Y. Zhu, P. M. Voyles, and X. X. Xi</i>	115
Diffusion Stop-Layers for Superconducting Integrated Circuits and Qubits With Nb-Based Josephson Junctions	<i>S. K. Tolpygo, D. Amparo, R. T. Hunt, J. A. Vivalda, and D. T. Yohannes</i>	119
Investigation of the Role of H in Fabrication-Process-Induced Variations of Nb/Al/AlO _x /Nb Josephson Junctions	<i>D. Amparo and S. K. Tolpygo</i>	126
The Effect of Magnetic Nanoparticles on Inductances for SFQ Device Application	<i>H. Akaike, K. Shigehara, T. Okumura, S. Yano, and A. Fujimaki</i>	131

(Contents Continued on Page 74)

Measurement of Epitaxial NbN/AlN/NbN Tunnel Junctions With a Low Critical Current Density at Low Temperature .. W. Qiu, H. Terai, and Z. Wang 135

Characterization of NbTiN Thin Films Deposited on Various Substrates K. Makise, H. Terai, M. Takeda, Y. Uzawa, and Z. Wang 139

Infrared Pulsed Laser Deposition of Niobium Nitride Thin Films S. Chaudhuri, M. R. Nevala, T. Hakkarainen, T. Niemi, and I. J. Maasilta 143

Evolution of Electrical and Electrodynamic Properties of $YBa_2Cu_3O_{7-x}$ Bicrystal Josephson Junctions With Oxygen Loading I. I. Gundareva, O. Y. Volkov, M. V. Lyatti, Y. Y. Divin, V. N. Gubankov, and V. V. Pavlovskiy 147

Feasibility of a High Temperature Superconductor rf-SQUID Based on Biepitaxial Josephson Junction Technology L. Longobardi, D. Stornaiuolo, G. Papari, and F. Tafuri 151

Step-Edge Josephson Junctions on Multilayered High Temperature Superconducting Thin Film O. V. Shcherbakova, S. K. H. Lam, A. V. Pan, S. V. Fedoseev, S. X. Dou, J. Du, and C. P. Foley 156

Annealing Temperature Effects on YBCO/LaAlO₃ and YBCO/CeO₂/Al₂O₃ for Microwave Applications by TFA-MOD Q. Li, D. Shi, X. B. Zhu, L. Wang, T. Yamashita, and S. Cooper 160

Transport Properties of YBCO Nanowires S. Nawaz, T. Bauch, and F. Lombardi 164

Intrinsic Josephson Junctions in Bi-2212 Thin Films Fabricated by Metal-Organic Decomposition K. Hamanaka, K. Oho, T. Tachiki, and T. Uchida 168

Characterization of Bi₂Sr₂CaCu₂O_{8+δ} Stacks Fabricated by Acid Treatment Process T. Kato, J. Chen, S. Sunaga, H. Mizumaru, T. Asano, H. Shimakage, K. Yasui, and K. Hamasaki 172

Shapiro Step Response of Intrinsic Josephson Junctions With High Critical Currents of (Bi_{1-x}Pb_x)₂Sr₂CaCu₂O_y N. B. Othman, G. Oya, M. Kitamura, and A. Irie 176

Nonmagnetic Sensing, Bolometers, Calorimeters, Terahertz, and Nano-wires

A Log-Periodic Channelizer for Multichroic Antenna-Coupled TES-Bolometers R. O'Brien, P. Ade, K. Arnold, J. Edwards, G. Engargiola, W. Holzzapfel, A. T. Lee, M. Myers, G. Rebeiz, P. Richards, and A. Suzuki 180

Progress on ANL/KICP Bolometers for SPTpol A. T. Crites, B. A. Benson, L. Bleem, J. E. Carlstrom, C. L. Chang, A. Datesman, R. Divan, E. M. George, W. L. Holzzapfel, A. Lee, M. Lueker, J. J. McMahon, J. Mehl, S. S. Meyer, T. Montroy, T. Natoli, V. Novosad, J. Pearson, J. Ruhl, J. Sayre, E. Shirokoff, K. Story, G. Wang, V. Yefremenko, and E. Y. Young 184

Ultrasensitive TES Bolometers for Space-Based FIR Astronomy D. Morozov, P. D. Mauskopf, P. Ade, M. Ridder, P. Khosropanah, M. Bruijn, J. van der Kuur, H. Hoevers, J.-R. Gao, and D. Griffin 188

NbSi TES Array and Readout: Development and Characterization F. Pajot, D. Prêle, J. Zhong, Y. Atik, B. Bélier, L. Bergé, G. Bordier, E. Bréelle, L. Dumoulin, C. Evesque, F. Gadot, B. Leriche, S. Marnieros, J. Martino, M. Piat, S. C. Shi, and F. Voisin 192

Al-Mn Transition Edge Sensors for Cosmic Microwave Background Polarimeters D. R. Schmidt, H.-M. Cho, J. Hubmayr, P. Lowell, M. D. Niemack, G. C. O'Neil, J. N. Ullom, K. W. Yoon, K. D. Irwin, W. L. Holzzapfel, M. Lueker, E. M. George, and E. Shirokoff 196

Characterization of an Ultra-Sensitive Transition-Edge Sensor for Space-Borne Far-IR/Sub-mm Spectroscopy A. D. Beyer, M. E. Kenyon, P. M. Echternach, B.-H. Eom, J. Bueno, P. K. Day, J. J. Bock, C. M. Bradford, P. Khosropanah, M. Ridder, M. Bruijn, H. Hoevers, and J. R. Gao 199

Stability of Al-Mn Transition Edge Sensors for Frequency Domain Multiplexing J. Hubmayr, J. E. Austermann, J. A. Beall, D. Becker, D. A. Bennett, B. A. Benson, L. E. Bleem, C. L. Chang, J. E. Carlstrom, H.-M. Cho, A. T. Crites, M. Dobbs, W. Everett, E. M. George, W. L. Holzzapfel, N. W. Halverson, J. W. Henning, G. C. Hilton, K. D. Irwin, D. Li, P. Lowell, M. Lueker, J. McMahon, J. Mehl, S. S. Meyer, J. P. Nibarger, M. D. Niemack, D. R. Schmidt, E. Shirokoff, S. M. Simon, K. W. Yoon, and E. Y. Young 203

Superconducting Transition-Edge Sensor Microcalorimeters for Ultra-High Resolution Alpha-Particle Spectrometry ... M. P. Croce, M. K. Bacrania, E. M. Bond, D. E. Dry, A. L. Klingensmith, W. A. Moody, S. P. LaMont, M. W. Rabin, J. H. Rim, J. A. Beall, D. A. Bennett, V. Kotsubo, R. D. Horansky, G. C. Hilton, D. Schmidt, J. N. Ullom, and R. Cantor 207

Characterization of Signal Response of Lead Absorber Coupled Transition Edge Sensor Gamma-Ray Microcalorimeters R. M. T. Damayanthi, M. Ohno, N. Iyomoto, and H. Takahashi 211

Ti/Au Transition-Edge Sensors Coupled to Single Mode Optical Fibers Aligned by Si V-Groove L. Lolli, E. Taralli, C. Portesi, D. Alberto, M. Rajteri, and E. Monticone 215

Transition Edge Sensor Focal Plane Arrays for the BICEP2, Keck, and Spider CMB Polarimeters J. A. Bonetti, A. D. Turner, M. Kenyon, H. G. LeDuc, J. A. Brevik, A. Orlando, A. Trangsrud, R. Sudiwala, H. T. Nguyen, P. K. Day, J. J. Bock, S. R. Golwala, J. M. Kovac, W. C. Jones, and C. L. Kuo 219

Development of Embedded Heatsinking Layers for Compact Arrays of X-Ray TES Microcalorimeters F. M. Finkbeiner, C. N. Bailey, S. R. Bandler, R. P. Brekosky, A. D. Brown, J. A. Chervenak, M. E. Eckart, R. L. Kelley, D. P. Kelly, C. A. Kilbourne, F. S. Porter, J. E. Sadleir, and S. J. Smith 223

Study of Excess Heat Capacity and Suppressed Kapitza Conductance in TES Devices Y. Zhao, J. Appel, J. A. Chervenak, W. B. Doriese, and S. Staggs 227

Thermal Properties of Silicon Nitride Beams Below One Kelvin G. Wang, V. Yefremenko, V. Novosad, A. Datesman, J. Pearson, R. Divan, C. L. Chang, L. Bleem, A. T. Crites, J. Mehl, T. Natoli, J. McMahon, J. Sayre, J. Ruhl, S. S. Meyer, and J. E. Carlstrom 232

Transition Edge Sensors (TES) Using a Low-G Spider-Web-Like SiN Supporting Structure P. Khosropanah, B. P. F. Dirks, M. Parra-Borderias, M. Ridder, R. Hijmering, J. van der Kuur, L. Gottardi, M. Bruijn, M. Popescu, J. R. Gao, and H. Hoevers 236

Titanium Superconducting Photon-Number-Resolving Detector D. Fukuda, G. Fujii, T. Numata, K. Amemiya, A. Yoshizawa, H. Tsuchida, H. Fujino, H. Ishii, T. Itatani, S. Inoue, and T. Zama 241

Development of Multilayer Readout Wiring for Large-Format TES X-Ray Microcalorimeter Arrays Y. Ezoe, Y. Ishisaki, S. Oishi, Y. Abe, T. Ohashi, H. Yoshitake, N. Sekiya, K. Mitsuda, T. Morooka, and K. Tanaka 246

Microscopic Model of a Transition Edge Sensor as a Weak Link A. G. Kozorezov, A. A. Golubov, D. D. E. Martin, P. A. J. de Korte, M. A. Lindeman, R. A. Hijmering, and J. K. Wigmore 250

Relationships Between Complex Impedance, Thermal Response, and Noise in TES Calorimeters and Bolometers M. A. Lindeman, B. Dirks, J. van der Kuur, P. A. J. de Korte, R. H. den Hartog, L. Gottardi, R. A. Hijmering, H. F. C. Hoevers, and P. Khosropanah 254

Thermal Conductance Measurements of a Micron-Sized Transition-Edge Hot-Electron Micro-Bolometer E. M. Barrentine, D. E. Brandl, A. D. Brown, K. L. Denis, W.-T. Hsieh, P. C. Nagler, T. R. Stevenson, D. J. Talley, P. T. Timbie, and K. U-Yen 258

Flux-Coupled Direct Feedback in a SQUID Amplifier B. A. Hines, K. M. Sundqvist, D. N. Seitz, and M. E. Huber 262

Fundamental Noise Processes in TES Devices M. Galeazzi 267

AC Read-Out Circuits for Single Pixel Characterization of TES Microcalorimeters and Bolometers L. Gottardi, J. van de Kuur, S. Bandler, M. Bruijn, P. de Korte, J. R. Gao, R. den Hartog, R. A. Hijmering, H. Hoevers, P. Khosropanah, C. Kilbourne, M. A. Lindemann, M. Parra Borderias, and M. Ridder 272

Development of a Real-Time Pulse Processing Algorithm for TES-Based X-Ray Microcalorimeters H. Tan, W. Hennig, W. K. Warburton, W. B. Doriese, and C. A. Kilbourne 276

Small-Signal Behavior of a TES Under AC Bias J. van der Kuur, L. Gottardi, M. P. Borderias, B. Dirks, P. de Korte, M. Lindeman, P. Khosropanah, R. den Hartog, and H. Hoevers 281

Optical Transition-Edge Sensors Single Photon Pulse Analysis D. Alberto, M. Rajteri, E. Taralli, L. Lolli, C. Portesi, E. Monticone, Y. Jia, R. Garello, and M. Greco 285

Frequency Domain Multiplexed Readout of TES Detector Arrays With Baseband Feedback R. den Hartog, J. Beyer, D. Boersma, M. Bruijn, L. Gottardi, H. Hoevers, R. Hou, M. Kiviranta, P. de Korte, J. van der Kuur, B.-J. van Leeuwen, M. Lindeman, and A. Nieuwenhuizen 289

Superconducting LC Filter Circuits for Frequency Division Multiplexed Readout of TES Detectors M. P. Bruijn, L. Gottardi, R. H. den Hartog, H. F. C. Hoevers, P. A. J. de Korte, and J. van der Kuur 294

Time-Division SQUID Multiplexers With Reduced Sensitivity to External Magnetic Fields G. M. Stiehl, H. M. Cho, G. C. Hilton, K. D. Irwin, J. A. B. Mates, C. D. Reintsema, and B. L. Zink 298

Development of Monolithic Microwave Integrated Amplifiers as Readout for Detectors at 4.2 K S. Wuensch, D. Bruch, E. Crocoll, A. Leuther, I. Kallfass, and M. Siegel 302

Terahertz Characterization of External Resonant Systems by High-T_c Josephson Junctions O. Y. Volkov, Y. Y. Divin, V. N. Gubankov, I. I. Gundareva, and V. V. Pavlovskiy 306

Josephson Spectroscopy for Identification of Liquids Y. Divin, M. Lyatti, U. Poppe, K. Urban, and V. Pavlovskiy 311

Self-Emission From Arrays of Overdamped Josephson Junctions F. Song, F. Müller, R. Behr, L. Fang, and A. M. Klushin 315

HTS Josephson Junction Cantilever With Integrated Near Field THz Antenna C. Brendel, J. M. Scholtyssek, F. Ludwig, and M. Schilling 319

New Generation of Nanowire NbN Superconducting Single-Photon Detector for Mid-Infrared Y. Korneeva, I. Florya, A. Semenov, A. Korneev, and G. Goltsman 323

SWIFTS Waveguide Micro-Spectrometer Integrated on Top of a 1D-NbN SNSPD Array P. Cavalier, C. Constancias, P. Feautrier, L. Maingault, A. Morand, and J.-C. Villégier 327

Characterization of Coupling Efficiency and Absorption Coefficient for Fiber-Coupled SNSPD With an Optical Cavity .. 332
S. Miki, T. Yamashita, M. Fujiwara, M. Sasaki, and Z. Wang

Performances of Fiber-Coupled Superconducting Nanowire Single-Photon Detectors Measured at Ultralow Temperature 336
T. Yamashita, S. Miki, W. Qiu, M. Fujiwara, M. Sasaki, and Z. Wang

Magnetic Sensing, Squids and Squid Devices

Investigation of Low-Frequency Excess Flux Noise in DC SQUIDs at mK Temperatures 340
D. Drung, J. Beyer, J.-H. Storm, M. Peters, and T. Schurig

Ultrasensitive Broad Band SQUID Microsusceptometer for Magnetic Measurements at Very Low Temperatures 345
M. J. Martínez-Pérez, J. Sesé, F. Luis, R. Córdoba, D. Drung, T. Schurig, E. Bellido, R. de Miguel, C. Gómez-Moreno, A. Lostao, and D. Ruíz-Molina

Modeling the Behavior of HTS Terahertz RSQUIDs 349
C. M. Pegrum, J. C. Macfarlane, and J. Du

Voltage Biased SQUID Bootstrap Circuit: Circuit Model and Numerical Simulation 354
Y. Wang, X. Xie, H. Dong, G. Zhang, H. Wang, Y. Zhang, M. Mück, H.-J. Krause, A. I. Braginski, A. Offenhäusser, and M. Jiang

High-Temperature Superconducting Gradiometer Coupled With Large Pickup Coil Made of GdBCO Coated Conductor .. 358
A. Tsukamoto, S. Adachi, Y. Oshikubo, T. Hato, K. Tanabe, and K. Enpuku

Fabrication of Integrated Two-Axis High- T_c Planar Gradiometer 363
A. Tsukamoto, S. Adachi, Y. Oshikubo, J. Kawano, T. Hato, and K. Tanabe

Fabrication of Low-Noise HTS-SQUID Gradiometers and Magnetometers With Ramp-Edge Josephson Junctions 367
S. Adachi, A. Tsukamoto, Y. Oshikubo, T. Hato, Y. Ishimaru, and K. Tanabe

YBCO Step-Edge Junctions: Influence of Morphology on Junction Transport 371
E. E. Mitchell and C. P. Foley

Fabrication and Properties of High- T_c YBCO Josephson Junction and SQUID With Variable Thickness Bridges by Focused Ion Beam 375
C.-H. Wu, F.-J. Jhan, J.-H. Chen, J.-T. Jeng, K.-L. Chen, and H.-C. Yang

Fabrication of a $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+x}$ Intrinsic DC-SQUID With a Shunt Resistor 379
T. Kato, N. Iso, A. Miwa, H. Suematsu, A. Kawakami, K. Yasui, and K. Hamasaki

Modeled Performance of a Long Baseline Planar SQUID Gradiometer for Biomagnetism 383
A. Vettoliere, C. Granata, S. Rombetto, and M. Russo

Design of Digital DROS With SFQ Up/Down Counter for Wide Dynamic Operation Range 387
H. Myoren, Y. Kimimoto, K. Terui, and T. Taino

Modeling Non-Locally Coupled DC SQUID Arrays 391
P. Longhini, S. Berggren, A. Palacios, V. In, and A. Leese de Escobar

Design and Experimental Evaluation of SQIF Arrays With Linear Voltage Response 394
V. K. Kornev, I. I. Soloviev, N. V. Klenov, and O. A. Mukhanov

Two-Stage Directly-Coupled Superconducting Quantum Interference Device Array Magnetometer 399
J.-T. Jeng, M.-J. Wang, C.-H. Wu, and C.-C. Lu

Noise Performance of Niobium Nano-SQUIDs in Applied Magnetic Fields 404
E. J. Romans, S. Rozhko, L. Young, A. Blois, L. Hao, D. Cox, and J. C. Gallop

Readout System for NanoSQUID Sensors Using a SQUID Amplifier 408
F. Ruede, S. Bechstein, L. Hao, C. Aßmann, T. Schurig, J. Gallop, O. Kazakova, J. Beyer, and D. Drung

A Cryo-Cooled Scanning SQUID Microscope for Imaging High-Frequency Magnetic Fields 412
C. P. Vlahacos, J. Matthews, and F. C. Wellstood

Observation of Polycrystalline Solar Cell Using a Laser-SQUID Microscope 416
Y. Nakatani, T. Hayashi, and H. Itozaki

Evaluation of an STM-SQUID Probe Microscope 420
N. Watanabe, T. Hayashi, M. Tachiki, D. He, and H. Itozaki

Two-Channel HTS SQUID Gradiometer System for Detection of Metallic Contaminants in Lithium-Ion Battery 424
S. Tanaka, T. Akai, Y. Kitamura, Y. Hatsukade, T. Otani, and S. Suzuki

Non-Destructive Evaluation of Deep-Lying Defects in Multilayer Conductors Using HTS SQUID Gradiometer 428
J. Kawano, T. Hato, S. Adachi, Y. Oshikubo, A. Tsukamoto, and K. Tanabe

HTS Rf-SQUID Microscope for Metallic Contaminant Detection 432
M. Takemoto, T. Akai, Y. Kitamura, Y. Hatsukade, and S. Tanaka

Phase-Diffusion in Switching Process of Underdamped Josephson Junctions 436
X. Tan, S. Cong, C. Pan, Y. Yu, G. Sun, J. Chen, and P. Wu

Electric Current Imaging by Ultrasonography and SQUID Magnetometry 440
D. Oyama, M. Higuchi, Y. Adachi, J. Kawai, G. Uehara, H. Kado, and K. Kobayashi

A Non-Destructive Beam Monitoring System Based on an LTS-SQUID 444
R. Geithner, R. Neubert, W. Vodel, M. Schwickert, H. Reeg, R. von Hahn, and P. Seidel

An On-Chip Mach-Zehnder Interferometer in the Microwave Regime 448
S. Schuermans, M. Simoen, M. Sandberg, P. Krantz, C. M. Wilson, and P. Delsing

Design and Testing of Superconducting Microwave Passive Components for Quantum Information Processing 452
H. S. Ku, F. Mallet, L. R. Vale, K. D. Irwin, S. E. Russek, G. C. Hilton, and K. W. Lehnert

Ultra Low Frequency NMR, MRI, and Bio-Applications

Co-Registration of Interleaved MEG and ULF MRI Using a 7 Channel Low- T_c SQUID System 456
P. E. Magnelind, J. J. Gomez, A. N. Matlashov, T. Owens, J. H. Sandin, P. L. Volegov, and M. A. Espy

Low-Field Nuclear Magnetic Resonance and Magnetic Resonance Imaging Using a High- T_c SQUID for Tumor Detection 461
K.-W. Huang, S.-H. Liao, H.-C. Yang, H.-H. Chen, H.-E. Horng, M. J. Chen, and S.-Y. Yang

SQUIDs vs. Induction Coils for Ultra-Low Field Nuclear Magnetic Resonance: Experimental and Simulation Comparison 465
A. N. Matlashov, L. J. Schultz, M. A. Espy, R. H. Kraus, I. M. Savukov, P. L. Volegov, and C. J. Wurden

Studies on Response of Human Hippocampus to Random Somatosensory Stimuli by a SQUID System in a Superconducting Magnetic Shield 469
H. Ohta, T. Matsui, and Y. Uchikawa

Magnetorelaxation (MRX) Measurements With DC-SQUID Gradiometers 473
M. Büttner, F. Schmidl, M. Schiffer, and P. Seidel

Multi-Channel SQUID-Based Ultra-High-Sensitivity In-Vitro Detections for Bio-Markers of Alzheimer's Disease Via Immunomagnetic Reduction 477
M. J. Chiu, H. E. Horng, J. J. Chieh, S. H. Liao, C. H. Chen, B. Y. Shih, C. C. Yang, C. L. Lee, T. F. Chen, S. Y. Yang, C. Y. Hong, and H. C. Yang

A Compact SQUID Magnetometer for Thermoremanent Magnetization Immunoassays 481
H. R. Carvalho and A. C. Bruno

Improvement of SQUID Magnetometer System for Extending Application of Spinal Cord Evoked Magnetic Field Measurement 485
Y. Adachi, M. Miyamoto, J. Kawai, G. Uehara, H. Ogata, S. Kawabata, K. Sekihara, and H. Kado

Noise Modeling From Conductive Shields Using Kirchhoff Equations 489
H. J. Sandin, P. L. Volegov, M. A. Espy, A. N. Matlashov, I. M. Savukov, and L. J. Schultz

Development of a Mouse Biomagnetic Measurement System by Using a High- T_c SQUID Magnetometer 493
I.-S. Kim, S. Ahn, C.-H. Lee, and Y.-H. Lee

Measurement of Rat Magnetocardiograms by Using a High- T_c SQUID Magnetometer System 497
I.-S. Kim, H. Kwon, S. Ahn, and J.-H. Song

Comparison of Noise Performance of the dc SQUID Bootstrap Circuit With That of the Standard Flux Modulation dc SQUID Readout Scheme 501
Y. Zhang, G. Zhang, H. Wang, Y. Wang, H. Dong, X. Xie, M. Mück, H.-J. Krause, A. I. Braginski, A. Offenhäusser, and M. Jiang

Magnetic Resonance Imaging of Hyperpolarized ^3He Detected With a High- T_c SQUID in Microtesla Magnetic Field at Laboratory Environment Fields 505
H.-H. Chen, H.-C. Yang, H.-E. Horng, S. H. Liao, S.-Y. Yang, K. L. Chen, L. M. Wang, and M. J. Chen

Low Field MRI Detection With Tuned HTS SQUID Magnetometer 509
H. Dong, Y. Zhang, H.-J. Krause, X. Xie, and A. Offenhäusser

HTS SQUID Magnetometer Using Resonant Coupling of Cooled Cu Pickup Coil 514
K. Enpuku, S. Hirakawa, Y. Tsuji, R. Momotomi, M. Matsuo, T. Yoshida, and A. Kandori

The Effect of Low Frequency External Field Disturbance on the SQUID Based Ultra-Low Field NMR Measurements .. 518
Y. R. Jin, N. Wang, S. Li, Y. Tian, Y. F. Ren, Y. L. Wu, H. Deng, Y. F. Chen, J. Li, H. Y. Tian, G. H. Chen, and D. N. Zheng

Liquid-State Nuclear Magnetic Resonance Measurements for Imaging Using HTS-rf-SQUID in Ultra-Low Field 522
S. Fukumoto, M. Hayashi, Y. Katsu, M. Suzuki, R. Morita, Y. Naganuma, Y. Hatsukade, S. Tanaka, and O. Snigirev

SQUID-Based Low Field MRI System for Small Animals 526
J. Hatta, M. Miyamoto, Y. Adachi, J. Kawai, G. Uehara, and H. Kado

Progress on Detection of Liquid Explosives Using Ultra-Low Field MRI 530
M. Espy, S. Baguisa, D. Dunkerley, P. Magnelind, A. Matlashov, T. Owens, H. Sandin, I. Savukov, L. Schultz, A. Urbaitis, and P. Volegov

Step-Edge High- T_c SQUID Magnetometer for Low-Field NMR Detection 534
S. Y. Yang, K. W. Lin, J. J. Chieh, C. C. Yang, H. E. Horng, S. H. Liao, H. H. Chen, C. Y. Hong, and H. C. Yang

Microwave Technology and Devices

Realization of a Highly Miniaturized Wideband Bandpass Filter at the UHF Band *S. Setoodeh, P. D. Laforge, and R. R. Mansour* 538

Superconducting Multiplexer Filter Bank for a Frequency-Selective Power Limiter *E. Rocas, A. Padilla, J. Mateu, N. Orloff, J. M. O'Callaghan, C. Collado, and J. C. Booth* 542

Modeling of Self-Heating Mechanism in the Design of Superconducting Limiters *E. Rocas, C. Collado, J. Mateu, N. Orloff, and J. C. Booth* 547

Characteristics of Ultra-Wideband Bandpass YBCO Filter With Impedance Stub *L.-M. Wang, W.-C. Lin, M.-L. Chang, C.-Y. Shiau, and C.-T. Wu* 551

On the Relation Between the Nonlinear Surface Impedance and the Superfluid Current Density in High-Temperature Superconductors *E. Rocas, C. Collado, A. Padilla, and J. C. Booth* 555

Improvement in Power-Handling Capability of Superconducting Filters Using Multi-Layered Microstrip Line Resonators *Y. Endo, S. Ono, M. Uno, T. Saito, A. Saito, K. Nakajima, and S. Ohshima* 559

Development of Trimming Technique for Superconducting Tunable Filters *T. Saito, S. Ono, M. Uno, Y. Endo, A. Saito, K. Nakajima, and S. Ohshima* 563

Reliability of Suspended Bridges on Superconducting Microstrip Filters Using MEMS Switches *J. M. Vargas, A. Bogoz, J. Noel, Y. Hijazi, Y. A. Vlasov, and G. L. Larkins* 567

Integrated Power Divider for Superconducting Digital Circuits *O. T. Oberg, Q. P. Herr, A. G. Ioannidis, and A. Y. Herr* 571

The Use of Low-Pass Filters as Impedance Inverters for Highly Miniaturized Superconducting Bandstop Filter Designs .. *P. D. Laforge, R. R. Mansour, and M. Yu* 575

Mechanisms Limiting the Performance of MgB₂ Polycrystalline Thin Film Microwave Resonators *G. Ghigo, R. Gerbaldo, L. Gozzelino, F. Laviano, B. Minetti, E. Monticone, C. Portesi, and E. Mezzetti* 579

Phase and Amplitude Modulator for Microwave Pulse Generation *G. Brummer, R. Rafique, and T. A. Ohki* 583

Intrinsic Surface Resistance of YBCO Thin Films Under DC Magnetic Field *K. Nakagawa, T. Honma, K. Takeda, S. Ono, H. Kai, A. Saito, M. Mukaida, K. Nakajima, and S. Ohshima* 587

Millimeter-Wave Surface Impedance Characterization of HTS Films and Single Crystals Using Quasi-Optical Sapphire Resonators *N. T. Cherpak, A. A. Barannik, S. A. Bunyaev, Y. V. Prokopenko, K. I. Torokhtii, and S. A. Vitusevich* 591

Even and Odd Order Intermodulation Nonlinearity From Superconductive Microstrip Lines *A. M. Eben, V. A. Bunnell, C. J. Goodson, E. K. Pease, S.-C. Lee, and S. K. Remillard* 595

Microwave Study of FeSe_{0.3}Te_{0.7} Thin Film by TE₀₁₁-Mode Sapphire Dielectric Resonator *Y. Wu, S. Y. Zhou, X. Y. Wang, L. X. Cao, X. Q. Zhang, S. Luo, Y. S. He, A. A. Barannik, N. T. Cherpak, and V. N. Skresanov* 599

Microwave Dependence of a-Axis Oriented YBa₂Cu₃O₇ Thin Film *S. Saini, M. Takamura, M. Mukaida, and S.-J. Kim* 602

Mixers and Mixed Signal Devices

Performance of the ALMA Band 10 SIS Receiver Prototype Model *Y. Fujii, M. Kroug, K. Kaneko, A. Gonzalez, Y. Uzawa, T. Kojima, K. Kuroiwa, A. Miyachi, K. Makise, Z. Wang, and W. Shan* 606

Balloon-Borne Superconducting Integrated Receiver for Atmospheric Research *O. Kiselev, M. Birk, A. Ermakov, L. Filippenko, H. Golstein, R. Hoogeveen, N. Kinev, B. van Kuik, A. de Lange, G. de Lange, P. Yagoubov, and V. Koshelets* 612

Low Noise 1 THz SIS Mixer for Stratospheric Observatory: Design and Characterization *A. Karpov, D. A. Miller, J. A. Stern, B. Bumble, H. G. LeDuc, I. Mehdi, R. H. Lin, and J. Zmuidzinas* 616

Ultrawide Noise Bandwidth of NbN Hot-Electron Bolometer Mixers With In Situ Gold Contacts *I. Tretyakov, S. Ryabchun, M. Finkel, S. Maslennikov, A. Maslennikova, N. Kaurova, A. Lobastova, B. Voronov, and G. Gol'tsman* 620

Heterodyne Mixing and Direct Detection Performance of a Superconducting NbN Hot-Electron Bolometer *W. Zhang, W. Miao, K. M. Zhou, S. L. Li, Z. H. Lin, Q. J. Yao, and S. C. Shi* 624

Large-Signal Frequency Response of an HEB Mixer: From 300 MHz to Terahertz *Y. Lobanov, E. Tong, R. Blundell, A. Hedden, B. Voronov, and G. Gol'tsman* 628

Fabrication of Nano-Antennas for Superconducting Infrared Detectors *A. Kawakami, S. Saito, and M. Hyodo* 632

NbTiN Hot Electron Bolometer Waveguide Mixers on Si₃N₄ Membranes at THz Frequencies *P. Pütz, K. Jacobs, M. Justen, F. Schomaker, M. Schultz, S. Wulff, and C. E. Honingh* 636

Stability of a Quasi-Optical Superconducting NbTiN Hot-Electron Bolometer Mixer at 1.5 THz Frequency Band *H. Maezawa, T. Yamakura, T. Shiino, S. Yamamoto, S. Shiba, N. Sakai, Y. Irimajiri, L. Jiang, N. Nakai, M. Seta, A. Mizuno, T. Nagahama, and Y. Fukui* 640

Direct Measurement of the Gain and Noise Bandwidths of HEB Mixers *Y. V. Lobanov, C. E. Tong, A. S. Hedden, R. Blundell, B. M. Voronov, and G. N. Gol'tsman* 645

Development of Superconductor-Insulator-Superconductor (SIS) Terahertz Receiver With Mechanical and Thermal Vibration-Reduced Cryocooler *K. Kikuchi, T. Yamada, and S. Kohjiro* 649

Development of 460 GHz and Dual Polarization SIS Mixers for the Submillimeter Array *C.-T. Li, K.-Y. Liu, W.-C. Lu, C.-P. Chiu, T.-J. Chen, C.-W. Chen, Y.-C. Chang, M.-J. Wang, and S.-C. Shi* 654

Characterization of SIS Receivers Using a Digital Spectrometer *C.-Y. E. Tong, S. N. Paine, and R. Blundell* 659

Noise and Bandwidth of 0.5-THz Twin Vertically Stacked SIS Junctions *J. Li, S.-C. Shi, D. Liu, K.-M. Zhou, M. Wang, T.-J. Chen, C.-W. Chen, W.-C. Lu, C. Chiu, and H.-H. Chang* 663

Stability of Superconducting Hot Electron Bolometer Receivers *J. Chen, Y. Jiang, M. Liang, L. Kang, B. B. Jin, W. W. Xu, and P. H. Wu* 667

Design and Demonstration of a 5-Bit Flash-Type SFQ A/D Converter Integrated With Error Correction and Interleaving Circuits *H. Suzuki, M. Oikawa, K. Nishii, K. Ishihara, K. Fujiwara, M. Maruyama, and M. Hidaka* 671

Multi-Band Digital-RF Receiver *S. Sarwana, D. E. Kirichenko, V. V. Dotsenko, A. F. Kirichenko, S. B. Kaplan, and D. Gupta* 677

Multitone Waveform Synthesis With a Quantum Voltage Noise Source *S. P. Benz, P. D. Dresselhaus, and C. J. Burroughs* 681

Optimization of Josephson Junction Comparators in Terms of Speed and Accuracy *B. Ebert and T. Ortlepp* 687

10 Volt Programmable Josephson Voltage Standard Circuits Using NbSi-Barrier Junctions *P. D. Dresselhaus, M. M. Elsbury, D. Olaya, C. J. Burroughs, and S. P. Benz* 693

Concept of Superconducting Comparator for Pipeline A/D Converter *J. R. Ngankio-Njila, D.-G. Crété, J.-C. Mage, B. Marcilhac, and P. Febvre* 697

Superconducting Neural Network for Solving a Combinatorial Optimization Problem *T. Onomi, Y. Maenami, and K. Nakajima* 701

Linearity of a Digital SQUID Magnetometer *I. Haverkamp, O. Mielke, J. Kunert, R. Stolz, H.-G. Meyer, H. Toepfer, and T. Ortlepp* 705

Novel Devices

Superconducting RF Metamaterials Made With Magnetically Active Planar Spirals *C. Kurter, A. P. Zhuravel, J. Abrahams, C. L. Bennett, A. V. Ustinov, and S. M. Anlage* 709

Linear Bi-SQUID Arrays for Electrically Small Antennas *V. K. Kornev, I. I. Soloviev, N. V. Klenov, A. V. Sharafiev, and O. A. Mukhanov* 713

Nano-Strip Three-Terminal Superconducting Device for Cryogenic Detector Readout *S. Pagano, N. Martucciello, R. Cristiano, M. Ejrnaes, A. Casaburi, R. Leoni, A. Gaggero, F. Mattioli, J. C. Villegier, and P. Cavalier* 717

Multi-Terminal Superconducting Nonequilibrium Device With a Ferromagnetic Screen *I. P. Nevirkovets, O. Chernyashkevskyy, J. B. Ketterson, and A. V. Pan* 721

3D Active Demagnetization of Cold Magnetic Shields *Y. A. Polyakov, V. K. Semenov, and S. K. Tolpygo* 724

Design and Fabrication of Integrated Cryogenic Current Comparators *M. Maezawa, C. Urano, M. Maruyama, T. Yamada, T. Oe, M. Hidaka, T. Satoh, S. Nagasawa, K. Hinode, S. Kiryu, and N. Kaneko* 728

Analysis of Possible Quantum Metastable States in Ballistic Graphene-Based Josephson Junctions *J. G. Lambert, S. A. Carabello, and R. C. Ramos* 734

Cavity Resonance Effects on Phase-Locking of the Flux-Flow in Bi-2212 Intrinsic Josephson Junctions *K. Nakajima, M. Isobe, T. Chiba, and H. Yamada* 738

Control of Critical Current of Intrinsic Josephson Junctions Due to Spin Injection *A. Irie, N. Arakawa, M. Kitamura, H. Sakuma, and G.-i. Oya* 741

A Re-Entrant MgB₂ Cavity for Dynamic Casimir Experiment *G. Giunchi, A. Figini Albisetti, C. Braggio, G. Carugno, G. Messineo, G. Ruoso, G. Galeazzi, and F. Della Valle* 745

YBCO-Film Based FIR Detectors in Not Dissipative Regime: Local THz Response by Heavy-Ion Nanostructure Implantation *F. Laviano, R. Gerbaldo, G. Ghigo, L. Gozzelino, B. Minetti, A. Rovelli, and E. Mezzetti* 748

Investigation and Optimization of LEKID Coupling Structures and Multi-Pixel Arrays at 4.2 K *S. Wuensch, G. Hammer, T. Kappler, F. Geuppert, and M. Siegel* 752

Subgap Tunneling Current at Low Temperature in Nb/Al-AlN/Nb SIS Junctions *T. Noguchi, T. Suzuki, and T. Tamura* 756

Digital Circuits

Energy-Efficient Single Flux Quantum Technology *O. A. Mukhanov* 760
 Reduced Power Consumption in Superconducting Electronics
 *T. Ortlepp, O. Wetzstein, S. Engert, J. Kunert, and H. Toepfer* 770
 Zero Static Power Dissipation Biasing of RSFQ Circuits *D. E. Kirichenko, S. Sarwana, and A. F. Kirichenko* 776
 Progress With Physically and Logically Reversible Superconducting Digital Circuits *J. Ren and V. K. Semenov* 780
 Data-Flow Microarchitecture for Wide Datapath RSFQ Processors: Design Study
 *M. Dorojevets, C. L. Ayala, and A. K. Kasperek* 787
 100-GHz Single-Flux-Quantum Bit-Serial Adder Based on 10-kA/cm² Niobium Process
 *M. Tanaka, H. Akaike, A. Fujimaki, Y. Yamanashi, N. Yoshikawa, S. Nagasawa, K. Takagi, and N. Takagi* 792
 Hybrid Semiconductor-Superconductor Fast-Readout Memory for Digital RF Receivers
 *O. A. Mukhanov, A. F. Kirichenko, T. V. Filippov, and S. Sarwana* 797
 A Comparison of Multi-Criteria Evaluation Methods for RSFQ Circuit Optimization
 *F. G. Ortmann, A. van der Merwe, H. R. Gerber, and C. J. Fourie* 801
 New Josephson-CMOS Interface Amplifier *D. Wei, S. R. Whiteley, L. Zheng, H. Park, H. Kim, and T. Van Duzer* 805
 Clock Line Considerations for an SFQ Large Scale Reconfigurable Data Paths Processor
 *I. Kataeva, H. Akaike, A. Fujimaki, N. Yoshikawa, S. Nagasawa, and N. Takagi* 809
 Comparison of RSFQ Logic Cells With and Without Phase Shifting Elements by Means of BER Measurements
 *O. Wetzstein, T. Ortlepp, R. Stolz, J. Kunert, H.-G. Meyer, and H. Toepfer* 814
 Multi-Bit Mixers for Digital-RF Receivers *T. V. Filippov, S. Sarwana, A. Sahu, A. F. Kirichenko, and D. Gupta* 818
 High-Speed Test of a Radix-2 Butterfly Processing Element for Fast Fourier Transforms Using SFQ Circuits
 *F. Miyaoka, T. Kainuma, Y. Shimamura, Y. Yamanashi, and N. Yoshikawa* 823
 Design and Implementation of Component Circuits of an SFQ Half-Precision Floating-Point Adder Using 10-kA/cm² Nb
 Process *T.*
Kainuma, Y. Shimamura, F. Miyaoka, Y. Yamanashi, N. Yoshikawa, A. Fujimaki, K. Takagi, N. Takagi, and S. Nagasawa 827
 Design Approach of Dynamically Reconfigurable Single Flux Quantum Logic Gates
 *Y. Yamanashi, I. Okawa, and N. Yoshikawa* 831
 Design and Evaluation of Multi-Flux-Quantum Drivers Using Under-Damped Josephson Junctions
 *D. Ozawa, Y. Yamanashi, and N. Yoshikawa* 835
 Integration of Optical Waveguides With Single Flux Quantum Circuits *Y. Arita, N. Yoshikawa, and B. Toshihiko* 839
 Demonstration of 30 Gbit/s Generation of Superconductive True Random Number Generator
 *T. Sugiura, Y. Yamanashi, and N. Yoshikawa* 843
 8-Bit Asynchronous Wave-Pipelined RSFQ Arithmetic-Logic Unit
 *T. Filippov, M. Dorojevets, A. Sahu, A. Kirichenko, C. Ayala, and O. Mukhanov* 847
 4-bit SFQ Multiplier Based on Booth Encoder *R. Nakamoto, S. Sakuraba, T. Onomi, S. Sato, and K. Nakajima* 852

Quantum Computing

Role of Geometry on the Color of Flux Noise in dc SQUIDs *F. C. Wellstood, C. Urbina, and J. Clarke* 856
 Anomalous Switching Curves in a dc SQUID Phase Qubit *H. Kwon, A. J.*
Przybysz, B. K. Cooper, H. Paik, K. D. Osborn, B. S. Palmer, R. Budoyo, J. R. Anderson, C. J. Lobb, and F. C. Wellstood 860
 Informational Description of the Flux Qubit Evolution ... *N. V. Klenov, A. V. Sharafiev, S. V. Bakurskiy, and V. K. Kornev* 864
 Identifying Sources of Decoherence in a dc SQUID Phase Qubit With a Sub- μm Junction and Interdigitated Capacitor ..
 *A.*
J. Przybysz, H. Kwon, R. Budoyo, B. K. Cooper, E. Crowe, A. J. Dragt, J. R. Anderson, C. J. Lobb, and F. C. Wellstood 867
 Two Level System Loss in Superconducting Microwave Resonators
 *D. P. Pappas, M. R. Vissers, D. S. Wisbey, J. S. Kline, and J. Gao* 871
 Superposition of Inductive and Capacitive Coupling in Superconducting LC Resonators
 *S. Gladchenko, M. Khalil, C. J. Lobb, F. C. Wellstood, and K. D. Osborn* 875
 Loss Dependence on Geometry and Applied Power in Superconducting Coplanar Resonators
 *M. S. Khalil, F. C. Wellstood, and K. D. Osborn* 879

System Application and Integration

Modular, Multi-Function Digital-RF Receiver Systems *D. Gupta, D. E. Kirichenko, V. V. Dotsenko,*
R. Miller, S. Sarwana, A. Talalaevskii, J. Delmas, R. J. Webber, S. Govorkov, A. F. Kirichenko, I. V. Vernik, and J. Tang 883
 Practical Operation of Cryogen-Free Programmable Josephson Voltage Standards
 *R. E. Schwall, D. P. Zilz, J. Power, C. J. Burroughs, P. D. Dresselhaus, and S. P. Benz* 891
 An Optical Input Module With Superconducting Single-Flux-Quantum Circuit Operating at 1550 nm
 *H. Terai, S. Shinada, K. Makise, Z. Wang, and N. Wada* 896
 Carbon Nanotube Based Polymer Adhesive as an Underfill for Superconductor Multi-Chip Module Packaging
 *R. S. E. John, C. S. Thompson, V. V. Dotsenko, J. Delmas, A. P. Malshe, and D. Gupta* 900
 Cryogenic Test-Bed Applied to 9 K NbN RSFQ Devices Operation
 *M. Aurino, E. Baggetta, S. Bouat, V. Michal, D. Renaud, C. Bornier, M. Laine, and J.-C. Villégier* 904
 CONFERENCE AUTHOR INDEX 909