

IEEE TRANSACTIONS ON APPLIED SUPERCONDUCTIVITY

A PUBLICATION OF THE IEEE COUNCIL ON SUPERCONDUCTIVITY

JUNE 2011

VOLUME 21

NUMBER 3

ITASE9

(ISSN 1051-8223)

PART II OF THREE PARTS

THE 2010 APPLIED SUPERCONDUCTIVITY CONFERENCE
Washington, DC, August 1–6, 2010

LARGE SCALE

Plenary Papers

- US Navy's Superconductivity Programs Scientific Curiosity to Fleet Utility *D. U. Gubser* 931
Superconductivity and High Energy Physics—A Study in “Symbiosis” *B. P. Strauss and S. J. St. Lorant* 936

Power Applications

Cables and Leads

- Effects of Lateral-Tailoring of Coated Conductor for Ac Loss Reduction of Superconducting Power Transmission Cables *N. Amemiya, Q. Li, K. Takeuchi, T. Nakamura, M. Yagi, S. Mukoyama, Y. Aoki, and N. Fujiwara* 943
Thermal Modeling of Helium Cooled High-Temperature Superconducting DC Transmission Cable *J. A. Souza, J. C. Ordonez, R. Hovsopian, and J. V. C. Vargas* 947
Effects of Unevenly Distributed Critical Currents and Damaged Coated Conductors to AC Losses of Superconducting Power Transmission Cables *Q. Li, N. Amemiya, K. Takeuchi, T. Nakamura, and N. Fujiwara* 953
Thermal Management of Long-Length HTS Cable Systems *J. A. Demko and W. V. Hassenzahl* 957
Progress and Status of a 2G HTS Power Cable to Be Installed in the Long Island Power Authority (LIPA) Grid *J. F. Maguire, J. Yuan, W. Romanosky, F. Schmidt, R. Soika, S. Bratt, F. Durand, C. King, J. McNamara, and T. E. Welsh* 961
Status of Superconducting Cable Demonstration Project in Japan *S. Honjo, T. Mimura, Y. Kitoh, Y. Noguchi, T. Masuda, H. Yumura, M. Watanabe, M. Ikeuchi, H. Yaguchi, and T. Hara* 967
ENDESA Supercable, a 3.2 kA, 138 MVA, Medium Voltage Superconducting Power Cable *R. Soika, X. G. Garcia, and S. C. Nogales* 972
Model Cable Tests for a 275 kV 3 kA HTS Power Cable *S. Mukoyama, M. Yagi, T. Yonemura, T. Nomura, N. Fujiwara, Y. Ichikawa, Y. Aoki, T. Saitoh, N. Amemiya, A. Ishiyama, and N. Hayakawa* 976
Alternative Design Concepts for Multi-Circuit HTS Link Systems *A. Ballarino* 980
Naval Ship-to-Shore High Temperature Superconducting Power Transmission Cable Feasibility *P. J. Ferrara, M. A. Uva, and J. Nowlin* 984

(Contents Continued on Page 918)

Hysteresis Loss in Power Cables Made of 2G HTS Wires With NiW Alloy Substrate V. V. Zubko, A. A. Nosov, N. V. Polyakova, S. S. Fetisov, and V. V. Vysotsky 988

Thermal Analysis of Co-Axial Multi-Layered BSCCO HTS Power Cable D. Miyagi, N. Takata, and N. Takahashi 991

Measurements of AC Losses and Current Distribution in Superconducting Cables D. A. Nguyen, S. P. Ashworth, R. Duckworth, W. Carter, and S. Fleshler 996

AC Loss and Other Researches with 5 m HTS Model Cables V. S. Vysotsky, A. A. Nosov, S. S. Fetisov, and K. A. Shutov 1001

AC Loss Measurement of a Short HTS Cable With Shield by Electrical Method Z. Li, K. Ryu, S. Fukui, S. D. Hwang, and G. Cha 1005

Design and Evaluation of 66 kV Class HTS Power Cable Using REBCO Wires M. Ohya, T. Setoguchi, H. Yumura, T. Masuda, N. Amemiya, O. Maruyama, and T. Ohkuma 1009

Over-Current Characteristics of 66-kV RE123 HTS Power Cable X. Wang, A. Ishiyama, M. Ohya, and N. Fujiwara 1013

Over-Current Characteristics of 275-kV Class YBCO Power Cable A. Ishiyama, X. Wang, H. Ueda, T. Uryu, M. Yagi, and N. Fujiwara 1017

Stability Analysis of HTS Power Cable With Fault Currents M. Furuse, S. Fuchino, K. Agatsuma, T. Masuda, M. Ohya, S. Honjo, T. Mimura, and Y. Noguchi 1021

Dynamic Simulation of HTSC Cables With a Conventional Simulation Program M. J. Gelabert-Serra, A. Sumper, X. Granados, A. Sudria-Andreu, and J. Rull-Duran 1025

Test Results of a 30 m HTS Cable for Yokohama Project T. Masuda, H. Yumura, M. Ohya, Y. Ashibe, M. Watanabe, T. Minamino, H. Ito, S. Honjo, T. Mimura, Y. Kitoh, and Y. Noguchi 1030

Progress on the Performance Test of KEPCO HTS Power Cable Y. S. Choi, D. L. Kim, H. S. Yang, S. H. Sohn, J. H. Lim, and S. D. Hwang 1034

Critical Current and Its Magnetic Field Effect Measurement of HTS Tapes Forming DC Superconducting Cable M. Hamabe, M. Sugino, H. Watanabe, T. Kawahara, S. Yamaguchi, Y. Ishiguro, and K. Kawamura 1038

A Novel Approach for Design of DC HTS Cable Y. Wang, Y. Zheng, H. Liu, S. Dai, H. Zhang, X. Guan, Y. Teng, L. Zhao, J. Xue, and L. Lin 1042

Iron-Steel Cryogenic Pipe for DC Superconducting Power Transmission Line S. Yamaguchi, T. Fujii, M. Sugino, M. Hamabe, H. Watanabe, T. Kawahara, and A. Iiyoshi 1046

Electrical Contact Resistance of Multi-Contact Connector in Semi-Retractable Current Lead Y. S. Choi, D. L. Kim, and M. S. Kim 1050

HTS Current Leads Prepared by the TFA-MOD Processed YBCO Tapes Y. Yamada, Y. Ishii, S. Sakai, K. Shiohara, K. Tachikawa, Y. Aoki, A. Kaneko, T. Koizumi, H. Tamura, and T. Mito 1054

Test Arrangement for the W7-X HTS-Current Lead Prototype Testing W. H. Fietz, S. Drotziger, S. Fink, M. Heiduk, R. Heller, A. Kopmann, C. Lange, R. Lietzow, T. Möhring, P. Rohr, T. Rummel, and M. Süßner 1058

Test Results of the High Temperature Superconductor Prototype Current Leads for Wendelstein 7-X R. Heller, S. Drotziger, W. H. Fietz, S. Fink, M. Heiduk, A. Kienzler, C. Lange, R. Lietzow, T. Möhring, P. Rohr, T. Rummel, T. Mönnich, and K.-P. Buscher 1062

Current Lead Design for the Accelerator Project for Upgrade of LHC J. S. Brandt, S. Cheban, S. Feher, M. Kaducak, F. Nobrega, and T. Peterson 1066

Double Peltier Current Lead for Heat Leak Reduction at the Terminals for Superconducting Direct Current Applications T. Kawahara, T. Fujii, M. Emoto, M. Hamabe, H. Watanabe, J. Sun, Y. Ivanov, and S. Yamaguchi 1070

Test of a 10 kA HTS Current Lead for ITER P. Bauer, Y. Bi, A. Devred, K. Ding, H. Feng, C. Gung, X. Huang, C. Liu, N. Mitchell, Q. Ni, G. Shen, Y. Song, and T. Zhou 1074

Heat Exchanger Design for the 30 kA Gas Cooled Current Leads in the ENEA 12 T CICC Facility G. M. Polli, L. Affinito, and A. della Corte 1079

Motors and Generators

Full Power Test of a 36.5 MW HTS Propulsion Motor B. Gamble, G. Snitchler, and T. MacDonald 1083

10 MW Class Superconductor Wind Turbine Generators G. Snitchler, B. Gamble, C. King, and P. Winn 1089

Stator Design for a 1000 kW HTSC Motor With Air-gap Winding D. Wu and E. Chen 1093

Theoretical Analysis and Design Consideration of Advanced Linear Type Magnetic Flux Pump Y. D. Chung, H. K. Kang, Y. S. Yoon, and T. K. Ko 1097

Electromagnetic Design Study of Transverse Flux Enhanced Type Superconducting Wind Turbine Generators M. R. Quddes, M. Sekino, H. Ohsaki, N. Kashima, and S. Nagaya 1101

SMES Based Excitation System for Doubly-Fed Induction Generator in Wind Power Application J. Shi, Y. Tang, Y. Xia, L. Ren, and J. Li 1105

A Linear Doubly-Salient HTS Machine for Wave Energy Conversion Y. Du, K. T. Chau, M. Cheng, Y. Wang, and J. Li 1109

A Fast Analytical Method to Compute the Radial Flux Density Distribution in the Airgap of a Superconducting Inductor G. Malé, S. Mezani, T. Lubin, and J. Lévêque 1114

Design and Analysis of a HTS Brushless Doubly-Fed Doubly-Salient Machine C. Liu, K. T. Chau, J. Zhong, and J. Li 1119

Analytic Evaluation of HTS Induction Motor for Electric Rolling Stock T. Konishi, T. Nakamura, T. Nishimura, and N. Amemiya 1123

Critical Current and Electric Loss Under Magnetic Field at 30 K on Bi-2223 Superconducting Coil for Ship Propulsion Motor Y. Koshiba, S. Yuan, N. Maki, M. Izumi, K. Umemoto, K. Aizawa, Y. Kimura, and M. Yokoyama 1127

Magnetic Field Distribution Around Superconducting Coils in Ferromagnetic Environment L. Li, J. Cao, Z. Sun, and Q. Chen 1131

Coil Optimization for High Temperature Superconductor Machines N. Mijatovic, B. B. Jensen, A. B. Abrahamsen, V. M. R. Zermeno, C. Træholt, and N. F. Pedersen 1136

Research and Development of Alternative Concepts in HTS Machines J. M. Pina, D. Inácio, G. Luís, J. M. Ceballos, P. Pereira, J. Martins, M. Ventim-Neves, A. Álvarez, and A. L. Rodrigues 1141

Experimental Characterization of a Conventional (Aluminum) and of a Superconducting (YBCO) Axial Flux Disc Motor D. Inácio, J. M. Pina, G. Luis, J. F. Martins, M. Ventim-Neves, and A. Álvarez 1146

Study of 10 MW-Class Wind Turbine Synchronous Generators With HTS Field Windings S. Fukui, J. Ogawa, T. Sato, O. Tsukamoto, N. Kashima, and S. Nagaya 1151

Design of a High Temperature Superconducting Generator for Wind Power Applications X. Li, Y. Zhou, L. Han, D. Zhang, J. Zhang, Q. Qiu, S. Dai, Z. Zhang, D. Xia, G. Zhang, L. Lin, L. Xiao, S. Zhu, H. Bai, B. Bian, S. Li, and W. Gao 1155

Testing of a Lightweight Coreless HTS Synchronous Generator Cooled by Subcooled Liquid Nitrogen W. Bailey, H. Wen, M. Al-Mosawi, K. Goddard, and Y. Yang 1159

Further Testing of an “Iron-Cored” HTS Synchronous Generator Cooled by Liquid Air H. Wen, W. Bailey, M. K. Al-Mosawi, K. Goddard, C. Beduz, and Y. Yang 1163

Simulation of a Tubular Linear Magnetic Gear Using HTS Bulks for Field Modulation W. Li, K. T. Chau, and J. Li 1167

Pulsed Field Magnetization of a High Temperature Superconducting Motor W. Xian, Y. Yan, W. Yuan, R. Pei, and T. A. Coombs 1171

A Novel HTS PM Vernier Motor for Direct-Drive Propulsion J. Li and K. T. Chau 1175

Pulsed Field Magnetization Properties of Bulk RE-Ba-Cu-O as Pole-Field Magnets for HTS Rotating Machines Z. Deng, M. Miki, K. Tsuzuki, B. Felder, R. Taguchi, N. Shinohara, and M. Izumi 1180

Influence of AC Magnetic Field on a Rotating Machine With Gd-Bulk HTS Field-Pole Magnets M. Miki, B. Felder, K. Tsuzuki, Z. Deng, N. Shinohara, M. Izumi, T. Ida, and H. Hayakawa 1185

Fault Current Limiters

Evaluation of the Applicability of Phenomenological HTS Models for Numerical Analysis of Quenches in Coated Conductors: Simulations vs. Experiments F. Roy, B. Dutoit, and F. Sirois 1190

Impact of Conductor Inhomogeneity on FCL Transient Performance P. Tixador, T. Nguyen-Nhat, H. G. Okada-Vieira, and R. Ponceau 1194

Numerical Analysis of the Current and Voltage Sharing Issues for Resistive Fault Current Limiter Using YBCO Coated Conductors Z. Hong, Z. Jin, M. Ainslie, J. Sheng, W. Yuan, and T. A. Coombs 1198

HTS Fault Current Limiters—First Commercial Devices for Distribution Level Grids in Europe J. Bock, M. Bludau, R. Dommerque, A. Hobl, S. Kraemer, M. O. Rikel, and S. Elschner 1202

Performance of 2G HTS Tapes in Sub-Cooled LN2 for Superconducting Fault Current Limiting Applications J. C. Llambes, D. Hazelton, J. Duval, M. Albertini, S. Repnoy, V. Selvamanickam, G. Majkic, I. Kesign, J. Langston, M. Steurer, F. Bogdan, J. Hauer, D. Crook, S. Ranner, T. Williams, and M. Coleman 1206

ENSYSTROB—Resistive Fault Current Limiter Based on Coated Conductors for Medium Voltage Application S. Elschner, A. Kudymow, S. Fink, W. Goldacker, F. Grilli, C. Schacherer, A. Hobl, J. Bock, and M. Noe 1209

Heat Propagation Velocities in Coated Conductors for Fault Current Limiter Applications L. Antognazza, M. Decroux, M. Therasse, and M. Abplanalp 1213

Spatial Characterization of Resistive Transition in YBCO Thin Film M. Mori, H. Nishioka, J. Baba, T. Nitta, T. Kumagai, and M. Shibuya 1217

Cooperation Between Reclosing System and a Flux Coupling Type SFCL by a Neutral Line H.-S. Choi, Y.-S. Cho, B.-I. Jung, and D.-C. Chung 1221

Current Limitation and Power Burden of a Flux-Coupling Type SFCL in the Three-Phase Power System According to Turn’s Ratio and Fault Type B.-I. Jung, H.-S. Choi, Y.-S. Cho, and D.-C. Chung 1225

Condition Based Monitoring of Superconducting Fault Current Limiter Using Fuzzy Support Vector Regression I.-Y. Seo, S.-W. Yim, H.-R. Kim, and O.-B. Hyun 1229

Temperature Characteristic of High-Tc Coated Conductor by Numerical Method When a Fault Current Flows S. Choi, Y. J. Kim, K. S. Chang, J. Y. Jang, S. Lee, and T. K. Ko 1233

Study on the Transport Current Characteristics of YBCO Coated Conductor According to Stabilization Layer H.-I. Du, Y.-J. Kim, D.-H. Lee, B.-S. Han, S.-S. Song, M.-J. Kim, and S.-C. Han 1238

Test of a Modular Fault Current Limiter for 220 V Line Using YBCO Coated Conductor Tapes With Shunt Protection C. A. Baldan, J. S. Lamas, C. Y. Shigue, and E. R. Filho 1242

Operating Characteristics of Oval-Shaped Resistive Superconducting Fault Current Limiter H. C. Jo, K. S. Chang, Y. J. Kim, S. Y. Chu, H. J. Kim, H. M. Kim, Y. S. Yoon, and T. K. Ko 1246

Novel Design of the Structure of a Non-Inductive Superconducting Coil *M. C. Ahn, J. Y. Jang, T. K. Ko, and H. Lee* 1250

Effect of the Resistance of Two Different Coated Conductor on the Current-Limiting Performance of Flux-Lock Type Superconducting Fault Current Limiters *H.-I. Du, Y.-J. Kim, D.-H. Lee, B.-S. Han, S.-S. Song, S.-C. Han, and J.-P. Lee* 1254

Experimental Investigation of an Active Superconducting Current Controller *J. Wang, L. Zhou, J. Shi, and Y. Tang* 1258

Fault Current Limitation by a Transformer Type FCL Based on the Second Generation HTS Wires *L. S. Fleishman, E. P. Volkov, V. A. Malginov, A. V. Malginov, A. Y. Kuntsevich, and A. S. Sheynshteyn* 1263

Loss and Transition Studies of Shunted Free-Stabilized YBCO Tape for SFCL Applications *P. Suárez, A. Álvarez, J. M. Ceballos, and B. Pérez* 1267

Operational Characteristics of Hybrid SFCL With First Half Cycle Non-Limiting Operation Considering Its Design Parameter *I.-K. You, S.-H. Lim, and J.-C. Kim* 1271

Study on Peak Current Limiting Characteristics of a Flux-Lock Type SFCL Using Its Third Winding *S.-H. Lim, I.-K. You, and J.-C. Kim* 1275

Increase of Current Limiting Capacity of SFCLs by Using Matrix-Type SFCL Module *D. C. Chung, B. H. Pak, Y. S. Cho, B. I. Jung, H. S. Han, M. H. Kwak, S. B. Kang, H. W. Oh, T. H. Sung, T. H. Han, and H. S. Choi* 1280

Emergency Blackout Operation of Cryogenic System for Hybrid SFCL *M. J. Kim, H.-M. Chang, J. Sim, S.-W. Yim, and O.-B. Hyun* 1284

Development and Deployment of Saturated-Core Fault Current Limiters in Distribution and Transmission Substations .. *F. Moriconi, F. De La Rosa, F. Darmann, A. Nelson, and L. Masur* 1288

Performance of the 35 kV/90 MVA SFCL in Live-Grid Fault Current Limiting Tests *Y. Xin, H. Hong, J. Z. Wang, W. Z. Gong, J. Y. Zhang, A. L. Ren, M. R. Zi, Z. Q. Xiong, D. J. Si, and F. Ye* 1294

Slimformer—Self-Limiting Transformer Pre-Prototype and Pilot Plant Design, Construction, and Tests *I. Vajda, A. Hyde, A. Gyore, G. Nador, T. Trolhier, B. Sailer, and R. Bohm* 1298

Tests and Performance Analysis of Coreless Inductive HTS Fault Current Limiters *J. Kozak, M. Majka, T. Janowski, S. Kozak, G. Wojtasiewicz, and B. Kondratowicz-Kucewicz* 1303

Current Limiting Experiment of Transformer Type Superconducting Fault Current Limiter With Rewound Structure Using BSCCO Wire in Small Model Power System *S. Oda, S. Noda, H. Nishioka, M. Mori, J. Baba, and Y. Shirai* 1307

Optimization of 2G YBCO Wires for Resistive Fault Current Limiters *A. Kudymow, S. Elschner, O. Maeder, and W. Goldacker* 1311

Recovery Characteristic of Coated Conductors for Superconducting Fault Current Limiters *A. Berger, M. Noe, and A. Kudymow* 1315

Estimation of Overcurrent Performance in YBCO Superconducting Thin Films for Fault-Current Limiter *M. Yasuda, Y. Guan, T. Kawahara, Y. Yokomizu, and T. Matsumura* 1319

HTS Tapes Cooled by Liquid Nitrogen at Current Overloads *S. S. Fetisov, V. S. Vysotsky, and V. V. Zubko* 1323

Other Power Applications

Experimental Study on the Barrier Effects in Gaseous Helium for the Insulation Design of a High Voltage SFCL *H. Kang, J. B. Na, Y. D. Chung, and T. K. Ko* 1328

Analysis on the Dielectric Characteristics of Insulation Gases for Developing a High Voltage Superconducting Fault Current Limiter *H. Kang and T. K. Ko* 1332

Experimental Study on the Lightning Impulse Dielectric Characteristics of Sub-Cooled Liquid Nitrogen for a High Voltage Superconducting Fault Current Limiter *J. B. Na, H. Kang, Y. J. Kim, K. S. Chang, Y. J. Hwang, and T. K. Ko* 1336

Analysis of Operational Loss Characteristics of 10 kJ Class Toroid-Type SMES *K. Kim, A.-R. Kim, J.-G. Kim, M. Park, I.-K. Yu, M.-H. Sohn, B.-Y. Eom, K. Sim, S. Kim, H.-J. Kim, J.-H. Bae, and K.-C. Seong* 1340

The Electromagnetic Analysis and Structural Design of a 1 MJ HTS Magnet for SMES *J. Zhang, S. Dai, Z. Wang, D. Zhang, N. Song, Z. Gao, F. Zhang, X. Xu, Z. Zhu, G. Zhang, L. Lin, and L. Xiao* 1344

Unit Coil Development for Y-SMES *K. Shikimachi, T. Tamada, M. Naruse, N. Hirano, S. Nagaya, S. Awaji, G. Nishijima, K. Watanabe, S. Hanai, S. Kawashima, and Y. Ishii* 1348

Analysis of Eddy Current Losses and Magnetization Losses in Toroidal Magnets for a 2.5 MJ HTS SMES *S. Lee, S.-H. Park, W.-S. Kim, J.-K. Lee, S. Lee, C. Park, J.-H. Bae, S.-H. Kim, K.-C. Seong, K. Choi, and S. Hahn* 1354

Simultaneous Optimization of SMES Coil Size and Control Parameters for Robust Power System Stabilization *I. Ngamroo* 1358

LIQHYSMES—A Novel Energy Storage Concept for Variable Renewable Energy Sources Using Hydrogen and SMES .. *M. Sander and R. Gehring* 1362

Performance Analysis of a Toroid-Type HTS SMES Adopted for Frequency Stabilization *A.-R. Kim, S.-Y. Kim, K.-M. Kim, J.-G. Kim, S. Kim, M. Park, I.-K. Yu, S. Lee, M.-H. Sohn, H.-J. Kim, J.-H. Bae, and K.-C. Seong* 1367

Analysis of Current Distribution in Multi-Laminated HTS Tape Conductor for Double Pancake Coil of SMES *T. Hamajima, N. Atomura, Y. Chiba, T. Yagai, M. Tsuda, K. Shikimachi, N. Hirano, and S. Nagaya* 1371

Test of a Twin Coil HTS SMES for High Power Pulse Operation *A. Badel, P. Tixador, and P. Dedié* 1375

Commercial Induction Heaters With High-Temperature Superconductor Coils *M. Runde, N. Magnusson, C. Fülbier, and C. Bührer* 1379

Test Results of 60 kVA Current Limiting Transformer With Full Recovery Under Load *A. Berger, M. Noe, and A. Kudymow* 1384

Novel 3-Phase Self-Limiting Transformer With Magnetic Flux Applied by Perfect Closed YBCO Wire Loops *J. Kosa and I. Vajda* 1388

Development of a 1 MVA 3-Phase Superconducting Transformer Using YBCO Roebel Cable *N. Glasson, M. Staines, R. Buckley, M. Pannu, and S. Kalsi* 1393

Progress in Development of Superconducting Fault Current Limiting Transformer (SFCLT) *N. Hayakawa, H. Kojima, M. Hanai, and H. Okubo* 1397

Current Limiting and Recovery Characteristics of 2 MVA Class Superconducting Fault Current Limiting Transformer (SFCLT) *H. Kojima, M. Kotari, T. Kito, N. Hayakawa, M. Hanai, and H. Okubo* 1401

Development of a REBCO Superconducting Transformer With Current Limiting Function *M. Iwakuma, A. Tomioka, T. Otonari, T. Ogata, T. Tsutsumi, S. Sato, H. Hayashi, H. Okamoto, Y. Iijima, T. Saitoh, Y. Aoki, T. Koizumi, T. Hasegawa, T. Ohkuma, Y. Goshō, Y. Yamada, T. Izumi, and Y. Shiohara* 1405

Surface Flashover of Cylindrical G10 Under ac and dc Voltages at Room and Cryogenic Temperatures *H. Rodrigo, W. Baumgartinger, G. H. Heller, D. G. Crook, and S. L. Ranner* 1409

Fault Current Limitation in Power Network by the Superconducting Transformers Made of 2G HTS *T. Janowski, B. A. Glowacki, G. Wojtasiewicz, S. Kozak, J. Kozak, B. Kondratowicz-Kucewicz, M. Majka, and M. Wozniak* 1413

Novel Self-Limiting Transformer With Active Magnetic Short Circuit Using Perfect YBCO Wire Loops *J. Kosa, I. Vajda, and L. Kovacs* 1417

Analysis of Current Limiting and Recovery Characteristics of Superconducting Fault Current Limiting Transformer (SFCLT) With YBCO Coated Conductors *N. Hayakawa, T. Kito, H. Kojima, M. Hanai, and H. Okubo* 1422

High Voltage Dielectric Characteristics of Epoxy Nano-Composites in Liquid Nitrogen for Superconducting Equipment *Y. J. Lee, W. J. Shin, S. H. Lee, J. Y. Koo, J. H. Yoon, K. J. Lim, K. D. Choi, and B. W. Lee* 1426

Breakdown Characteristics of Liquefied SF₆ and CF₄ Gases in Liquid Nitrogen for High Voltage Bushings in a Cryogenic Environment *S. H. Lee, J. K. Seong, S. H. Oh, W. J. Shin, U. A. Khan, and B. W. Lee* 1430

The Barrier Effect on Breakdown for Design of 154 kV Class HTS Transformer *H. G. Cheon, J. H. Choi, K. J. Kim, H. G. Lee, and S. H. Kim* 1434

Electrical Insulation Paper and Its Physical Properties at Cryogenic Temperatures *E. Tuncer, G. Polizos, I. Sauers, and D. R. James* 1438

Design Tool for Liquid-Nitrogen Gaps in Superconducting Apparatus *M. O. Pace, I. Sauers, D. R. James, E. Tuncer, and G. Polizos* 1441

Prototype of SC Inverter *K. Osamura, A. Sakai, T. Nakamura, T. Oka, S. Fukuda, and S. Yamaguchi* 1445

Simulation of Magnetically Triggered MgB₂ Switches *S. A. Ishmael, S. Mezani, P. J. Masson, R. B. Meinke, and J. Leveque* 1449

Bearings, Flywheels, and Maglev

Damping of Sub-Synchronous Whirl in Rotors With High-Temperature Superconducting Bearings *J. R. Hull, M. Strasik, J. Mittleider, C. McIver, K. McCrary, J. Gonder, and P. Johnson* 1453

Numerical Analysis and Experimental Measurements of Magnetic Bearings Based on MgB₂ Hollow Cylinders *A. Morandi, E. Perini, G. Giunchi, and M. Fabbri* 1460

Tests on a Superconductor Linear Magnetic Bearing of a Full-Scale MagLev Vehicle *G. G. Sotelo, D. H. N. Dias, R. de Andrade, and R. M. Stephan* 1464

Towards an Optimized Magnet-Superconductor Configuration in Actual Maglev Devices *N. Del-Valle, A. Sanchez, C. Navau, and D.-X. Chen* 1469

Recent Up-Scaling in HTS Magnetic Device Technology *F. N. Werfel, U. Floegel-Delor, R. Rothfeld, T. Riedel, B. Goebel, D. Wippich, and P. Schirrmeister* 1473

Characterization of 2G Superconductor Magnetic Shields at 40–77 K *J. Kvitkovic, P. Patil, S. V. Pamidi, and J. Vocchio* 1477

Mode Coupling of a Flexible Rotor Supported by a Superconducting Magnetic Bearing Due to the Nonlinearity of Electromagnetic Force *H. Gotanda, R. Amano, and T. Sugiura* 1481

New Concept for Flywheel Energy Storage System Using SMB and PMB *M. Subkhan and M. Komori* 1485

Loss Characteristics of SFES With Amorphous Core for PMSM *J.-P. Lee, S.-C. Han, Y.-H. Han, and T.-H. Sung* 1489

Subharmonic Resonance of a Rotor Supported by a High-Tc Superconductor *T. Suda, S. Kobayashi, and T. Sugiura* 1493

Test Results of a Compact Disk-Type Motor/Generator Unit With Superconducting Bearings for Flywheel Energy Storage Systems With Ultra-Low Idling Losses *Z. Kohari, Z. Nadudvari, L. Szlama, M. Keresztesi, and I. Csaki* 1497

Design of Hybrid Suspension System of Superconducting and Electrostatic Suspension *J. Liu, Q. Wang, and X. Li* 1502

Basic Study on Magnetically Levitated Conveyor System Using Field-Cooling Magnetization and Pulse-Field Magnetization *Y. Miyatake and M. Komori* 1507

Application of 2G-Tape for Passive and Controlled Superconducting Levitation *F. Sass, G. G. Sotelo, A. Polasek, and R. de Andrade* 1511

Dynamic Properties of Magnetic Levitation System Using High-Temperature Superconductors I. Sakai and T. Higuchi 1515

The Dynamic Characteristics of the HTS Bulk Superconducting Actuator Driven With AC Electromagnets S. B. Kim, D. Inoue, J. H. Joo, and Y. Uwani 1519

A Research on Design Method and Theoretical Analysis of Electromagnetic Suspension System Considering Magnetic Interface Between Coils J. Y. Jang, Y. J. Kim, K. S. Chang, Y. D. Chung, C. Y. Lee, and T. K. Ko 1523

Effect of an Additional Mass on Nonlinear Resonance of a Beam Levitated Over High-Tc Superconducting Bulks T. Takabayashi, T. Kokuzawa, and T. Sugiura 1528

Study of the Lateral Force Behavior in a Field Cooled Superconducting Linear Bearing D. H. N. Dias, G. G. Sotelo, and R. de Andrade 1533

Vibration Reduction of a High-Tc Superconducting Magnetic Levitation System With an Autoparametric Vibration Absorber D. Taguchi, R. Sakaguchi, and T. Sugiura 1538

Increase of Levitation Properties on Magnetic Levitation System Using Magnetic Shielding Effect of GdBCO Bulk Superconductor T. Takao, S. Kameyama, T. Doi, N. Tanoue, and H. Kamijo 1543

Levitation Force Transition of High-Tc Superconducting Bulks Within a Maglev Vehicle System Under Different Dynamic Operation L. Liu, J. Wang, S. Wang, J. Li, J. Zheng, G. Ma, and F. Yen 1547

Recent Developments of the High Temperature Superconducting Maglev at ASCLab J. Wang, S. Wang, J. Zheng, F. Yen, G. Ma, L. Liu, J. Li, and W. Liu 1551

Trial Manufacture of Small HTS Magnet Using 2G Tapes for Maglev Train Application M. Ogata, K. Mizuno, Y. Arai, H. Hasegawa, T. Sasakawa, and K. Nagashima 1556

Conceptual Design for HTS Coil in Superconducting Electromagnet for Maglev C. Y. Lee, J. M. Jo, B. Kang, Y. J. Han, D. K. Bae, Y. S. Yoon, Y. D. Chung, S. Y. Chu, Y. J. Hwang, and T. K. Ko 1560

MgB₂ Superconductive Inserts: Products Between Bulks and Wires G. Giunchi 1564

A Novel Design of Thermally Actuated Magnetization Flux Pump for High Temperature Superconducting Bulks Y. Yan, C. Hsu, Z. Hong, W. Xian, W. Yuan, and T. A. Coombs 1568

Methods of Patterning Magnetic Fields Using Bulk Superconductors T. A. Coombs, Z. Hong, and Y. Yan 1572

Microstructure and Superconducting Properties of Single Grains of Y-Ba-Cu-O Containing Y-2411(M) and Y₂O₃ Y. Shi, A. R. Dennis, and D. A. Cardwell 1576

Evaluation of Positional Stability in Active Magnetic Levitation Using Spherical HTS Bulk for Inertial Nuclear Fusion .. T. Wang, H. Ueda, K. Agatsuma, and A. Ishiyama 1579

Magnetic Shielding Characteristics of Multiple Bulk Superconductors for Higher Field Applications Y. Terao, M. Sekino, H. Ohsaki, H. Teshima, and M. Morita 1584

Concentric Slitting of a Ring-Shaped Bulk Superconductor for a Reduction in Circumferential Inhomogeneity of the Trapped Magnetic Field M. Sekino, H. Yasuda, A. Miyazoe, and H. Ohsaki 1588

Small Test Coils and Demonstrations

HTS Pancake Coils Without Turn-to-Turn Insulation S. Hahn, D. K. Park, J. Bascuñán, and Y. Iwasa 1592

First Experimental Demonstration of Period Length Switching for Superconducting Insertion Devices A. Grau, T. Baumbach, S. Casalbuoni, S. Gerstl, M. Hagelstein, D. Saez de Jauregui, C. Boffo, and W. Walter 1596

Current Distribution in Coated Conductor Under External Magnetic Field Up to 5 T A. Miyazoe, M. Sekino, T. Kiyoshi, and H. Ohsaki 1600

Initial Cooldown Characteristic of Conduction-Cooled High Field Magnet System Y. S. Choi, D. L. Kim, and D. W. Shin 1604

Fabrication of A 10 Tesla Cryogen-Free Superconducting Magnet Y. Dai, L. Yan, Q. Wang, B. Zhao, S. Song, Y. Lei, H. Wang, H. Wang, S. Chen, and J. Cheng 1608

Development of an MgB₂ Coil Wound With a Parallel Conductor Composed of Two Tapes With Insulation A. Kawagoe, K. Matsushima, Y. Yoshidome, S. Kawabata, F. Sumiyoshi, N. Yanagi, T. Mito, M. Kuichi, E. S. Otabe, T. Matsushita, K. Tanaka, and T. Wakuda 1612

A Small 1.5 T Persistent Current Operating Test Magnet Using MgB₂ Wire With High j_c Joints X. Li, D. Zhang, J. Zhang, Z. Gao, S. Dai, Z. Zhang, D. Xia, G. Zhang, D. Wang, Y. Ma, L. Lin, and L. Xiao 1616

Current Status of the Texas A&M Magnet R&D Program A. McInturff, R. Blackburn, N. Diaczenko, T. Elliott, T. Holik, A. Jaisle, P. McIntyre, and A. Sattarov 1620

A Bi-2223 Layer-Winding Coil Using 540 m Tape Including a Joint Inside the Winding H. Kitaguchi, H. Kumakura, T. Hayashi, and K. Fujino 1624

Flux Pump for HTS Magnets C. Hoffmann, D. Pooke, and A. D. Caplin 1628

Field Performance of an Optimized Stack of YBCO Square “Annuli” for a Compact NMR Magnet S. Hahn, J. Voccio, S. Bermond, D.-K. Park, J. Bascuñán, S.-B. Kim, T. Masaru, and Y. Iwasa 1632

Acoustic Emission in a Superconducting Force-Balanced Helical Coil S. Nomura, K. Tsuboi, K. Ito, H. Tsutsui, S. Tsuji-Iio, A. Ninomiya, and R. Shimada 1636

Magnitude of the Screening Field for YBCO Coils Y. Yanagisawa, Y. Kominato, H. Nakagome, R. Hu, T. Takematsu, T. Takao, D. Uglietti, T. Kiyoshi, M. Takahashi, and H. Maeda 1640

Progress on the Development of a 5 T HTS Insert Magnet for GHz Class NMR Applications Y. S. Choi, D. L. Kim, and S. Y. Hahn 1644

The Construction and Testing of YBCO Pancake Coils for a High Field Solenoid Y. Shiroyanagi, A. K. Ghosh, R. Gupta, and W. B. Sampson 1649

Magnetic Field Measurements of an HTS Retrofit Synchrotron Dipole J. Muratore, J. Escallier, G. Ganetis, A. K. Ghosh, R. C. Gupta, P. He, A. Jain, P. Joshi, P. Wanderer, M. Fee, and M. Christian 1653

Evaluation of Pulsed-Field Magnetization on a Superconducting Bulk Magnet System Using a 13 K Refrigerator K. Yokoyama, T. Oka, and K. Noto 1657

Design of a HTS Magnet for Application to Resonant X-Ray Scattering S. D. Chen, Y. T. Yu, Z. W. Huang, J. C. Jan, C. S. Hwang, I. G. Chen, C. H. Du, T. M. Uen, D. J. Huang, and C. Y. Chang 1661

Experimental Test and Numerical Analysis to Estimate Permissible Transport Current Considering Protection of High-Tc Superconducting Tapes in Adiabatic Condition Y. J. Kim, K. S. Chang, M. C. Ahn, and T. K. Ko 1665

Geometry Optimization for SMES Solenoids Using HTS Ribbons J.-M. Rey, M. Bruchon, X. Chaud, F. Debray, T. Lécrevisse, E. Mossang, and P. Tixador 1670

Accelerator and Detector Magnets

Design Challenges for a Wide-Aperture Insertion Quadrupole Magnet S. Russenschuck, B. Auchmann, J. C. Perez, D. Ramos, P. Fessia, M. Karppinen, G. Kirby, T. Sahner, and N. Schwerg 1674

Mechanical Design and Analysis of an Eight-Pole Superconducting Vector Magnet for Soft X-Ray Magnetic Dichroism Measurements D. Arbelaez, A. Black, S. O. Prestemon, S. Wang, J. Chen, and E. Arenholz 1679

Mechanical Performance of the LARP Nb₃Sn Quadrupole Magnet LQS01 P. Ferracin, G. Ambrosio, M. Anerella, B. Bingham, R. Bossert, S. Caspi, D. W. Cheng, G. Chlachidze, H. Felice, A. R. Hafalia, W. Mumper, F. Nobrega, S. Prestemon, G. L. Sabbi, J. Schmalzle, C. Sylvester, M. Tartaglia, P. Wanderer, and A. V. Zlobin 1683

Field Quality of the First LARP Nb₃Sn 3.7 m-Long Quadrupole Model of LQ Series G. V. Velev, G. Ambrosio, N. Andreev, M. Anerella, R. Bossert, S. Caspi, G. Chlachidze, J. DiMarco, J. Escallier, H. Felice, P. Ferracin, V. V. Kashikhin, M. J. Lamm, F. Nobrega, E. Prebys, G. L. Sabbi, J. Schmalzle, M. Tartaglia, P. Wanderer, and A. V. Zlobin 1688

The Study of Single Nb₃Sn Quadrupole Coils Using a Magnetic Mirror Structure G. Chlachidze, N. Andreev, E. Barzi, R. Bossert, V. S. Kashikhin, V. V. Kashikhin, M. J. Lamm, F. Nobrega, I. Novitski, D. Orris, M. Tartaglia, J. C. Tompkins, D. Turroni, R. Yamada, and A. V. Zlobin 1692

Radiation Heat Loads to Superconducting Quadrupoles for BigRIPS In-Flight Separator at RIKEN K. Kusaka, M. Ohtake, T. Ohnishi, A. Yoshida, K. Yoshida, T. Kubo, Y. Yano, M. Nobutoki, H. Ito, N. Kakutani, T. Tsuchihashi, and K. Sato 1696

Status of Superconducting Magnet System for the J-PARC Neutrino Beam Line T. Nakamoto, K. Sasaki, O. Araoka, Y. Fujii, N. Higashi, M. Iida, T. Ishii, N. Kimura, T. Kobayashi, Y. Makida, T. Nakadaira, T. Ogitsu, H. Ohhata, T. Okamura, K. Sakashita, M. Shibata, S. Suzuki, A. Yamamoto, A. Ichikawa, H. Kakuno, M. Anerella, J. Escallier, G. Ganetis, A. Ghosh, J. Muratore, B. Parker, and P. Wanderer 1700

Magnetic-Field Shimming and Field Measurement Issue of the 130-Pole Superconducting Undulator J. C. Jan, C. S. Hwang, C. M. Wu, F. Y. Lin, and C. H. Chang 1705

Feasibility of a Short-Period Superconducting Undulator Using 2G HTS Tapes S. H. Kim, C. L. Doose, M. S. Jaski, and M. T. Kasa 1709

Design of Nb₃Sn-Based Short Period Model Superconducting Helical Undulator M. Majoros, M. D. Sumption, E. W. Collings, and M. Tomsic 1713

A Design Concept for a Planar Superconducting Undulator for the APS Y. Ivanyushenkov, M. Abliz, K. Boerste, T. Buffington, D. Capatina, R. J. Dejus, C. Doose, J. Fuerst, Q. Hasse, M. Jaski, M. Kasa, S. H. Kim, R. L. Kustom, N. A. Mezentsev, E. R. Moog, D. Skiadopoulos, V. M. Syrovatin, E. M. Trakhtenberg, I. B. Vasserman, and J. Xu 1717

Design of a Superconducting Magnet System for the AEGIS Experiment at CERN A. Dudarev, M. Doser, D. Perini, and H. ten Kate 1721

Conceptual Design of a Superconducting Solenoid System for the Super Omega Muon Beam Line at J-PARC Y. Makida, Y. Ikedo, T. Ogitsu, T. Adachi, K. Shimomura, Y. Miyake, N. Kawamura, P. Strasser, A. Koda, K. Nakahara, T. Nakamoto, T. Okamura, K. Sasaki, and M. Yoshida 1725

Superconducting Solenoid Magnets for the COMET Experiment M. Yoshida, T. Nakamoto, T. Ogitsu, K. Tanaka, A. Yamamoto, M. Aoki, Y. Kuno, and A. Sato 1730

Quench Protection of Curved Solenoids for High Intensity Muon Beamlines T. Adachi, Y. Ikedo, Y. Makida, M. Yoshida, K. Sasaki, T. Nakamoto, T. Ogitsu, A. Yamamoto, Y. Miyake, A. Sato, and Y. Kuno 1734

The Resistance and Strength of Soft Solder Splices Between Conductors in MICE Coils H. Wu, H. Pan, M. A. Green, D. Dietderich, T. E. Gartner, H. C. Higley, M. Mentink, D. G. Tam, F. Y. Xu, F. Trillaud, X. K. Liu, L. Wang, and S. X. Zheng 1738

Progress and Prospect of Superconducting Magnet Systems in J-PARC T. Ogitsu 1742

Study on Field Measurement and Ground Vibration for Superconducting Solenoid of New g-2 Experiment at J-PARC ..
 K.-i. Sasaki, H. Iinuma, N. Kimura, T. Ogitsu, A. Yamamoto, H. Nakayama, T. Mibe, N. Saito, and T. Obata 1748

Superconducting Solenoid Magnets for the MuSIC Project
 M. Yoshida, M. Fukuda, K. Hatanaka, Y. Kuno, T. Ogitsu, A. Sato, and A. Yamamoto 1752

The New Conduction-Cooled Superconducting Undulator for ANKA
 C. Boffo, W. Walter, T. Baumbach, S. Casalbuoni, S. Gerstl, A. Grau, M. Hagelstein, and D. Saez de Jauregui 1756

Training and Magnetic Field Measurements of the ANKA Superconducting Undulator
 S. Casalbuoni, T. Baumbach, S. Gerstl, A. Grau, M. Hagelstein, D. Saez de Jauregui, C. Boffo, J. Steinmann, and W. Walter 1760

The Results of Recent MICE Superconducting Spectrometer Solenoid Tests
 M. A. Green, S. P. Virostek, and M. S. Zisman 1764

Design of a Large 5 T Superconducting Magnet for Polarized Target for JLAB Hall B 12 GeV Upgrade Clas12 Detector ..
 ... B. Wang, B. Wahrer, C. Taylor, J. Zbasnik, D. Dell'Orco, J. Ross, J. Chen, L. Xu, H. Chen, B. Wagner, J. McMullin,
 R. Pong, T. Juang, M. Wang, C. Carter, L. Quettier, V. Burkert, L. Elouadrhiri, D. Kashy, E. Leung, and W. Schneider 1768

Alternative Mechanical Structure for LARP Nb₃Sn Quadrupoles
 M. Anerella, J. Cozzolino, G. Ambrosio, S. Caspi, H. Felice, P. Kovach, M. Lamm, G. Sabbi, J. Schmalzle, and P. Wanderer 1773

Fabrication and Test of 90-mm Nb₃Sn Quadrupole Model Based on Dipole-Type Collar
 R. Bossert, N. Andreev, G. Chlachidze, V. S. Kashikhin, V. V. Kashikhin, M. J. Lamm, F. Nobrega, I. Novitski, M. Tartaglia, G. Velev, and A. V. Zlobin 1777

Thermal Runaways in LHC Interconnections: Experiments
 G. P. Willering, L. Bottura, P. Fessia, C. Scheuerlein, and A. P. Verweij 1781

Production and Quality Assurance of Main Busbar Interconnection Splices During the LHC 2008–2009 Shutdown
 F. Bertinelli, L. Bottura, J.-M. Dalin, P. Fessia, R. H. Flora, S. Heck, H. Pfeffer, H. Prin, C. Scheuerlein, P. Thonet, J.-P. Tock, and L. Williams 1786

Electrical Interconnection of Superconducting Strands by Electrolytic Cu Deposition
 C. Scheuerlein, D. Schoerling, S. Heck, and A. Ams 1791

Superconducting Magnets for the NICA Accelerator Complex in Dubna
 H. G. Khodzhbagiyev, P. G. Akishin, A. V. Bychkov, A. D. Kovalenko, O. S. Kozlov,
 G. L. Kuznetsov, I. N. Meshkov, V. A. Mikhaylov, E. V. Muravieva, A. V. Shabunov, A. Y. Starikov, and G. V. Trubnikov 1795

Field Measurements on Curved Superconducting Magnets
 P. Schnizer, E. Fischer, H. R. Kiesewetter, A. Mierau, and B. Schnizer 1799

A Model Dipole for FAIR SIS300: 3D Design of the Mechanical Structure
 S. Farinon, P. Fabbriatore, R. Musenich, F. Alessandria, G. Bellomo, M. Sorbi, G. Volpini, U. Gambardella, and R. Marabotto 1804

The Preparation of the LASA Test Station for the SIS300 Model Dipole
 M. Sorbi, F. Alessandria, G. Bellomo, P. Fabbriatore, S. Farinon, U. Gambardella, R. Musenich, and G. Volpini 1808

Radiation Resistant Superferric Quadrupole Magnets With Warm Iron
 S. Chouhan, D. Cole, J. DeKamp, C. Wilson, and A. Zeller 1813

Certification of Superconducting Solenoid-Based Focusing Lenses
 E. J. DiMarco, A. M. Hemmati, D. F. Orris, T. M. Page, R. H. Rabehl, M. A. Tartaglia, I. Terechkine, and J. C. Tompkins 1817

Design and Performance of Focusing Lenses for Installation Into Superconducting Cryomodules of a Proton Linac
 T. H. Nicol, D. A. Sergatskov, M. A. Tartaglia, I. Terechkine, and J. C. Tompkins 1821

Conceptual Designs of Dipole Magnet for Muon Collider Storage Ring
 I. Novitski, V. V. Kashikhin, N. Mokhov, and A. V. Zlobin 1825

Design and Construction of the Final Focus Quadrupole R&D Magnet for Super-KEKB
 N. Ohuchi, K. Tsuchiya, M. Tawada, N. Higashi, M. Iwasaki, and Z. Zong 1829

Magnetic Field Design of Dipole Magnet Wound With Coated Conductor Considering Its Current Transport
 Characteristics K. Takahashi, N. Amemiya, T. Nakamura, T. Ogitsu, T. Kurusu, T. Yoshizuki, K. Noda, and S. Awaji 1833

Design Study of a 3.5 T Superconducting Sector Magnet in a 450 MeV/nucl Booster Cyclotron for Carbon Ion Therapy ..
 S. Sanfilippo, J. M. Schippers, M. Negrazus, A. Gabard, M. Calvi, and V. Vrankovic 1838

Design and Test Status of the Fast Ramped Superconducting SIS100 Dipole Magnet for FAIR
 E. Fischer, P. Schnizer, A. Mierau, S. Wilfert, A. Bleile, P. Shcherbakov, and C. Schröder 1844

Performance of a Nb₃Sn Quadrupole Under High Stress ... H. Felice, M. Bajko, B. Bingham, B. Bordini, L. Bottura, S.
 Caspi, G. De Rijk, D. Dietderich, P. Ferracin, C. Giloux, A. Godeke, R. Hafalia, A. Milanese, L. Rossi, and G. L. Sabbi 1849

Test Results of 15 T Nb₃Sn Quadrupole Magnet HQ01 with a 120 mm Bore for the LHC Luminosity Upgrade
 S. Caspi, G. Ambrosio, M. Anerella, E. Barzi, B. Bingham, R. Bossert, D. W. Cheng, G. Chlachidze, D. R. Dietderich, H. Felice, P. Ferracin, A. Ghosh, A. R. Hafalia,
 C. R. Hannaford, J. Joseph, V. V. Kashikhin, G. L. Sabbi, J. Schmalzle, P. Wanderer, W. Xiaorong, and A. V. Zlobin 1854

Test Results of the First 3.7 m Long Nb₃Sn Quadrupole by LARP and Future Plans
 G. Ambrosio, N. Andreev, M. Anerella, E. Barzi, B. Bingham, D. Bocian, R. Bossert, S. Caspi, G. Chlachidze, D. Dietderich, J.
 Escallier, H. Felice, P. Ferracin, A. Ghosh, A. Godeke, R. Hafalia, R. Hannaford, G. Jochen, V. V. Kashikhin, M. J.
 Kim, P. Kovach, M. Lamm, A. McInturff, J. Muratore, F. Nobrega, I. Novitskiy, D. Orris, E. Prebys, S. Prestemon, G.
 L. Sabbi, J. Schmalzle, C. Sylvester, M. Tartaglia, D. Turrioni, G. Velev, P. Wanderer, G. Whitson, and A. V. Zlobin 1858

The Construction of the Model of the Curved Fast Ramped Superconducting Dipole for FAIR SIS300 Synchrotron
 P. Fabbriatore, F. Alessandria, G. Bellomo, U. Gambardella, S. Farinon, R. Marabotto, R. Musenich, M. Sorbi, and G. Volpini 1863

Testing of the Superconducting Magnet and Cryogenics for the AMS-02 Experiment
 P. McIntyre 1868

Hall B Superconducting Magnets for the CLAS12 Detector at JLAB
 L. Quettier, V. Burkert, L. Elouadrhiri, D. Kashy, E. Leung, W. Schneider, C. Carter, J. Chen, T. Juang, C. Taylor, L. Xu, B. Wagner, B. Wahrer, B. Wang, and M. Wang 1872

Preliminary Design of JLAB Clas12 Large Superconducting Torus Magnet
 ... B. Wang, B. Wahrer, C. Taylor, J. Zbasnik, D. Dell'Orco, J. Ross, J. Chen, L. Xu, H. Chen, B. Wagner, J. McMullin,
 R. Pong, T. Juang, M. Wang, C. Carter, L. Quettier, V. Burkert, L. Elouadrhiri, D. Kashy, E. Leung, and W. Schneider 1876

Development and Analysis of HTS-Undulator Components for FEL Applications
 S. Prestemon, D. Arbelaez, S. Davies, D. R. Dietderich, D. Lee, F. Minervini, and R. D. Schlueter 1880

High Field HTS R&D Solenoid for Muon Collider
 R. Gupta, M. Anerella, G. Ganetis, A. Ghosh, H. Kirk, R. Palmer, S. Plate, W. Sampson, Y. Shiroyanagi, P. Wanderer, B. Brandt, D. Cline, A. Garren, J. Kolonko, R. Scanlan, and R. Weggel 1884

Second Generation HTS Quadrupole for FRIB
 R. Gupta, M. Anerella, J. Cozzolino, G. Ganetis, A. Ghosh, G. Greene, W. Sampson, Y. Shiroyanagi, P. Wanderer, and A. Zeller 1888

Effect of Bubbles on Liquid Nitrogen Breakdown in Plane-Plane Electrode Geometry From 100–250 kPa
 I. Sauers, R. James, A. Ellis, E. Tuncer, G. Polizos, and M. Pace 1892

Influence of Bubble Formation on the Dielectric Behavior of Liquid Nitrogen
 M. Blaz and M. Kurrat 1896

Superconducting RF Large Scale

The RF Performance of Cavity Made From Defective Niobium Material Determined by Eddy Current Scanning
 G. Wu, L. Cooley, D. Sergatskov, J. Ozelis, A. Brinkmann, W. Singer, X. Singer, and M. Pekeler 1900

Ultra-Gradient Test Cavity for Testing SRF Wafer Samples ... N. J. Pogue, P. M. McIntyre, A. I. Sattarov, and C. Reece 1903

Calculation of the Cryogenic Loads on a Superconducting RF Module
 M.-H. Chang, C. Wang, M.-C. Lin, M.-H. Tsai, L.-H. Chang, M.-S. Yeh, T.-Z. Yang, C.-H. Lo, C.-K. Liu, F.-T. Chung, Y.-H. Lin, T.-C. Yu, and L.-J. Chen 1908

Residual Resistance Data From Cavity Production Projects at Jefferson Lab
 G. Ciovati, R. Geng, J. Mammosser, and J. W. Saunders 1914

Fusion and Fusion Conductor

Design of the ITER PF Coils
 B. Lim, F. Simon, Y. Ilyin, C. Y. Gung, J. Smith, Y. H. Hsu, C. Luongo, C. Jong, and N. Mitchell 1918

Development of the Joints for ITER Central Solenoid
 N. N. Martovetsky, S. J. Kenney, and J. R. Miller 1922

Simulation of Interstrand Coupling Loss in Cable-In-Conduit Conductors With JackPot-AC
 E. P. A. van Lanen and A. Nijhuis 1926

Preparation of PF1/6 and PF2 Conductor Performance Qualification Sample
 L. Reccia, S. Turtù, G. M. Polli, L. Affinito, F. Maierna, A. della Corte, P. Decool, A. Torre, H. Cloez, A. Vostner, A. Devred, D. Bessette, and T. Boutboul 1930

FAST: Feasibility Analysis for a Completely Superconducting Magnet System
 A. Di Zenobio, A. della Corte, L. Muzzi, G. M. Polli, L. Reccia, S. Turtù, F. Crisanti, A. Cucchiaro, A. Pizzuto, and R. Villari 1934

Design of JT-60SA Magnets and Associated Experimental Validations
 L. Zani, P. Barabaschi, D. Duglue, L. Meunier, M. Peyrot, V. Tomarchio, M. Verrecchia, P. Decool, J.-L. Marechal, A. Torre, A. Cucchiaro,
 A. della Corte, A. Di Zenobio, L. Muzzi, S. Turtù, S. Ishida, K. Yoshida, K. Tsuchiya, K. Kizu, and H. Murakami 1938

AC Loss, Inter-Strand Resistance, and Mechanical Properties of an Option-II ITER CICC up to 30,000 Cycles in the
 Press Y. Miyoshi, Y. Ilyin, W. Abbas, and A. Nijhuis 1944

Validation of the 4C Thermal-Hydraulic Code Against 25 kA Safety Discharge in the ITER Toroidal Field Model Coil
 (TFMC) R. Zanino, R. Bonifetto, R. Heller, and L. Savoldi Richard 1948

Status Report of the EDIPO Project
 A. Portone, M. Bagnasco, B. Baker, P. Bruzzone, F. Cau, E. Fernandez-Cano, E. Salpietro, P. Testoni, E. Theisen, M. Vogel, and R. Wesche 1953

From Design to Development Phase of the ITER Correction Coils
 A. Foussat, N. Dolgetta, C. Jong, P. Libeyre, N. Mitchell, W. Wu, L. Liu, S. Du, X. Liu, X. Yu, S. Han, and J. Wei 1960

Numerical Simulation of Current Distribution in Cable-in-Conduit Conductor for ITER TF Coil
 H. Kajitani, A. Ishiyama, N. Koizumi, H. Murakami, and H. Nakajima 1964

Evaluation of Effective Strain and n-Value of ITER TF Conductor Samples
 M. Breschi, D. Bessette, and A. Devred 1969

Winding Shop of the PF1 Coil Double Pancakes
 S. A. Egorov, A. A. Mednikov, I. Y. Rodin, and A. V. Pugachev 1974

Effects of Mass Flow Rate Imbalance Among Petals During T_{CS} Measurements of ITER TF Short Samples in SULTAN ..
 L. Savoldi Richard, F. Bellina, M. Breschi, P. L. Ribani, F. Subba, and R. Zanino 1978

Test Result of a Full-Size Nb₃Sn Conductor Developed for the ITER TF Coils
 Y. Nunoya, Y. Nabara, M. Yoshikawa, K. Matsui, T. Hemmi, Y. Takahashi, T. Isono, N. Koizumi, H. Nakajima, B. Stepanov, and P. Bruzzone 1982

Development of the ITER Superconducting Magnet Manufacturing Database 1987
K. Seo, S. Shah, C. Capuano, F. Savary, J. Knaster, R. Gallix, V. Patel, M. Gardner, and N. Mitchell

Stability Margin of NbTi CIC Conductor for JT-60SA Equilibrium Field Coil 1991
H. Murakami, T. Ichige, K. Kizu, K. Tsuchiya, K. Yoshida, T. Obana, S. Hamaguchi, K. Takahata, N. Yanagi, T. Mito, and S. Imagawa

Investigation of an Optimum Structure for Mechanical Butt Joint of a Stacked HTS Cable With a Metal Jacket 1995
S. Ito and H. Hashizume

Experimental Evaluation of Inductance and Its Impact on Quench Detection of the KSTAR Coils 2000
H. Yonekawa, Y. Chu, Y. Kim, K. Park, H.-K. Na, and M. Kwon

Estimation of Operational Stability for the KSTAR TF Magnet 2004
Y. Chu, Y. O. Kim, H. Yonekawa, S. H. Park, H. J. Lee, K. P. Kim, K. R. Park, and H. K. Na

Hydraulic Behavior of Rectangular Cable-In-Conduit Conductor for KSTAR Superconducting Magnet System 2008
S. H. Park, Y. Chu, H. Yonekawa, Y. O. Kim, K. P. Kim, I. S. Woo, W. S. Han, J. S. Hong, K. R. Park, H. K. Na, and M. Kwon

Analysis of the Reversal Flow Phenomenon of Supercritical Helium Due to AC Losses in the KSTAR PF Magnets at the Low Current 2012
H. J. Lee, Y. M. Park, Y. Chu, D. K. Oh, N. H. Song, H. T. Park, H. L. Yang, and M. Kwon

AC Loss and Temperature Margin of Cable-in-Conduit Conductors for JT-60SA Poloidal Field Coil 2016
K. Nakamura, K. Nishimura, T. Masuda, T. Takao, H. Murakami, and K. Yoshida

Design and Manufacture of the Low-Resistance Nb₃Sn Joints for the CHMFL 40 T Hybrid Magnet 2020
Y. Tan, W. Chen, J. Zhu, Z. Chen, Y. Pan, F. Wang, Z. Chen, P. He, Y. Ren, and G. Kuang

Comparison of a Contact Mechanics Model With Experimental Results to Optimize the Prediction of Transverse Load Effects of Large Superconducting Cable-In-Conduit-Conductor 2024
L. Chiesa and M. Takayasu

Neutron Diffraction Measurements of Internal Strain in Nb₃Sn Cable-In-Conduit Conductors 2028
T. Hemmi, S. Harjo, T. Ito, K. Matsui, Y. Nunoya, N. Koizumi, Y. Takahashi, H. Nakajima, K. Aizawa, H. Suzuki, S. Machiya, H. Oguro, Y. Tsuchiya, and K. Osamura

Role of the Cross Section Geometry in Rectangular Nb₃Sn CICC Performances 2032
S. Turtù, L. Muzzi, C. Fiamozzi Zignani, V. Corato, A. della Corte, A. Di Zenobio, and L. Reccia

Review of Design Aspects for High Current Nb₃Sn Conductors 2036
P. Bruzzone

Mechanical-Electrical Modeling of Stretching Experiment on 45 Nb₃Sn Strands CICCs 2042
A. Torre, H. Bajas, D. Ciazynski, D. Durville, and K. Weiss

CORD, A Novel Numerical Mechanical Model for Nb₃Sn CICCs 2046
J. Qin, L. L. Warnet, Y. Wu, and A. Nijhuis

The Effect of Strand Bending on the Voltage-Current Characteristic of Nb₃Sn Cable-In-Conduit Conductors 2050
C. Fiamozzi Zignani, L. Muzzi, S. Turtù, V. Corato, and A. della Corte

Magnetic Separation

Study on High Gradient Magnetic Separation for Selective Removal of Impurity From Highly Viscous Fluid 2055
S. Hayashi, F. Mishima, Y. Akiyama, and S. Nishijima

High Gradient Superconducting Magnetic Separation for Iron Removal From the Glass Polishing Waste 2059
F. Mishima, T. Terada, Y. Akiyama, and S. Nishijima

High Gradient Magnetic Separation of Pneumatic Conveyed Powder Products 2063
Y. Nakai, K. Senkawa, F. Mishima, Y. Akiyama, and S. Nishijima

Investigation on Novel Magnetic Chromatography With Ferromagnetic Nano-Wires for Ion Separation 2068
S. Noguchi and S. B. Kim

NMR, MRI, and High Field Magnets

High Magnetic Field Superconducting Magnet for 400 MHz Nuclear Magnetic Resonance Spectrometer 2072
Q. Wang, B. Zhao, S. Song, J. Cheng, Y. Li, Y. Lei, Y. Dai, S. Chen, H. Wang, H. Wang, X. Hu, C. Cui, H. Liu, Z. Dong, C. Wang, Z. Ni, H. Huang, H. Zhang, L. Yan, and J. Wang

Evaluation of the Screening Current in a 1.3 GHz NMR Magnet Using ReBCO 2076
A. Otsuka, Y. Yanagisawa, T. Kiyoshi, H. Maeda, H. Nakagome, and M. Takeda

Study on Optimized Configuration of Stacked HTS Bulk Annuli for Compact NMR Application 2080
S. B. Kim, M. Imai, R. Takano, J. H. Joo, and S. Hahn

Design of Axial Shim Coils for Magnetic Resonance Imaging 2084
Z. Ni, Q. Wang, and C. Wang

Influence of Magnetic Property of Ferromagnetic Shield on High Field Magnet Analysis 2088
K. Yoshizawa, S. Noguchi, and H. Igarashi

A 1.3-GHz LTS/HTS NMR Magnet—A Progress Report 2092
J. Bascuñán, S. Hahn, D. K. Park, and Y. Iwasa

The Cryogenics of a Thermosiphon-Cooled HTS MRI Magnet—Assembly and Component Testing 2096
W. Stautner, M. Xu, E. T. Laskaris, G. Conte, P. S. Thompson, C. van Epps, and K. Amm

Research on Stability of MgB₂ Superconducting Magnet for MRI 2100
D. Zhang, S. T. Dai, Z. K. Wang, J. Y. Zhang, N. H. Song, X. H. Li, F. Y. Zhang, X. J. Du, M. Qiu, Z. F. Zhang, W. W. Zhou, G. M. Zhang, L. Y. Xiao, and L. Z. Lin

Advances in Whole-Body MRI Magnets 2104
T. C. Cosmus and M. Parizh

Bi-2223 Innermost Coil for 1.03 GHz NMR Magnet 2110
T. Kiyoshi, S. Choi, S. Matsumoto, K. Zaitso, T. Hase, T. Miyazaki, M. Hamada, M. Hosono, and H. Maeda

Series-Connected Hybrid Outsert Coil Winding Hardware Design 2114
T. Adkins, M. D. Bird, S. T. Bole, I. R. Dixon, and T. A. Painter

Cryostat Design for the NHMFL Series-Connected Hybrid 2118
J. Chen, K. Cantrell, H. Bai, M. D. Bird, and S. Bole

Joint Design and Test for the SCH 2122
H. Bai, T. Adkins, S. T. Bole, I. R. Dixon, E. L. Marks, G. E. Miller, P. D. Noyes, T. A. Painter, R. F. Stanton, H. W. Weijers, and T. Xu

Large Scale System Studies

Experimental Research on Dynamic Voltage Sag Compensation Using 2G HTS SMES 2126
J. Zhu, Q. Cheng, B. Yang, W. Yuan, T. A. Coombs, and M. Qiu

Long-Term Operation and Fault Tests of a 22.9 kV Hybrid SFCL in the KEPCO Test Grid 2131
O.-B. Hyun, S.-W. Yim, S.-D. Yu, S. E. Yang, W.-S. Kim, H.-R. Kim, G.-H. Lee, J. Sim, and K.-B. Park

Use of Superconducting Devices Operating Together to Ensure the Dynamic Stability of Electric Power System 2135
S. Kopylov, N. Balashov, S. Ivanov, A. Veselovsky, and V. Zhemerikin

A Study on Wind-Turbine Generator System Sizing Considering Overcurrent Relay Coordination With SFCL 2140
H.-J. Lee, G. Son, and J.-W. Park

Stochastic Method for the Operation of a Power System With Wind Generators and Superconducting Magnetic Energy Storages (SMESs) 2144
J. Lee, J.-H. Kim, and S.-K. Joo

Impacts of Superconducting Cables on the Dynamic Response of Current Transformers and Protective Relaying Devices 2149
B. K. Johnson, N. Fischer, and Y. Xia

Parameter Optimization of SFCL With Wind-Turbine Generation System Based on Its Protective Coordination 2153
W.-J. Park, B. C. Sung, K.-B. Song, and J.-W. Park

Fault Current Constrained Decentralized Optimal Power Flow Incorporating Superconducting Fault Current Limiter (SFCL) 2157
G.-H. Moon, Y.-M. Wi, K. Lee, and S.-K. Joo

Assessment of the Impact of SFCL on Voltage Sags in Power Distribution System 2161
J.-F. Moon, S.-H. Lim, J.-C. Kim, and S.-Y. Yun

Feasibility Analysis of the Positioning of Superconducting Fault Current Limiters for the Smart Grid Application Using Simulink and SimPowerSystem 2165
U. A. Khan, J. K. Seong, S. H. Lee, S. H. Lim, and B. W. Lee

Analysis on Protection Coordination of Hybrid SFCL With Protective Devices in a Power Distribution System 2170
S.-H. Lim, J.-S. Kim, and J.-C. Kim

Study on Protective Coordination for Application of Superconducting Fault Current Limiter 2174
J.-S. Kim, S.-H. Lim, and J.-C. Kim

Novel Dual-FCL Connection for Adding Distributed Generation to a Power Distribution Utility 2179
Y. Zhang and R. A. Dougal

Optimal Design Specifications of 22.9 kV HTS-FCL Applied in Real Korean Power System 2184
J. Yoon, S. Lee, and B. Yang

Protective Relay Tests of Hybrid SFCLs in a Korean Distribution Power System Using RTDS 2188
S. R. Lee, J. Yoon, J. Kim, B. Yang, and B. Lee

Evaluation of the Impact of Superconducting Fault Current Limiters on Power System Network Protections Using a RTS-PHIL Methodology 2193
M. Dione, F. Sirois, and C.-H. Bonnard

Impacts of Superconducting Fault Current Limiters on the Recloser Operation in Distribution Electric Power Systems .. 2197
S. B. Rhee, J. K. Lee, and B. W. Lee

Proof-of-Concept of a Smart Fault Current Controller With a Superconducting Coil for the Smart Grid 2201
M. C. Ahn and T. K. Ko

Current Limiting and Recovering Characteristics of Three-Phase Transformer-Type SFCL With Neutral Lines According to Reclosing Procedure 2205
Y.-S. Cho, H.-S. Choi, and B.-I. Jung

Improvement of Recloser-Fuse Operations and Coordination in a Power Distribution System With SFCL 2209
M.-H. Kim, S.-H. Lim, and J.-C. Kim

Cooling for Large Scale Devices

Development of a Cryogenic Helium-Neon Gas Mixture Cooling System for Use in a Gd-Bulk HTS Synchronous Motor 2213
B. Felder, M. Miki, Z. Deng, K. Tsuzuki, N. Shinohara, M. Izumi, and H. Hayakawa

High Temperature Superconducting Motor Cooled by On-Board Cryocooler 2217
Y. Kim, T. Ki, H. Kim, S. Jeong, J. Kim, and J. Jung

Concept of Cold Energy Storage for Superconducting Flywheel Energy Storage System 2221
J. Lee, S. Jeong, Y. H. Han, and B. J. Park

Novel Large Scale Applications

A Cryo-Free 10 T High-Field Magnet System for a Novel Superconducting Application *W. Stautner, K. Sivasubramaniam, E. T. Laskaris, S. Mine, J. Rochford, E. Budesheim, and K. Amm* 2225

High Temperature Superconducting Degaussing From Feasibility Study to Fleet Adoption *J. T. Kephart, B. K. Fitzpatrick, P. Ferrara, M. Pyryt, J. Pienkos, and E. M. Golda* 2229

Suitable Structure of PM and Copper Plate Systems for Reducing Vibration Transmission and Improving Damping Effect in a Superconducting Seismic Isolation Device *S. Sasaki, K. Shimada, M. Tsuda, T. Hamajima, N. Kawai, and K. Yasui* 2233

Conduction-Cooled Superconducting Magnet With Persistent Current Switch for Gyrotron Application *Q. Wang, Y. Dai, H. Wang, H. Wang, Y. Lei, S. Chen, S. Song, J. Cheng, X. Hu, C. Cui, B. Zhao, and L. Yan* 2237

Development and Test of Model Apparatus Utilizing HTS Magnetic Levitation for Non-Contact Spinning Clean-Up Processors of Photo Mask Production ... *K. Saito, S. Fukui, J. Ogawa, T. Oka, T. Sato, S. Sorimachi, and S. Miyazaki* 2241

Optimal Design for High-Field MRI Superconducting Magnet *C. Wang, T. Chang, M. Rong, Y. Dai, Z. Ni, L. Li, and Q. Wang* 2245

In-Vivo and Fast Examination of Iron Concentration of Magnetic Nano-Particles in an Animal Torso via Scanning SQUID Biosusceptometry *W. K. Tseng, J. J. Chieh, S. Y. Yang, H. E. Horng, C. Y. Hong, H. C. Yang, and C. C. Wu* 2250

Design Tools, Instrumentation, Measurements, and Novel Configurations

Analysis of the Factors Affecting Field Quality and Heat Releases of the Quadrupole Magnet for the SIS 300 *L. Tkachenko, S. Kozub, P. Shcherbakov, V. Sytnik, and V. Zubko* 2254

Design and Analysis of a Self-Centered Cold Mass Support for the MICE Coupling Magnet *L. Wang, H. Wu, S. Y. Li, X. L. Guo, H. Pan, S. X. Zheng, and M. A. Green* 2259

Improvement in Mechanical Support Structure of a High Field Nb₃Al Common Coil Magnet *Q. Xu, K. Sasaki, T. Nakamoto, A. Terashima, and A. Yamamoto* 2263

Properties of High Temperature Superconducting Magnet With Optimized Air Gap Between Pancake Windings *Y. Kim, M. Ku, G. Cha, and S. Park* 2267

Magnetic Field and Critical Current of a BSCCO HTS Magnet at Various Aspect Ratios *M. Kang, Y. Kim, H. Lee, G. Cha, and K. Ryu* 2271

Stress Analysis for Toroid-Type HTS SMES Coil and Bobbin Structure Considering Large Parallel Magnetic Field *K. Kim, S. Lee, S. Kim, M. Park, I.-K. Yu, J.-K. Lee, S.-Y. Lee, K. Choi, K.-C. Seong, and H. Yeom* 2275

An Optimal Configuration Design of Superconducting Magnets for DC Reactor Taking Loss into Account *S. Noguchi and M. Tsuda* 2279

Shielding of Magnetic Fields by REBCO Coated Conductors *S. Matsumoto, T. Kiyoshi, and A. Uchida* 2283

Conduction-Cooled Superconducting Magnet With 250 mm Bore Size *Y. Zhou, H. Wang, Y. Dai, H. Wang, S. Cheng, S. Song, B. Zhao, J. Cheng, Y. Lei, Y. Li, L. Huang, and L. Yan* 2287

Coupled Thermal-Magnetic Analysis on Thermally Actuated Superconducting Flux Pump *Y. Murata, Z. Hong, Y. Yan, and T. Coombs* 2291

Magnetization of Superconducting Pellets in Highly Inhomogeneous Magnetic Field *J. López, R. Maynou, X. Granados, R. Torres, and R. Bosch* 2295

COLDDIAG: A Cold Vacuum Chamber for Diagnostics *S. Casalbuoni, T. Baumbach, S. Gerstl, G. Grau, M. Hagelstein, D. Saez de Jauregui, C. Boffo, G. Sikler, V. Baglin, R. Cimino, M. Commisso, B. Spataro, A. Mostacci, M. Cox, J. Schouten, E. Wallén, R. Weigel, J. Clarke, D. Scott, T. Bradshaw, I. Shinton, and R. Jones* 2300

Study on the Stress of 500 MHz NMR Magnet Coils With Detailed FE Model *H. Zhang, Q. Wang, X. Li, W. Wang, and J. Ma* 2304

Some Aspects of Winding Geometry Control for ITER Superconducting Coils Using Magnetic Measurements *V. Amoskov, V. Belyakov, S. Egorov, A. Firsov, I. Gornikel, V. Ivkin, V. Kukhtin, E. Lamzin, A. Lancetov, M. Larionov, N. Maximenkova, I. Rodin, N. Shatil, S. Sytchevsky, and V. Vasiliev* 2308

Instrumentation for Local and Integral Field Measurements of Superconducting Undulator Coils *A. Grau, T. Baumbach, S. Casalbuoni, S. Gerstl, M. Hagelstein, and D. Saez de Jauregui* 2312

Detection System for Propagating Normal-Zones With Pick-Up Coils in the LHD Helical Coils *S. Imagawa, N. Yanagi, and T. Mito* 2316

Introduction of Nonlinear Properties Into Hierarchical Models of Nb₃Sn Strands *B. Collins, J. Krishnan, D. Arbelaez, P. Ferracin, S. O. Prestemon, A. Godeke, D. R. Dietderich, and T. I. Zohdi* 2320

Large Scale Conductor Development and Test

Design and Fabrication of the Mu2e Cable Test Solenoid *A. Makarov, N. Andreev, V. S. Kashikhin, M. Lamm, G. V. Velez, A. Yamamoto, and T. Ogitsu* 2324

Effect of Barrel Material on Critical Current Measurements of High-J_c RRP Nb₃Sn Wires *A. K. Ghosh* 2327

Fabrication, Qualification and Test of High J_c Roebel YBa₂Cu₃O_{7-δ} Coated Conductor Cable for HEP Magnets *V. Lombardo, E. Barzi, D. Turrioni, A. V. Zlobin, N. J. Long, and R. A. Badcock* 2331

BSCCO-2212 Wire and Cable Studies *E. Barzi, V. Lombardo, D. Turrioni, F. J. Baca, and T. G. Holesinger* 2335

Cabling Method for High Current Conductors Made of HTS Tapes *M. Takayasu, L. Chiesa, L. Bromberg, and J. V. Minervini* 2340

Estimation of the Critical Current Density From the Measured Values of Perpendicular Magnetization Losses in HTS Coated Conductors *J.-K. Lee, Y. Kim, S. Lee, W.-S. Kim, C. Park, and K. Choi* 2345

An Optimization of a NbTi Wire Cross Section to Attain Low AC-Losses and High Critical Current *M. Lyly, A. Stenwall, and R. Mikkonen* 2349

Strand and Cable R&D for Fast Cycled Magnets at CERN *L. Bottura, A. Bonasia, F. Borgnolutti, W. Gaertner, S. Le Naour, L. Oberli, G. Peiro, D. Richter, T. Salmi, G. Sikler, and G. Willering* 2354

Critical Current and Stability of High-J_c Nb₃Sn Rutherford Cables for Accelerator Magnets *W. M. de Rapper, L. R. Oberli, B. Bordini, E. Takala, and H. H. J. ten Kate* 2359

Stability of Large Scale Conductors

Study on the Mechanical Instability of MICE Coupling Magnets *L. Wang, H. Pan, X. L. Guo, H. Wu, S. X. Zheng, and M. A. Green* 2363

Coupling Loss, Interstrand Contact Resistance, and Magnetization of Nb₃Sn Rutherford Cables With Cores of MgO Tape and S-Glass Ribbon *E. W. Collings, M. D. Sumption, M. A. Susner, D. R. Dietderich, and A. Nijhuis* 2367

Analysis of Transverse Resistance Measurements in Nb₃Sn Superconducting Wires *M. Breschi, V. Corato, C. Fiamozzi Zignani, and P. L. Ribani* 2372

Consolidation of the 13 kA Interconnects in the LHC for Operation at 7 TeV *A. P. Verweij, F. Bertinelli, N. Lasheras, Z. Charifoulline, R. Denz, P. Fessia, C. Garion, H. H. J. ten Kate, M. Koratzinos, S. Mathot, A. Perin, C. Scheuerlein, S. Sgobba, J. Steckert, J.-P. Tock, and G. P. Willering* 2376

Stability of High-J_c Nb₃Sn Wires in the Adiabatic Limit *A. K. Ghosh, E. Gregory, and X. Peng* 2380

Convergence Studies of Thermal and Electromagnetic Transient Quench Analysis of 11 GeV Super High Momentum Spectrometer Superconducting Magnets in Jefferson Lab *E. Sun, P. Brindza, S. Lassiter, M. Fowler, and E. Xu* 2384

The Role of Quench-Back in the Passive Quench Protection of Uncoupled Solenoids in Series With and Without Coil Sub-Division *X. L. Guo, M. A. Green, L. Wang, H. Wu, and H. Pan* 2388

Protection System for the Superconducting Outsert Coils of the HFML 45 T Hybrid Magnet *A. den Ouden, S. A. J. Wieggers, J. A. A. J. Perenboom, and J. C. Maan* 2394

Quench Behavior and Protection in Cryocooler-Cooled YBCO Pancake Coil for SMES *A. Ishiyama, H. Ueda, Y. Aoki, K. Shikimachi, N. Hirano, and S. Nagaya* 2398

Active Protection of an MgB₂ Test Coil *D. K. Park, S. Hahn, J. Bascuñán, and Y. Iwasa* 2402

Transport Characteristics and AC Losses in YBCO Toroidal Coils for DC Reactor With Harmonic Current of Three-Phase Converter *M. Tsuda, T. Hamajima, M. Furuse, S. Fuchino, N. Harada, K. Ueda, T. Nakajima, and K. Takenaka* 2406

A Study on the Design and Quench Protection of a Conduction-Cooled Magnet for a Superconducting Property Measurement System *S. Choi, J.-H. Bae, M.-H. Sohn, C. Park, J.-K. Lee, K. Choi, and T. K. Ko* 2410

Quench and Recovery Characteristics of the Zr-Doped (Gd,Y) BCO Coated Conductor Pancake Coils Insulated With Copper and Kapton Tapes *D. G. Yang, J. B. Song, Y. H. Choi, M. C. Ahn, J. B. Na, T. K. Ko, and H. G. Lee* 2415

Mechanical Loss and Bobbin Materials in AC Superconducting Coil Under AC Magnetic Field *T. Takao, T. Masuda, K. Nishimura, T. Takagi, T. Goto, S. Fukui, and A. Yamanaka* 2420

Electrical AC Loss Measurements on a 2G YBCO Coil ... *C. M. Rey, R. C. Duckworth, S. W. Schwenterly, and E. Pleva* 2424

Evaluation of the Normal-Zone Propagation Characteristics of REBCO Coated Conductors With Laminated Cu Tape ... *M. Daibo, S. Fujita, M. Haraguchi, Y. Iijima, and T. Saitoh* 2428

Quench Characteristics of bi2212 Solenoid Insert Coils in Background Field up to 20 T *Y. Yang, E. A. Young, I. Falorio, W. O. S. Bailey, C. M. Friend, A. Twin, and S. P. G. Chappell* 2432

Characteristics of Trapped Field Magnet Activation by Flux Pumping *R. Weinstein, D. Parks, R.-P. Sawh, and K. Davey* 2436

Theoretical and Experimental Studies on J_c and AC Losses of 2G HTS Coils *W. Yuan, M. D. Ainslie, W. Xian, Z. Hong, Y. Chen, Y. Yan, R. Pei, and T. A. Coombs* 2441

Quench Analysis of a High-Current Forced-Flow HTS Conductor Model for Fusion Magnets *C. Marinucci, L. Bottura, M. Calvi, and R. Wesche* 2445

Thermal Stability Properties of YBa₂Cu₃O₇ Coated Conductor Tape Under the Cryocooling Condition *K. Watanabe, V. R. Romanovskii, R. Ishihara, G. Nishijima, S. Awaji, I. Inoue, H. Sakamoto, M. Mimura, and S. Nagaya* 2449

Thermal Stability of Conduction-Cooled YBCO Pancake Coil *H. Miyazaki, S. Iwai, T. Tosaka, K. Tasaki, S. Hanai, M. Urata, S. Ioka, and Y. Ishii* 2453

Benchmark of Two Quench Codes for the Protection Study of an High Field HTS Insert Dipole *A. Stenwall, M. Sorbi, G. Volpini, and R. Mikkonen* 2458

Quench Detection Method of HTS Model Coil Using a Series-Type Thermocouple	2462
..... <i>D. Kim, J.-G. Kim, A.-R. Kim, M. Park, I.-K. Yu, K.-D. Sim, S. Kim, J. Cho, and M.-H. Sohn</i>	
AC Losses of Superconducting Racetrack Coil in Various Magnetic Conditions	2466
..... <i>Z. Hong, W. Yuan, M. Ainslie, Y. Yan, R. Pei, and T. A. Coombs</i>	
Achievement of High Heat Removal Characteristics of Superconducting Magnets With Imbedded Oscillating Heat Pipes	2470
..... <i>T. Mito, K. Natsume, N. Yanagi, H. Tamura, T. Tamada, K. Shikimachi, N. Hirano, and S. Nagaya</i>	
<hr/>	
CONFERENCE AUTHOR INDEX	2475
