



MAGNETICS

JULY 1994 VOLUME 30 NUMBER 4 IEMGAQ (ISSN 0018-9464)

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY

PART II OF TWO PARTS

THIRTEENTH INTERNATIONAL CONFERENCE ON MAGNET TECHNOLOGY
Victoria, Canada, September 20-24, 1993

Introduction	1523
Committee Lists	1524
Advanced Features of Very Large Superconducting Magnets for SSC and LHC Detectors— <i>H. Desportes</i>	1525
A Status Report on Electromagnetic Field Computation— <i>C.R.I. Emson, J. Simkin,</i> <i>and C.W. Trowbridge</i>	1533
The High Magnetic Field Laboratory of Grenoble— <i>G. Aubert, H.W.H.M. Jongbloets, W. Joss,</i> <i>J.C. Picoche, A. Plante, P. Rub, and J.C. Vallier</i>	1541
The Overview and History of Permanent Magnet Devices in Accelerator Technology— <i>R.H. Kraus Jr.</i>	1547
Commissioning of the European Synchrotron Radiation Facility Magnets— <i>M. Lieuvain</i>	1555
An Overview of the 45-T Hybrid Magnet System for the New National High Magnetic Field Laboratory— <i>J.R. Miller, M.D. Bird, S. Bole, A. Bonito-Oliva, Y. Eyssa, W.J. Kenney,</i> <i>T.A. Painter, H.-J. Schneider-Muntau, L.T. Summers, S.W. Van Sciver, S. Welton,</i> <i>R.J. Wood, J.E.C. Williams, E. Bobrov, Y. Iwasa, M. Leupold, V. Stejskal,</i> <i>and R. Weggel</i>	1563
The Superconducting Magnet for the Maglev Transport System— <i>H. Nakashima</i>	1572
Status of the Large Hadron Collider Magnet Development— <i>The LHC Magnet Team</i>	1579
Status of Superconducting Magnets for the Superconducting Super Collider— <i>R.I. Schermer</i>	1587
Magnet Program Overview for the International Thermonuclear Test Reactor— <i>R.J. Thome</i>	1595
Conductor Designs for the ITER Toroidal and Poloidal Magnet Systems— <i>N. Mitchell for the</i> <i>ITER Team</i>	1602
Design Features of the Toroidal Field & Central Solenoid Magnet Systems for the International Thermonuclear Test Reactor— <i>A. Kostenko and R.J. Thome</i>	1608

Status of the Poloidal Field System Design for the International Thermonuclear Experimental Reactor— <i>J.C. Wesley and P.-L. Mondino</i>	1613
Model Coil for the International Thermonuclear Experimental Reactor (ITER) Magnet Systems— <i>K. Okuno</i>	1621
Evaluation of APC NbTi Superconductor in a Model Dipole Magnet— <i>R.M. Scanlan, A. Lietzke,</i> <i>J. Royet, A. Wandesforde, C.E. Taylor, J. Wong, and M.K. Rudziak</i>	1627
The Development of a Niobium-Titanium Cable-in-Conduit Coil for a 45 T Hybrid Magnet— <i>J.E.C. Williams, M. Baker, E.S. Bobrov, Y. Iwasa, M.J. Leupold, V.J. Stejskal,</i> <i>R.J. Weggel, A. Zhukovsky, J. Miller, T. Painter, and S. Van Sciver</i>	1633
Test Results for a Subscale (100 kA) SMES Splice— <i>S.D. Peck and J.C. Zeigler</i>	1639
Low Thermal Conductive Bi-2223 Tapes Sheathed with Ag-Au Alloys— <i>H. Fujishiro, M. Ikebe,</i> <i>K. Noto, M. Matsukawa, T. Sasaoka, K. Nomura, J. Sato, and S. Kuma</i>	1645
Pulsed Single and Multisection Magnets Using Various Wires, Including CuNb Microcomposite— <i>H. Jones, H.-J. Schneider-Muntau, and F. Herlach</i>	1651
The Development of High Performance Pulsed Magnets at the Katholieke Universiteit Leuven— <i>L. Van Bockstal, G. Heremans, L. Liang, and F. Herlach</i>	1657
Analytic Representation of Cyclotron Magnetic Field— <i>G.E. Lee-Whiting,</i> <i>and W.G. Davies</i>	1663
Test Results and Operational Characteristics of Prototype SSCL Half Cell— <i>A.D. McInturff,</i> <i>W. Burgett, H. Carter, T. Dombeck, J. Gannon, P. Kraushaar, G. Mulholland, T. Savord,</i> <i>G. Tool, W. Robinson, J.G. Weisend II, D. Voy, and J. Zbasnik</i>	1669
R&D of Ag-Sheathed Bi-2223 Superconducting Tapes— <i>Y. Kamisada, T. Koizumi, M. Satou,</i> <i>and Y. Yamada</i>	1675
Peculiarities in Electromagnetic Behaviour of MF NbTi Composites for AC Use— <i>I. Hlásnik,</i> <i>S. Fukui, N. Amemiya, O. Tsukamoto, N. Ikeda, T. Kumano, E. Suzuki, M. Polák,</i> <i>J. Kokavec, L. Krempasky, and P. Kottman</i>	1681
High Tc Bitter Magnets— <i>L. Bromberg, J.E.C. Williams, and M.S. Tekula</i>	1687
Application of High-Temperature Superconducting Wires to Magnetostrictive Transducers for Underwater Sonar— <i>J.P. Voccio, C.H. Joshi, and J.F. Lindberg</i>	1693
A Review of Conductor Development for Large Fusion Magnets— <i>M. Spadoni</i>	1699
Stability Tests of the Nb-Ti Cable-in-Conduit Superconductor with Bare Strands for Demonstration of the Large Helical Device Poloidal Field Coils— <i>K. Takahata, T. Mito, T. Satow, N. Yanagi,</i> <i>M. Sakamoto, S. Yamada, A. Nishimura, J. Yamamoto, O. Motojima, H. Ogata, T. Yoshida,</i> <i>M. Ono, H. Takano, S. Ioka, N. Aoki, J.W. Lue, and D. Kasao</i>	1705
Shimming Techniques for the Ultraprecise Muon g-2 Storage Ring at the AGS— <i>G.T. Danby</i> <i>and J.W. Jackson</i>	1710
Eddy Current Control in the AGS Rapid Cycling Booster Accelerator Magnets— <i>G.T. Danby,</i> <i>J.W. Jackson, and C. Spataro</i>	1714
The Ramp Rate Dependence of the Sextupole Field in Superconducting Dipoles— <i>A.K. Ghosh,</i> <i>K.E. Robins, and W.B. Sampson</i>	1718
Superconducting Wire and Cable for RHIC— <i>M. Garber, A.K. Ghosh, A. Greene, D. McChesney,</i> <i>A. Morgillo, R. Shah, S. DelRe, G. Epstein, S. Hong, J. Lichtenwalner, P. O'Larey,</i> <i>D. Smathers, M. Boivin, and R. Meserve</i>	1722
Quench Propagation Study for Full-Length RHIC Dipole Magnets— <i>J. Muratore, M. Anerella,</i> <i>G. Ganetis, M. Garber, A.K. Ghosh, A. Greene, R. Gupta, A. Jain, S. Kahn, E. Kelly,</i> <i>G. Morgan, A. Prodell, M. Rehak, W. Sampson, R. Shutt, R. Thomas, P. Thompson,</i> <i>P. Wanderer, and E. Willen</i>	1726
Construction Details and Test Results from RHIC Sextupoles— <i>M. Lindner, M. Anerella, G. Ganetis,</i> <i>M. Garber, A. Ghosh, A. Greene, R. Gupta, A. Jain, S. Kahn, E. Kelly, E. Killian,</i> <i>G. Morgan, A. Prodell, M. Rehak, K. Robins, W. Sampson, R. Shutt, R. Thomas,</i> <i>P. Thompson, P. Wanderer, and E. Willen</i>	1730
Test of Eight Superconducting Arc Quadrupoles for RHIC— <i>P. Wanderer, M. Anerella, G. Ganetis,</i> <i>M. Garber, A. Ghosh, A. Greene, R. Gupta, A. Jain, S. Kahn, E. Kelly, G. Morgan,</i> <i>J. Muratore, A. Prodell, M. Rehak, E.P. Rohrer, W. Sampson, R. Shutt, R. Thomas,</i> <i>P. Thompson, and E. Willen</i>	1734

Partial Lifetime Test of an SSC Collider Dipole— <i>P. Wanderer, M. Anerella, G. Ganetis, M. Garber, A.K. Ghosh, A. Greene, R. Gupta, A. Jain, S. Kahn, E. Kelly, G. Morgan, J. Muratore, A. Prodell, M. Rehak, E.P. Rohrer, W. Sampson, R. Shutt, R. Thomas, P. Thompson, E. Willen, A. Akhmetov, T. Bush, W.D. Capone II, R. Coombes, A. Devred, J. Dimarco, C. Goodzeit, J. Krzywinski, J. Kuzminski, W. Nah, T. Ogitsu, P. Radusewicz, R. Schermer, R. Stiening, J.C. Tompkins, M. Wake, J. Zbasnik, Y. Zhao, H. Zheng</i>	1738
LHC Magnet Quench Protection System— <i>L. Coull, D. Hagedorn, V. Remondino, and F. Rodriguez-Mateos</i>	1742
Electromagnetic and Mechanical Design of a 56 mm Aperture Model Dipole for the LHC— <i>J. Ahlbäck, J. Ikäheimo, J. Järvi, D. Leroy, L. Oberli, R. Perin, D. Perini, S. Russenschuck, J. Salminen, M. Savelainen, J. Soini, G. Spigo, and T. Tortschanoff</i>	1746
Design and Construction of a One-Metre Model of the 70 mm Aperture Quadrupole for the LHC Low- β Insertions— <i>R. Ostojic, T.M. Taylor, and G.A. Kirby</i>	1750
Measurement of the Resistance to Stress Cycling at 4.2 K of LHC Dipole Collars— <i>D. Perini, N. Galante, J. Gilquin, G. Patti, and R. Perin</i>	1754
Analysis of the AC Loss Measurements on the One-Metre Dipole Model Magnets for the CERN LHC— <i>A.P. Verweij, D. Leroy, L. Walckiers, R. Wolf, and H.H.J. ten Kate</i>	1758
New Coil End Design for the RHIC Arc Dipole— <i>G.H. Morgan, A. Morgillo, K. Power and P. Thompson</i>	1762
Magnetic Flux Shielding for the Precision Muon g-2 Storage Ring Superconducting Inflector— <i>G.T. Danby, W. Meng, W.B. Sampson, and K. Woodle</i>	1766
Design of a 400 MW Power Supply for a 60 T Pulsed Magnet— <i>J.B. Schillig, H.J. Boenig, J.D. Rogers, and J.R. Sims</i>	1770
Design and Preliminary Test Results of the 40 MW Power Supply at the National High Magnetic Field Laboratory— <i>H.J. Boenig, F. Bogdan, G.C. Morris, J.A. Ferner, H.J. Schneider-Muntau, R.H. Rumrill, and R.S. Rumrill</i>	1774
Capacitor Current Feedback for Output Filter Damping in Switched-Mode Magnet Power Supplies— <i>M.R. Pavan Kumar and J.M.S. Kim</i>	1778
Improvement of a High Current DC Power Supply System for Testing the Large Scaled Superconducting Cables and Magnets— <i>S. Yamada, H. Chikaraishi, S. Tanahasi, T. Mito, K. Takahata, N. Yanagi, M. Sakamoto, A. Nishimura, O. Motojima, J. Yamamoto, Y. Yonenaga, and R. Watanabe</i>	1782
Optimum Copper to Superconductor Ratio in Cables for Superconducting Magnets at 1.9 K— <i>R. Wolf</i>	1786
Long Term Magnetic Performance of the Steel Concrete Dipoles in LEP— <i>J. Billan, J.P. Gourber, and K.N. Henrichsen</i>	1790
Development and Fabrication of the First 10 m Long Superconducting Dipole Prototype for the LHC— <i>E. Acerbi, M. Bona, D. Leroy, R. Perin, and L. Rossi</i>	1793
Tracing Back Measured Magnetic Field Imperfections in LHC Magnets by Means of the Inverse Problem Approach— <i>S. Russenschuck, T. Tortschanoff, A. Ijspeert, R. Perin and N. Siegel</i>	1797
A Combined Feedforward and Feedback Control Scheme for Low-Ripple Fast-Response Switchmode Magnet Power Supplies— <i>H. Jin and S.B. Dewan</i>	1801
Development of Major Technologies for Superconducting Generator with Quick Response Excitation— <i>H. Matsumoto, T. Kitajima, K. Ito, H. Moriyama, J. Shibuya, Y. Tsuda, N. Suzuki, and S. Oshima</i>	1805
The Oxford Pulsed Magnetic Field Facility— <i>W.J. Siertsema, and H. Jones</i>	1809
Prototype Coils Wound from High- T_c Superconducting Composites— <i>R.G. Jenkins, H. Jones, M. Yang, I. Belenli, C.R.M. Grovenor, and M.J. Goringe</i>	1813
Initiatives in Europe for 100 Tesla— <i>H. Jones</i>	1817
Superconducting Toroid Design for the ATLAS Experiment at LHC— <i>D.E. Baynham, R.C. Coombs, E. Holtom, and C.R. Walters</i>	1819
Design of Superconducting Corrector Magnets for LHC— <i>D.E. Baynham, R.C. Coombs, A. Ijspeert, and R. Perin</i>	1823

Critical Current Measurements of the Cable for the Superconducting Dipole Prototypes for the Large Hadron Collider— <i>G. Baccaglioni, P. Fabbriatore, R. Garrè, R. Musenich, R. Parodi, L. Rossi, and G. Volpini</i>	1827
New 50 Hz Superconducting Power Supply for a 2 kA DC Magnet— <i>O.A. Shevchenko, H.H.J. ten Kate, E.J.G. Krooshoop, and N.V. Markovsky</i>	1831
AC Characteristics of a Magnetically Controlled Superconducting Switch and a Half-wave Rectifier Circuit— <i>T. Nitta, T. Hasegawa, Y. Shirai, and T. Okada</i>	1835
Three-Dimensional Analytic Model of the Magnetic Field for the Chalk River Superconducting Cyclotron— <i>W.G. Davies, G.E. Lee-Whiting, S.R. Douglas, and G.D. Pusch</i>	1839
Some Considerations on the Mechanical Design of a 9 Tesla Superconducting Magnet— <i>L. García-Tabarés, J. Tamarit, and R. Iturbe</i>	1843
Magnet for a MHD Linear Generator— <i>A. Geri, A. Salvini, and G. Maria Veca</i>	1847
Design, Construction and Operation of the Fast Protection System of the Windings of RFX— <i>F. Bellina, G. Chitarin, M. Guarnieri, and F. Trevisan</i>	1851
Magnetic Flux Distribution Dynamics in Bi-2223/Ag Tapes— <i>J. Paasi, M. Lahtinen, J-T. Eriksson, and J. Sarkaniemi</i>	1855
A High Performance Beryllium Copper Alloy for Magnet Applications— <i>J.O. Ratka and W.D. Spiegelberg</i>	1859
Improvement in the Calculation of Electromagnetic Force by the FEM— <i>T. Onuki, S. Wakao, and H. Saito</i>	1863
Calculation of the Critical Current Reduction in a Brittle Round Multifilamentary Wire due to External Forces— <i>B. ten Haken, A. Godeke, and H.H.J. ten Kate</i>	1867
Highly Strengthened Multifilamentary (Nb, Ti) ₃ Sn Wires Stabilized with CuNb Composite— <i>K. Watanabe, S. Awaji, K. Katagiri, K. Noto, K. Goto, M. Sugimoto, T. Saito, and O. Kohno</i>	1871
Development of 70MW Class Superconducting Generators— <i>K. Arai, M. Kazumori, T. Ichikawa, Y. Nakabayashi, S. Ohshima, Y. Matsunobu, H. Sawazaki, Y. Yagi, A. Ueda, and T. Kitajima</i>	1875
Cryogenic Shear Fracture Tests of Interlaminar Organic Insulation for a Forced-Flow Superconducting Coil— <i>K. Kitamura, T. Yamamoto, T. Uchida, H. Moriyama, J. Yamamoto, A. Nishimura, and O. Motojima</i>	1879
Effect of Controlled Carbon Impurities on J_c in Ag/Bi(2223) Tapes— <i>A. Jeremie, R. Flükiger, and E.W. Seibt</i>	1883
Effect of GFRP Spacer on Local Deformation of Large Superconductor in Coil Pack— <i>A. Nishimura, H. Tamura, T. Mito, and J. Yamamoto</i>	1887
Development of Cu-Ag Alloys Conductor for High Field Magnet— <i>T. Hirota, A. Imai, T. Kumano, M. Ichihara, Y. Sakai, K. Inoue, and H. Maeda</i>	1891
Test Results for Laboratory Scale Inductive High- T_c Superconducting Fault Current Limiters— <i>J.R. Cave, D.W.A. Willén, Y. Brissette, C. Richer, and V.A. Aresteanu</i>	1895
Stability Characteristics of a Cable-in-Conduit Conductor by Subcooled Supercritical Helium— <i>Y. Wachi, S. Hanawa, M. Shimada, T. Hamajima, H. Takano, H. Shinohara, K. Takahata, J. Yamamoto, and O. Motojima</i>	1899
A Conduction Cooled Superconducting Magnet Using High- T_c Oxide Current Leads— <i>F. Hata, J. Sakuraba, C.K. Chong, Y. Yamada, T. Hasebe, M. Ishihara, and K. Watanabe</i>	1903
Progress on Superconducting Current Limitation Project for the French Electrical Grid— <i>T. Verhaege, C. Cotevielle, W. Weber, P. Thomas, P.G. Thérond, Y. Laumond, M. Bekhaled, and V.D. Pham</i>	1907
A New Step in AC Superconducting Conductors— <i>T. Verhaege, P. Estop, J.P. Tavergnier, P. Bonnet, A. Lacaze, Y. Laumond, and A. Ansart</i>	1911
Development of Aluminum-Stabilized Superconducting Coil— <i>R. Takahashi, F. Iida, Y. Hotta, and N. Tada</i>	1915
Current Distribution Characteristics of Superconducting Parallel Circuits— <i>K. Mori, Y. Suzuki, N. Hara, M. Kitamura, and T. Tominaka</i>	1919
Iron Shimming of Superconductive Rotating Dipoles— <i>M. Cavenago and M.F. Moisisio</i>	1923

Critical Currents of Nb ₃ Sn Superconductors for Generators under Cyclic Mechanical Load— <i>H. Kasahara, S. Torii, S. Akita, K. Uyeda, T. Ogawa, Y. Ikeno, I. Inoue, and T. Saito</i>	1927	Electrical Joints between Superconducting Coil Modules in the GEM Detector Magnet— <i>B.A. Smith, P.G. Marston, S. Pourrahimi, Z.S. Piec, S.J. Kochan, R.J. Camille, Jr., R. Vieira, J.W. Pisera, G.H. East, P.H. Titus, S.J. Myatt, and N. Martovetsky</i>	2034
Design and Test of a 7 T Split-Pair Magnet for Magnetic Separation— <i>C.A. Baldan, C.Y. Shigue, and D.G. Pinatti</i>	1931	Qualification of a 40 kA Nb ₃ Sn Superconducting Conductor for NET/ITER Coils— <i>D. Bessette, J.L. Duchateau, P. Decool, B. Turck, and B. Blau</i>	2038
Testing of Full Size High Current Superconductors in SULTAN III— <i>B. Blau, I. Rohleder, G. Vécsey, G. Pasotti, M.V. Ricci, N. Sacchetti, P. Bruzzone, H. Katheder, N. Mitchell, D. Bessette, and J.L. Duchateau</i>	1934	Test Results of the FER/ITER Conductors in the Fenix Test Facility— <i>M. Sugimoto, T. Isono, K. Koizumi, Y. Takahashi, M. Nishi, K. Okuno, K. Yoshida, H. Nakajima, T. Ando, F. Hosono, H. Wakabayashi, H. Tsuji, S. Shen, B. Felker, and W. Hassenzahl</i>	2042
Transverse Stress Effects in Nb ₃ Sn Cables— <i>G. Pasztor, A. Anghel, B. Jakob, and R. Wesche</i>	1938	Development of Full-scale Conductors for the ITER Central Solenoid Scalable Model Coils— <i>T. Isono, K. Yoshida, Y. Takahashi, M. Nishi, M. Sugimoto, N. Koizumi, H. Nakajima, K. Hamada, K. Kawano, T. Kato, T. Hiyama, M. Oshikiri, H. Hanawa, S. Seki, H. Wakabayashi, H. Tsukamoto, Y. Wadayama, H. Hosono, T. Sasaki, A. Miyake, H. Ebisu, S. Iwamoto, K. Okuno, T. Ando, H. Tsuji, and R.J. Nelson</i>	2046
Electromagnetic Design of the SLS Superconducting Bending Magnet with Linear Gradient— <i>C. Marinucci and George Vécsey</i>	1942	Testing of ITER Prototype Cable-in-Conduit Conductors in the FENIX Facility— <i>S.S. Shen, M.R. Chaplin, B. Felker, W.V. Hassenzahl, K.I. Kishiyama, and J.M. Parker</i>	2050
Superconducting Magnet System and Cryogenic Equipment of Molecular Tritium Circulation Source for Electron Antineutrino Mass Experiment	1946	A Splittable CS Model Coil for ITER— <i>P. Libeyre, B. Bertrand, J.L. Duchateau, A. Torossian, and B. Turck</i>	2054
Magnetic Design and Analysis of the SSC High Energy Booster Dipole Magnets— <i>M.P. Krefka, H.L. Chuboy, D.C. Johnson, and V. Garg</i>	1950	Superconducting Magnet System for the TPX Tokamak— <i>W.V. Hassenzahl, M.R. Chaplin, J.R. Heim, D.D. Lang, T.G. O'Connor, D.S. Slack, R.L. Wong, J.P. Zbasnik, T.G. Brown, J.C. Citrolo, D.B. Montgomery, L. Myatt, R.D. Pillsbury, J.H. Schultz, and P.W. Wang</i>	2058
Mechanical, Thermal and Electromagnetic Design of a Superconducting Quadrupole for the SSC— <i>D. Orrell, J. Turner, P. Giovannoni, F. Kircher, C. Lyraud, J. Perot, J.M. Rifflet, and P. Vedrine</i>	1954	Structural Analysis of a Superconducting Central Solenoid for the Tokamak Physics Experiment— <i>T.G. O'Connor, and J.R. Heim</i>	2062
Two-dimensional Magnetic Sensitivity to Asymmetric and Symmetric Deviations for SSC Quadrupole Magnets— <i>M. Xu and J.A. Waynert</i>	1958	80-100 T Solenoids Through Bucking— <i>L. Bromberg and E.S. Bobrov</i>	2066
An Approach to Deduce Quench Fields of Superconducting Magnets from Model Coils Testings— <i>V.E. Keilin</i>	1962	Quench and Protection Characteristics of the GEM Test Coil— <i>E.A. Chaniotakis, and P.G. Marston</i>	2070
Superconducting Super Collider (SSC) Collider Dipole Magnet (CDM) Cold Test Stand Integration and Performance— <i>R.E. Jones</i>	1966	High-Performance Magnet Designs for Space-Based and Balloon-Borne Particle Spectrometers— <i>J.R. Hale, P.G. Marston, J.D. Sullivan, P.H. Titus, J. Maguire, and P. Winn</i>	2074
Fabrication of a Prototype Dipole for the SSC Low Energy Booster— <i>C.M. Spencer</i>	1970	The Current Distribution in Superconducting Cable Conductors with Non-Insulated Strands— <i>S. Kawabata, F. Sumiyoshi, K. Matsui, A. Ishiyama, T. Kawashima, and H. Takano</i>	2078
Production Techniques for the Superconducting Super Collider Low Energy Booster Quadrupole Magnet— <i>M.E. Morrison, G.U. Behrsing, and R.L. Fulton</i>	1974	Finite Element Analysis of the TPX Toroidal Field Coil System— <i>R.L. Myatt</i>	2082
SARUMAN—An Integrated Procedure for the Analysis of Quench in Superconducting Magnets— <i>L. Bottura and O.C. Zienkiewicz</i>	1978	First Results of the Italian National Program on Superconducting MHD Magnets Technology— <i>F. Negrini, P. Molino, R. Garrè, I. Montanari, G. Martinelli, and R. Penco</i>	2086
Parametric Study of Design of Cable-in-Conduit Conductors— <i>L. Bottura</i>	1982	Development and Tests of a Flexible Superconducting Bus-Line for the Large Helical Device— <i>T. Mito, S. Yamada, K. Takahata, N. Yanagi, H. Chikaraishi, A. Nishimura, S. Tanahashi, O. Motojima, J. Yamamoto, T. Uede, H. Hiue, K. Ueda, K. Itoh, M. Ikeda, and I. Inoue</i>	2090
Testing of Industrial Nb ₃ Sn Strands for High Field Fusion Magnets— <i>P. Bruzzone, H.H.J. ten Kate, C.R. Walters, and M. Spadoni</i>	1986	An Analysis of Force-Reduced Toroidal Magnets— <i>J.L. Hill, B.C. Amm, and J. Schwartz</i>	2094
Development of Nb ₃ Sn Superconducting Wire for Fusion Applications— <i>H.G. Ky, C.E. Bruzek, P. Sulten, P. Mougnot, F. Peltier, and G. Grunblatt</i>	1990	Hot Rolling of Powder-in-Tube Li-Doped Bi (2212) Tapes— <i>J. Guo, J. Schwartz, C.-T. Wu, and K.C. Goretta</i>	2098
The Normal Zone Acceleration in Superconductor with Changing Current— <i>N.A. Buznikov, A.A. Pukhov, and A.L. Rakhmanov</i>	1994	Superconducting Magnet Protection System for the Tokamak Physics Experiment— <i>J.H. Schultz, E. Chaniotakis, R.D. Pillsbury, Jr., P.W. Wang, J. Citrolo, C. Neumeyer, M. Chaplin, and W.V. Hassenzahl</i>	2102
Normal Zone Origination and Propagation in Superconducting Wire with Fast Changing Current— <i>V.S. Vysotsky and V.N. Tsikhon</i>	1998	Cu-Ag Wire Pulsed Magnets With and Without Internal Reinforcements— <i>T. Asano, Y. Sakai, M. Oshikiri, K. Inoue, H. Maeda, G. Heremans, L. Van Bockstal, L. Li, and F. Herlach</i>	2106
Optimisation of Nb ₃ Sn Cable-in-Conduit Superconductors for Application to Pulsed Tokamak Coils— <i>N. Mitchell</i>	2002	Operation of a 20-T Superconducting Magnet with a Large Bore— <i>T. Kiyoshi, K. Inoue, K. Itoh, T. Takeuchi, M. Oshikiri, M. Kosuge, Y. Iijima, and H. Maeda</i>	2110
Study of the Effect of Transport Current and Combined Transverse and Longitudinal Fields on the AC Loss in NET Prototype Conductors— <i>A. Nijhuis and H.H.J. ten Kate</i>	2006	High-Strength and High-Conductivity Cu-Ag Alloy Sheets: New Promising Conductor for High-Field Bitter Coils— <i>Y. Sakai, K. Inoue, and H. Maeda</i>	2114
Performance of High Temperature Superconducting Coils in High Background Fields at Different Temperatures— <i>D. Aized, M.D. Manlief, and C.H. Joshi</i>	2010	Magnetic Field in a Prototype Kicker Magnet for the KAON Factory— <i>G.D. Wait, M.J. Barnes, and H.J. Tran</i>	2118
Comparing the Accuracy of Critical-Current Measurements Using the Voltage-Current Simulator— <i>D. Aized, J.W. Haddad, C.H. Joshi, L.F. Goodrich, and A.N. Srivastava</i>	2014	A 4.7 Tesla Metre Solenoid for a Partial Siberian Snake— <i>L. Ratner, W. Leonhardt, A. Otter, and L. Ellstrom</i>	2122
Load Test on Superconducting Transformer and Fault Current Limiting Devices for Electric Power System— <i>T. Hoshino and I. Muta</i>	2018		
The Superconducting Extraction Magnet System EMC2 for the AGOR Cyclotron— <i>H.G. Knoopers, H.J.G. Krooshoop, H.H.J. ten Kate, K. Pieterman, and J.A.M. Dam</i>	2022		
Preliminary Study on a Rotating Armature Type Superconducting Motor— <i>T. Hoshino, I. Muta, T. Itoh, K. Hayashi, and E. Mukai</i>	2026		
The Effect of Excitation Methods on Electrical Characteristics of Fully Superconducting Generator Model— <i>I. Muta, H. Tsukiji, N. Handa, T. Hoshino, and E. Mukai</i>	2030		

Skew Harmonics Suppression in Electromagnets with Application to the Advanced Light Source (ALS) Storage Ring Corrector Magnet Design— <i>R.D. Schlueter and K. Halbach</i>	2126	Development of the Superconducting Magnet System for a Bioreactor— <i>T. Kamikado, M. Okuda, S. Ito, K. Saito, and Y. Kawate</i>	2218
Harmonics Suppression of Fields Arising from Vacuum Chamber Eddy Currents with Application to SSC Low-Energy-Booster Magnets— <i>R.D. Schlueter and K. Halbach</i>	2130	Design and Analysis of High-Field Quasi-Continuous Magnets— <i>L.J. Campbell, H.J. Boenig, D.G. Rickel, J.D. Rogers, J.B. Schillig, J.R. Sims, P. Pernambuco-Wise, H.J. Schneider-Muntau, and L. Van Bockstal</i>	2222
The Injection Septum Magnets of the SPring-8 Storage Ring— <i>K. Kumagai and S. Matsui</i>	2134	Design and Construction of 80 Tesla Internally Reinforced Pulse Magnets— <i>P. Pernambuco-Wise, H.J. Schneider-Muntau, L. Van Bockstal, L.J. Campbell, D.G. Rickel, and J.R. Sims</i>	2226
A Pulsed Superconducting Magnet for a Static Magnetic Refrigerator Operating between 1.8 K and 4.5 K— <i>A. Bézaguet, J. Casas-Cubillos, A. Cyvoct, Ph. Lebrun, R. Losserand-Madoux, M. Marquet, and M. Schmidt</i>	2138	Characterization of BSCCO/Ag Tapes and Magnets— <i>Y.S. Hascicek, S. Gabor, P.J. Shoaff Jr., H.W. Weijers, S.W. Van Sciver, P. Haldar, J.G. Hoehn Jr., and L.R. Motowidlo</i>	2229
Experimental Analysis and Computer Simulation on Stability Margin and Quench Behaviour in a NbTi Forced-Flow Cooled Winding Pack— <i>E.P. Balsamo, L. Bottura, O. Cicchelli, P. Gislon, M. Ricci, and M. Spadoni</i>	2142	Generalized Plane Strain Analysis of Solenoid Magnets— <i>W.D. Markiewicz, M.R. Vaghar, I.R. Dixon, and H. Garmestani</i>	2233
Manufacture and Preliminary Tests of a 12T "Wind and React" Coil— <i>A. della Corte, G. Pasotti, N. Sacchetti, M. Spadoni, A. Bonito Oliva, R. Penco, S. Parodi, N. Valle, and W. Specking</i>	2146	Concepts of Plasticity in Solenoid Stress Analysis— <i>H. Garmestani, M.R. Vaghar, and W.D. Markiewicz</i>	2237
JET Divertor Coils, Manufacture, Assembly and Testing— <i>N. Dolgetta, E. Bertolini, C. D'Urzo, J.R. Last, A. Laurenti, P. Presle, G. Sannazzaro, J. Tait, and A. Tesini</i>	2150	Design and Performance of the SRRC Quadrupole Magnets— <i>C.H. Chang, H.H. Chen, C.S. Hwang, G.J. Hwang, and P.K. Tseng</i>	2241
JET TF Coil Faults—Detection, Diagnosis and Prevention— <i>J.R. Last, E. Bertolini, T. Bonicelli, N. Dolgetta, P. Presle, and G. Zullo</i>	2154	Design, Construction and Measurement of the SRRC Sextupole Magnets— <i>C.H. Chang, C.S. Hwang, C.P. Hwang, G.J. Hwang, and P.K. Tseng</i>	2245
A New 18-T Resistive Magnet with Radial Bores— <i>P. Rub and G. Maret</i>	2158	Analysis of a Cross Flow Cooling Scheme for a SSC Collider Dipole Magnet— <i>S.D. Peck</i>	2249
Operation of Hybrid III as a Facility Magnet— <i>Y. Iwasa, M.G. Baker, J.B. Coffin, S.T. Hannahs, M.J. Leupold, E.J. McNiff, and R.J. Weggel</i>	2162	The Superconducting Solenoid Magnet System for the GEM Detector at the SSC— <i>G. Deis, J. Bowers, A. Chargin, J. Heim, A. House, C. Johnson, G. Oberst, L. Pedrotti, J. Swan, R. Warren, S. Wineman, R. Yamamoto, R. Camille, G. East, P. Marston, J. Minervini, R. Myatt, S. Myatt, R. Pillsbury, Z. Piek, B. Smith, J. Sullivan, P. Titus, R. Vieira, J. Krupczak, N. Martovetsky, J. Pace, P. Reardon, R. Richardson, D. Richied, A. Sidi-Yekhlef, M. Wilson, R. Stroynowski, J. Bohanan, J. Gertsen, J. Heck, N. Howell, B. King, S. Robinson, and J. Rollins</i>	2253
Fiber-Reinforced-Superconductors with High-Elastic Modulus and Low Thermal Prestrain on Nb ₃ Sn Layers for High-Field Pulsed Magnet— <i>K. Arai, H. Tateishi, M. Umeda, K. Agatsuma, and S. Takizawa</i>	2164	Heat Leak Performance of SSC Collider Dipole Magnets— <i>J.G. Weisend II, M. Levin, D. Franks, R. Pletzer, S. Augustynowicz, A.D. McInturff, and W. Boroski</i>	2257
The Mechanical Design of Coils for Generating High Magnetic Fields— <i>P.H. Frings, M.G.N.M. Oudendijk, R. Gersdorf, and R. van Schalkwijk</i>	2168	Design and Fabrication Issues Affecting the Field Quality of SSC Collider Dipole Magnets Built at Fermilab— <i>M. Wake, S.W. Delchamps, J. DiMarco, R. Hanft, T.S. Jaffery, W. Koska, J. Kuzminski, M.J. Lamm, P.O. Mazur, T. Ogitsu, J. Strait, and J. Tompkins</i>	2261
Analytical Results for the Pulsed Operation of High Field Constant Stress Coils— <i>L. Van Bockstal, S. Askenazy, F. Herlach, and H.-J. Schneider-Muntau</i>	2172	HIMAC Synchrotron Magnets— <i>A. Itano, M. Kumada, K. Sato, K. Noda, E. Takada, M. Kanazawa, M. Sudou, Y. Hirao, K. Endo, H. Sakurabata, and T. Tonooka</i>	2265
Analytical Expressions for the Optimised Radial Distribution of Internal Reinforcement in High Magnetic Field Coils— <i>L. Van Bockstal, F. Herlach, and S. Askenazy</i>	2176	Microstructure and Levitation Properties of Floating Zone Melted YBCO Samples— <i>Yu.A. Bashkurov, L.S. Fleishman, A.B. Vdovin, I.A. Zubritsky, V.V. Smirnov, and A.V. Vinogradov</i>	2269
Fibre Composites Combined with Matched High Strength Cu-Nb Microfilament Conductors for High Performance Pulsed Magnets— <i>G. Heremans, L. Van Bockstal, L. Liang, F. Herlach, A. Nikulin, A. Chikov, V. Pantsyrny, A. Vorob'jova, and E. Dergunova</i>	2180	Quench Antenna for Superconducting Particle Accelerator Magnets— <i>T. Ogitsu, A. Devred, K. Kim, J. Krzywinski, P. Radusewicz, R.I. Schermer, T. Kobayashi, K. Tsuchiya, J. Muratore, and P. Wanderer</i>	2273
Conceptual Design of a 24-32 MW Radially-Cooled Insert for a ≥ 45 T Hybrid System— <i>R.J. Weggel, M.E. Hake, and V. Stejskal</i>	2184	Current Distribution in Multifilamentary Superconductors and their Quench Current Degradation— <i>N. Amemiya, K. Inaho, H. Ishigami, O. Tsukamoto, and I. Hlásnik</i>	2277
Strength of Hycon 3 HP™ Be-Cu and Other Copper Alloys from 20°C to 200°C— <i>R. Weggel, J.O. Ratka, W.D. Spiegelberg, and Y. Sakai</i>	2188	Influence of Current Re-Distribution and Thermal Diffusion among Strands on Stability of Superconducting Cables against Local Disturbances— <i>N. Amemiya, K. Ryu, T. Kikuchi, and O. Tsukamoto</i>	2281
Design of Resistive Inserts for the NHMFL 45-T Hybrid Magnet— <i>M.D. Bird, S. Bole, Y.M. Eyssa, B.J. Gao, H. Zhang, and H.J. Schneider-Muntau</i>	2192	Variable-Field Permanent-Magnet Dipole— <i>D.B. Barlow, R.H. Kraus Jr., and R.E. Meyer</i>	2285
Material and Cooling Requirements for Poly-Bitter Resistive Magnets and Hybrid Inserts Generating Continuous Fields up to 50 T— <i>B.J. Gao, M.D. Bird, Y.M. Eyssa, and H.J. Schneider-Muntau</i>	2196	Variable-Field Permanent-Magnet Quadrupole for the SSC— <i>D.B. Barlow, R.H. Kraus Jr., R.P. Martinez, and R.E. Meyer</i>	2288
Design and Construction of 12-MW Magnets at the NHMFL— <i>M.D. Bird, S. Bole, Y.M. Eyssa, B.J. Gao, H. Zhang, and H.-J. Schneider-Muntau</i>	2200	Design and Analysis of a Permanent Magnet Axial Coupling Using 3D Finite Element Field Computations— <i>R. Wang, E.P. Furlani, and Z.J. Cendes</i>	2292
Progress in the Manufacture of the Cable-in-Conduit Nb ₃ Sn Outsert Coils for the 45 Tesla Hybrid Magnet— <i>T.A. Painter, J.R. Miller, L.T. Summers, A. Bonito-Oliva, A.L. Devernoe, G.M. Ciancetta, M.J. King, J. Bascunan, G. Rutman, R.M. Schaedler, H. Boghosian, and A. Shapiro</i>	2204	A Detailed Experimental Investigation on the E-J Characteristics of NbTi Filaments and Comparison with Theoretical Models— <i>E. Acerbi, G. Ambrosio, L. Rossi, and G. Volpini</i>	2296
Prototype Tests and Description of a 60 Tesla Quasi-Continuous Magnet— <i>J.R. Sims, T. Dominguez, T.E. Northington, M.D. Pacheco, D.G. Rickel, E.L. Robinson, J.D. Rogers, and J.B. Schillig</i>	2208	A Novel Tubular Superconductor Stabilized with Static Pressurized Helium— <i>Y.M. Lvovsky, S.F. Kral, and P.M. Rackov</i>	2300
Developments in Materials for High-Field Magnets— <i>J.R. Sims, M.A. Hill, and R.P. Walsh</i>	2211	Enhancement of Critical Current Density and Reduction of Proximity Coupling in Fine Filamentary NbTi with Si and Mn Alloyed Cu Matrices— <i>H. Liu, E. Gregory, and R.W. Cross</i>	2304
Development of the 19 T High Field Magnet System— <i>T. Kamikado, M. Taneda, O. Ozaki, M. Sugimoto, Y. Murakami, M. Yoshikawa, K. Matsumoto, R. Ogawa, and Y. Kawate</i>	2214		

Development and Electrical Test of 30 kVA Class Fully Superconducting Generator— <i>O. Tsukamoto, N. Amemiya, K. Yamagishi, T. Takao, S. Akita, S. Torii, K. Ohishi, and H. Shimizu</i>	2308	<i>A.G. Silaev, V.G. Zinovjev, V.A. Drobyshev, F. Herlach, L. Van Bockstal, H. Li, and G. Heremans</i>	2395
Stability of Cable-in-Conduit Internally Cooled Superconductors Subject to Local Disturbance— <i>K. Ryu, O. Tsukamoto, P.C. Michael, and N. Amemiya</i>	2312	Induced Critical Current Density Limit of Ag Sheathed Bi-2223 Tape Conductor— <i>H. Ogiwara, M. Satou, Y. Yamada, T. Kitamura, and T. Hasegawa</i>	2399
Development and Investigation of Multifilamentary Nb ₃ Sn Conductors to be Used in the ITER Magnetic System— <i>A. Nikulin, A. Shikov, A. Silaev, A. Vorobjova, V. Pantsyrny, I. Davydov, N. Belyakov, K. Mareev, G. Trokhachev, and O. Filatov</i>	2316	Study on the Coil for Quick Response Superconducting Generator— <i>K. Inoue, T. Tokumasu, K. Nakanishi, T. Hamajima, K. Ito, and S. Oshima</i>	2403
An Experimental 11.5 T Nb ₃ Sn LHC Type of Dipole Magnet— <i>A. den Ouden, S. Wessel, E. Krooshop, R. Dubbeldam, and H.H.J. ten Kate</i>	2320	Manufacturing Development for the S.C. MHD Magnet Prototype— <i>O. Dormicchi, A. Laurenti, M. Marin, S. Patrone, and R. Penco</i>	2407
Measured Field Performance of CEBAF Beam Transport Magnets— <i>L. Harwood and J. Karn</i>	2324	Electric Field and Losses at AC Self Field Mode in MF Composites— <i>S. Fukui, I. Hlásnik, O. Tsukamoto, N. Amemiya, M. Polák, and P. Kottman</i>	2411
Size and Stiffness Measurements on 9.5 m Long LHC Dipole Coils— <i>F. Zerobin, M. Painer, S. Eichberger, and S. Pichler</i>	2328	Investigation on Structure and Properties of Superconducting Internal Tin Wire to be Used for High Field Magnetic Systems— <i>V.I. Pantsyrny, A.K. Shikov, N.A. Beljakov, I.I. Potapenko, A.V. Parno, and A.D. Nikulin</i>	2415
Electrical Properties of Superconducting Bi-based Silver Sheathed Wires and Coils— <i>P. Fabbriatore, G. Gemme, P. Moreschi, R. Musenich, R. Parodi, B. Zhang, G. Baccaglioni, L. Rossi, P. Caracino, and G. Vellego</i>	2332	The Use of Harmonics in 3-D Magnetic Fields— <i>S. Caspi, M. Helm, and L.J. Laslett</i>	2419
Field Inhomogeneity Effect on the Quench Current of LHC Dipole Magnets— <i>P. Fabbriatore, R. Musenich, G. Gemme, R. Parodi, and B. Zhang</i>	2336	The g-2 Storage Ring Superconducting Magnet System— <i>The Members of the g-2 Collaboration</i>	2423
A Preliminary Design for a One GHz NMR Spectrometer Magnet— <i>S.-T. Wang, R. Wahrer, F. Anet, C.J. Chen, Y.F. Juang, D. Dell'Orco, R. Scanlan, C. Taylor, M.A. Green, D. Slack, J. Ekin, and N. Campana</i>	2340	Calculation of the Pressure Rise in the Cooling Tube of a Two-Phase Cooling System During a Quench of an Indirectly Cooled Superconducting Magnet— <i>M.A. Green</i>	2427
Evaluation of Nb ₃ Sn Superconductors for Use in a 23.5 T NMR Magnet— <i>S.T. Wang, R. Wahrer, C.J. Chen, T.S. Tenforde, R.M. Scanlan, J. Ekin, and S. Bray</i>	2344	Magnet Sorting Algorithms for Insertion Devices for the Advanced Light Source— <i>D. Humphries, E. Hoyer, B. Kincaid, S. Marks, and R. Schlueter</i>	2431
Design and Construction of a 5T 1028 mm Bore Magnetic Resonance Imaging (MRI) Magnet— <i>S.T. Wang, R. Wahrer, M. Su, Y.F. Juang, F. Anet, C.J. Chen, and H. Jiang</i>	2348	Precise Integration of Undulator Hall Probe Scans— <i>S. Marks</i>	2435
An Optimal Design Technique for Coil Configurations in Iron-Shielded MRI Magnets— <i>M. Kitamura, S. Kakukawa, K. Mori, and T. Tominaka</i>	2352	Influence of Copper-to-Superconductor Ratio on the Stability of High Current Density Superconductor— <i>T. Takao, P.C. Michael, and O. Tsukamoto</i>	2439
Conductors for a 1 GHz Superconducting Magnet— <i>S. Pourrahimi, M.J. Leupold, V. Stejskal, J.E.C. Williams, T.S. Tenforde, J.W. Ekin, S.L. Bray, and S.T. Wang</i>	2356	Design and Manufacture of the Q1 Quadrupoles for the CEBAF High Resolution Spectrometer— <i>A. Dael, J.M. Baze, D. Cacaout, B. Gallet, J.P. Jacquemin, C. Lesmond, Y. Pabot, and P. Vernin</i>	2443
Test Results of Superconducting AC Magnets for Magnetic Refrigeration Experiment— <i>J.W. Lue, J.N. Luton, S.W. Schwenterly, and C.T. Wilson</i>	2360	A Polarized Electron Target for a High Energy Muon Beam Polarimeter— <i>N. de Botton, A. Dael, and J. Martino</i>	2447
Development of Light Weight, High Current Density, Superconducting Magnets— <i>J.W. Lue, M.S. Lubell, J.N. Luton, B.J. Frame, F.L. Paulaskas, and H.W. Blake</i>	2364	Magnet Design for SOLEIL, a New Synchrotron Radiation Source for LURE— <i>M. Barthès-Corlier, J. Michaut, M. Caumartin, and J.P. Pénicaud</i>	2451
Ag-2223 (Bi) Tapes Structure and Superconducting Properties in Dependence of Initial Powder Type— <i>A.D. Nikulin, A.K. Shikov, N.E. Khlebova, E.V. Antipova, E.S. Dontsova, I.I. Akimov, E.Y. Kazakov, V.A. Vargin, M.I. Medvedev, N.I. Kozlenkova, and V.E. Klepatsky</i>	2368	Superconducting Magnets for 110-150 GHz Gyrotrons— <i>J.-M. Baze, C. Lesmond, J.-C. Lottin, J.-J. Capitain, D. Lafon, R. Magne, P. Bonnet, A. Bourquard, D. Bresson, and A. Lacaze</i>	2455
Experimental Investigation of Copper Matrix Longitudinal Resistance in a Composite Nb-Ti Wire— <i>I.N. Gubkin, N.I. Kozlenkova, A.D. Nikulin, M.V. Polikarpova, and V. Ya. Filkin</i>	2372	Status of the Fabrication and Test of the Prototype LHC Lattice Quadrupole Magnets— <i>J.M. Rifflet, P. Giovannoni, F. Le Coz, C. Lyraud, J. Perot, P. Védérine, N. Siegel, and T. Tortschanoff</i>	2458
Critical Surface of Multifilamentary Nb ₃ Sn Wires— <i>N.I. Kozlenkova, E. Yu. Klimenko, and A.K. Shikov</i>	2375	Investigations of Current-Carrying Capacity and Quench Behaviour of a Composite Superconductor by Magnetic Flux Pumping Method— <i>S.S. Ivanov, N.N. Balashov, A.A. Pukhov, and I.O. Shchegolev</i>	2462
A Study of Two Distinct Coil Designs for a Maglev EDS Application— <i>E. Leung, M. Dew, G. Samavedam, and B. Gamble</i>	2379	Dummy Coil Development for the Cable-in-Conduit Nb ₃ Sn "Outsert" Coils of the 45T Hybrid Magnet— <i>H.A. Boghosian, G.M. Ciancetta, J. Bascuñán, G. Rutman, A.L. Devernoe, T. Painter, J. Miller, L. Summers, and A. Bonito-Olivia</i>	2466
Superconductor for the Coils of the Modular Stellarator Wendelstein 7-X— <i>R. Heller and the Wendelstein 7-X Technical Group</i>	2383	Dipole-Sheet Multipole Magnets for Accelerators— <i>P.L. Walstrom</i>	2471
Test of a Forced-Flow Cooled 30 kA/23 kV Current Lead for the POLO Model Coil— <i>R. Heller, G. Friesinger, W. Herz, M. Irmisch, G. Nöther, L. Schappals, K. Schweikert, L. Siewerdt, M. Süßer, A. Ulbricht, F. Wüchner, and G. Zahn</i>	2387	Mechanical Tests on the Prototype LHC Lattice Quadrupole— <i>P. Védérine, J.M. Rifflet, J. Perot, B. Gallet, C. Lyraud, P. Giovannoni, F. Le Coz, N. Siegel, and T. Tortschanoff</i>	2475
Critical Current Degradation of a NbTi-Multifilament Conductor due to Heat Treatment— <i>Th. Schneider, and P. Turowski</i>	2391	Longevity of High Power Resistive Magnets Cooled by Oxygen-Free Water— <i>S. Miura, A. Hoshi, and Y. Nakagawa</i>	2479
Investigation of Electrophysical and Mechanical Properties of High-Strength Cu-Nb Composites for Pulse Magnetic System Winding Wires— <i>A.D. Nikulin, A.K. Shikov, V.I. Pantsyrny, A.E. Vorobjova, E.A. Dergunova, I.I. Kozljenkova, I.I. Potapenko, N.A. Beljakov,</i>		Permissible Disturbance Energies in Filled and Unfilled High-Performance Superconducting Magnets— <i>A. Ishiyama, S.B. Kim, and T. Takahashi</i>	2483
		Thermal and Electromagnetic Behavior in NbTi/CuNi Superconducting Wires Under Fast Changing Transport Current— <i>M. Tsuda, T. Shimada, Y. Takada, and A. Ishiyama</i>	2487
		Transverse-Field Losses in Aluminum-Stabilized Superconducting Conductors— <i>F. Sumiyoshi, S. Kawabata, K. Fukushima, H. Hashiguchi, T. Kawashima, T. Mito, N. Yanagi, T. Satow, J. Yamamoto, and O. Motojima</i>	2491

A Saddle Superconducting Magnet for Experimental MHD Generator— <i>L.G. Yan, L.Z. Lin, Z.K. Wang, Z.Y. Gao, B.H. Jing, B.S. Han, S.W. Peng, S.L. Wang, V.B. Zenkevitch, A.S. Vesselovski, I.A. Kirienin, and V.P. Baev</i>	2495	A Computational Quench Model Applicable to the SMES/CICC— <i>C.A. Luongo, C.-L. Chang, and K.D. Partain</i>	2569
Laboratory Test of an Industrial Superconducting Magnetic Separator for Kaolin Clay Purification— <i>L.G. Yan, S.S. Song, C.L. Yi, Z.X. Ye, H.L. Nan, Y.M. Dai, F.Y. Zhang, H.D. Li, P. Ye, G.B. Tu, X.S. Li, X.Y. Li, and J.X. Zheng</i>	2499	Force-Free Coil Principle Applied to Helical Winding— <i>Y. Miura, M. Sakota, and R. Shimada</i>	2573
Plans for Building the Largest Thin Solenoid Ever— <i>J. Heim, J. Bowers, G. Deis, C. Johnson, G. Oberst, L. Pedrotti, J. Swan, R. Warren, S. Wineman, R. Yamamoto, R. Camille, P. Marston, J. Minervini, R. Pillsbury, Z. Piek, B. Smith, J. Sullivan, R. Vierira, G. East, R. Myatt, S. Myatt, P. Titus, J. Krupczak, N. Martovetsky, P. Reardon, R. Richardson, D. Richied, R. Stroynowski, R. Johnson, J. Bohanon, J. Gertsen, J. Heck, and N. Howell</i>	2503	Demonstration of a 67 kA Vapor-Cooled Current Lead with Improved Thermal Efficiency— <i>M. Heiberger and D.G. Morris</i>	2577
The Magnets of the GSI Fragment Separator— <i>B. Langenbeck, H. Gaiser, H. Geissel, F. Klos, G. Moritz, G. Münzenberg, and K. Zweig</i>	2507	Design and Construction of a 9.38 T, 183 mm-Bore NMR/MRI Spectrometer Magnet— <i>S.T. Wang, R. Wahrer, Y.F. Juang, C.J. Chen, and M. Su</i>	2581
Development of Radiation-Resistant Magnet Coils for High-Intensity Beam Lines— <i>K.H. Tanaka, Y. Yamanoi, H. Noumi, M. Takasaki, Y. Saitoh, K. Kato, T. Yokoi, T. Tsukada, and H. Tanno</i>	2511	Compact Cryogenic Inductors— <i>S.K. Singh, W.J. Carr, Jr., T.J. Fagan, Jr., T.D. Hordubay, and H.L. Chuboy</i>	2585
Influence of Curing on AC Losses of Cables for Superconducting Accelerator Magnets— <i>A. Kimura, N. Kimura, Y. Makida, A. Terashima, T. Shintomi, H. Hirabayashi, and Y.Z. Lei</i>	2515	High-Temperature Superconducting Current Leads for Micro-SMES Application— <i>R.C. Niemann, Y.S. Cha, J.R. Hull, W.E. Buckles, M.A. Daugherty, and B.R. Weber</i>	2589
Superconducting Magnets in the Interaction Region of the KEK B-Factory— <i>K. Tsuchiya, T.M. Kobayashi, T. Haruyama, Y. Ajima, Y. Doi, and A. Kimura</i>	2519	Low Cost Composite Structures for Superconducting Magnetic Energy Storage Systems— <i>C. Rix, D. McColskey, and R. Acree</i>	2593
Magnetic Shielding and Minimization of Shielding Material— <i>H. Sasaki, T. Shiraishi, and A. Kawanishi</i>	2523	Magnetic Pulsed Septa for the Synchrotron "Pakhra"— <i>Yu.A. Bashmakov, and V.A. Karpov</i>	2597
Effect of Strand Diameter on the Stability of the Cable-in-Conduit Conductor— <i>M. Nishi, J.R. Armstrong, N. Koizumi, Y. Takahashi, M. Ono, T. Isono, K. Okuno, T. Kato, T. Sasaki, H. Hiue, S. Iwamoto, A. Miyake, H. Ebisu, F. Hosono, and H. Tsuji</i>	2527	A Fiber Optics Sensor for Strain and Stress Measurements in Superconducting Accelerator Magnets— <i>J.M. van Oort, and H.H.J. ten Kate</i>	2600
Experimental Results of 40-kA Nb ₃ Al Cable-in-Conduit Conductor for Fusion Machines— <i>Y. Takahashi, M. Sugimoto, T. Isono, H. Nakajima, T. Ando, M. Oshikiri, F. Hosono, Y. Wadayama, T. Sasaki, H. Hanawa, S. Seki, H. Wakabayashi, T. Hiyama, H. Tsuji, Y. Yamada, K. Takahashi, and M. Nagata</i>	2531	The Availability Analysis of a 100 kWh Superconducting Magnetic Energy Storage— <i>H. Mäkinen, R. Mikkonen, and J.-T. Eriksson</i>	2604
Effects of Cyclic Pulsed Operation on the Coil Performance in the Nb ₃ Sn Demo Poloidal Coil (DPC-EX)— <i>H. Nakajima, T. Sasaki, T. Ando, M. Nishi, M. Oshikiri, T. Hiyama, Y. Takahashi, K. Yoshida, K. Okuno, T. Kato, M. Sugimoto, T. Isono, K. Kawano, N. Koizumi, K. Hamada, T. Sasaki, Y. Wadayama, A. Miyake, S. Iwamoto, H. Ebisu, T. Takahashi, F. Hosono, K. Yamamoto, Y. Yasukawa, H. Tsukamoto, H. Hanawa, S. Seki, H. Wakabayashi, T. Ouchi, F. Tajiri, J. Okayama, K. Imahashi, K. Otsu, Y. Takaya, T. Kawasaki, Y. Kon, H. Tsuji, M. Takayasu, B. Turck, and F. Wüchner</i>	2535	Magnetic Measurements of the Injector Synchrotron Magnets for the Advanced Photon Source— <i>S.H. Kim, D.W. Carnegie, C.L. Doose, R. Hogrefe, K. Kim, R. Merl, and L.R. Turner</i>	2608
Magnetic Performance of a Variable Period, Fast Excitation, Wiggler— <i>J. Gallardo, T. Romano, and A. van Steenbergen</i>	2539	Performance of Quadrupole and Sextupole Magnets for the Advanced Photon Source Storage Ring— <i>S.H. Kim, C.L. Doose, K. Kim, K.M. Thompson, and L.R. Turner</i>	2612
Pre-design Study of a 4-5 T Superconducting Wiggler Magnet for the ESRF— <i>H.H.J. ten Kate, D. ter Avest, A. Ravex, M. Lagnier, and P. Elleaume</i>	2543	The Magnet Measurement Facility for the Advanced Photon Source— <i>S.H. Kim, C. Doose, R. Hogrefe, K. Kim, and R. Merl</i>	2616
Stresses in Superconducting Solenoid Winding During its Quench— <i>N.V. Krivolutskaya and O.A. Kleshnina</i>	2547	Superconducting Magnet Design for Fixed-Field Alternating-Gradient (FFAG) Accelerator— <i>M. Abdelsalam and R. Kustom</i>	2620
High Magnetic Field Generation Using Single-Turn Coils— <i>M.D. Werst, S.K. Ingram, D.J. Wehrten, and W.F. Weldon</i>	2550	Design of Gradient Magnet System for Cesium Frequency Standard— <i>G. Costanzo, M. Nervi, R. Orlando, and M. Repetto</i>	2624
An Analytical Model for Stress Analysis of Split Toroidal Field Coils for a Fusion Device— <i>F. Bellina</i>	2554	High Homogeneity Solenoidal Magnet for Cesium Frequency Standard— <i>G. Costanzo, A. Demarchi, M. Nervi, and M. Repetto</i>	2628
Investigation on Transient Overvoltages in a Large Winding for a Fusion Device during Insulation Tests— <i>F. Bellina, G. Chitarin, and G. Zollino</i>	2558	Power Losses and Magnetic Forces Analysis in Large Dipole Magnets Cryostat— <i>A. Manella, P. Molfino, G.L. Sabbi, and M. Repetto</i>	2632
The Hall Effect on Coupling Losses in Aluminum-Stabilized Superconductors— <i>T. Kawashima, F. Sumiyoshi, S. Kawabata, H. Ono, T. Mito, N. Yanagi, K. Takahata, and J. Yamamoto</i>	2562	SMES Solenoids with Reduced Stray Field— <i>G. Schönwetter</i>	2636
Current Redistribution During Quench in a SMES Coil with Separated Conductor and Dump Shunt— <i>A.M. Bulc, W.V. Hassenzahl, and M. Zeljeznov</i>	2565	About Accuracy of Measurements of Fringing Magnetic Field Characteristics— <i>Y.N. Grigor'ev, O.D. Zvonareva, I.M. Karnaukhov, and A.A. Shcherbakov</i>	2640
		The Magnet System of the Synchrotron Radiation Source ISI-800— <i>E.V. Bulyak, A.V. Gevchuk, P.I. Gladkikh, I.M. Karnaukhov, S.G. Kononenko, A.O. Mytsykov, and A.A. Shcherbakov</i>	2643
		An Apparatus Using the FARADAY Effect to Locate the Magnetic Axis of Quadrupole Magnets— <i>J. Le Bars</i>	2646
		Design, Performance and Applications of the GSI Three-Dimensional Magnet Measuring Device— <i>G. Moritz, H. Gaiser, F. Klos, B. Langenbeck, R. Steiner, and K. Zweig</i>	2650
		Theoretical Analysis of Time Constant Measurements of Technical Superconductors— <i>L. Krempasky, and C. Schmidt</i>	2654
		Design and Test of the Benches for the Magnetic Measurement of the LHC Dipoles— <i>J. Billan, J. Buckley, R. Saban, P. Sievers, and L. Walckiers</i>	2658
		Prototype Development of a Warm Bore Insert for the LHC Magnet Measurements— <i>F. Clari, O. Dunkel, M. Genet, Ch. Gregory, and P. Sievers</i>	2662
		DC-DC Converter for Discharging Energy Storage Magnets— <i>Y.M. Eyssa and X. Huang</i>	2665
		The Effect of Heat Releases on the Operational Capability of Superconducting Dipoles for the UNK— <i>V.I. Balbekov, S.S. Kozub, M.A. Maslov, K.P. Myznikov, P.A. Shcherbakov, L.M. Vasiliev, S.I. Zinchenko, and A.V. Zlobin</i>	2669

Improvements of the Behavior of the UNK Superconducting Magnets— <i>N.I. Andreev, A.V. Bogdanov, V.I. Gridasov, S.S. Kozub, K.P. Myznikov, V.A. Sychev, V.V. Sytnik, L.M. Vasiliev, and A.V. Zlobin</i>	2673
Measurements of Quench Velocity in Adiabatic NbTi and NbSn Coils. Comparison Between Theory and Experiments in Small Model Coils and Large Magnets— <i>G. Baccaglioni, M. Canali, L. Rossi, and M. Sorbi</i>	2677
On Propagation of Plane Fronts of Normal Zone within Superconducting Winding of Magnet— <i>A.I. Rusinov</i>	2681
High Precision Computation of Solenoid Magnetic Fields by Garrett's Methods— <i>A.I. Rusinov</i>	2685
Synthesis of the Pole Shape of the Bending Magnets for Storage Rings— <i>E.V. Bulyak, I.M. Karnaukhov, and A.O. Mytsykov</i>	2689

CONFERENCE AUTHOR INDEX	2692
-------------------------------	------
