



# MAGNETICS

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY

JULY 1996

VOLUME 32

NUMBER 4

IEMGAQ

(ISSN 0018-9464)

PART I OF TWO PARTS

## FOURTEENTH INTERNATIONAL CONFERENCE ON MAGNET TECHNOLOGY Tampere, Finland, June 11-16, 1995

Committee Lists.....	2032
Introduction.....	2033
In Memoriam.....	2034

## MAGNETS FOR HIGH ENERGY PHYSICS

The Present Status of LHC — <i>L.R. Evans</i> .....	2035
The Magnet System of the Relativistic Heavy Ion Collider (RHIC) — <i>A. Greene, M. Anerella, J. Cozzolino, J. Escallier, D. Fischer, G. Ganetis, A. Ghosh, R. Gupta, A. Jain, S. Kahn, E. Kelly, R. Lebel, G. Morgan, A. Morgillo, S. Mulhall, J. Muratore, S. Plate, A. Prodell, M. Rehak, W. Sampson, R. Thomas, P. Thompson, P. Wanderer, and E. Willen</i> .....	2041
Progress in the Design of a Superconducting Toroidal Magnet for the ATLAS Detector on LHC — <i>J.M. Baze, C. Berriaud, C. Curé, A. Daël, H. Desportes, R. Duthil, B. Gallet, F.P. Juster, C. Lesmond, C. Mayri, and Y. Pabot</i> .....	2047
Assessment of the Test Results of the Two CERN-INFN 10 m Long Superconducting Dipole Prototypes for the LHC — <i>M. Bona, R. Perin, E. Acerbi, and L. Rossi</i> .....	2051
Design of the Superconducting End Cap Toroids for the ATLAS Experiment at LHC — <i>D.E. Baynham, R.Q. Aspey, F.S. Carr, R.C. Coombs, D.A. Cragg, N.H. Cunliffe, R.J. Greenhalgh, E. Holtom, P.L. Sampson, and C.R. Walters</i> .....	2055
Industrial Production of RHIC Magnets — <i>M.D. Anerella, D.H. Fisher, E. Sheedy, and T. McGuire</i> .....	2059
Skew Quadrupole in RHIC Dipole Magnets at High Fields — <i>A. Jain, R. Gupta, P. Thompson, and P. Wanderer</i> .....	2065
Tuning Shims for High Field Quality in Superconducting Magnets — <i>R. Gupta, M. Anerella, J. Cozzolino, B. Erickson, A. Greene, A. Jain, S. Kahn, E. Kelly, G. Morgan, P. Thompson, P. Wanderer, and E. Willen</i> .....	2069

Final Site Assembly and Testing of the Superconducting Toroidal Magnet for the CEBAF Large Acceptance Spectrometer (CLAS) — <i>A.J. Street, J.S.H. Ross, S.M. Harrison, D.M. Jenkins, M.F. Mason, R.J. Riggs, K.D. Smith, J.M. Wiatrzyk, J.E. O'Meara, W. Tuzel, and D. Tilles</i> .....	2074
Magnetic Design of Trim Excitations for the Advanced Light Source Storage Ring Sextupole — <i>S. Marks</i> .....	2077
Design Parameters for a 7.2 Tesla Bending Magnet for a 1.5 GeV Compact Light Source — <i>M.A. Green and D. Madura</i> .....	2081
Optimization of Superconducting Bending Magnets for a 1.0 to 1.5 GeV Compact Light Source — <i>M.A. Green and A.A. Garren</i> .....	2085
Power Tests of Single and Twin Aperture Superconducting Dipole Models for LHC — <i>L. Walkiers, D. Leroy, L. Oberli, J. Ostler, F. Rodrigues Mateos, N. Siegel, and A. Siemko</i> .....	2089
Design, Fabrication and Testing of a 56 mm Bore Twin-Aperture 1 m Long Dipole Magnet Made with SSC Type Cable — <i>J. Ostler, D. Perini, S. Russenschuck, N. Siegel, A. Siemko, G. Trinquart, L. Walckiers, and W. Weterings</i> .....	2093
Construction of a 56 mm Aperture High-Field Twin-Aperture Superconducting Dipole Model Magnet — <i>J. Ahlbäck, D. Leroy, L. Oberli, D. Perini, J. Salminen, M. Savelainen, J. Soini, and G. Spigo</i> .....	2097
Finite Element Structural Analysis of LHC Bending Magnet — <i>R. Perin, D. Perini, J. Salminen, and J. Soini</i> .....	2101
Electrical Performance of a String of Magnets Representing a Half-cell of the LHC Machine — <i>F. Rodriguez-Mateos, L. Coull, K. Dahlerup-Petersen, D. Hagedorn, G. Krainz, A. Rijllart, and A. McInturff</i> .....	2105
Quench Protection Test Results and Comparative Simulations on the First 10 Metre Prototype Dipoles for the Large Hadron Collider — <i>F. Rodriguez-Mateos, G. Gerin, and A. Marquis</i> .....	2109
Twin Aperture Quadrupoles for the LHC Cleaning Insertions — <i>M. Giesch</i> .....	2113
Test Results of a Single Aperture 10 Tesla Dipole Model Magnet for the Large Hadron Collider — <i>A. Yamamoto, T. Shintomi, N. Kimura, Y. Doi, T. Haruyama, N. Higashi, H. Hirabayashi, H. Kawamata, S.-W. Kim, T.M. Kobayashi, Y. Makida, T. Ogitsu, N. Ohuchi, K. Tanaka, A. Terashima, K. Tsuchiya, H. Yamaoka, G. Brianti, D. Leroy, R. Perin, S. Mizumaki, S. Kato, K. Makishima, T. Orikasa, T. Maeto, and A. Tanaka</i> .....	2116
Development and Test Results of the Prototype Active Shield Dipole Magnets for the KEK B-Factory — <i>K. Tsuchiya, N. Ohuchi, T.M. Kobayashi, Y. Ajima, T. Ogitsu, T. Haruyama, and Y. Doi</i> .....	2120
Field and Structural Analysis of 56 mm Aperture Dipole Model Magnets for the Large Hadron Collider — <i>N. Song, A. Yamamoto, T. Shintomi, H. Hirabayashi, H. Yamaoka, and A. Terashima</i> .....	2124
Refurbishment of Slightly Radioactive Magnet Coils from a Big Proton Accelerator — <i>G. Kouba</i> .....	2128
Design, Fabrication and Cold Tests of a Superferric Octupole Corrector for the LHC — <i>G. Laurent, S. Russenschuck, N. Siegel, M. Travería, L. García-Tabarés, J. Calero, P. Aguirre, J. Etxeandía, and J. García</i> .....	2132
Mechanical Performance of a Twin-Aperture 56 mm bore 1 m long Dipole Model Made with SCC Type Cables — <i>J. Buckley, M. Karppinen, G. Kirby, T. Kurtyka, D. Perini, A. Poncet, T. Siambanis, N. Siegel, and I. Vanenkov</i> .....	2136
The PHENIX Detector Magnet Subsystem — <i>R.M. Yamamoto, J.M. Bowers, A.R. Harvey, R.H. Holmes, G.F. James, M.A. Libkind, R.W. Martin, L.E. Mullins, J.H. Thomas, W.J. Wong, S.H. Aronson, S.A. Kahn, P.J. Kroon, T.K. Shea, R.D. Schlueter, and W.E. Sondheim</i> .....	2140
Magnet Coil Electrical Gaskets of High Compliance and Ampacity — <i>A.R. Harvey and R.M. Yamamoto</i> .....	2144
Development of Radiation-Resistant Magnet Coils for High-Intensity Beam Lines: Part II-completely inorganic insulated coils — <i>Y. Yamanoi, K.H. Tanaka, M. Takasaki, Y. Saito, K. Yahata, K. Kato, S. Ito, K. Iwanaga, N. Sinozuka, and S. Tsukada</i> .....	2147
A Thin Superconducting Solenoid Magnet for the WASA Detector — <i>H. Yamaoka, A. Yamamoto, Y. Makida, N. Kimura, K. Tanaka, H. Hirabayashi, R. Ruber, H. Calen, N. Takasu, T. Doi, and S. Abe</i> .....	2151
Superconducting Magnet Package for the TESLA Test Facility — <i>A. Koski, R. Bandelmann, and S. Wolff</i> .....	2155
Computational Design Study for an Accelerator Dipole in the Range of 15-20 T — <i>A. Koski and S.L. Wipf</i> .....	2159
Guide Lines for the Design of Very Large Aperture Quadrupole Magnets — <i>A. Daël, J.P. Jorda, F. Kircher, and C. Mayri</i> .....	2163
Test Results of the Q1 Quadrupoles for the CEBAF High Resolution Spectrometer — <i>B. Gallet, C. Berriaud, A. Daël, J.C. Gelebart, C. Lesmond, C. Mayri, J. Thinel, and P. Vernin</i> .....	2167
Design and Status of Construction of Finuda Superconducting Aluminium Stabilised Detector — <i>M. Losasso, R. Pencho, F.L. Fabbri, V. Lucherini, and M. Agnello</i> .....	2171
A 6.3 T Bend Magnet for the Advanced Light Source — <i>C.E. Taylor, and S. Caspi</i> .....	2175
Mirror-Field Magnet for Stripped Electron Sweeping — <i>D.B. Barlow, A.J. Jason, F. Neri, and P.L. Walstrom</i> .....	2179
The Pep-II B-Factory Septum Quadrupole Magnets — <i>J.M. Swan, A.R. Harvey, R.H. Holmes, C.M. Kendall, R.M. Yamamoto, T.T. Yokota, J.T. Tanabe, and R.D. Schlueter</i> .....	2182

Results on Fermilab Main Injector Dipole Measurements — <i>B.C. Brown, R. Baiod, J. DiMarco, H.D. Glass, D.J. Harding, P.S. Martin, S. Mishra, A. Mokhtarani, D.F. Orris, A.D. Russell, J.C. Tompkins, and D.G.C. Walbridge</i> .....	2186
The Main Dipole Prototype for the KfK Synchrotron Radiation Source — <i>V. Kashikhin, Yu. Miasnikov, M. Nagaenko, A. Nikiforovsky, S. Pavlov, B. Rozhdestvensky, I. Shukeilo, Yu. Severgin, A. Sudarushkin, V. Vasiliev, V. Bechtold, D. Einfeld, and H. Schweikert</i> .....	2190
New Compact Cyclotron Design for SPIRAL — <i>M. Duval, M.P. Bourgarel, and F. Ripouteau</i> .....	2194
Superconducting Correction Impulse Magnets for the Accelerator Nuclotron — <i>A.M. Baldin, N.N. Agapov, N.G. Anishchenko, S.A. Averichev, V.D. Bartenev, N.A. Blinov, V.I. Datskov, A.M. Donyagin, E.I. D'yachkov, I.N. Goncharov, I.B. Issinsky, H.G. Khodzhbagiyani, A.D. Kovalenko, Yu.V. Kulikov, B.N. Kuzichev, L.G. Makarov, V.A. Mikhailov, D. Rihter, A.A. Smirnov, A.Yu. Starikov, Yu.A. Shiskov, and V.Ya. Volkov</i> .....	2197
Development of an Aluminium Stabilised Reinforced Superconducting Conductor — <i>D. Fritz, I.L. Horvath, M. Harzenmoser, J. Neuenschwander, and F. Wittgenstein</i> .....	2200
Temperature Compensation in Hybrid Magnets with Application to the Fermilab Stacker and Recycler Ring Dipole Design — <i>R.D. Schlueter, S. Marks, C. Loper, and K. Halbach</i> .....	2203
Magnet System for both Negative-Ion Charge-Exchange Injection and Positive-Ion Multi-Turn Injection — <i>I. Sakai</i> .....	2206
The Superconducting Magnet for the BABAR Detector of the PEP-II B Factory at SLAC — <i>P. Fabbriatore, S. Farinon, R. Parodi, E. Baynham, S.F. Carr, D.A. Cragg, R.J.G. Greenhalgh, P.L. Sampson, T.G. O'Connor, O. Fackler, B. Bell, W. Burgess, W. Craddock, R.F. Boyce, J. Krebs, N. Yu, and J.L. Heck</i> .....	2210

## ENERGY, TRANSPORTATION

Superconducting Storage Systems: An Overview — <i>C.A. Luongo</i> .....	2214
The ITER Project: Status and Prospects — <i>B.J. Green and M. Huguet</i> .....	2224
Development of Magnetically Levitated High Speed Transport System in Japan — <i>K. Sawada</i> .....	2230
Design of the Nb <sub>3</sub> Al Insert to be Tested in ITER Central Solenoid Model Coil — <i>N. Koizumi, T. Ito, H. Ogata, Y. Takahashi, M. Sugimoto, H. Nakajima, T. Kato, Y. Nunoya, T. Ando, H. Tsuji, S. Shimamoto, A. Shigenaka, H. Tsukamoto, K. Asano, and S. Suzuki</i> .....	2236
Design of the Outer Poloidal Field Coil System for ITER — <i>K. Yoshida, M. Shimada, M. Matsukawa, C. Sborchia, B. Stepanov, J. Stoner, and M. Nozawa</i> .....	2240
Cooling and Excitation Tests of an Inner Vertical Coil for the Large Helical Device — <i>T. Satow, T. Mito, K. Takahata, J. Yamamoto, S. Satoh, A. Nishimura, S. Yamada, N. Yanagi, H. Chikaraishi, A. Iwamoto, S. Tanahashi, S. Imagawa, H. Tamura, K. Yamazaki, S. Yamaguchi, K. Watanabe, H. Yamada, N. Noda, A. Sagara, K. Akaishi, Y. Kubota, N. Inoue, H. Suzuki, T. Morisaki, S. Kitagawa, N. Ohyabu, A. Komori, T. Baba, S. Moriuchi, K. Ohba, M. Iima, H. Yonezu, H. Hayashi, Y. Taniguchi, H. Ogawa, S. Tamura, I. Ohtake, O. Motojima, S. Morimoto, M. Takeo, S. Sato, A. Ninomiya, S. Ioka, K. Nakamoto, T. Uede, and Y. Hoshi</i> .....	2244
Construction of Helical Coil Winding Machine for LHD and On-site Winding — <i>S. Imagawa, N. Yanagi, S. Yamaguchi, T. Satow, J. Yamamoto, O. Motojima, LHD Group, T. Senba, S. Suzuki, K. Nakanishi, K. Asano, and T. Yamagiwa</i> .....	2248
Cooldown Performance of an Inner Vertical Field Coil for the Large Helical Device — <i>K. Takahata, T. Mito, T. Satow, A. Nishimura, S. Yamada, N. Yanagi, A. Iwamoto, H. Chikaraishi, S. Imagawa, H. Tamura, S. Satoh, S. Tanahashi, J. Yamamoto, O. Motojima and the LHD Group, T. Yamakoshi, T. Yoshida, S. Hanawa, and T. Kai</i> .....	2252
The Polo Coil, a Prototype Tokamak Poloidal Field Coil, Design Features and Test Results — <i>M. Darweschad, R. Heller, G. Friesinger, M. Irmisch, H. Kathol, P. Komarek, W. Maurer, G. Nöther, C. Schmidt, G. Schleinkofer, Ch. Sihler, M. Süsner, A. Ulbricht, and F. Wüchner</i> .....	2256
Conceptual Design of the ITER TF Model Coil — <i>P. Libeyre, B. Bertrand, P. Decool, B. Turck, P. Komarek, W. Maurer, A. Ulbricht, G. Zahn, M. Spadoni, and E. Salpietro</i> .....	2260
Six Years of Operating Experience with Tore Supra, the Largest Tokamak with Superconducting Coils — <i>B. Turck</i> .....	2264
Basic Design Considerations for a Medium-Size Superconducting Magnetic Energy Storage System (SMES) — <i>W. Nick and K. Prescher</i> .....	2268
Fast SMES for Generation of High Power Pulses — <i>K.P. Juengst and H. Salbert</i> .....	2272

Micro Superconducting Magnetic Energy Storage (SMES) System for Protection of Critical Industrial and Military Loads — A.K. Kalafala, J. Bascuñan, D.D. Bell, L. Blecher, F.S. Murray, M.B. Parizh, M.W. Sampson, and R.E. Wilcox.....	2276	Some Considerations on Superconducting Transformers from a Design-point of View — T. Nitta, K. Misawa, and H. Nomura .....	2381
Development and Test of a 300 kW Superconducting Homopolar Generator — W. Ge, S. Tang, L. Yan, C. Yi, and J. Qin .....	2280	A Study on Stability of Rotating Magnets — N. Higuchi, K. Kaiho, I. Ishii, H. Nomura, H. Tateishi, S. Fuchino, K. Arai, S. Sekine, N. Natori, K. Kajikawa, N. Tamada, T. Onishi, T. Aiba, and T. Iimura .....	2385
Electrical Insulation Characteristics of Liquid Helium under High Speed Rotating Field — I. Ishii, S. Fuchino, M. Okano, and N. Tamada.....	2284	A Permanent-Magnet Generator for Wind Power Applications — L. Söderlund, J.-T. Eriksson, J. Salonen, H. Vihriälä, and R. Perälä .....	2389
Design and Construction of a Small-Scale Model of a High-Temperature Superconducting Magnetically Levitated Vehicle — J. Bánkuti, I. Vajda, L. Mohácsi, A. Szalay, I. Kotsis, and M. Enisz.....	2288	Optimization of the Winding Configuration in EDS-MAGLEV Trains — M. Andriollo, G. Martinelli, A. Morini, and A. Scuttari .....	2393
A Pulsed Magnetic Field Test Facility for Conductors and Joints — B.A. Smith, J.V. Minervini, R.J. Camille, Jr., J.R. Hale, M.M. Olmstead, A. Zhukovsky, R.E. West, D.A. Gwinn, J.A. Rosati, C.T. Reddy, N. Diatchenko, H.H.J. ten Kate, H.G. Knoopers, S.S. Shen, A. Brooks, and F. Dahlgren.....	2292	AC Loss Reduction of a 6.6 kV Superconducting Fault Current Limiter — T. Yazawa, K. Tasaki, T. Tosaka, T. Kurusu, S. Nomura, H. Maeda, T. Ohkuma, M. Nakade, and T. Hara.....	2399
Superconducting Model Coil for the Stellarator W 7-X under Test — K.P. Juengst and the Wendelstein 7-X Technical Group .....	2296	Recovery Time of Superconducting Non-Inductive Reactor Type Fault Current Limiter — T. Hoshino, I. Muta, H. Tsukiji, K. Ohkubo, and M. Etoh .....	2403
Conductor Fabrication for the ITER Model Coils — P. Bruzzone, N. Mitchell, M. Steeves, M. Spadoni, Y. Takahashi, and V.E. Sytnikov .....	2300	Quench Current Degradation in Superconducting Coil for 6.6 kV/2 kA Fault Current Limiter — K. Tasaki, T. Yazawa, E.S. Yoneda, S. Nomura, H. Maeda, T. Ohkuma, M. Nakade, and T. Hara.....	2407
Design and Fabrication of Superconducting Cables for ITER Central Solenoid Model Coil — K. Matsui, Y. Takahashi, M. Nishi, K. Nunoya, T. Kato, H. Nakajima, T. Hiyama, M. Sugimoto, T. Isono, K. Kawano, N. Koizumi, K. Hamada, T. Ando, H. Tsuji, S. Shimamoto, N. Shiga, N. Aoki, and M. Ichihara.....	2304	Development of a Quick Response Persistent Current Switch — M. Takeo, K. Kuroda, M. Matsuo, S. Sato, K. Shikimachi, and Q. Wang.....	2411
Minimal Performances of High Tc Wires for Cost Effective SMES Compared with Low Tc's — C. Levillain, and P.G. Thérond.....	2308	Central Inductor of GLOBUS-M Tokamak — A.A. Kavin, V.A. Korotkov, A.G. Panin, V.F. Soikin, V.K. Gusev, N.I. Nikolaev, K.A. Padushnikova, N.V. Sakharov, and V.V. Shpeizman .....	2415
Development and Test Results of a Double 0.5 MJ Coil SMES System — V.E. Keilin, V.P. Agalakov, O.P. Anashkin, N.N. Britousov, A.V. Dudarev, A.V. Krivykh, A.S. Kulikov, V.V. Lysenko, S.M. Miklyaev, S.A. Shevchenko, and M.I. Surin .....	2312	Effects of Spatially Limited External Magnetic Fields on Short Sample Tests of Large-Scale Superconductors — T. Mito, N. Yanagi, K. Takahata, A. Iwamoto, T. Satow, J. Yamamoto, and N. Hirano .....	2418
Progress in the ITER Model Coil Program — F. Iida, K. Okuno, R. Vieira, J. Stoner, R.J. Thome, E. Salpietro, H. Tsuji, S. Egorov, and D.B. Montgomery .....	2316	Superconducting Current Feeder System for the Large Helical Device — S. Yamada, T. Mito, H. Chikaraishi, S. Tanahashi, S. Kitagawa, J. Yamamoto, O. Motojima, T. Uede, H. Hiue, Y. Yasukawa, and I. Itoh .....	2422
Design of the ITER Central Solenoid (CS) Model Coil — H. Ogata, T. Ando, T. Ito, K. Matsui, M. Sugimoto, T. Kato, H. Nakajima, M. Nishi, T. Isono, Y. Takahashi, H. Tsuji, S. Shimamoto, Y. Sumiyoshi, O. Osaki, T. Fujioka, and K. Okuno.....	2320	Electrodynamic Forces and Stresses in the RFX Toroidal Field Coils in Fault Conditions — F. Bellina.....	2426
Design Consideration of the ITER-TF Coil with a React-and-Wind Technique Using Nb <sub>3</sub> Al Conductor — T. Ando, M. Sugimoto, N. Koizumi, Y. Nunoya, K. Matsui, M. Nishi, H. Tsuji, and S. Shimamoto.....	2324	Evaluation of a NbTi Cable-in-Conduit Prototype Superconductor for the Wendelstein 7-X Magnet System — B. Blau, B. Jakob, G. Pasztor, G. Vécsey, A. Cerri, and H.P. Marti.....	2430
Design of the CS Insert Coil — M. Sugimoto, A. Terasawa, T. Isono, N. Koizumi, H. Nakajima, T. Kato, M. Nishi, Y. Takahashi, T. Ando, H. Tsuji, S. Shimamoto, K. Okuno, T. Ichihara, T. Sasaki, M. Hasegawa, and T. Minato.....	2328	Normal-Zone Detection in Tokamak Superconducting Magnets with Co-Wound Voltage Sensors — N.N. Martovetsky and M.R. Chaplin.....	2434
Results of the European Study on Conductor Joints for ITER Coils — D. Ciazynski, B. Bertrand, P. Decool, A. Martinez, and L. Bottura.....	2332	<b>HIGH FIELD MAGNETS</b>	
Stability of a Poloidal Field Coil in Rapidly Changing Magnetic Fields — R. Heller, C. Schmidt, A. Ulbricht, and F. Wüchner .....	2336	Pulsed Magnets for Strong and Ultrastrong Fields — F. Herlach and M. von Ortenberg.....	2438
A Possible Explanation of the Problem of Ramp Rate Limitation in Large Superconducting Magnets — L. Krempasky and C. Schmidt.....	2340	The World's First 27 T and 30 T Resistive Magnets — M.D. Bird, S. Bole, Y.M. Eyssa, B.-J. Gao, and H.-J. Schneider-Muntau.....	2444
Completion of the Polo Model Coil — A. Bourquard, X. Plat, P. Bonnet, D. Semal, G. Personeni, M. Bernaudat, A. Hacquard, R. Salvador, and D. Dombrowski.....	2345	First Test Operation of 40 Tesla Class Hybrid Magnet System — K. Inoue, T. Kiyoshi, M. Kosuge, T. Takeuchi, F. Matsumoto, H. Maeda, S. Hanai, M. Tezuka, and K. Matsutani .....	2450
Actively Shielded Transportable SMES-Systems — G. Fresacher, G. Schönwetter, and J. Gerhold.....	2349	Status of the NHMFL 60 Tesla Quasi-Continuous Magnet — L.J. Campbell, H.J. Boenig, D.G. Rickel, J.B. Schillig, J.R. Sims, and H.J. Schneider-Muntau.....	2454
R&D of Superconductors for 70 MW Class Generators — H. Chiba, N. Uno, T. Ichikawa, S. Meguro, K. Takahashi, T. Saitou, S. Sakai, and S. Akita .....	2353	Systematic Failure Testing of Internally Reinforced Magnets — P. Pernambuco-Wise, P. Gilmore, B. Lesch, Y. Eyssa, and H.J. Schneider-Muntau .....	2458
Static Excitation Test Results of the Partial Rotor Model for 70 MW Class Superconducting Generator with Quick Response Excitation — H. Nakamura, H. Matsumoto, H. Hasegawa, K. Nakanishi, K. Inoue, M. Sakai, and S. Ohshima .....	2357	Comparative Analysis of Micro-Composite and Macro-Composite Conductors for Pulse Magnets — Y.M. Eyssa, P. Pernambuco Wise, H.-J. Schneider-Muntau, M. Van Cleemput, and H. Jones.....	2462
Development of 70 MW Class Superconducting Generators — A. Katagiri, S. Ohshima, B. Ikeda, K. Kimura, T. Ichikawa, K. Tanimoto, M. Kazumori, T. Sonobe, K. Suzuki, and T. Kitajima .....	2361	The Fabrication and Characterization of High Strength Copper / Stainless Steel Conductors for Pulsed Magnets — M. Van Cleemput, H. Jones, M. van der Burgt, Y.M. Eyssa, and H.-J. Schneider-Muntau .....	2466
Quench Characteristics of Rotor Winding of Superconducting Generator in Static and Rotating Conditions — T. Takao, O. Tsukamoto, T. Hirao, M. Morita, and B. Ikeda.....	2365	Development of a 40 T Compact Hybrid Magnet — K. Watanabe, S. Awaji, N. Kobayashi, S. Miura, T. Fukase, M. Motokawa, M. Urata, K. Koyanagi, M. Tezuka, and S. Hanai .....	2470
Investigation of Mixed Convection Caused in Superconducting Generators — S. Fuchino, I. Ishii, M. Okano, and N. Tamada.....	2369	Final Design of a 24 MW Radially-Cooled Insert for a 45 T Hybrid System — R.J. Weggel, V. Stejskal, E. Bobrov, M. Holowinski, and J.E.C. Williams.....	2474
Current Status of Superconducting Synchronous Motor in Saga University — T. Hoshino, I. Muta, Y. Yamamoto, J. Wang, H. Tsukiji, K. Hayashi, and E. Mukai.....	2373	Generation of Magnetic Fields over 21 T in a 61 mm Clear Bore Using Low Copper Ratio (Nb,Ti) <sub>3</sub> Sn Conductors — T. Kiyoshi, M. Kosuge, K. Inoue, and H. Maeda.....	2478
The Design and Construction of a 1500 W HTS Superconducting Synchronous Machine — R. Mikkonen, L. Söderlund, and J.-T. Eriksson.....	2377	The "Nautilus": A Method of Winding Disc Coils — J.E.C. Williams, M. Holowinski, E.S. Bobrov, M.J. Leupold, S. Pourrahimi, V.J. Stejskal, and A.S. Szczepanowski .....	2482
		Development of Superconductor and Magnet Design of 40 T Class Hybrid Magnet — S. Hanai, J. Inagaki, N. Takahashi, S. Sato, T. Miyase, S. Murase, S. Nakayama, M. Tezuka, K. Inoue, T. Kiyoshi, T. Takeuchi, K. Itoh, H. Wada, and H. Maeda .....	2486

Power Supply and Control System for 40 T Class Hybrid Magnet System — <i>M. Tezuka, T. Kojo, M. Naito, E. Toyoda, S. Hanai, K. Inoue, T. Takeuchi, K. Itoh, T. Kiyoshi, H. Wada, and H. Maeda</i> .....	2490
The Potential for SAGBO Cracking in a Nb <sub>3</sub> Sn Wind-and-React Solenoid Using a CICC with Incoloy 908 Jacket and Glass Fabric Insulation — <i>A. Bonito-Oliva, S. Kenney, H.J. Schneider-Muntau, and L. Summers</i> .....	2495
Tension Layer Winding of Cable-in-Conduit Conductor — <i>A. Devernoe, G. Ciancetta, M. King, M. Parizh, T. Painter, and J. Miller</i> .....	2499
A New Concept in Bitter Disk Design — <i>B.J. Gao, H.-J. Schneider-Muntau, Y.M. Eyssa, and M.D. Bird</i> .....	2503
Approaching 100 T with Wire Wound Coils — <i>F. Herlach, L. Li, N. Harrison, L. Van Bockstal, J.-M. Louis, P. Frings, J. Franse, M. Van Cleemput, H. Jones, F. Dupouy, and S. Askenazy</i> .....	2507
Design Study of a 60 T Pulsed Magnet with 10 $\mu$ s Risettime — <i>L. Li, L. Van Bockstal, F. Herlach, and W. van Amersfoort</i> .....	2511
Long Life Pulsed High Field Magnets with CuAg Conductor and Internal Reinforcement — <i>L. Van Bockstal, L. Li, N. Harrison, G. Heremans, F. Herlach, B. Starett, and R.G. Clark</i> .....	2514
Pulsed High Field Magnets Reinforced with Pearlitic Steel — <i>L. Van Bockstal, N. Harrison, L. Li, F. Herlach, J.-M. Louis, M. Oudendijk, P. Frings, and I. Lefever</i> .....	2518
Design and Modeling of Coupled Pulse Magnets (Electrical and Thermal) — <i>Y.M. Eyssa, and P. Pernambuco Wise</i> .....	2522
Plastic Stress Analysis of Pulse and Resistive Magnets — <i>Y.M. Eyssa, W.D. Markiewicz, and P. Pernambuco-Wise</i> .....	2526
Microstructure of Wound Conductors for High Field Pulsed Magnets — <i>Y.S. Hascicek, P. Pernambuco-Wise, C. Mignosi, H.J. Schneider-Muntau, and T.J. Fellers</i> .....	2530
Cu-Ag Alloy Bitter Type Magnet for Repeating Pulsed Field — <i>M. Motokawa, H. Nojiri, S. Mitsudo, M. Arai, K. Ubukata, M. Fujita, T. Arakawa, and Y. Inamura</i> .....	2534
Magnetic Performance of Injection Bump Magnet for the SPring-8 Storage Ring — <i>K. Kumagai, and S. Matsui</i> .....	2538
Design of a Poly-Bitter Magnet at NHMFL — <i>M.D. Bird, S. Bole, Y.M. Eyssa, B.-J. Gao, and H.-J. Schneider-Muntau</i> .....	2542
Design and Analysis of a 25 T Resistive NMR Magnet — <i>Y.M. Eyssa, M.D. Bird, B.J. Gao, and H.-J. Schneider-Muntau</i> .....	2546
Design Optimization of Multi-Coil Resistive Magnets — <i>S. Prestemon, P. Gilmore, B.J. Gao, and M.D. Bird</i> .....	2550
Design and Experimental Results of the Nb <sub>3</sub> Sn Double Insert for an 18 Tesla, 100 mm Free Bore Solenoid — <i>E. Acerbi, G. Baccaglioni, L. Rossi, G. Volpini, M. Biltcliffe, P. Daniels, J. Mellors, and K. Timms</i> .....	2554
A Cryocooler-cooled 10 T Superconducting Magnet with 100 mm Room Temperature Bore — <i>K. Koyanagi, M. Urata, Y. Ohtani, T. Kuriyama, K. Yamamoto, S. Nakayama, T. Yazawa, K. Tasaki, S. Nomura, Y. Yamada, H. Nakagome, S. Murase, H. Maeda, and O. Horigami</i> .....	2558
Design of a 20 T, 200 mm Bore Resistive Magnet — <i>B.J. Gao, M.D. Bird, S. Bole, Y.M. Eyssa, and H.-J. Schneider-Muntau</i> .....	2562
Development of High Strength Nb <sub>3</sub> Sn Conductors for High Magnetic Field Applications — <i>S. Iwasaki, K. Goto, N. Sadakata, T. Saito, O. Kohno, S. Awaji, and K. Watanabe</i> .....	2566
A New Type of Radially Cooled Helices Designed for a 25 T Magnet — <i>P. Rub, and W. Joss</i> .....	2570
<b>SPECIAL APPLICATIONS</b>	
Refrigeration Load Calculation of a HTSC Current Lead under AC Conditions — <i>P.F. Herrmann, C. Cottevieille, A. Leriche, and S. Elschner</i> .....	2574
Hybrid Superconducting Magnetic Suspensions — <i>P. Tixador, P. Hiebel, Y. Brunet, X. Chaud, and P. Gautier-Picard</i> .....	2578
High-Performance Magnetically Shielded Room — <i>G. Kajiwarra, K. Harakawa, H. Ogata, and H. Kado</i> .....	2582
25 T High Resolution NMR Magnet Program and Technology — <i>W.D. Markiewicz, I.R. Dixon, Y.M. Eyssa, J. Schwartz, C.A. Swenson, S. Van Sciver, and H.J. Schneider-Muntau</i> .....	2586
A Novel Miniature Superconducting Converter for 1 kA Magnets — <i>O.A. Shevchenko, E.J.G. Krooshoop, H.H.J. ten Kate, and M.A. Fedorovsky</i> .....	2590
A Cryocooler Cooled 6 T NbTi Superconducting Magnet with Room Temperature Bore of 220 mm — <i>K. Watazawa, J. Sakuraba, F. Hata, T. Hasebe, C.K. Chong, Y. Yamada, K. Watanabe, S. Awaji, and T. Fukase</i> .....	2594
Improved Dry Rotating Disk Separator — <i>J. Gerhold, and M. Hubmann</i> .....	2598

A Micro-Undulator Fabricated by LIGA Processes — <i>L.R. Turner, A. Nassiri, F.E. Mills, S. Kim, and A. Feinerman</i> .....	2602
Magnetic Shielding Effects by the Superposition of a Six-Layered Ferromagnetic Cylinder over a BPSCCO Cylinder — <i>M. Itoh, K. Mori, and T. Minemoto</i> .....	2605
A Permanent-Magnet Rotor for a High-Temperature Superconducting Bearing — <i>T.M. Mulcahy, J.R. Hull, K.L. Uherka, R.G. Abboud, J.H. Wise, D.W. Carnegie, C.E. Bakis, and C.W. Gabrys</i> .....	2609
Spontaneous Quenches of a High Temperature Superconducting Pancake Coil — <i>J.W. Lue, M.S. Lubell, D. Aized, J.M. Campbell, and R.E. Schwall</i> .....	2613
A 6 T Superconducting Wiggler for Synchrotron Radiation — <i>R. Mikkonen and L. Söderlund</i> .....	2617
Magnetic Design of the Advanced Light Source Elliptical Wiggler — <i>S. Marks, J. Akre, E. Hoyer, D. Humphries, T. Jackson, Y. Minimihara, P. Pipersky, D. Plate, and R. Schlueter</i> .....	2621
Design and Analysis of a Wiggler Magnet System for the PEP-II B-Factory LER — <i>J. Heim, M. Kendall, L. Bertolini, O. Fackler, T. O'Connor, T. Swan, and A. Zholents</i> .....	2625
The Construction of a 9-Pole Prototype for SRRC U-10 Undulator — <i>C.H. Chang, L.H. Chang, H.H. Chen, T.C. Fan, C.S. Hwang, D.N. Guo, J.Y. Hsu, F.Y. Lin, T.F. Lin, Ch. Wang, S.T. Yeh, G.J. Hwang, and P.K. Tseng</i> .....	2629
Cryogen Free Conduction Cooled NbTi Superconducting Magnet for a X-band Klystron — <i>S. Yokoyama, T. Minato, Y. Imai, T. Inaguchi, T.H. Kim, T. Umemura, T. Ogitsu, and H. Mizuno</i> .....	2633
A Cryogen-free Superconducting Magnet with 95 cm Warm Bore for Whole Body MRI — <i>B.-X. Xu, S. Schnurer, K. Obasih, M. Mruzek, O. Ige, R. Lochner, J. Helbing, and D. Mantone</i> .....	2637
An Open Refrigerator Cooled Superconducting Magnet for the Special Purpose of Magnetic Resonance Imaging — <i>B.-X. Xu, M. Mruzek, P. Eckels, W.-X. Wang, Y. Tan, B. Dorri, and M. Ogle</i> .....	2640
Superconducting Shim System with High Purity Magnetic Field for NMR and MRI Solenoid Magnet MIDI-200 — <i>P. Konzbul, K. _véda, and A. Srnka</i> .....	2643
400 MHz / 89 mm Actively Shielded High Resolution NMR Magnet — <i>R. Teodorescu, J. Colvin, G. Shotzman, T. Vick, J. Zeigler, G. Liang, L. Crowe, C. Abshire, T. Mann, Z. Parakh, and W. Shen</i> .....	2647
The Magnets and Power Supplies of the GSI Beam Scanning System for Heavy Ion Cancer Therapy — <i>B. Langenbeck, G. Breitenberger, H. Gaiser, F. Klos, G. Moritz, and K. Zweig</i> .....	2651
An Optimal Design Method for Highly Homogeneous and High-field Superconducting Magnets — <i>S. Noguchi and A. Ishiyama</i> .....	2655
Quench Protection Heater Design for Superconducting Solenoids — <i>C.A. Swenson, Y.M. Eyssa, and W.D. Markiewicz</i> .....	2659
Magnetic Shielding of an Accelerator Beam Using Passive Ferromagnetic Material — <i>A. Koski and S.L. Wipf</i> .....	2663
Design and Current-Limiting Simulation of Magnetic-Shield type Superconducting Fault Current Limiter with High Tc Superconductors — <i>K. Kajikawa, K. Kaiho, N. Tamada, and T. Onishi</i> .....	2667
Development of 2 kA High-Temperature-Superconductor Current Lead System for AC Applications — <i>Y. Yasukawa, K. Takita, H. Hiue, I. Itoh, M. Mimura, K. Iwashita, Y. Tanaka, M. Iwakuma, K. Funaki, M. Takeo, and K. Yamafuji</i> .....	2671
A Wafer Manipulator for Si-Molecular Beam Epitaxy Totally Based on Magnetic Bearings — <i>R. Butz, K. Boden, W. Briell, J. Raebiger, and W. Rubner</i> .....	2675
Characteristics of High-Stiffness Superconducting Bearing — <i>M. Okano, N. Tamada, S. Fuchino, and I. Ishii</i> .....	2679
Designing HTS Coils for Magnetic Circuits — <i>R.G. Jenkins, H. Jones, and R.M. Goodall</i> .....	2683
High Tc Monolithic Helical Magnets — <i>L. Bromberg, M. Sidorov, J. Bock, and S. Pourrahimi</i> .....	2687
Creation of Superconducting Magnetic Separators for Weakly Magnetic Mineral Raw Material Processing — <i>V.D. Sidorenko, I.A. Gerasimenko, A.M. Kutin, V.B. Yupiterov, Ye.I. Skibenko, and V.V. Gladky</i> .....	2691
The Design of the Drum Separator with Superconducting Magnets — <i>V.D. Sidorenko, I.A. Gerasimenko, E.A. Kretinin, M.V. Zhelamsky, E.N. Bondarchuk, I.Yu. Rodin, and V.P. Muratov</i> .....	2695
Study of Full-wave Superconducting Rectifier-type Flux-pumps — <i>Q. Wang, L. Yan, and C. Yi</i> .....	2699
A 1.8 T Permanent Magnet Wiggler for MAX-lab — <i>H.A. Ahola, T. Meinander, M.K. Ryyanen, and J.T. Tahvanainen</i> .....	2703
A Fast-ramp Superconducting Magnet for HGMS — <i>L. Yan, H. Nan, Y. Yu, Y. Dai, S. Song, Z. Ye, and Y. Chen</i> .....	2707
Three-Dimensional Pure Permanent Magnet Undulator Design Theory — <i>R.D. Schlueter and S. Marks</i> .....	2710
<b>MATERIAL</b>	
Prospects for HTS Applications — <i>B.B. Gamble, G.L. Snitchler, and R.E. Schwall</i> .....	2714

Descriptive Model for the Critical Current as a Function of Axial Strain in Bi-2212/Ag Wires — <i>B. ten Haken, A. Godeke, H.-J. Schuver, and H.H.J. ten Kate</i> .....	2720	Dynamics of the Current Penetration in the Finite Samples of Flat Two Layer Superconducting Cables Subjected to the Time Dependent Magnetic Field — <i>A.A. Akhmetov, K. Kuroda, K. Ono, and M. Takeo</i> .....	2830
High Currents in MCP BSCCO 2212 Bulk Material — <i>S. Elschner, J. Bock, G. Brommer, and P.F. Herrmann</i> .....	2724	AC Losses in Superconducting Nb <sub>3</sub> Sn and NbTi CIC Conductors — <i>A. Bonito Oliva, B.J.P. Baudouy, J. Miller, and S.W. Van Sciver</i> .....	2834
Applicability of High T <sub>c</sub> Superconducting Bulk to Superconducting Fault Current Limiting Device — <i>D. Ito, M. Urabe, T. Yasunaga, and N. Jindo</i> .....	2728	Measurements of Coupling Losses in Superconducting Cable-in-Conduit Conductors Affected by Internal Transverse Electromagnetic-Forces — <i>F. Sumiyoshi, S. Kawabata, K. Matsuyama, T. Kawashima, T. Mito, K. Takahata, T. Satow, J. Yamamoto, Y. Kanai, T. Yamamoto, and K. Nakamoto</i> .....	2838
Critical Current Measurements on the Cables for LHC Detector Magnets — <i>P. Fabbriatore, R. Musenich, R. Parodi, and G. Gemme</i> .....	2731	Influence of Coupling Current among Superconducting Strands on Stability of Cable-in-Conduit Conductor — <i>M. Ono, S. Hanawa, Y. Wachi, T. Hamajima, and M. Yamaguchi</i> .....	2842
Aluminium Stabilized Cables for Very Large Superconducting Magnets — <i>I.L. Horvath</i> .....	2735	Stability Experiments on a Long Length of a Cable-in-conduit Conductor Submitted to a Rapidly Changing Magnetic Field — <i>A. Martinez, D. Ciazynski, J.L. Duchateau, and L. Bottura</i> .....	2846
The Critical Current of Nb <sub>3</sub> Sn Wires for ITER as a Function of the Axial Tension and Compression — <i>B. ten Haken, A. Godeke, H.H.J. ten Kate, and W. Specking</i> .....	2739	Dependence of Magnetic Instability of AC Superconducting Wire on Phases of External AC Magnetic Field — <i>M. Ito, S. Fukui, O. Tsukamoto, and N. Amemiya</i> .....	2850
Parametric Study on Coupling Loss in Subsize ITER Nb <sub>3</sub> Sn Cabled Specimen — <i>A. Nijhuis, H.H.J. ten Kate, P. Bruzzone, and L. Bottura</i> .....	2743	Stability on Non-insulated A.C. Multi-strand Superconducting Cables — <i>M. Tsuda, N. Toyoda, M. Matsui, and A. Ishiyama</i> .....	2854
AC Loss and Stability Analysis in Multifilamentary Superconductors Based on Temporal Evolution of Current/Temperature Distribution — <i>N. Amemiya, N. Banno, and O. Tsukamoto</i> .....	2747	Effect of Non-uniform Current Distribution on the Stability in Nb-Ti Cable-in-conduit Superconducting Conductor — <i>Y. Wadayama, N. Koizumi, Y. Takahashi, K. Matsui, H. Tsuji, and S. Shimamoto</i> .....	2858
Development of 100 kVA AC Superconducting Coil Using NbTi Cables with a CuSi Alloy Matrix — <i>H. Kasahara, S. Akita, S. Torii, M. Sugimoto, K. Matsumoto, Y. Tanaka, and K. Tachikawa</i> .....	2751	Design Features of Internal Tin Superconductors for ITER Magnetic System — <i>V.I. Patsyrnyi, A.K. Shikov, A.D. Nikulin, A.G. Silaev, N.A. Bel'akov, V.F. Vdovin, and M.J. Semin</i> .....	2862
Excess Magnetization Due to the Presence of the Matrix in a Commercialized Ultra Fine Multifilamentary NbTi Composite with Very Fine Filaments and Cu30% Ni Matrix — <i>K. Morita and D. Ito</i> .....	2756	Development of Cu-Nb Alloy Microcomposite Conductors for High Field Pulsed Magnets — <i>V.I. Patsyrnyi, A.K. Shikov, A.D. Nikulin, A.E. Vorob'ova, E.A. Dergunova, A.G. Silaev, N.A. Bel'akov, and I.I. Potapenko</i> .....	2866
Optimization and Stability of a Cable-in-Conduit Superconductor — <i>F. Schauer</i> .....	2760	Conductor Developments for the ATLAS and CMS Magnets — <i>F. Kircher, H. Desportes, B. Gallet, J.C. Lotin, J.M. Rey, P. Regnier, P. Fabbriatore, and R. Musenich</i> .....	2870
Development of Artificial Pinning Center NbTi Multifilamentary Superconductors for Commercial Applications — <i>T. Wong, D. Frost, C.V. Renaud, M.K. Rudziak, and J. Wong</i> .....	2764	Development of an Nb <sub>3</sub> Sn AC Coil with React & Wind Method — <i>H. Kasahara, S. Torii, S. Akita, Y. Kubota, K. Yasohama, H. Kobayashi, T. Ogasawara, T. Kumano, and S. Miyake</i> .....	2874
Changes of T <sub>c</sub> , J <sub>c</sub> and Stoichiometry of Nb <sub>3</sub> Sn Phase Formed During Internal Tin Diffusion Process — <i>B.A. Glowacki</i> .....	2768	Multifilamentary Nb <sub>3</sub> Sn Superconductors on the Base of High-Tin Alloyed Bronzes for High-Field Magnets — <i>V.Ya. Sverdlov, M.A. Tikhonovsky, G.F. Tikhinsky, A.A. Kondratov, T.Yu. Rudycheva, E.Yu. Klimenko, and S.I. Novikov</i> .....	2879
Performance of Fountain Effect Pumps with Different HeII Flow Loops — <i>T. Okamura, M. Matsuda, and S. Kabashima</i> .....	2772	Structure and Properties of Nb <sub>3</sub> Sn in Ternary Cu-Nb-Sn Alloys — <i>V.Ya. Sverdlov, G.F. Tikhinsky, M.A. Tikhonovsky, L.S. Lazareva, A.A. Chupikov, L.I. Martynyuk, and N.V. Lapina</i> .....	2882
High Field Properties of Irreversibility Field and Pinning Force for YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> Film — <i>S. Awaji, K. Watanabe, N. Kobayashi, H. Yamane, and T. Hirai</i> .....	2776	The Fabrication and Properties of Nb <sub>3</sub> Sn Superconductors by the Internal Tin Process — <i>B. Jakob, G. Pasztor, A. Cerri, and F. Vanini</i> .....	2886
Characteristics of Coils wound with Mono and Multifilamentary Bi-2212/Ag from 4 to 80 K — <i>M. Ariante, A. Matrone, E. Petrillo, A. Bonzi, P. Fabbriatore, M. Galbiati, C. Priano, L. Rossi, and A. Sciutti</i> .....	2780	NbTi Superconductors Designed for AC Operation — <i>G.P. Vedernikov, I.N. Gubkin, G.K. Zelenskiy, V.Yu. Korpusev, E.V. Nikulenkov, A.D. Nikulin, E.I. Plashkin, V.Ya. Fil'kin, E.Yu. Klimenko, and S.I. Novikov</i> .....	2890
Experimental Studies on Stabilities of Rutherford Gables for Superconducting Accelerator Magnets — <i>S.W. Kim, T. Shintomi, N. Kimura, Y. Makida, H. Hirabayashi, T. Mito, A. Iwamoto, J. Yamamoto, and A. Kimura</i> .....	2784	Development of Large-current-carrying Superconducting Cable for AC Use — <i>R. Takahashi, T. Taniguchi, K. Yamaguchi, and N. Maki</i> .....	2894
Critical Current Anisotropy and AC Losses in Bi(Pb)SrCaCuO-2223 and TlBaCaCuO-2212 Ag Sheated Superconducting Tapes — <i>L. Jansak, F. Chovanec, J. Kokavec, and M. Jergel</i> .....	2788	Conductor Configuration and its Characteristics of Superconducting Cable for 50 Hz A.C. Use — <i>H. Fuji, K. Goto, N. Sadakata, T. Saito, O. Kohno, K. Kajikawa, K. Kaiho, and M. Yamamoto</i> .....	2898
AC Losses in Multifilamentary Bi-2223/Ag Superconducting Tapes — <i>J. Paasi, M. Lahtinen, D. Aized, S. Fleshler, G. Snitchler, and A.P. Malozemoff</i> .....	2792	Superconducting Wires for NMR-Application — <i>N.I. Salunin, E.I. Plashkin, E.V. Nikulenkov, V.Ya. Filkin, A.D. Nikulin, G.K. Zelenskiy, G.P. Vedernikov, V.A. Drobishev, L.V. Potanina, B.V. Yakovlev, E.A. Oskolkov, and A.V. Marakulin</i> .....	2902
Hysteresis Losses in Bi-2223 Superconductors — <i>J. Paasi and A. Tuohimaa</i> .....	2796	Reduction of Current Carrying Capacity in Multistrand Superconducting Cables at Changing Current — <i>A.D. Dudarev, A.V. Gavrilin, Yu.A. Ilyin, and V.V. Stepanov</i> .....	2905
Critical Properties of Silver Clad Bi, Pb-2223 Tape Superconductors — <i>A.D. Nikulin, A.K. Shikov, E.V. Antipova, I.I. Akimov, E.G. Kazakov, V.A. Vargin, M.I. Medvedev, F.V. Popov, N.I. Kozlenkova, V.E. Klepatsky, E.Yu. Klimenko, V.S. Kruglov, and T.A. Davlat'yan</i> .....	2800	Calculation of Composites Ramp Rate Sensitivity Based on Two Layer Model — <i>A.A. Akhmetov, K. Kuroda, and M. Takeo</i> .....	2909
D.C. Transport Critical Current Measurements on High Temperature Superconductors in Pulsed Fields up to 50 T — <i>D.T. Ryan, C.R.J. Hole, M. van der Burgt, H. Jones, C.M. Davies, C.R.M. Grovenor, M.J. Goringe, and D. Dew-Hughes</i> .....	2803	Investigation on Mechanical Properties of Nb <sub>3</sub> Sn Multifilamentary Wires — <i>A. Vorobiova, A. Shikov, A. Nikulin, A. Silaev, I. Golikov, I. Davudov, and T. Izmailova</i> .....	2913
Self-Field Effect in Ag/HTS Tapes - Skin Effect at Resistivity Strongly Increasing with J versus Critical State Model — <i>I. Hlásnik, L. Jansak, M. Majoros, J. Kokavec, F. Chovanec, L. Martini, and S. Zannella</i> .....	2806	Mechanical Properties of Epoxy Impregnated Superconducting Solenoids — <i>I.R. Dixon, R.P. Walsh, W.D. Markiewicz, and C.A. Swenson</i> .....	2917
Electromagnetic Properties of Bi-2223/Ag Concentric Tapes — <i>M. Majoro, M. Polák, J. Kvitkovi, D. Sucho, L. Martini, V. Ottoboni, and S. Zannella</i> .....	2810	Electrical Conductivity of High-Strength Cu-Nb Microcomposites — <i>N.I. Kozlenkova, V.I. Patsyrnyi, A.D. Nikulin, A.K. Shikov, and I.I. Potapenko</i> .....	2921
Bending Strain Study of Bi-2223/Ag Tapes Using Hall Sensor Magnetometry — <i>M. Lahtinen, J. Paasi, J. Sarkaniemi, Z. Han, and T. Freltoft</i> .....	2814	Nb <sub>3</sub> Sn Thin Films Made by RF Magnetron Sputtering Process with a Reacted Nb <sub>3</sub> Sn Powder Target — <i>K. Agatsuma, H. Tateishi, K. Arai, T. Saitoh, and M. Nakagawa</i> .....	2925
The Dynamics of Current Density Distribution in Ag-sheated TBCCO Tape in Changing Gradient Field — <i>P. Uák and F. Chovanec</i> .....	2818		
Experiment and Numerical Analysis of Normal Zone Propagation Properties in Ag Sheathed Bi-2223 Superconducting Tapes — <i>S.B. Kim, Y. Ueno, A. Ishiyama, H. Okada, S. Nomura, and H. Maeda</i> .....	2822		
Coupling Currents Losses Bench Mark Test of ITER Subsize Conductor — <i>P. Bruzzone, C. Gung, C. Meuris, and H.H.J. ten Kate</i> .....	2826		

Estimation of the Superconducting Joint for the Forced-Cooled Superconducting Poloidal Coil for the Large Helical Device — <i>S. Hanawa, Y. Wachi, K. Shibayama, J. Shibuya, K. Nakamoto, T. Kai, K. Takahata, J. Yamamoto, T. Satow, and O. Motojima</i> .....	2929
Preparation Apparatus for Continuously Producing Nb <sub>3</sub> Sn Fiber-Reinforced Superconductors — <i>K. Arai, H. Tateishi, and K. Agatsuma</i> .....	2933
Highly-Strengthened Alumina-Copper Alloy Matrix (Nb,Ti) <sub>3</sub> Sn Conductor Fabricated by Using the Tube Process — <i>S. Murase, S. Nakayama, Y. Yamada, K. Shimamura, M. Tezuka, N. Shiga, K. Watanabe, and N. Kobayashi</i> .....	2937
Fracture Toughness of Partially Welded Joints of SUS316 Stainless Steel at 4 K by Large Bend-Bar Tests — <i>A. Nishimura, R.L. Tobler, H. Tamura, S. Imagawa, T. Mito, J. Yamamoto, O. Motojima, H. Takahashi, and S. Suzuki</i> .....	2941
<b>DESIGNING PROCEDURES, COMPUTATIONAL TOOLS</b>	
3-D Field Computation: The Near-Triumph of Commercial Codes — <i>L.R. Turner</i> .....	2945
Coupled Electromagnetic and Structural Finite Element Analysis of a Superconducting Dipole Model — <i>F. Hirtenfelder</i> .....	2950
Mesh Adaption and Optimization Techniques in Magnet Design — <i>P. Alotto, P. Girdinio, P. Molino, and M. Nervi</i> .....	2954
Computational Modelling of Large Aluminium Stabilised Conductors in an Indirectly Cooled Magnet Matrix — <i>D.E. Baynham and P.L. Sampson</i> .....	2958
Numerical and Experimental Investigations of Current Distribution at the Joint between AC Superconducting Cable and Normal Conducting Plate — <i>N. Takahashi, K. Muramatsu, M. Nakano, Y. Sato, T. Kondo, M. Kitagawa, and J. Takehara</i> .....	2962
Energy Margin of Cable-in-Conduit Conductor as a Function of Operating Pressure and Initial Heated Zone — <i>E.A. Chaniotakis</i> .....	2966
Effects of Residual Stresses on the Critical Current in Externally Coated Superconducting Bi-2212 Tapes — <i>D.-J. Kang, B.A. Glowacki, P.R. Winter, and E.R. Wallach</i> .....	2970
A Data Base of Magnet Failures and Its Relevance to Magnet Design — <i>A.M. Dawson and D.B. Montgomery</i> .....	2974
The "INVERSE PROBLEM" to the Evaluation of Magnetic Fields — <i>S. Caspi, M. Helm, and L.J. Laslett</i> .....	2978
ITER Central Solenoid Prototype Sample Design and Three Dimensional Finite Element Modeling — <i>A.I. Borovkov, L. Nikulina, P. Shiryayev, S. Dang, V. Korsunsky, A. Panin, E. Privalova, and M. Sukhanova</i> .....	2982
Detailed Finite Element Analysis of the Winding Pack of a Cased ITER Toroidal Field Coil — <i>Yu. Krivchenkov, J. Stoner, and B. Stepanov</i> .....	2986
Computer Simulation and Experimental Study of Quench in Superconducting Epoxy-Impregnated Multi-Layer Coil — <i>A.V. Gavrilin, A.A. Konyukhov, and V.A. Malginov</i> .....	2990
Analytic Feedback Optimization for Dipole Fields — <i>P.A. Reeve</i> .....	2994
Conductor Design and Optimisation for ITER — <i>N. Mitchell, D. Bessette, and M. Shimada</i> .....	2997
Prestress Effect on the Mechanical Behaviour of Pulsed Magnets — <i>L. Li, L. Van Bockstal, and F. Herlach</i> .....	3001
Mechanical Forces Simulation and Stress Analysis of the TEXTOR Vacuum Vessel during Plasma Disruption under 3d Eddy Currents Load — <i>H. Bohn, B. Giesen, A. Belov, N. Berkov, E. Bondarchuk, N. Doinikov, A. Duke, V. Kokotkov, M. Korol'kov, V. Kukhtin, A. Panin, and V. Sytchevsky</i> .....	3004
Instability of Impregnated Superconducting Windings Induced by Mechanical Disturbance — <i>H. Miyamoto, S. Nishijima, T. Kushida, and T. Okada</i> .....	3008
Power Series Stress Analysis of Solenoid Magnets — <i>A.W. Cox, H. Garmestani, W.D. Markiewicz, and I.R. Dixon</i> .....	3012
Structural Analysis and Measurement of the Mechanical Behaviour of the POLO Coil under Static and Dynamic Loads — <i>C. Sihler, G. Friesinger, H. Kathol, A. Ulbricht, and F. Wüchner</i> .....	3016
Numerical Study of the Elastic-Plastic Cyclic Deformation of the "GLOBUS-M" Compact Tokamak Central Solenoid — <i>V. Bykov, A. Kavin, Y. Krivchenkov, and A. Panin</i> .....	3020
Mechanical Modeling of the ITER Toroidal Field Coils Shear Keys Behaviour. Design and Choice of Key Mock-Up for Electrical Insulation Testing on the Basis of Numerical Models — <i>E. Bondarchuk, S. Krasnov, Y. Krivchenkov, and A. Panin</i> .....	3024
Design and Fabrication of Highly Stabilized Close-packed Superconducting Solenoid — <i>H. Moriyama, H. Mitsui, J. Ohmori, S. Mine, S. Nishijima, and T. Okada</i> .....	3028
Features of the Magnetic Field of a Rectangular Combined Function Bending Magnet — <i>C.S. Hwang, C.H. Chang, G.J. Hwang, T.M. Uen, and P.K. Tseng</i> .....	3032

AC Current Distribution and Losses in Multifilamentary Superconductors Exposed to Longitudinal Magnetic Field — <i>S. Le Naour, A. Lacaze, Y. Laumond, P. Estop, and T. Verhaege</i> .....	3036
Rapid Optimization of a Magnetic Induction Brake — <i>H.K. Collan and J. Vinnurva</i> .....	3040

## INSTRUMENTATION, MEASUREMENT, TESTING

Automated High Saturation B-H Measuring Equipment — <i>D. Evans and P.A. Reeve</i> .....	3045
Construction of ITER Common Test Facility for CS Model Coil — <i>S. Shimamoto, K. Hamada, T. Kato, H. Nakajima, T. Isono, T. Hiyama, M. Oshikiri, K. Kawano, M. Sugimoto, N. Koizumi, K. Nunoya, S. Seki, H. Hanawa, H. Wakabayashi, K. Nishida, T. Honda, H. Matsui, Y. Uno, K. Takano, T. Ando, M. Nishi, Y. Takahashi, S. Sekiguchi, T. Ohuchi, F. Tajiri, J. Okayama, Y. Takaya, T. Kawasaki, K. Imahashi, K. Ohtsu, and H. Tsuji</i> .....	3049
Battery Operation of Superconducting Magnet — <i>M. Wake, M. Muroya, J. Ohnishi, and H. Sato</i> .....	3053
A Progress Report on the g-2 Storage Ring Magnet System — <i>G. Bunce, J. Cullen, G. Danby, M.A. Green, J. Jackson, L. Jia, F. Krienen, R. Meier, W. Meng, W. Morse, C. Pai, I. Polk, A. Prodell, R. Shutt, L. Snydstrup, and A. Yamamoto</i> .....	3057
Flatcoil Systems for Measurements of Fermilab Magnets — <i>H.D. Glass, B.C. Brown, J. DiMarco, D.J. Harding, P.O. Mazur, C.S. Mishra, A. Mokhtarani, D.F. Orris, C.M. Reid, J.W. Sim, J.C. Tompkins, and D.G.C. Walbridge</i> .....	3061
Static and Dynamic Behaviour of the SIS Dipole Magnet — <i>G. Moritz, F. Klos, B. Langenbeck, and K. Zweig</i> .....	3065
Results of Magnetic Field Measurements of SPring-8 Magnets — <i>J. Ohnishi, M. Kawakami, K. Fujii, S. Matsui, and N. Kumagai</i> .....	3069
Ambient Temperature Field Measuring System for LHC Superconducting Dipoles — <i>J. Billan, S. De Panfilis, D. Giloteaux, and O. Pagano</i> .....	3073
Current Distribution in Parallel Paths of the Coils of a 50 Hz Prototype Dipole Magnet — <i>A.J. Otter</i> .....	3077
Quench of Superconducting Magnet Induced by Mechanical Disturbance Using Impact Hammer — <i>A. Ninomiya, T. Inada, K. Akiba, Y. Kanda, Y. Uriu, and T. Ishigohka</i> .....	3081
Thermal Behavior of a Composite Superconductor in Stability Margin Experiments — <i>T. Senba, S. Yamaguchi, N. Yanagi, T. Mito, J. Yamamoto, O. Motojima, and M. Emoto</i> .....	3085
Minimum Quench Energy Measurement for Superconducting Wires — <i>K. Seo, M. Morita, S. Nakamura, T. Yamada, and Y. Jizo</i> .....	3089
Testing of High Current By-pass Diodes for the LHC Magnet Quench Protection — <i>V. Berland, D. Hagedorn, and F. Rodriguez-Mateos</i> .....	3094
Quench Observation Using Quench Antennas on RHIC IR Quadrupole Magnets — <i>T. Ogitsu, A. Terashima, K. Tsuchiya, G. Ganetis, J. Muratore, and P. Wanderer</i> .....	3098
Stability Improvement of AC Superconducting Magnet by Forced-Convection Cooling — <i>T. Ishigohka, A. Kasuya, and A. Ninomiya</i> .....	3102
Measurements on the Residual Resistivity Ratio (RRR) of High Purity Aluminium under Cyclic Mechanical Stresses — <i>I.L. Horvath, V. Esslinger, R. Flükiger, and B. Seeber</i> .....	3106
2	
Radial Stress Influence on High Current Density Superconducting Magnet Performance with Large and Small Bore — <i>M. Arata, T. Hamajima, O. Ohsaki, and S. Hanawa</i> .....	3109
Calculated Analysis of Cooling Down the Superconducting Magnetic System for the Nuclotron — <i>N.N. Agapov, H.G. Khodzhbagiyani, and G.L. Kuznetsov</i> .....	3113
Determination of Settings in the Protection System for Tokamak-15 Superconducting Magnet — <i>A.N. Chudnovsky, P.P. Khvostenko, and I.A. Posadsky</i> .....	3117

<b>CONFERENCE AUTHOR INDEX</b> .....	3121
--------------------------------------	------