



Contents

Proceedings of ICFRM-14

Preface for the Proceedings of ICFRM-14, A. Hasegawa, H. Tanigawa
and B. Wien

Section 1: Ferritic/martensitic steels

Prospects for accelerated development of high performance structural materials, S.J. Zinkle and N.M. Ghoniem

Status and key issues of reduced activation ferritic/martensitic steels as the structural material for a DEMO blanket, H. Tanigawa, K. Shiba, A. Möslang, R.E. Stoller, R. Lindau, M.A. Sokolov, G.R. Odette, R.J. Kurtz and S. Jitsukawa

Creep–fatigue interaction and related structure property correlations of EUROFER97 steel at 550 °C by decoupling creep and fatigue load, C. Vorpahl, A. Möslang and M. Rieth

Microstructural and mechanical characteristics of EUROFER'97 processed by equal channel angular pressing, P. Fernández, M. Eddahbi, M.A. Auger, T. Leguey, M.A. Monge and R. Pareja

Theoretical investigation of a first wall fabrication process, A. von der Weth, A. Felde, H. Hellmeier, J. Rey and S. Rudolf

A new approach to improve creep resistance of high Cr martensitic steel, M. Tamura, T. Kumagai, K. Sakai, K. Shinozuka and H. Esaka

Testing temperatures and deflection rates dependencies of hydrogen embrittlement on RAFs, T. Sakamura, S. Komazaki, H. Kishimoto and Y. Kohno

Development of welding technologies for the manufacturing of European Tritium Breeder blanket modules, Y. Poitevin, Ph. Aubert, E. Diegele, G. de Dinechin, J. Rey, M. Rieth, E. Rigal, A. von der Weth, J.-L. Boutard and F. Tavassoli

Review of candidate welding processes of RAFM steels for ITER test blanket modules and DEMO, P. Aubert, F. Tavassoli, M. Rieth, E. Diegele and Y. Poitevin

Characterization of residual stresses in Eurofer welded specimens: Measurements by neutron diffraction and comparison with weld modeling, R. Coppola, O. Asserin, P. Aubert, C. Braham, A. Monnier, M. Valli and E. Diegele

Effect of mechanical restraint on weldability of reduced activation ferritic/martensitic steel thick plates, H. Serizawa, S. Nakamura, M. Tanaka, Y. Kawahito, H. Tanigawa and S. Katayama

Hot cracking susceptibility of F82H with controlled Ta content, H. Ogiwara, H. Mori, H. Tokuchi, K. Saida, K. Nishimoto and H. Tanigawa

High heat flux test with HIP-bonded Ferritic Martensitic Steel mock-up for the first wall of the KO HCML TBM, D. Won Lee, Y. Dug Bae, S. Kwon Kim, H. Yun Shin, B. Guen Hong and I. Cheol Bang

TIG and HIP joining of Reduced Activation Ferrite/Martensitic steel for the Korean ITER-TBM, D.Y. Ku, S. Oh, M.-Y. Ahn, I.-K. Yu, D.-H. Kim, S. Cho, I.-S. Choi and K.-B. Kwon

Development of Reduced Activation Ferritic–Martensitic Steels and fabrication technologies for Indian test blanket module, B. Raj and T. Jayakumar

Tensile and creep properties of reduced activation ferritic–martensitic steel for fusion energy application, M.D. Mathew, J. Vanaja, K. Laha, G. Varaprasad Reddy, K.S. Chandravathi and K. Bhanu Sankara Rao

Materials development for ITER shielding and test blanket in China, J.M. Chen, J.H. Wu, X. Liu, P.H. Wang, Z.H. Wang, Z.N. Li, X.S. Wang, P.C. Zhang, N.M. Zhang, H.Y. Fu and D.H. Liu

Progress in development of CLAM steel and fabrication of small TBM in China, Q. Huang, C. Li, Q. Wu, S. Liu, S. Gao, Z. Guo, Z. Yan, B. Huang, Y. Song, Z. Zhu, Y. Chen, X. Ling, Y. Wu, and FDS Team

Evaluation of Cu as an interlayer in Be/F82H diffusion bonds for ITER TBM, R.M. Hunt, S.H. Goods, A. Ying, C.K. Dorn and M. Abdou

Mechanical properties and TEM examination of RAFM steels irradiated up to 70 dpa in BOR-60, E. Gaganidze, C. Petersen, E. Materna-Morris, C. Dethlo, O.J. Weiß, J. Aktaa, A. Povstyanko, A. Fedoseev, O. Makarov and V. Prokhorov

Tensile and impact properties of 9Cr tempered martensitic steels and ODS-FeCr alloys irradiated in a fast reactor at 325 °C up to 78 dpa, J. Henry, X. Avery and A. Alamo

Irradiation-induced stress relaxation of Eurofer97 steel, N.V. Luzginova, M. Jong, J.W. Rensman, J.B.J. Hegeman and J.G. van der Laan

Irradiation hardening in F82H irradiated at 573 K in the HFIR, T. Hirose, N. Okubo, H. Tanigawa, M. Ando, M.A. Sokolov, R.E. Stoller and G.R. Odette

Heat treatment effect on fracture toughness of F82H irradiated in HFIR, N. Okubo, M.A. Sokolov, H. Tanigawa, T. Hirose, S. Jitsukawa, T. Sawai, G.R. Odette and R.E. Stoller

On the fracture toughness of irradiated F82H: Effects of loss of constraint and strain hardening capacity, T. Yamamoto, G.R. Odette and M.A. Sokolov

Effects of implanted hydrogen on fatigue behavior of F82H under irradiation, Y. Murase, J. Nagakawa and N. Yamamoto

Characterization of radiation induced defects in EUROFER 97 after neutron irradiation, M. Klimenkov, E. Materna-Morris and A. Möslang

Determining irradiation damage and recovery by instrumented indentation in RAFM steel, I. Sacksteder, H.-C. Schneider and E. Materna-Morris

Effect of specimen shape on micro-crack growth behavior under fatigue in reduced activation ferritic/martensitic steel, S. Nogami, Y. Sato, A. Hasegawa, H. Tanigawa, M. Yamazaki and M. Narui

Effects of cold work and phosphorous on the ductile to brittle transition behavior of F82H steels, B.J. Kim, R. Kasada, A. Kimura and H. Tanigawa

Radiation-induced segregation and phase stability in ferritic-martensitic alloy T 91, J.P. Wharry, Z. Jiao, V. Shankar, J.T. Busby and G.S. Was

Post-irradiation characterization of PH13-8Mo martensitic stainless steel, M. Jong, F. Schmalz, J.W. Rensman, N.V. Luzginova, O. Wouters, J.B.J. Hegeman and J.G. van der Laan

Section 2: ODS steels

Review on the EFDA work programme on nano-structured ODS RAF steels, N. Baluc, J.L. Boutard, S.L. Dudarev, M. Rieth, J. B. Correia, B. Fournier, J. Henry, F. Legendre, T. Leguey, M. Lewandowska, R. Lindau, E. Marquis, A. Muñoz, B. Radiguet and Z. Oksiuta

High-strength of modified Ausform 9CrODS steels, S. Ukai, M. Yamamoto, N. Chikada, S. Hayashi, T. Kaito, S. Ohtsuka, T. Azuma and S. Ohnuki		P.R. Prins, G.J. van Rooij, J. Scholten, A.E. Shumack, P.H.M. Smeets, G. De Temmerman, W.A.J. Vijvers and J. Rapp	457
Effect of tungsten addition on microstructure and high temperature strength of 9CrODS ferritic steel, T. Narita, S. Ukai, S. Ohtsuka and M. Inoue	154	Fabrication and characterization of SiC _x /SiC composites produced by the slurry infiltration process, S.P. Lee, M.H. Lee, J.K. Lee, J.H. Byun and A. Kohyama	344
Effects of MA environment on the mechanical and microstructural properties of ODS ferritic steels, N.Y. Iwata, T. Liu, P. Dou, R. Kasada, A. Kimura, T. Okuda, M. Inoue, F. Abe, S. Ukai, S. Ohnuki and T. Fujisawa	158	Review on the EFDA programme on tungsten materials technology and science, M. Rieth, J.L. Boutard, S.L. Dudarev, T. Ahlgren, S. Antusch, N. Baluc, M.-F. Barthe, C.S. Becquart, L. Ciupinski, J.B. Correia, C. Domain, J. Fikar, E. Fortuna, C.-C. Fu, E. Gaganidze, T.L. Galán, C. García-Rosales, B. Gludovatz, H. Greuner, K. Heinola, N. Holstein, N. Justin, F. Koch, W. Krauss, K.J. Kurzydowski, J. Linke, Ch. Linsmeier, N. Luzginova, H. Maier, M.S. Martínez, J.M. Missaen, M. Muhammed, A. Muñoz, M. Muzyk, K. Nordlund, D. Nguyen-Manh, P. Norajitra, J. Opschoor, G. Pintsuk, R. Pippan, G. Ritz, L. Romaner, D. Rupp, R. Schäublin, J. Schlosser, I. Uytdenhouwen, J.G. van der Laan, L. Veleva, L. Ventelon, S. Wahlberg, F. Willaime, S. Wurster and M.A. Yar	348
Effects of extrusion temperature on the nano-mesoscopic structure and mechanical properties of an Al-alloyed high-Cr ODS ferritic steel, P. Dou, A. Kimura, T. Okuda, M. Inoue, S. Ukai, S. Ohnuki, T. Fujisawa and F. Abe	162	Study on stress relaxation behavior of silicon carbide by BSR method, K. Abe, S. Nogami, A. Hasegawa, T. Nozawa and T. Hinoki	353
Directional recrystallization of ODS alloys by means of zone annealing, Y. Sugino, S. Ukai, S. Hayashi, Q. Tang and B. Leng	166	Fabrication of SiC/SiC composites by means of in situ crystallization of SiC fibers, M.-S. Suh, K. Shimoda and T. Hinoki	356
Development of Al added high-Cr ODS steels for fuel cladding of next generation nuclear systems, A. Kimura, R. Kasada, N. Iwata, H. Kishimoto, C.H. Zhang, J. Isselin, P. Dou, J.H. Lee, N. Muthukumar, T. Okuda, M. Inoue, S. Ukai, S. Ohnuki, T. Fujisawa and T.F. Abe	171	Synthesis of tailored 2D SiC _x /SiC ceramic matrix composites with BN/C interphase through ICVI, A. Udayakumar, P.M. Raole and M. Balasubramanian	359
Anisotropy in tensile and ductile-brittle transition behavior of ODS ferritic steels, R. Kasada, S.G. Lee, J. Isselin, J.H. Lee, T. Omura, A. Kimura, T. Okuda, M. Inoue, S. Ukai, S. Ohnuki, T. Fujisawa and F. Abe	176	Effects of the PyC interface coating on SiC nanowires of SiC _x /SiC composite, S.M. Kang, W.-J. Kim, S.G. Yoon and J.Y. Park	363
Evaluation of fracture behavior of recrystallized and aged high-Cr ODS ferritic steels, J. Isselin, R. Kasada, A. Kimura, T. Okuda, M. Inoue, S. Ukai, S. Ohnuki, T. Fujisawa and F. Abe	180	Characterization of SiC _x /SiC and CNT/SiC composite materials produced by liquid phase sintering, J.K. Lee, S.P. Lee, K.S. Cho, J.H. Byun and D.S. Bae	367
Annealing behavior of 12-Cr based mechanical alloyed oxide dispersion strengthened ferritic alloys, M. Li, Z. Zhou, P. He, Y. Xu and L. Liao	185	Low-activation joining of SiC/SiC composites for fusion applications, C.H. Henager Jr. and R.J. Kurtz	371
Tensile and fracture toughness properties of the nanostructured oxide dispersion strengthened ferritic alloy 13Cr-1W-0.3Ti-0.3Y ₂ O ₃ , Ch.Ch. Eiselt, M. Klimentov, R. Lindau, A. Möslang, G.R. Odette, T. Yamamoto and D. Gragg	189	Joining of SiC-based materials for nuclear energy applications, M. Ferraris, M. Salvo, V. Casalegno, S. Han, Y. Katoh, H.C. Jung, T. Hinoki and A. Kohyama	375
TEM study of hydrogen-containing precipitates in Al-containing ODS steel, M. Klimentov	193	Development of a shear strength test method for NITE-SiC joining material, H.-C. Jung, T. Hinoki, Y. Katoh and A. Kohyama	379
Characterization of the microstructure of dual-phase 9Cr-ODS steels using a laser-assisted 3D atom probe, K. Nogiwa, A. Nishimura, A. Yokoyama, S. Ohtsuka, T. Kaito, M. Inoue, T. Ohkubo and K. Hono	197	Microstructural and mechanical characterization of W/SiC bonding for structural material in fusion, H. Kishimoto, T. Shibayama, K. Shimoda, T. Kobayashi and A. Kohyama	383
Creep behavior of ODS materials: A study of dislocations/precipitates interactions, J. Malaplate, F. Mompiou, J.-L. Béchade, T. Van Den Berghe and M. Ratti	201	Micro-chemical analysis of diffusion bonded W-SiC joint, G. Matsuo, T. Shibayama, H. Kishimoto, K. Hamada and S. Watanabe	387
Formation of nano-size oxide particles and δ-ferrite at elevated temperature in 9Cr-ODS steel, S. Kim, S. Ohtsuka, T. Kaito, S. Yamashita, M. Inoue, T. Asayama and T. Shobu	205	Microstructure and mechanical strength of diffusion bonded joints between silicon carbide and F82H steel, Z. Zhong, T. Hinoki and A. Kohyama	391
Microstructure and mechanical properties of ultrafine-grained Fe-14Cr and ODS Fe-14Cr model alloys, M.A. Auger, T. Leguey, A. Muñoz, M.A. Monge, V. de Castro, P. Fernández, G. Garcés and R. Pareja	209	Stability of SiC and its composites at high neutron fluence, Y. Katoh, T. Nozawa, L.L. Snead, K. Ozawa and H. Tanigawa	395
Analytical characterization of secondary phases and void distributions in an ultrafine-grained ODS Fe-14Cr model alloy, V. de Castro, T. Leguey, M.A. Auger, S. Lozano-Perez and M.L. Jenkins	213	Concentric ring on ring test for unirradiated and irradiated miniature SiC specimens, S. Kondo, Y. Katoh and L.L. Snead	400
Characterization of the oxide particles in Al-added high-Cr ODS ferritic steels, C.H. Zhang, A. Kimura, R. Kasada, J. Jang, H. Kishimoto and Y.T. Yang	217	Effect of neutron irradiation on fracture resistance of advanced SiC/SiC composites, K. Ozawa, Y. Katoh, T. Nozawa and L.L. Snead	406
Use of neutron and X-ray diffraction to study the precipitation mechanisms of oxides in ODS materials, L. Touabi, M. Ratti, G. André, F. Onimus and Y. de Carlan	221	Mechanical properties of advanced SiC fiber composites irradiated at very high temperatures, Y. Katoh, K. Ozawa, T. Hinoki, Y. Choi, L.L. Snead and A. Hasegawa	411
Stability of non-stoichiometric clusters in the MA957 ODS ferritic alloy, H. Sakasegawa, F. Legendre, L. Boulanger, M. Brocq, L. Charon, T. Cozzika, J. Malaplate, J. Henry and Y. de Carlan	225	Radiation induced modification of electrical conductivity for three types of SiC, E.R. Hodgson, M. Malo, J. Manzano, A. Moroño and T. Hernandez	416
Microstructural behavior of 8Cr-ODS martensitic steels during creep deformation, K. Shinozuka, H. Esaka, M. Tamura and H. Tanigawa	229	Recovery behavior of point defects after low-dose neutron irradiation of sintered SiC by thermal diffusivity and swelling measurements, S. Yamazaki, K. Yoshida and T. Yano	425
Reverse phase transformation from α to γ in 9Cr-ODS ferritic steels, M. Yamamoto, S. Ukai, S. Hayashi, T. Kaito and S. Ohtsuka	233	Estimation of neutron-irradiation-induced defect in 3C-SiC from change in XRD peak shift and DFT study, T. Sawabe, M. Akiyoshi, K. Yoshida and T. Yano	430
Microstructure and impact properties of ferritic ODS ODM401 (14%Cr-ODS of MA957 type), H. Hadraha, B. Kazimierzak, L. Stratil and I. Dlouhy	237	The influence of sintering additives on the irradiation resistance of NITE SiC, T. Koyanagi, S. Kondo and T. Hinoki	435
Microstructure and mechanical properties of friction stir processed ODS ferritic steels, S. Noh, R. Kasada, A. Kimura, S.H.C. Park and S. Hirano	241	Tensile test technique for composites using small notched specimens, T. Nozawa and H. Tanigawa	440
Silicon carbide composites as fusion power reactor structural materials, L.L. Snead, T. Nozawa, M. Ferraris, Y. Katoh, R. Shinavski and M. Sawan	245	Damage production and accumulation in SiC structures in inertial and magnetic fusion systems, M.E. Sawan, N.M. Ghoniem, L. Snead and Y. Katoh	445
Section 4: SiC/SiC composites		Section 5: Plasma facing materials	
Advanced SiC fibers and SiC/SiC composites toward industrialization, A. Kohyama, J.-S. Park and H.-C. Jung	330	Making tungsten work - ICFRM-14 session T26 paper 501 Nygren et al. making tungsten work, R.E. Nygren, R. Raray, D. Whyte, M.A. Urickson, M. Baldwin and L.L. Snead	451
	340	Materials research under ITER-like divertor conditions at FOM Rijnhuizen, G.M. Wright, J. Westerhout, R.S. Al, E. Alves, L.C. Alves, N.P. Barradas, M.A. van den Berg, D. Borodin, S. Brezinsek, S. Brons, H.J.N. van Eck, B. de Groot, A.W. Kleyn, W.R. Koppers, O.G. Kruijt, J. Linke, N.J. Lopes Cardozo, M. Mayer, H.J. van der Meiden,	551

- Hydrogen behavior near surface regions in Mo and W studied by tritium tracer technique, *T. Hoshihira, T. Otsuka, R. Wakabayashi and T. Tanabe*
- Deuterium recombination coefficients on tungsten exposed to RF plasma, *I. Takagi, R. Imade, Y. Ikegami, M. Akiyoshi, K. Moritani, T. Sasaki and H. Moriyama*
- Hydrogen permeation in metals near room temperature by a tritium tracer technique, *T. Ikeda, T. Otsuka and T. Tanabe*
- Temperature dependence of surface topography and deuterium retention in tungsten exposed to low-energy, high-flux D plasma, *V.Kh. Alimov, W.M. Shu, J. Roth, S. Lindig, M. Balden, K. Isobe and T. Yamanishi*
- BIXS measurements of tritium uptake in C and W materials for EAST, *J. Wu, Z. Yang, Q. Li, C.-Y. Xie, C.-N. Luo and M. Matsuyama*
- Recent development toward the use of infrared thermography as a non destructive technique for defect detection in tungsten plasma facing components, *M. Richou, F. Escourbiac, M. Missirlian, N. Vignal, V. Cantone and B. Riccardi*
- Renewable first wall coatings in operating plasma devices, *O.I. Buzhinskij, V.A. Barsuk, V.P. Logvinenko, A.I. Mescheryakov and V.G. Otroshchenko*
- Preparation of the liquid lithium divertor plates for NSTX, *R.E. Nygren, G.R. McKee, J.A. Fordham, S.A. Lewis, H. Kugel, R.A. Ellis, M.E. Viola and J.S. O'Dell*
- Examination of high heat flux components for the ITER divertor after thermal fatigue testing, *M. Missirlian, F. Escourbiac, A. Schmidt, B. Riccardi and I. Bobin-Vastrø*
- Toroidal and poloidal asymmetry in carbon deposition on gaps of plasma facing tiles, *K. Ohya, K. Inai, M. Inoue, Y. Tomita, G. Kawamura and T. Tanabe*
- Deuterium concentration of co-deposited carbon layer produced at gap of wall tiles, *Y. Nobuta, K. Yokoyama, J. Kanazawa, Y. Yamauchi, T. Hino, S. Suzuki, K. Ezato, M. Enoeda and M. Akiba*
- Compilation of erosion yields of metal-doped carbon materials by deuterium impact from ion beam and low temperature plasma, *M. Balden, P. Starke, C. García-Rosales, C. Adelhelm, P.A. Sauter, I. López-Galilea, N. Ordas, J.M. Ramos Fernández and M. Martínez Escandell*
- Deuterium retention in graphite exposed to high flux plasma at high temperatures, *A. Rusinov, N. Trifonov, Yu. Gasparyan, B. Khrapunov, M. Mayer, J. Roth and A. Pisarev*
- Long term hydrogen retention in the plasma facing carbon tiles of JT-60U, *M. Yoshida, T. Tanabe, K. Sugiyama, T. Hayashi, T. Nakano, J. Yagyu, Y. Miyo, K. Masaki and K. Itami*
- Impact of nitrogen seeding on carbon erosion in the JET divertor, *S. Brezinsek, S. Jachmich, J. Rapp, A.G. Meigs, C. Nicholas, M. O'Mullane, A. Pospieszczyk, G. van Rooij, and JET-EFDA contributors*
- Stability of 3-D carbon fiber composite to high neutron fluence, *L.L. Snead, Y. Katoh and K. Ozawa*
- Hydrogen behavior in carbon and graphite before and after neutron irradiation – Trapping, diffusion and the simulation of bulk retention-, *H. Atsumi, T. Tanabe and T. Shikama*
- Molecular dynamics study on hydrocarbon interaction with plasma facing walls, *K. Ohya, K. Inai, Y. Kikuhashi, N. Mohara, A. Ito, H. Nakamura and T. Tanabe*
- Characterization and damaging law of CFC for high heat flux actively cooled plasma facing components, *G. Chevet, E. Martin, J. Boscaray, G. Camus, V. Herb, J. Schlosser, F. Escourbiac and M. Missirlian*
- Surface compositional study of Be and T contaminated CFC tiles from JET, *S.M. González de Vicente, I. Uytdenhouwen, J.P. Coad, W. Van Renterghem, S. Van den Berghe, G. Van Oost and V. Massaut*
- Mitigation of carbon erosion in beryllium seeded deuterium plasma under bombardment by argon and helium ions in PISCES-B, *A. Kreter, D. Nishijima, M.J. Baldwin, R.P. Doerner and A. Pospieszczyk*
- Erosion simulation of first wall beryllium armour after ITER transient heat loads and runaway electrons action, *B. Bazylev, Yu. Igkitkhanov, I. Landman, S. Pestchanyi and A. Loarte*
- Microstructural analyses of $\text{B}_4\text{C}-\text{CeO}_2$ and $\text{B}_4\text{C}-\text{La}_2\text{O}_3$ ceramics, *T. Sakamoto, S.-C. Sun, T. Furuno, M. Kajioka, K. Nakai, H. Kurishita, S. Kobayashi, W.-Y. Wu, G.-F. Tu and S. Matsuda*

- Microstructures and mechanical properties in $\text{B}_4\text{C}-\text{CeO}_2$ ceramics, *S.-C. Sun, T. Sakamoto, K. Nakai, H. Kurishita, S. Kobayashi, J.-Y. Xu, H. Cao, B. Gao, X. Bian, W.-Y. Wu, G.-F. Tu and S. Matsuda*
- Micro/nano structural analysis of mixed-material deposition layer formed on the first walls of large helical device, *M. Tokitani, N. Yoshida, S. Masuzaki, N. Ashikawa, A. Sagara, N. Noda, H. Yamada, and LHD Experiment Group*
- Evaluation of charge-exchange neutral incident parameters onto plasma-facing materials in LHD with material probe method, *M. Miyamoto, M. Tokitani, N. Ashikawa, M. Kobayashi, M. Shoji, S. Masuzaki, N. Yoshida, D. Reiter, K. Ono, and the LHD experimental group*
- Section 6: Materials for blanket**
- Development and qualification of functional materials for the EU Test Blanket Modules: Strategy and R&D activities, *M. Zmitko, Y. Poitevin, L. Boccaccini, J.-F. Salavy, R. Knitter, A. Möslang, A.J. Magielsen, J.B.J. Hegeman and R. Lässer*
- Development of advanced tritium breeding material with added lithium for ITER-TBM, *T. Hoshino, K. Kato, Y. Natori, F. Oikawa, N. Nakano, M. Nakamura, K. Sasaki, A. Suzuki, T. Terai and K. Tatenuma*
- Measurement and analysis of activation induced in titanium with fusion peak neutrons, *A. Klix, A. Domula, R. Forrest and K. Zuber*
- Structural analysis of Li_2TiO_3 by synchrotron X-ray diffraction at high temperature, *K. Omoto, T. Hashimoto, K. Sasaki, T. Terai, T. Hoshino and M. Yashima*
- Basic technology for ^6Li enrichment using an ionic-liquid imregnated organic membrane, *T. Hoshino and T. Terai*
- Study on annihilation behavior of γ -ray induced defects in Li_2O , *M. Kobayashi, S. Suzuki, R. Kurata, W. Wang, T. Fujii, H. Yamana, K. Feng, Y. Oya and K. Okuno*
- Packing behaviour of a Li_2TiO_3 pebble bed under cyclic loads, *H. Tanigawa, Y. Tanaka and M. Enoeda*
- Crush probability analysis of ceramic breeder pebble beds under mechanical stresses, *Y. Gan, M. Kamla, H. Riesch-Oppermann, R. Rolli and P. Liu*
- Nitrogen contamination effect on yttrium gettering of hydrogen in liquid lithium, *J. Yagi, A. Suzuki and T. Terai*
- Deuterium ion irradiation for tritium breeding material and evaluation for tritium inventories in test blanket module and blanket of a demonstration reactor, *T. Hino, H. Shibata, Y. Yamauchi, Y. Nobuta, S. Suzuki and M. Akiba*
- Tritium self-sufficiency time and inventory evolution for solid-type breeding blanket materials for DEMO, *L.W. Packer, R. Pamplin and S. Zheng*
- Experiments of hydrogen isotope permeation, diffusion and dissolution in Li-Pb , *Y. Edao, H. Noguchi and S. Fukada*
- Unsolved issues on tritium mass transfer in Li-Pb liquid blankets, *S. Fukada and Y. Edao*
- Tritium release from ceramic breeder materials deposited with noble metals, *K. Munakata, K. Mochizuki, T. Wajima, K. Wada, K. Hara, T. Shinozaki, T. Takeishi, R. Knitter, N. Bekris, T. Fujii, H. Yamana and K. Okuno*
- Effect of surface water on tritium release behavior from Li_2TiO_3 , *T. Hanada, M. Nishikawa, T. Kanazawa, H. Yamasaki, N. Yamashita and S. Fukada*
- Implementation of two-phase tritium models for helium bubbles in HCLL breeding blanket modules, *J. Fradera, L. Sedano, E. Mas de les Valls and L. Batet*
- Modeling of diffusivity of tritium interacting with F centers in Li_2O , *T. Oda and S. Tanaka*
- Tritium accumulation and release from Li_2TiO_3 during long-term irradiation in the WWR-K reactor, *I. Tazhibayeva, I. Beckman, V. Shestakov, T. Kulsartov, E. Chikhray, E. Kenzhin, A. Kiykabaeva, H. Kawamura and K. Tsuchiya*
- Damage and deuterium retention in LiAlO_2 single crystals irradiated with deuterium ions using ion-beam techniques and optical absorption measurements, *H. Katsui, S. Nagata, B. Tsuchiya, M. Zhao and T. Shikama*

- Status of RF beryllium characterization for ITER Fist Wall, *I.B. Kupriyanov, G.N. Nikolaev, M. Roedig, A.A. Gervash, I.J. Linke, L.A. Kurbatova, S.I. Perevalov and R.N. Giniyatulin*
- Simulation of transient heat loads on high heat flux materials and components, *M. Roedig, I. Kupriyanov, J. Linke, X. Liu and Zh. Wang*
- Sintering properties of beryllides for advanced neutron multipliers, *M. Nakamichi and K. Yonehara*
- Microstructural and tritium release examination of titanium beryllides, *V. Chakin, M. Klimenkov, R. Rolli, P. Kurinskiy, A. Moeslang and C. Dorn*
- Novel mixed-oxide ceramic for neutron multiplication and tritium generation, *D. Sathyamoorthy, S.J. Ghanwat, B.M. Tripathi and C. Danani*
- Section 7: Functional materials**
- Nuclear technology aspects of JITER vessel-mounted diagnostics, *G. Vayakis, L. Bertalot, A. Encheva, C. Walker, B. Brichard, M.S. Cheon, G. Chitarin, E. Hodgson, C. Ingesson, M. Ishikawa, T. Kondoh, H. Meister, P. Moreau, S. Peruzzo, S. Pak, G. Pérez-Pichel, R. Reichle, D. Testa, M. Toussaint, L. Vermeeren and V. Vershkov*
- Dielectric loss during irradiation of a candidate ITER NBI RF ion-source insulator, *R. Vila and E.R. Hodgson*
- A model for electrical degradation of insulators due to ionic bombardment, *S.M. González de Vicente, A. Moroño and E.R. Hodgson*
- Characterization of Er_2O_3 ceramic coatings by luminescence measurements, *T. Tanaka, M. Yoshino, Y. Hishinuma, D. Zhang, W. Kada, F. Sato, T. Iida, T. Nagasaki and T. Muroga*
- Influence of deposition temperature and bias voltage on the crystalline phase of Er_2O_3 thin films deposited by filtered cathodic arc, *C. Adelhelm, T. Pickert, F. Koch, M. Balden, S. Jahn, M. Rinke and H. Maier*
- EPR study of gamma and neutron irradiation effects on KU1, KS-4V and Infrasil 301 silica glasses, *J.C. Lagomacini, D. Bravo, M. León, P. Martín, Á. Ibarra, A. Martín and F.J. López*
- Optical diagnostics of collective and non-linear effects in insulators during intense irradiation, *O.A. Plaksin, V.A. Stepanov, T. Shikama, Y. Takeda and N. Kishimoto*
- Correlation between radiation-induced defects, and optical properties of pure fused silica-core optical fiber, under gamma-ray irradiation in air at 1273 K, *B. Tsuchiya, S. Kondo, T. Tsurui, K. Toh, S. Nagata and T. Shikama*
- Effects of neutrons and gamma-rays on polymethylmethacrylate plastic optical fiber, *K. Toh, K. Sakasai, T. Nakamura, K. Soyama and T. Shikama*
- Thermal stability of gamma irradiation induced defects for different fused silica, *P. Martín, M. León, A. Ibarra and E.R. Hodgson*
- The effect of gamma-rays on the electrical properties of $\text{Zr}_{55}\text{Ni}_{5}\text{Al}_{10}\text{Cu}_{30}$ bulk metallic glass, *L.H. Shah, B. Tsuchiya, S. Nagata and T. Shikama*
- Microstructural effects of temperature and neutron irradiation on optical windows, *M. Jacobs, G. Van Oost, J. Degrieck, A. Gusarov, V. Massaut and M. Schyns*
- Active control over carbon deposition on diagnostic components and in remote areas of ITER, *A. Litnovsky, V. Philipp, P. Wienhold, M. Matveeva, A. Pospieszczyk, G. Sergienko, O. Schmitz, U. Samm, H. Stoschus, C. Schulz, L. Marot, A. Romanyuk, G. De Temmerman, M. Laengner, U. Breuer, A. Stärk, and TEXTOR Team*
- Degradation of optical properties in Mo mirrors under irradiation with low energy helium and deuterium ions, *T. Nakano, M. Miyamoto, S. Hasuike, K. Ono and N. Yoshida*
- Degradation of optical reflectivity of in-vessel mirror materials by helium bombardment, *S. Kajita, T. Saeki, N. Ohno, M. Tokitani, T. Hatae and W. Sakaguchi*
- Study on neutron irradiation effect of superconductors and installation of 15.5 T magnet in hot laboratory at IMR in Tohoku University, *A. Nishimura, T. Takeuchi, S. Nishijima, K. Ochiai, G. Nishijima, K. Watanabe, M. Narui, H. Kurishita and T. Shikama*
- Section 9: Radiation effects**
- Radiation induced hardening of ion irradiated RPV steels, *H. Watanabe, S. Masaki, S. Masubuchi, N. Yoshida and Y. Kamada*
- Investigation of impact of neutron irradiation on properties of InSb-based hall plates, *I. Ďuran, M. Oszwaldowski, K. Kovářík, J. Jankowski, S. El-Ahmar, L. Viererbl and Z. Lahodová*
- Flexible heat resistant neutron shielding resin, *A.M. Sukegawa, Y. Anayama, K. Okuno, S. Sakurai and A. Kaminaga*

Effects of alloying elements on radiation hardening based on loop formation of electron-irradiated light water reactor pressure vessel model steels, <i>T. Nishi, N. Hashimoto, S. Ohnuki, T. Yamamoto and G.R. Odette</i>	936
Effect of irradiation temperature and dose on radiation hardening of some pure metals, <i>S.A. Fabritsiev and A.S. Pokrovsky</i>	940
Effects of dpa rate on swelling in neutron-irradiated Fe-Cr and Fe-Cr-Mo alloys, <i>T. Okita, N. Sekimura and F.A. Garner</i>	944
Effects of solute elements on irradiation hardening and microstructural evolution in low alloy steels, <i>K. Fujii, T. Ohkubo and K. Fukuya</i>	949
Effect of neutron irradiation on the microstructure of modified SUS316 stainless steels, <i>S. Yamashita, Y. Tachi, N. Akasaka, K. Nishinoiri and H. Takahashi</i>	953
An EBSD examination of SUS316 stainless steel irradiated to 73 dpa and deformed at 593 K, <i>K. Fukuya, H. Nishioka, K. Fujii, T. Miura and T. Torimaru</i>	958
Effect of solute atom concentration on vacancy cluster formation in neutron-irradiated Ni alloys, <i>K. Sato, D. Itoh, T. Yoshiie, Q. Xu, A. Taniguchi and T. Toyama</i>	963
Point defect processes during incubation period of void growth in austenitic stainless steels, Ti-modified 316SS, <i>T. Yoshiie, X.Z. Cao, K. Sato, K. Miyawaki and Q. Xu</i>	968
Neutron-irradiation-induced crystalline defects in β -silicon nitride and their thermal stability, <i>T. Yano, T. Yamagami, K. Yoshida and M. Akiyoshi</i>	972
Radiation-induced strengthening in EB welds of Mo-Re alloys during high temperature neutron irradiation, <i>F. Morito, V.P. Chakin, M.I. Danylenko and A.V. Krajnikov</i>	976
Ion-irradiation-induced damage in Fe-Cr alloys characterized by nanoindentation, <i>C. Heintze, F. Bergner and M. Hernández-Mayoral</i>	980
Influence of crystal orientation on hardness and nanoindentation deformation in ion-irradiated stainless steels, <i>T. Miura, K. Fujii, K. Fukuya and K. Takashima</i>	984
Dose dependence of irradiation hardening of binary ferritic alloys irradiated with Fe^{3+} ions, <i>K. Yabuuchi, H. Yano, R. Kasada, H. Kishimoto and A. Kimura</i>	988
Development of nondestructive inspection techniques for measurement of void swelling in irradiated microscopy disks, <i>M. Sagisaka, Y. Isobe, F.A. Garner, S. Fujita and T. Okita</i>	992

Section 10: H and He effect

Helium-induced hardening effect in ferritic/martensitic steels F82H and Optimax-A irradiated in a mixed spectrum of high energy protons and spallation neutrons, <i>L. Peng and Y. Dai</i>	996
Helium transport, fate and management in nanostructured ferritic alloys: In situ helium implanter studies, <i>G.R. Odette, P. Miao, D.J. Edwards, T. Yamamoto, R.J. Kurtz and H. Tanigawa</i>	1001
Shear punch testing of candidate reactor materials after irradiation in fast reactors and spallation environments, <i>S.A. Maloy, T.J. Romero, P. Hosemann, M.B. Toloczo and Y. Dai</i>	1005
Multiple-beam irradiation effects in electron-beam-welded F82H joint, <i>N. Hashimoto, H. Tanigawa, H. Kinoshita and S. Ohnuki</i>	1009
Effect of implanted deuterium on tensile properties of helium-doped RAFM EUROFER97, <i>P. Jung, H. Klein, J. Henry and J. Chen</i>	1013
Effects of multi-beam irradiation on defect formation in Fe-Cr alloys, <i>H. Seto, N. Hashimoto, H. Kinoshita and S. Ohnuki</i>	1018
Annihilation of interstitial-type dislocation loops in α -Fe during He irradiation, <i>Q. Xu, Y.X. Wang, Y. Katakabe, H. Iwakiri, N. Yoshida, K. Sato and T. Yoshiie</i>	1022
Effects of tungsten on thermal desorption of helium from Fe-9Cr-2W ferritic alloy irradiated with low energy helium ions, <i>K. Ono, H. Sasagawa, F. Kudo, M. Miyamoto and Y. Hidaka</i>	1026
Helium effects on the tensile property of 316FR stainless steel at 650 and 750 °C, <i>K. Imasaki, A. Hasegawa, S. Nogami and M. Satou</i>	1030
Effects of dislocations on thermal helium desorption from nickel and iron, <i>X.Z. Cao, Q. Xu, K. Sato and T. Yoshiie</i>	1034
Ionizing radiation induced helium release for hot pressed SiC, <i>A. Moroño, J. Manzano, M. Malo and E.R. Hodgson</i>	1038

Section 11: Modeling

Modelling structural and plasma facing materials for fusion power plants: Recent advances and outstanding issues in the EURATOM fusion materials programme, <i>J.-L. Boutard, S. Dudarev and M. Rieth</i>	936
Defect energetics in Fe-Cr alloys from empirical interatomic potentials, <i>J.M. Sampedro, E. del Rio, M.J. Caturla, M. Victoria and J. Manuel Perlado</i>	940
Theoretical study on segregation of Cu, Mo and W impurities and stability of impurity-vacancy pairs in bcc Fe, <i>T. Tsuru, Y. Abe, C. Suzuki, T. Nakazawa, Y. Kaji and T. Tsukada</i>	944
Modelling radiation damage effects on a bcc iron lattice containing phosphorous impurity atoms near symmetrical tilt boundaries, <i>S.F. D. Martino, R.G. Faulkner and R. Smith</i>	949
Primary radiation damage in bcc Fe and Fe-Cr crystals containing dislocation loops, <i>D. Terentyev, K. Vörtler, C. Björkas, K. Nordlund and L. Malerba</i>	953
Kinetic Monte-Carlo simulation of self-point defect diffusion in dislocation elastic fields in bcc iron and vanadium, <i>A.B. Sivak, V.M. Chernov, V.A. Romanov and P.A. Sivak</i>	958
Interaction energy between dislocation loops in an anisotropic crystal: Application of elasticity theory, <i>K. Ohsawa, M. Yagi, H. Koizumi and E. Kuramoto</i>	963
Radiation damage formation in fusion structural materials due to elastic and inelastic processes, <i>A.I. Ryazanov and E.V. Semenov</i>	968
Simulation of defect evolution in electron-irradiated dilute FeCr alloys, <i>C.J. Ortiz, D. Terentyev, P. Olsson, R. Vila and L. Malerba</i>	972
Metropolis Monte-Carlo simulation of segregation in Fe-Cr alloys, <i>E.E. Zhurkin, D. Terentyev, M. Hou, L. Malerba and G. Bonny</i>	976
Modelling phase separation in Fe-Cr system using different atomistic kinetic Monte Carlo techniques, <i>N. Castin, G. Bonny, D. Terentyev, M.Yu. Lavrentiev and D. Nguyen-Manh</i>	980
Density functional calculations for small iron clusters with substitutional phosphorus, <i>T. Nakazawa, T. Igashari, T. Tsuru, Y. Kaji and S. Jitsukawa</i>	984
Atomistic simulation of the influence of Cr on the mobility of the edge dislocation in Fe(Cr) alloys, <i>S.M. Hafez Haghighe, D. Terentyev and R. Schäublin</i>	988
Atomistic-continuum modeling of dislocation interaction with Y_2O_3 particles in iron, <i>A. Takahashi, Z. Chen, N. Ghoniem and N. Kioussis</i>	992
Modeling of the grain boundary segregation of helium in α -Fe, <i>T. Suzudo, H. Kaburaki and M. Yamaguchi</i>	1001
An atomistic study of helium resolution in bcc iron, <i>R.E. Stoller and D.M. Stewart</i>	1005
Atomistic studies of formation and diffusion of helium clusters and bubbles in BCC iron, <i>D. Stewart, Y. Osetskiy and R. Stoller</i>	1009
Formation of vacancy clusters in tungsten crystals under hydrogen-rich condition, <i>D. Kato, H. Iwakiri and K. Morishita</i>	1013
Composition dependence of formation energy of self-interstitial atom clusters in β -SiC: Molecular dynamics and molecular statics calculations, <i>Y. Watanabe, K. Morishita and A. Kohyama</i>	1018
Modeling the constitutive behavior of RAFM steels under irradiation conditions, <i>J. Aktaa and C. Petersen</i>	1022
Performance analysis of fusion nuclear-data benchmark experiments for light to heavy materials in MeV energy region with a neutron spectrum shifter, <i>I. Murata, M. Ohta, H. Miyamaru, K. Kondo, S. Yoshida, T. Iida, K. Ochiai and C. Konno</i>	1026
Development of a low activation concrete shielding wall by multi-layered structure for a fusion reactor, <i>S. Sato, T. Maegawa, K. Yoshimatsu, K. Sato, A. Nonaka, K. Takakura, K. Ochiai and C. Konno</i>	1030
Section 12: Tritium	1034
Application of tritium tracer techniques to observation of hydrogen on surface and in bulk of F82H, <i>T. Otsuka, T. Tanabe, K. Tokunaga, N. Yoshida, K. Ezato, S. Suzuki and M. Akiba</i>	1038
Correlation between surface hydroxyl behavior and surface oxidation state of F82H, <i>D. Masuyama, T. Oda and S. Tanaka</i>	1038

Permeation behavior of tritium through F82H steel, <i>M. Oyaizu, K. Isobe, H. Nakamura, T. Hayashi and T. Yamanishi</i>	1143
Deuterium retention in F82H after low energy hydrogen ion irradiation, <i>T. Ito, Y. Yamauchi, T. Hino, T. Shibayama, Y. Nobuta, K. Ezato, S. Suzuki and M. Akiba</i>	1147
Effect of welding and coating on deuterium permeation through F82H, <i>H. Nakamura, M. Nakamichi, H. Tanigawa and T. Yamanishi</i>	1150
Fluence dependence of deuterium retention in oxidized SS-316, <i>Y. Oya, S. Suzuki, M. Matsuyama, T. Hayashi, T. Yamanishi, Y. Asakura and K. Okuno</i>	1154
The effects of helium on hydrogen isotope retention in Hastelloy-N, <i>I.M. Neklyudov, O.M. Morozov, V.G. Kulish, V.M. Azhazha, S.D. Lavrinenko and V.I. Zhurba</i>	1158
Reduction of tritium permeation through Inconel 718 and Incoloy 800 HT by means of natural oxides, <i>A. Aiello, M. Utili and A. Ciampichetti</i>	1162
Adsorption characteristics of water vapor on honeycomb adsorbents, <i>T. Wajima, K. Munakata, T. Takeishi, K. Hara, K. Wada, K. Katekari, K. Inoue, Y. Shinozaki, K. Mochizuki, M. Tanaka and T. Uda</i>	1166
Oxidation of hydrogen isotopes over honeycomb catalysts, <i>K. Munakata, T. Wajima, K. Hara, K. Wada, Y. Shinozaki, K. Katekari, K. Mochizuki, M. Tanaka and T. Uda</i>	1170
Thermomigration of tritium in V-4Cr-4Ti alloy, <i>K. Hashizume, K. Ogushi, T. Otsuka and T. Tanabe</i>	1175
Experimental clarification of the desorption of H_2 , D_2 and He mixtures from cryosorption pumps, <i>M. Terashita and S. Fukada</i>	1179
Study of the behavior of triitated water vapor in concrete materials, <i>K. Kobayashi, Y. Iwai, T. Hayashi and T. Yamanishi</i>	1183
Performance of various hydrophobic coatings to reduce HTO contamination, <i>Y. Iwai, K. Kobayashi and T. Yamanishi</i>	1187
Section 13: Chemical compatibility	1191
Flow rate dependent corrosion behavior of Eurofer steel in Pb-15.7Li, <i>J. Konys, W. Krauss, H. Steiner, J. Novotny and A. Skrypnik</i>	1195
The effect of coatings on the compatibility of Fe-Cr steels with Pb-Li, <i>B.A. Pint</i>	1200
Mass transfer of RAFM steel in Li by simple immersion, impeller induced flow and thermal convection, <i>M. Kondo, T. Muroga, T. Nagasaka, Q. Xu, V. Tsisar and T. Oshima</i>	1204
Effect of nitrogen on the corrosion behavior of RAFM JLF-1 steel in lithium, <i>V. Tsisar, M. Kondo, Q. Xu, T. Muroga, T. Nagasaka and O. Yeliseyeva</i>	1208
Corrosion prevention of Er_2O_3 by O control in Li, <i>M. Nagura, A. Suzuki and T. Terai</i>	1210
Investigation of Er_2O_3 coating on liquid blanket components synthesized by the MOCVD process, <i>Y. Hishinuma, T. Tanaka, T. Tanaka, T. Nagasaka, S. Yoshizawa, Y. Tasaki and T. Muroga</i>	1214
Compatibility of SiC_f/SiC composite exposed to liquid Pb-Li flow, <i>C. Park, K. Noborio, R. Kasada, Y. Yamamoto and S. Konishi</i>	1218
SCC behavior of austenitic and martensitic steels in supercritical pressurized water, <i>N. Muthukumar, J.H. Lee and A. Kimura</i>	1221
Influence of alloy composition and temperature on corrosion behavior of ODS ferritic steels, <i>J.H. Lee, R. Kasada, A. Kimura, T. Okuda, M. Inoue, S. Urai, S. Ohnuki, T. Fujisawa and F. Abe</i>	1225
Sealing of pores in sol-gel-derived tritium permeation barrier coating by electrochemical technique, <i>K. Zhang and Y. Hatano</i>	1229
Al-based anti-corrosion and T-permeation barrier development for future DEMO blankets, <i>W. Krauss, J. Konys, N. Holstein and H. Zimmerman</i>	1233
Study of an iron-aluminide and alumina tritium barrier coating, <i>H.G. Yang, Q. Zhan, W.W. Zhao, X.M. Yuan, Y. Hu and Z.B. Han</i>	1237
Microstructure change and deuterium permeation behavior of erbium oxide coating, <i>T. Chikada, A. Suzuki, T. Kobayashi, H. Maier, T. Terai and T. Muroga</i>	1241
Tritium permeation barrier-aluminized coating prepared by Al-plating and subsequent oxidation process, <i>Z. Guikai, L. Ju, C. Chang'an, D. Sanping and L. Guoping</i>	1245
Electrical resistivity and hydrogen permeation of dip-coated Er_2O_3 on JLF-1, <i>D. Zhang, T. Tanaka and T. Muroga</i>	1249
Evaluation of bonding strength between yttria coating and vanadium alloys for development of self-cooled blanket, <i>H. Akamatsu, M. Satou, T. Sato, A. Jain, V. Gupta and A. Hasegawa</i>	1253
Coating materials for fusion application in China, <i>G.-N. Luo, Q. Li, M. Liu, X.B. Zheng, J.L. Chen, Q.G. Guo and X. Liu</i>	1257
Section 14: Inter collab	1262
IFMIF's new design: Status after 2 years of the EVEDA project, <i>P. Garin, M. Sugimoto, and On behalf of the Project Team and all involved Institutes</i>	1262
Experimental studies on deuteron-induced activation reactions in IFMIF accelerator structural elements, <i>M. Hagiwara, T. Itoga, M. Baba, S. Uddin and M. Sugimoto</i>	1267
Deuteron cross section evaluation for safety and radioprotection calculations of IFMIF/EVEDA accelerator prototype, <i>V. Blideanu, M. García, P. Joyer, D. López, A. Mayoral, F. Ogando, F. Ortíz, J. Sanz and P. Sauvan</i>	1271
The IFMIF-EVEDA accelerator beam dump design, <i>D. Iglesias, F. Arranz, J.M. Arroyo, G. Barrera, B. Brañas, N. Casal, M. García, D. López, J.I. Martínez, A. Mayoral, F. Ogando, M. Parro, C. Oliver, D. Rapisarda, J. Sanz, P. Sauvan and A. Ibarra</i>	1275
Neutron-induced damage evolution under Beam Raster Scanner conditions for IFMIF, <i>F. Mota, C.J. Ortiz, A. Ibarra and R. Vila</i>	1280
Experimental studies of neutron emission spectra in $Li(d,xn)$ reactions for IFMIF, <i>M. Hagiwara, T. Itoga, T. Oishi and M. Baba</i>	1284
Relevance of d-D interactions on neutron and tritium production in IFMIF-EVEDA accelerator prototype, <i>A. Mayoral, J. Sanz, P. Sauvan, D. López, M. García and F. Ogando</i>	1288
Target system of IFMIF/EVEDA in Japanese activities, <i>M. Ida, S. Fukada, T. Furukawa, Y. Hirakawa, H. Horike, T. Kanemura, H. Kondo, M. Miyashita, H. Nakamura, H. Sigiura, A. Suzuki, T. Terai, Y. Tsuji, H. Ushimaru, K. Watanabe and J. Yagi</i>	1294
Thermo-structural analysis of target assembly and back plate in the IFMIF/EVEDA lithium test loop, <i>K. Watanabe, M. Ida, H. Kondo, M. Miyashita and H. Nakamura</i>	1299
Characteristics of free-surface wave on high-speed liquid lithium jet for IFMIF, <i>T. Kanemura, S. Yoshihashi-Suzuki, H. Kondo, H. Sugiura, N. Yamaoka, M. Ida, H. Nakamura, I. Matsushita, T. Muroga and H. Horike</i>	1303
Impact of activation cross-section uncertainties on the tritium production in the HFTM specimen cells, <i>O. Cabellos, A. Klix, U. Fischer, N. García-Herranz, J. Sanz and S. Simakov</i>	1307
State-of-the-art of computational tools and data for IFMIF neutronics and activation analyses, <i>U. Fischer, A. Klix, J. Li, P. Pereslavstev, S.P. Simakov, R.A. Forrest and F. Wasastjerna</i>	1311
IFMIF suitability for evaluation of fusion functional materials, <i>N. Casal, F. Sordo, F. Mota, J. Jordanova, A. García, A. Ibarra, R. Vila, D. Rapisarda, V. Queral and M. Perlado</i>	1316
Displacement damage induced in iron by gammas and neutrons under irradiation in the IFMIF test cell, <i>S.P. Simakov and U. Fischer</i>	1321
Small specimen test technology and methodology of IFMIF/EVEDA and the further subjects, <i>E. Wakai, S. Nogami, R. Kasada, A. Kimura, H. Kurishita, M. Saito, Y. Ito, F. Takada, K. Nakamura, J. Molla and P. Garin</i>	1325
Recent progress in blanket materials development in the Broader Approach activities, <i>T. Nishitani, H. Tanigawa, T. Nozawa, S. Jitsukawa, M. Nakamichi, T. Hoshino, T. Yamanishi, N. Baluc, A. Möslang, R. Lindou, S. Tosti, E.R. Hodgson, S. Clement Lorenzo, A. Kohyama, A. Kimura, T. Shikama, K. Hayashi and M. Araki</i>	1331
An overview of research activities on materials for nuclear applications at the INL Safety, Tritium and Applied Research facility, <i>P. Calderoni, J. Sharpe, M. Shimada, B. Denny, B. Pawelko, S. Schuetz, G. Longhurst, Y. Hatano, M. Hara, Y. Oya, T. Otsuka, K. Katayama, S. Konishi, K. Noborio and Y. Yamamoto</i>	1336
Fusion neutron flux of center hole in LiD assembly under CARR reactor, <i>J. Yu, X. He, J. Qian, F. Shen and J. Sha</i>	1341
Analysis of the propagation of neutrons and gamma-rays from the fast neutron source reactor YAYOI, <i>S. Yoshida, I. Murata, T. Nakagawa and I. Saito</i>	1345

Present status of refurbishment and irradiation technologies in JMTR,
Y. Inaba, M. Ishihara, M. Niimi and H. Kawamura 1348

Simulation for evaluation of the multi-ion-irradiation Laboratory of
TechnoFusión facility and its relevance for fusion applications,
*D. Jiménez-Rey, F. Mota, R. Vila, A. Ibarra, C.J. Ortiz, J.L. Martínez-
Albertos, R. Román, M. González, I. García-Cortés and J.M. Perlado* 1352

Fusion Technology related studies at JET: Post-mortem tile analysis
with MKII-HD geometry, In situ laser detritiation and Molecular
Sieve Bed detritiation, *N. Bekris, J.P. Coad, C. Grisolia, J. Likonen,
A. Semerok, K. Dylst, A. Widdowson, and JET-EFDA Contributor* 1356