



## CONTENTS

Abstract/Indexed in: Current Contents, ISI SciSearch, Engineered Materials Abstracts, Ei Compendex, Ei Engineering, Applied Mechanics Reviews, Chemical Abstract Services, INSPEC, Energy Science and Technology, Fuel and Energy Abstracts, Health and Safety Science Abstracts, METADEX, PASCAL, UnCover.

### Proceedings of the 26th Symposium on Fusion Technology (SOFT-26) Porto, Portugal, September 27–October 1, 2010

#### Poster Contribution

##### Plasma Facing Components

- Powder Injection Molding – An innovative manufacturing method for He-cooled DEMO divertor components, *S. Antusch, P. Norajitra, V. Piotter, H.-J. Ritzhaupt-Kleissl and L. Spatafora* 1575
- Influence of CFC quality on the performance of TS limiter elements under cyclic heat loading, *M. Missirlian, H. Greuner, T. Höschen, C. Linsmeier, M. Richou, M. Lipa, B. Boeswirth and J. Boscary* 1579
- Numerical estimates of the ITER first mirrors degradation due to atomic fluxes, *V. Kotov, D. Reiter, A.S. Kukushkin and H.D. Pacher* 1583
- Thermal fatigue of DEMO first wall due to pulsed operation, *Z. Vizvary and P. Karditsas* 1587
- Manufacturing, testing and post-test examination of ITER divertor vertical target W small scale mock-ups, *E. Visca, E. Cacciotti, A. Komarov, S. Libera, N. Litunovsky, A. Makhankov, A. Mancini, M. Merola, A. Pizzuto, B. Riccardi and S. Roccella* 1591
- MAST upgrade closed pumped divertor design and analysis, *I. Katramados, G. Fishpool, M. Fursdon, G. Whitfield, V. Thompson and H. Meyer* 1595
- Design and application of GDC on EAST Tokamak, *Z. Zhou, Y. Song and J. Hu* 1599
- The design and application of the movable limiter in EAST, *C. Lei and Y.t. Song* 1603
- Alternative electro-chemically based processing routes for joining of plasma facing components, *W. Krauss, J. Lorenz, N. Holstein and J. Konys* 1607
- Development of novel tungsten processing technologies for electro-chemical machining (ECM) of plasma facing components, *N. Holstein, W. Krauss and J. Konys* 1611
- Two-dimensional modeling of disruption mitigation by gas injection, *I.S. Landman, S.E. Pestchanyi, Y. Igitkhanov and R. Pitts* 1616
- Thermal stress prediction in divertor cooling finger using the local heat transfer distribution, *I. Simonovski, B. Končar and P. Norajitra* 1620
- The development and prospect of fabrication of W based plasma facing component by atmospheric plasma spraying, *Z. Zhou, S. Guo, S. Song, W. Yao and C. Ge* 1625
- Thermo-mechanical analysis of the Wendelstein 7-X divertor, *M.Y. Ye, V. Bykov, A. Peacock and F. Schauer* 1630
- Solid state bonding of CuCrZr to 316L stainless steel for ITER applications, *S.H. Goods and J.D. Puskar* 1634
- Plasma cleaning technique for the removal of mixed materials, *E. Vassallo, A. Cremona, F. Dell'Era, F. Ghezzi, G. Grosso and L. Laguardia* 1639
- The challenges in predicting the fatigue life of dissimilar brazed joints and initial finite element results for a tungsten to EUROFER97 steel brazed joint, *N.R. Hamilton, M.O. Robbie, J. Wood, A. Galloway, I. Katramados and J. Milnes* 1642
- X-ray micro-tomography studies on carbon based composite materials for porosity network characterization, *I. Tiseanu, E. Tsitrone, A. Kreter, T. Craciunescu, T. Loarer, B. Pégourié and T. Dittmar* 1646
- High heat flux testing of mock-ups for a full tungsten ITER divertor, *P. Gavila, B. Riccardi, S. Constans, J.L. Jouvelot, I.B. Vastra, M. Missirlian and M. Richou* 1652
- Progress of He-cooled divertor development for DEMO, *P. Norajitra, S. Antusch, R. Giniyatulin, V. Kuznetsov, I. Mazul, H.-J. Ritzhaupt-Kleissl and L. Spatafora* 1656

Engineering studies for the installation of an axi-symmetric metallic divertor in Tore Supra, <i>L. Doceul, C. Portafaix, J. Bucalossi, A. Saille, B. Bertrand, M. Lipa, M. Missirlian, G. Jiolat, F. Samaille and B. Soler</i>	1660
Preliminary results of the experimental study of PFCs exposure to ELMs-like transient loads followed by high heat flux thermal fatigue, <i>B. Riccardi, R. Giniatulin, N. Klimov, V. Koidan and A. Loarte</i>	1665
Design analysis and manufacturing of the cooling lines of the in vessel components of WENDELSTEIN 7-X, <i>B. Mendelevitch, A. Vorköper, J. Boscary, A. Cardella, F. Hurd, C. Li, A. Peacock, H. Pirsch, R. Stadler and H. Tittes</i>	1669
Hydraulic characterization of the full scale divertor cassette prototype, <i>A. Tincani, M.G. D'Angelo, P.A. Di Maio, L. Laffi, G. Micciché, S. Nucci, D. Paradiso, L. Rapezzi, B. Riccardi and G. Vella</i>	1673
Development of W coatings for fusion applications, <i>C. Ruset, E. Grigore, H. Maier, R. Neu, H. Greuner, M. Mayer and G. Matthews</i>	1677
Simulation of residual thermostress in tungsten after repetitive ELM-like heat loads, <i>S. Pestchanyi, I. Garkusha and I. Landman</i>	1681
Performance and statistical quality assessment of CFC tile bonding on the pre-series elements of the Wendelstein 7-X divertor, <i>H. Greuner, U.v. Toussaint, B. Bösowirth, J. Boscary, H. Maier, A. Peacock and H. Traxler</i>	1685
Deuterium retention in SiC coated graphite by D <sub>2</sub> <sup>+</sup> implantation, <i>Q. Li, W. Wang, Z. Yang, M. Kobayashi, M. Suzuki, J. Osuo, A. Hamada, K. Matsuoka, R. Kurata, J. Wu, C. Xie, L. Zhao, K. Okuno, Y. Oya and G.-N. Luo</i>	1689
The KSTAR plasma facing components for 2010 operation, <i>K.M. Kim, E.N. Bang, H.T. Kim, H.K. Kim, K.S. Lee, H.L. Yang, M. Kwon and S.Y. Yoo</i>	1693
Fabrication and high heat flux test with the first wall mockups for developing the KO TBM, <i>D.W. Lee, S.K. Kim, Y.-D. Bae, Y.-I. Jung, J.Y. Park, Y.H. Jeong and S. Cho</i>	1697
Hydrogen incorporation in tungsten deposits growing by deuterium plasma sputtering, <i>K. Katayama, S. Kasahara, S. Ishikawa, S. Fukada and M. Nishikawa</i>	1702
The procurement and testing of the stainless steel in-vessel panels of the Wendelstein 7-X Stellarator, <i>A. Peacock, A. Grlinger, A. Vorköper, J. Boscary, H. Greuner, F. Hurd, B. Mendelevitch, H. Pirsch, R. Stadler and G. Zangl</i>	1706
The loosening mechanism of screw bolts on the first wall graphite tiles in EAST, <i>C. Lei, Y.t. Song, Z. Zhou and W. Xu</i>	1710
Development of laser lock-in thermography for plasma facing component surface characterisation, <i>X. Courtois, C. Sortais, D. Melyukov, J.L. Gardarein, A. Semerok and C. Grisolia</i>	1714
Manufacturing of self-passivating W-Cr-Si alloys by mechanical alloying and HIP, <i>P. López-Ruiz, F. Koch, N. Ordás, S. Lindig and C. García-Rosales</i>	1719
Thermal effects and component cooling in Magnum-PSI, <i>O.G. Kruijt, J. Scholten, P.H.M. Smeets, S. Brons, H.J.N. van Eck, R.S. Al, M.A. van den Berg, H.J. van der Meiden, G.J. van Rooij and P.A.Z. van Emmichoven</i>	1724
Theoretical and experimental studies on molybdenum and stainless steel mirrors cleaning by high repetition rate laser beam, <i>A. Leontyev, A. Semerok, D. Farcage, P.-Y. Thro, C. Grisolia, A. Widdowson, P. Coad, M. Rubel and JET-EFDA contributors</i>	1728
Development of a thermo-hydraulic bypass leakage test method for the Wendelstein 7-X target element cooling structure, <i>M. Smirnow, N. Drescher, T. Höschen, A. Peacock, J. Boscary and R. Tivey</i>	1732
Fabrication and characterization of tungsten and graphite based PFC for divertor target elements of ITER like tokamak application, <i>S.S. Khirwadkar, K.P. Singh, Y.Patil, M.S. Khan, J.J.U. Buch, A. Patel, S. Tripathi, P.M. Jaman, L. Rangaraj and C. Divakar</i>	1736
Pre-qualification of brazed plasma facing components of divertor target elements for ITER like tokamak application, <i>K.P. Singh, S.P. Pandya, S.S. Khirwadkar, A. Patel, Y. Patil, J.J.U. Buch, M.S. Khan, S. Tripathi, S. Pandya, J. Govindran, P.M. Jaman, D. Rathore, L. Rangaraj and C. Divakar</i>	1741
The target for the new plasma/wall experiment Magnum-PSI, <i>M.A. van den Berg, S. Brons, O.G. Kruijt, J. Scholten, R. Pasquet, P.H.M. Smeets, B. Schweer and G. De Temmerman</i>	1745
Development of the armoring technique for ITER Divertor Dome, <i>N. Litunovsky, E. Alekseenko, A. Makhankov and I. Mazul</i>	1749
High resolution scanning transmission electron microscopy (HR STEM) analysis of re-deposited layer on ASDEX Upgrade tile, <i>M. Rasinski, E. Fortuna-Zalesna, M. Mayer, R. Neu, T. Plocinski, M. Lewandowska, K.J. Kurzydowski and ASDEX Upgrade Team</i>	1753
Simulations of the SOL plasma for FAST, a proposed ITER satellite tokamak, <i>V. Pericoli Ridolfini, R. Zagórski, B. Viola, G. Calabrò, G. Corrigan, F. Crisanti, G. Maddaluno and L. Lauro-Taroni</i>	1757
Potential common radiation problems for components and diagnostics in future magnetic and inertial confinement fusion devices, <i>J. Alvarez, R. Gonzalez-Arrabal, A. Rivera, E. Del Rio, D. Garoz, E.R. Hodgson, F. Tabares, R. Vila and M. Perlado</i>	1762
Fabrication and high heat flux test of large mockups for ITER first wall semi-prototype, <i>S.-K. Kim, Y.-D. Bae, H.-K. Jung, Y.-I. Jung, J.-Y. Park, Y.-H. Jeong and D.W. Lee</i>	1766
Fatigue lifetime of repaired high heat flux components for ITER divertor, <i>M. Richou, M. Missirlian, B. Riccardi, P. Gavila, C. Desgranges, N. Vignal, V. Cantone and S. Constans</i>	1771
Comparison of hydrogen isotope retention and irradiation damage behaviors in tungsten and SS-316 with simultaneous C <sup>+</sup> -D <sub>2</sub> <sup>+</sup> implantation, <i>Y. Oya, M. Kobayashi, R. Kurata, N. Yoshida, N. Ashikawa, A. Sagara, M. Hara, Y. Hatano and K. Okuno</i>	1776
Development of <i>in situ</i> cleaning techniques for diagnostic mirrors in ITER, <i>A. Litnovsky, M. Laengner, M. Matveeva, C. Schulz, L. Marot, V.S. Voitsenya, V. Philipps, W. Biel and U. Samm</i>	1780

NSTX disruption simulations of detailed divertor and passive plate models by vector potential transfer from OPERA global analysis results, <i>P.H. Titus, S. Avasaralla, A. Brooks and R. Hatcher</i>	1784
Non-destructive methods for the defect detection in the ITER high heat flux components, <i>S. Roccella, G. Burrasca, E. Cacciotti, A. Castillo, A. Mancini, A. Pizzuto, A. Tati and E. Visca</i>	1791
New linear plasma devices in the trilateral euregio cluster for an integrated approach to plasma surface interactions in fusion reactors, <i>B. Unterberg, R. Jaspers, R. Koch, V. Massaut, J. Rapp, D. Reiter, S. Kraus, A. Kreter, V. Philipps, H. Reimer, U. Samm, L. Scheibl, B. Schweer, J. Schuurmans, I. Uytendhouwen, R. Al, M.A. van den Berg, S. Brons, H.J.N. van Eck, W.J. Goedheer, M.F. Graswinckel, T. van der Grift, A. Kleyn, W.R. Koppers, O. Kruyt, A. Lof, H.J. van der Meiden, W. Melissen, M. van de Pol, G.J. van Rooij, P. Smeets, J. Scholten, D.C. Schram, G. De Temmerman, W. Vijvers, P.A.Z.v. Emmichoven and J.J. Zielinski</i>	1797
A bulk tungsten tile for JET: Heat flux tests in the MARION facility on the power-handling performance and validation of the thermal model, <i>P. Mertens, H. Altmann, P. Chaumet, E. Joffrin, M. Knaup, G.F. Matthews, O. Neubauer, D. Nicolai, V. Riccardo, V. Tanchuk, V. Thompson, R. Uhlemann and U. Samm</i>	1801
<i>Vessel/In-Vessel Engineering and Remote Handling</i>	
Structural analysis of ITER sub-assembly tools, <i>K.O. Nam, H.K. Park, D.J. Kim, H.J. Ahn, J.H. Lee, K.K. Kim, K. Im and R. Shaw</i>	1805
ITER In-Cryostat inspection and repair feasibility studies, <i>J. Reich, J.-J. Cordier, D. van Houtte, D. Evrard, E. Mercier, T. Popa and B. Doshi</i>	1809
ITER lower port systems integration, <i>B. Levesy, D. Baker, B. Boussier, S. Bryan, J.J. Cordier, M. Dremel, G. Dell'Orco, E. Daly, B. Doshi, T. Jeannoutot, J.P. Friconeau, C. Gliss, R. Le Barbier, F. Lachevre, M. Loughlin, A. Martin, J.P. Martins, S. Maruyama, J. Palmer, R. Reichle and Y. Utin</i>	1812
Fundamental welding R&D results for manufacturing vacuum vessel of JT-60SA, <i>S. Asano, T. Okuyama, T. Oonawa, Y. Yanagi, M. Ejiri, T. Kanahara, K. Ichihashi, A. Kikuchi, S. Mizumaki, K. Masaki, Y.K. Shibama, M. Katayama and A. Sakasai</i>	1816
Remote handling installation of diagnostics in the JET Tokamak, <i>P. Allan, A.B. Loving, H. Omran, S. Collins, J. Thomas, A. Parsloe, I. Merrigan and I. Hassall</i>	1821
ATLAS: Accelerated torus-like angular source for fusion neutronics applications, <i>A. Turner, R. Pampin, D. Leichtle and M.J. Loughlin</i>	1825
Thermal and mechanical analysis of Wendelstein 7-X thermal shield, <i>M. Nagel, S. Freundt and H. Posselt</i>	1830
IWR-solution for the ITER vacuum vessel assembly, <i>H. Wu, H. Handroos, P. Pela and Y. wang</i>	1834
Static stiffness modeling of a novel hybrid redundant robot machine, <i>M. Li, H. Wu and H. Handroos</i>	1838
Design for high productivity remote handling, <i>N. Sykes, S. Collins, A.B. Loving, V. Ricardo and E. Villedieu</i>	1843
Development and testing of 140 GHz absorber coatings for the water baffle of W7-X cryopumps, <i>M. Floristán, P. Müller, A. Gebhardt, A. Killinger, R. Gadow, A. Cardella, C. Li, R. Stadler, G. Zangl, M. Hirsch, H.P. Laqua and W. Kasperek</i>	1847
Implementation of new techniques for the remote delivery of tooling and components at JET torus, <i>C. Belcher, L. Meredith, N. Sykes, S. Collins and JET EFDA Contributors</i>	1851
Developments in remote metrology at JET, <i>T.J. Mindham, G.C. Sandford, G. Hermon, C. Belcher, N. Pace and JET EFDA Contributors</i>	1855
HCLL and HCPB coolant purification system: Design of the copper oxide bed, <i>K. Liger, X. Lefebvre, A. Ciampichetti, A. Aiello and I. Ricapito</i>	1859
Markov Chain Monte Carlo (MCMC) methods for parameter estimation of a novel hybrid redundant robot, <i>Y. Wang, H. Wu and H. Handroos</i>	1863
Diagnostics carried by a light multipurpose deployer for vacuum vessel interventions, <i>M. Houry, L. Gargiulo, C. Balorin, V. Bruno, D. Keller, H. Roche, N. Kammerer, Y. Measson, F. Carrel and V. Schoepff</i>	1868
Design and manufacturing of JT-60SA vacuum vessel, <i>K. Masaki, Y.K. Shibama, S. Sakurai, M. Katayama and A. Sakasai</i>	1872
Evaluation of electromagnetic loads on various design options of the ITER diagnostic upper port plug during plasma disruptions, <i>S. Pak, D.Y. Ku, D.-K. Oh, H. Jhang, D.-H. Kim, M.-S. Cheon, C.R. Seon, H.G. Lee and S. Pitcher</i>	1877
Advantage of redundancy in the controllability of remote handling manipulator, <i>A. Muhammad, J. Mattila, M. Vilenius, M. Siuko and L. Semeraro</i>	1882
Cask and plug handling system design in port cell, <i>J.-P. Martins, J.-P. Friconeau, E. Gabellini, D. Keller, B. Levesy, A. Selvi, A. Tesini, Y. Utin and J. Wagrez</i>	1886
Conceptual design of the hot cell facility universal docking station at ITER, <i>A. Dammann, M. Benchikhoun, J.P. Friconeau, V. Ivanov, A. Lemee, J.P. Martins and G. Tamassy</i>	1890
Operability of the ITER Hot Cell Facility, <i>M. Benchikhoun, A. Dammann, A. Gray, V. Ivanov, R. O'Connor, N. Smith and D. van Houtte</i>	1894
Evolving the JET virtual reality system for delivering the JET EP2 shutdown remote handling tasks, <i>A. Williams, S. Sanders, G. Weder, R. Bastow, P. Allan, S. Hazel and JET EFDA Contributors</i>	1898
ITER remote maintenance system configuration model overview, <i>J.P. Friconeau, C. Conesa, C.H. Choi, A. Dammann, I. Kuehn, B. Levesy, J.P. Martins, M. Nakahira, J. Palmer, G. Rigoni, A. Tesini, C. Damiani, C.G. Gutierrez and D. Locke</i>	1903

Results of CMM standalone tests at DTP2, <i>H. Saarinen, T. Kivelä, L. Zhai, V. Hämäläinen, J. Karjalainen, L. Aha, L. Heikkilä, H. Mäkinen, J. Järvepää, S. Kiviranta, B. Krassi, M. Viinikainen, M. Siuko, J. Mattila, S. Esqué and L. Semeraro</i>	1907	ITER thermal shields at the starting phase of procurement, <i>Y. Utin, K. Ioki, J. Preble, N. Her, J. Yu, A. Terasawa, R. Le Barbier, C. Hamlyn-Harris, I. Dombrowski, W. Chung, K. Nam, C. Noh, D.K. Kang and E. Gapionok</i>	2051
High level integration of remote handling control systems at JET, <i>P.D. Murcutt, S. Collins, P. Allan and JET EFDA Contributors</i>	1911	Development of design options for the port plug components of the ITER core CXRS diagnostic, <i>Y. Krasikov, T. Baross, W. Biel, A. Litnovsky, N. Hawkes, G. Kiss, J.F.F. Klinkhamer, J.F. Koning, A. Krimmer, O. Neubauer and A. Panin</i>	2055
Specification of asymmetric VDE loads of the ITER tokamak, <i>C. Bachmann, M. Sugihara, R. Roccella, G. Sannazzaro, Y. Gribov, V. Riccardo, T.C. Hender, S.N. Gerasimov, G. Pautasso, A. Belov, E. Lamzin, M. Roccella and JET EFDA Contributors</i>	1915	Feasibility of Upper Port Plug tube handling, <i>J.F. Koning, B.S.Q. Elzendoorn, D.M.S. Ronden, J.F.F. Klinkhamer, W. Biel, Y. Krasikov and C.I. Walker</i>	2060
Electromagnetic transients simulation using a shell approach for ITER cCXRS upper port plug due to plasma vertical displacement events, <i>A. Belov, E. Gapionok, I. Gornikel, V. Kukhtin, E. Lamzin, O. Neubauer and S. Sytchevsky</i>	1920	Verifying elementary ITER maintenance actions with the MS2 benchmark product, <i>C.J.M. Heemskerk, B.S.Q. Elzendoorn, A.J. Magielsen and G.Y.R. Schropp</i>	2064
ITER Cryostat—An overview and design progress, <i>B. Doshi, C. Zhou, K. Ioki, H. Xie, G. Gupta, A. Bhardwaj, A. Terasawa and ITER Cryostat team</i>	1924	Command and Control application framework for interoperable heterogeneous ITER Remote Handling devices, <i>J. Tuominen, A. Muhammad, J. Mattila, L. Aha, H. Saarinen, M. Siuko, D. Hamilton and L. Semeraro</i>	2067
Fabrication of a full-size mock-up for inboard 10° section of ITER vacuum vessel thermal shield, <i>W. Chung, K. Nam, C.H. Noh, D.K. Kang, S.M. Kang, Y.G. Oh, S.W. Choi, S.H. Kang, Y. Utin, K. Ioki, N. Her and J. Yu</i>	1928	Analysis of the new architecture proposal for the CMM control system, <i>L. Heikkilä, H. Saarinen, L. Aha, M. Viinikainen, J. Mattila, A. Hahto, M. Siuko and L. Semeraro</i>	2071
Design, manufacture and testing of the glow discharge electrodes for Wendelstein 7-X, <i>A. Spring, A. Cardella, B. Brucker, B. Mendelevitch, H. Niedermeyer, O. Sellmeier, S. Schweizer and B. Streibl</i>	1933	Categorization of ITER remote handling operations, <i>K. Salminen, L. Aha, H. Saarinen, M. Siuko, J. Mattila and L. Semeraro</i>	2075
ITER Upper Port Plug handling cask system assessment and design proposals, <i>J.-W. Pustjens, J.-P. Friconneau, C.J.M. Heemskerk, J.F. Koning, J.-P. Martins, P.C.J.N. Rosielle and M. Steinbuch</i>	1937	DTP2 control room operator and remote handling operation designer responsibilities and information available to them, <i>L. Aha, K. Salminen, A. Hahto, H. Saarinen, J. Mattila, M. Siuko and L. Semeraro</i>	2078
Preliminary definition of the remote handling system for the current IFMIF Test Facilities, <i>V. Queral, J. Urbón, A. García, I. Cuarental, F. Mota, G. Micciché, A. Ibarra, D. Rapisarda and N. Casal</i>	1941	Extending Virtual Reality simulation of ITER maintenance operations with dynamic effects, <i>C.J.M. Heemskerk, M.R. de Baar, H. Boessenkool, B. Graafland, M.J. Haye, J.F. Koning, M. Vahedi and M. Visser</i>	2082
On design and development of additional End-Effectors for the Cassette Multifunctional Mover, <i>P. Valkama, J. Mattila, F. Amjad, J. Väyrynen, M. Vilenius, M. Siuko, L. Semeraro and S. Esque</i>	1946	Assessment of radiation maps during activated divertor moving in the ITER building, <i>D. Ying, Q. Zeng, Y. Qiu, T. Dang, Y. Wu and M. Loughlin</i>	2087
ITER Hot Cell process operability analysis using discrete event simulation tools, <i>R. Shuff, D. Locke and D. Roulet</i>	1950	Concept design of the cassette toroidal mover, <i>H. Mäkinen, J. Järvenpää, P. Valkama, J. Väyrynen, F. Amjad, M. Siuko, J. Mattila, L. Semeraro and S. Esque</i>	2092
Iter in vessel viewing system design and assessment activities, <i>C. Neri, P. Costa, M. Ferri De Collibus, M. Florean, G. Mugnaini, M. Pillon, F. Pollastrone and P. Rossi</i>	1954	European preparations for the ITER VV sectors manufacture, <i>L. Jones, J.-F. Arbogast, A. Bayon, S. Galvan, B. Giraud, K. Ioki, M. Losasso, G. Micó, V. Stamos, A. Trentea and Y. Utin</i>	2096
A method for enabling real-time structural deformation in remote handling control system by utilizing offline simulation results and 3D model morphing, <i>S. Kiviranta, H. Saarinen, H. Mäkinen and B. Krassi</i>	1958	Transfer cask system design activities: status and plan, <i>D. Locke, C.G. Gutiérrez, C. Damiani, V. Gracia, J.-P. Friconneau, J.-P. Martins and J. Blight</i>	2101
Dynamic response of the ITER tokamak during asymmetric VDEs, <i>T. Schioler, C. Bachmann, G. Mazzone and G. Sannazzaro</i>	1963	ITER Equatorial Port plug engineering: Design and remote handling activities supported by Virtual Reality tools, <i>D. Keller, C. Dechelle, L. Doceul, S. Madeleine, J.P. Martins, Y. Measson, J.C. Patterlini and J. Wagrez</i>	2105
Optimized trajectories of the transfer cask system in ITER, <i>F. Valente, A. Vale, D. Fonte and I. Ribeiro</i>	1967	Enhancement of the remote handling strategy for the refurbishment of the backplate bayonet concept of IFMIF target system, <i>G. Micciché, L. Lorenzelli, D. Bernardi and V. Queral</i>	2109
Thermo-hydraulic design verification of the neutral beam liner for the ITER vacuum vessel, <i>J.-K. Ham, Y.-K. Kim, D.-H. Kim, J.-W. Sa, B.-C. Kim and H.-J. Ahn</i>	1971	ITER Remote Maintenance System (IRMS) lifecycle management, <i>A. Tesini, B. Otto', J. Blight, C.-H. Choi, J.-P. Friconneau, K.K. Gotewal, D. Hamilton, F. Heckendorn, J.-P. Martins, T. Marty, M. Nakahira, J. Palmer and R. Subramanian</i>	2113
Fabrication and installation of KSTAR in-vessel control coils, <i>H.K. Kim, K.S. Lee, H.L. Yang, J.R. Last, E. Bertolini, K.M. Kim, E.N. Bang, H.T. Kim, Y.M. Jeon and M. Kwon</i>	1975	<i>Fuel Cycle and Breeding Blankets</i>	
Design of JET ELM control coils for operation at 350 °C, <i>I.J. Zatz, R. Baker, A. Brooks, M. Cole, G.H. Neilson, C. Lowry, M. Mardenfeld, H. Omran, V. Thompson and T. Todd</i>	1980	Cooling scheme for W7-X divertor cryo-vacuum pumps, <i>C.P. Dhard and S. Raatz</i>	2117
Seismic design of the ITER main Tokamak components, <i>G. Mazzone, G. Sannazzaro, T. Schioler and V. Sorin</i>	1984	European test blanket ancillary equipment unit development, <i>T. Ilkei, O. Bede, S. Madeleine, A. Aiello, T. Baross, B.-E. Ghidersa, G. Grunda, P. Hajek, D. Keller, L. Kosek, B. Mészáros, D. Nagy, J. Németh, F.S. Nitti, S. Tulipán and J. Wagrez</i>	2121
Application of remote handling compatibility on ITER plant, <i>S. Sanders, A. Rolfe, S.F. Mills and A. Tesini</i>	1989	Tritium distribution and chemical forms in the irradiated beryllium pebbles before and after thermoannealing, <i>E. Pajuste, A. Vitins, G. Kizane, V. Zubkovs and P. Birjukovs</i>	2125
Design and fabrication of the KSTAR in-vessel cryo-pump, <i>H.J. Lee, Y.M. Park, Y.B. Chang, J.H. Kim, D.K. Lee, H.L. Yang, A.S. Bozek, J.P. Smith and P.M. Anderson</i>	1993	HCLL TBM design status and development, <i>G. Aiello, G. de Dinechin, L. Forest, F. Gabriel, A.L. Puma, G. Rampal, E. Rigal, J.F. Salavy and H. Simon</i>	2129
Thermo-hydraulic and structural analysis for finger-based concept of ITER blanket first wall, <i>B.-Y. Kim and H.-J. Ahn</i>	1997	Numerical benchmarks TRIPOLI – MCNP with use of MCAM on FNG ITER bulk shield and FNG HCLL TBM mock-up experiments, <i>C. Fausser, Y.-K. Lee, R. Villari, Q. Zeng, J. Zhang, A. Serikov, J.-C. Trama and F. Gabriel</i>	2135
Design analysis of the hinge support for the ITER vacuum vessel, <i>B.Y. Kim, H.J. Ahn, M.S. Ha, Y.K. Kim, H.S. Kim, J.W. Sa, B.C. Kim, J.S. Bak, C.H. Choi, K. Ioki, X. Wang and C. Bachmann</i>	2003	Unsteady vacuum gas flow in cylindrical tubes, <i>J. Lihnaropoulos and D. Valougeorgis</i>	2139
Robust control of Cassette Multi-functional Mover for ITER remote handling tasks, <i>L. Zhai, J. Mattila, H. Saarinen and T. Virvalo</i>	2008	Test Blanket Module Pipe Forest integration in ITER equatorial port, <i>L. Commin, S. Madeleine, C. Dechelle, J.-C. Patterlini, L. Doceul, G. Rampal, F. Cismondi and O. Bede</i>	2143
Predicting the runtime reliability of ITER Remote Handling maintenance equipment, <i>J. Väyrynen, J. Mattila, M. Vilenius, M. Ali, P. Valkama, M. Siuko and L. Semeraro</i>	2012	Enhanced fabrication process for lithium orthosilicate pebbles as breeding material, <i>M.H.H. Kolb, R. Knitter, U. Kaufmann and D. Mundt</i>	2148
Electromagnetic modeling and subsequent structural analysis for ITER core CXRS upper port plug diagnostic structure, <i>A. Panin, W. Biel, Y. Krasikov and O. Neubauer</i>	2016	Recent activities of R&D on effects of tritium water on confinement materials and tritiated water processing, <i>T. Yamanishi, T. Hayashi, Y. Iwai, K. Isobe, M. Hara, T. Sugiyama and K. Okuno</i>	2152
Structural analysis of alternative designs for the ITER vacuum vessel and support, <i>Y.-S. Hong, H.-J. Ahn, T.-H. Kwon, Y.-K. Kim, D.-H. Kim and H.-S. Kim</i>	2021	Sensitivity and uncertainty analysis of nuclear responses in the EU HCLL TBM of ITER, <i>D. Leichtle, U. Fischer, R.L. Perel and A. Serikov</i>	2156
Remote handling concept for the neutral beam system, <i>C.-H. Choi, J. Palmer, C. Conesa, J.-P. Friconneau, J.-P. Martins, R. Subramanian, T. Jeannoutot, J. Graceffa, B. Schunke, M. Uffelen, C. Damiani and A. Tesini</i>	2025	Tritium recovery from blanket sweep gas via ceramic proton conductor membrane, <i>Y. Kawamura and T. Yamanishi</i>	2160
ITER Port Plug Engineering Trainee Program: Design, manufacturing and integration of structural components (analysis of the attachment), <i>C. Zeile, H. Neuberger and B. Dolensky</i>	2029	Development of Pt/ASDBC catalyst for room temperature recombiner of atmosphere detritiation system, <i>Y. Iwai, K. Sato and T. Yamanishi</i>	2164
Real-time markerless Augmented Reality for Remote Handling system in bad viewing conditions, <i>Z. Ziaei, A. Hahto, J. Mattila, M. Siuko and L. Semeraro</i>	2033	High-efficiency technology for lithium isotope separation using an ionic-liquid impregnated organic membrane, <i>T. Hoshino and T. Terai</i>	2168
KIT induced activities to support fabrication, assembly and qualification of technology for the HCPB-TBM, <i>H. Neuberger, A. von der Weth and J. Rey</i>	2039	Trial fabrication tests of advanced tritium breeder pebbles using sol-gel method, <i>T. Hoshino and F. Oikawa</i>	2172
Calibration and compensation of deflections and compliances in remote handling equipment configurations, <i>T. Kivelä, H. Saarinen, J. Mattila, V. Hämäläinen, M. Siuko and L. Semeraro</i>	2043	Integral approach for neutronics analyses of the European test blanket modules in ITER, <i>U. Fischer, D. Große, F. Moro, P. Pereslavtsev, L. Petrizzi, R. Villari and V. Weber</i>	2176
Supervisory system for DTP2 remote handling operations, <i>A. Hahto, L. Aha, T. Nurminen, A. Aaltonen, L. Heikkilä, J. Mattila, M. Siuko, H. Saarinen and L. Semeraro</i>	2047	Design of Pd-based membrane reactor for gas detritiation, <i>S. Tosti, C. Rizzello, F. Borgognoni, N. Ghirelli, A. Santucci and P. Trabuc</i>	2180

Investigation on the TPR prediction accuracy in blanket neutronics experiments with reflector at JAEA/FNS, <i>K. Kondo, T. Yagi, K. Ochiai, S. Sato, K. Takakura, S. Ohnishi and C. Konno</i>	2184
Design progress for the ITER torus and neutral beam cryopumps, <i>C. Day, H. Haas, S. Hanke, V. Hauer, X. Luo, M. Scannapiego, R. Simon, H. Strobel, F. Fellin, R. Lässer, A. Masiello, S. Papastergiou, M. Dremel, C. Mayaux and R. Pearce</i>	2188
Deuterium permeation and thermal behaviors of amorphous silicon carbide coatings on steels, <i>T. Chikada, A. Suzuki and T. Terai</i>	2192
Fabrication and test of thin double-layered annulus metal hydride bed, <i>H.-G. Kang, S. Cho, M.-K. Lee, S.-H. Yun, M.H. Chang, H. Chung, D.-S. Koo, K.-M. Song and D. Kim</i>	2196
Process simulation for fuel delivery from storage and delivery system in fusion power plant, <i>M.H. Chang, S. Cho, H.-G. Kang, S.-H. Yun, K.-M. Song, D. Kim and H. Chung</i>	2200
Studies for the preparation of the Preliminary Safety Reports for the European test blanket systems, <i>T. Pinna</i>	2204
Pellet injectors developed at PELIN for JET, TAE and HL-2A, <i>I. Vinyar, A. Geraud, M. Wyman, L. Dequan, A. Lukin, A. Umov, S. Skoblikov and P. Reznichenko</i>	2208
Development of an experimental facility for a liquid breeder in Korea, <i>J.S. Yoon, D.W. Lee, Y.-D. Bae, S.K. Kim, K.S. Jung and S. Cho</i>	2212
Studies on additional electrical heating of the HCLL TBM breeder zone, <i>H. Simon, G. Aiello, A. Morin, F. Gabriel, G. Rampal, A.L. Puma, J.-F. Salavy, L. Cachon and L. Guerrini</i>	2216
Tritium aging effects on hydrogen permeation through Pd8.5Y0.19Ru alloy membrane, <i>L. Guangda, Z. Guikai, C. Miao and W. Xiaoying</i>	2220
R&D status of key technologies for the development of KO TBM, <i>S. Cho, M.-Y. Ahn, I.-K. Yu, D.Y. Ku, S.-J. Lee, H.-K. Yoon and T.-G. Kim</i>	2223
HCPB TBM thermo mechanical design: Assessment with respect codes and standards and DEMO relevancy, <i>F. Cismondi, S. Kecskes and G. Aiello</i>	2228
Fusion fuel gas recovery and delivery characteristics on a tray-type ZrCo bed, <i>D. Chung, D. Jeong, D. Koo, H. Yoshida, K.-M. Song, M.H. Chang, H.-G. Kang, S.-H. Yun, S. Cho, K.J. Jung and H. Chung</i>	2233
Characterisation of a multitube PERMCAT reactor in view of a technical facility for highly tritiated water processing at the Tritium Laboratory Karlsruhe, <i>S. Welte, D. Demange and R. Wagner</i>	2237
System engineering approach in the EU Test Blanket Systems Design Integration, <i>D. Panayotov, P. Sardain, L.V. Boccaccini, J.-F. Salavy, F. Cismondi and L. Jourd'Heuil</i>	2241
Analysis of the KANT experiment on beryllium using TRIPOLI-4 Monte Carlo code, <i>Y.-K. Lee</i>	2246
HETRA experiment for investigation of heat removal from the first wall of helium-cooled-pebble-bed test blanket module, <i>M. Ilic, G. Messemer, K. Zinn and B. Kiss</i>	2250
Effect of post welding heat treatment of the HCPB TBM on Eurofer and lithium orthosilicate pebbles, <i>A. Abou-Sena, B. Löbbecke, A. von der Weth and R. Knitter</i>	2254
Evolution of beryllium pebbles (HIDOBÉ) in long term, high flux irradiation in the high flux reactor, <i>S. van Til, J.B.J. Hegeman, H.L. Cobussen and M.P. Stijkel</i>	2258
Trial fabrication of beryllides as advanced neutron multiplier, <i>M. Nakamichi, K. Yonehara and D. Wakai</i>	2262
Recent status of fabrication technology development of water cooled ceramic breeder test blanket module in Japan, <i>T. Hirose, H. Tanigawa, A. Yoshikawa, Y. Seki, D. Tsuru, K. Yokoyama, K. Ezato, S. Suzuki, M. Enoda and M. Akiba</i>	2265
Simplification of blanket system for SlimCS fusion DEMO reactor, <i>Y. Someya, H. Takase, H. Utoh, K. Tobita, C. Liu and N. Asakura</i>	2269
Evaluations on reduction of the ITER TFC ripple generated by CN HCCB-TBM, <i>Y. Chen, K. Feng, C. Gao and G. Zhang</i>	2273
Fluid dynamic and thermal analyses of a HCPB TBM Breeder Unit mock-up, <i>F. Hernández, F. Cismondi and B. Kiss</i>	2278
Compressibility study during hydride reaction of ZrCo, <i>S.-H. Yun, M.K. Lee, K.Y. Park, Y.H. Oh, S. Cho, M.H. Chang, H.-G. Kang, K.J. Jung, H. Chung, D.S. Koo, K.-M. Song and D.J. Kim</i>	2282
Development of pellet fuelling system in HL-2A tokamak, <i>G.L. Zhu, D.Q. Liu, H.B. Xu, I. Vinyar, A. Lukin and M.J. Wang</i>	2286
Thermo-hydraulic analysis on Korean helium cooled solid breeder TBM with updated back manifolds design, <i>M.-Y. Ahn, D.Y. Ku, S. Cho and I.-K. Yu</i>	2289
Neutronic analysis of a dual He/LiPb coolant breeding blanket for DEMO, <i>J.P. Catalán, F. Ogando, J. Sanz, I. Palermo, G. Veredas, J.M. Gómez-Ros and L. Sedano</i>	2293
Contact angle measurement of molten lead–lithium on silicon carbide surfaces, <i>Y. Ueki, K. Nagai, T. Kunugi, M. Hirabayashi, K. Ara, Y. Yonemoto and T. Hinoki</i>	2297
Determination of flow distribution in a HCLL blanket mock-up through electric potential measurements, <i>L. Bühler and C. Mistrangelo</i>	2301
Magnetohydrodynamic pressure drops in geometric elements forming a HCLL blanket mock-up, <i>C. Mistrangelo and L. Bühler</i>	2304
Analysis of flow and MHD pressure drop in liquid metal LiPb duct with flow channel inserts, <i>H. Wang, C. Tang and Z. Zhu</i>	2308
A new combination of membranes and membrane reactors for improved tritium management in breeder blanket of fusion machines, <i>D. Demange, S. Stämmeler and M. Kind</i>	2312

The TBM-CA configuration management approach for the ITER test blanket module - application to the HCLL TBS, <i>L. Jourd'Heuil, D. Panayotov, J.-F. Salavy, C. Storto, M. Colombo and P. Sardain</i>	2317
Test facility for a neutron flux spectrometer system based on the foil activation technique for neutronics experiments with the ITER TBM, <i>A. Klix, A. Domula, U. Fischer, D. Gehre, P. Pereslavtsev and I. Rovni</i>	2322
Qualification of MHD effects in dual-coolant DEMO blanket and approaches to their modelling, <i>E. Mas de les Valls, L. Batet, V. de Medina, J. Fradera and L.A. Sedano</i>	2326
A proposed method for foil set qualification for multiple foil activation measurements in the TBMs, <i>I. Rovni, M. Szieberth, S. Feher and A. Klix</i>	2330
Development of numerical simulation code of membrane reactor for detritiation, <i>K. Munakata and D. Demange</i>	2334
Tritium permeation, retention and release properties of beryllium pebbles, <i>V. Chakin, A. Moeslang, P. Kurinskiy, R. Rolli, H.-C. Schneider, E. Alves and L.C. Alves</i>	2338
Overview of liquid lithium lead breeder blanket program in China, <i>Y. Wu and FDS Team</i>	2343
Updated thermal-mechanical analysis of DFLL-TBM for ITER, <i>S. Liu, Q. Jin, W. Wang and M. Li</i>	2347
Effect of fringing magnetic field on magnetohydrodynamic flow in rectangular duct, <i>T. Zhou, H. Chen and Z. Yang</i>	2352
Role of energetic tritium chemistry on developing thermonuclear fusion reactors, <i>K. Okuno, M. Kobayashi, R. Kurata and Y. Oya</i>	2358
Dependence of gamma-ray dose on annihilation processes of irradiation defects in Li <sub>2</sub> TiO <sub>3</sub> , <i>J. Osuo, M. Kobayashi, R. Kurata, A. Hamada, W. Wang, T. Fujii, H. Yamana, T. Luo, K. Feng, Y. Oya and K. Okuno</i>	2362
Design and qualification of an on-line permeator for the recovery of tritium from lead–lithium eutectic breeding alloy, <i>G. Veredas, J. Fradera, I. Fernández, L. Batet, I. Peñalva, L. Mesquida, J. Abellà, J. Sempere, I. Martínez, B. Herrazti and L. Sedano</i>	2365
Analysis of in-pile operation and modeling of tritium transport in lead-lithium irradiation experiments Libretto 4/1, 4/2 and 5, <i>A.V. Fedorov and L. Magielsen</i>	2370
LIBRETTO-4: Understanding and modeling tritium transport under irradiation, <i>P. Martínez, N. Moral, L. Magielsen, A. Fedorov, C. Moreno, J.M. Perlado and L. Sedano</i>	2374
Development of a two-dimensional nuclear-thermal-coupled analysis code for conceptual blanket design of fusion reactors, <i>H. Utoh, K. Tobita, Y. Someya, S. Sato, Y. Seki and H. Takase</i>	2378
<i>Materials Technology</i>	
Current status of the engineering design of the test module interface heads in the IFMIF target and test cell, <i>K. Tian, F. Arbeiter, D. Eilert, V. Heinzl, T. Heupel, A. Klix, M. Kubaschewski, M. Mittwollen, A. Möslang and N. Scheel</i>	2382
Microstructural characterization of the ODS Eurofer 97 EU-batch, <i>R. Mateus, P.A. Carvalho, D. Nunes, L.C. Alves, N. Franco, J.B. Correia and E. Alves</i>	2386
Joining methods of Be/FMS and W/FMS for the ITER TBM first wall, <i>Y.-I. Jung, J.-Y. Park, B.-K. Choi, Y.-H. Jeong, D.-W. Lee and S. Cho</i>	2390
Observations on the post-mortem investigation of electron beam welds and other micro-structural features of JET Hypervapotrons, <i>M.B. Olsson Robbie, N. Hamilton, J. Wood, A. Galloway, J. Milnes and I. Katramados</i>	2394
Limitation of tritium outgassing from fusion reactors waste drums: Theoretical aspects of hydrogen oxidation, <i>X. Lefebvre, K. Liger, M. Troulay and N. Ghirelli</i>	2398
Effects of specimen size on fracture toughness of phosphorous added F82H steels, <i>B.J. Kim, R. Kasada, A. Kimura and H. Tanigawa</i>	2403
High heat flux testing of beryllium components with improved diagnostics, <i>C. Thomser, A. Schmidt, B. Bellin, A. Buerger, J. Linke, M. Roedig and F. Zaccchia</i>	2409
Microstructure and mechanical properties of an ODS RAF steel fabricated by hot extrusion or hot isostatic pressing, <i>P. Unifantowicz, Z. Oksiuta, P. Olier, Y. de Carlan and N. Baluc</i>	2413
Influence of Y <sub>2</sub> O <sub>3</sub> and Fe <sub>2</sub> Y additions on the formation of nano-scale oxide particles and the mechanical properties of an ODS RAF steel, <i>Z. Oksiuta, M. Lewandowska, P. Unifantowicz, N. Baluc and K.J. Kurzydowski</i>	2417
Hydrogen permeability of beryllium films prepared by the thermionic vacuum arc method, <i>V. Nemanič, B. Zajec, M. Žumer, C. Porosnicu and C.P. Lungu</i>	2421
Analysis of displacement damage in materials in nuclear fusion facilities (DEMO, IFMIF and TechnoFusion), <i>F. Mota, R. Vila, C. Ortiz, A. Garcia, N. Casal, A. Ibarra, D. Rapisarda and V. Queral</i>	2425
Novel methods of tritium production rate measurements in HCLL TBM mock-up experiment with liquid scintillation technique, <i>W. Pohorecki, T. Kuc, B. Ostachowicz and P. Bilski</i>	2429
Safety concept of the IFMIF/EVEDA lithium test loop, <i>T. Furukawa, H. Kondo, Y. Hirakawa, S. Kato, I. Matsushita, M. Ida and K. Nakamura</i>	2433
Design of purification loop and traps for the IFMIF/EVEDA Li Test Loop: Design of cold trap, <i>H. Kondo, T. Furukawa, Y. Hirakawa, H. Iuchi, M. Ida, J. Yagi, A. Suzuki, S. Fukada, I. Matsushita and K. Nakamura</i>	2437
Radiation induced electrical and microstructural degradation at high temperature for HP SiC, <i>T. Hernández, E.R. Hodgson, M. Malo and A. Moróño</i>	2442
Characterization of ceramic materials for electrochemical hydrogen sensors, <i>P. Serret, S. Colominas, G. Reyes and J. Abellà</i>	2446
Processing and characterization of a W–2Y material for fusion power reactors, <i>L. Veleva, R. Schäublin, T. Plocinski, M. Walter and N. Baluc</i>	2450

Comparative study of fusion relevant properties of Be <sub>12</sub> V and Be <sub>12</sub> Ti, <i>P. Kurinskiy, V. Chakin, A. Moeslang, R. Rolli, E. Alves, L.C. Alves, N. Franco, C. Dorn and A.A. Goraiéb</i>	2454
Hydrogen retention in gallium samples exposed to ISTTOK plasmas, <i>R.B. Gomes, R. Mateus, E. Alves, H. Fernandes, C. Silva and P. Duarte</i>	2458
Wave period of free-surface waves on high-speed liquid lithium jet for IFMIF target, <i>T. Kanemura, H. Sugiura, N. Yamaoka, S. Yoshihashi-Suzuki, H. Kondo, M. Ida, I. Matsushita and H. Horiike</i>	2462
Radiation testing of diagnostic window bondings for enhanced H isotope diffusion, <i>A. Moroño, M. Malo and E.R. Hodgson</i>	2466
Radioluminescence for in situ materials characterization: First results on SiC for fusion applications, <i>M. Malo, S. Nagata, B. Tsuchiya, A. Moroño, T. Shikama and E.R. Hodgson</i>	2470
Outgassing measurements for the ITER EC H&CD Upper Launcher, <i>G. Aiello, A. Meier, T. Scherer, S. Schreck, P. Spaeh, D. Strauss and A. Vaccaro</i>	2474
Hydraulic analysis on effects of back-plate deformation upon stability of high-speed free-surface lithium flow for IFMIF target design, <i>M. Ida, H. Kondo, K. Nakamura and E. Wakai</i>	2478
Thermo-structural analysis of integrated back plate in IFMIF/EVEDA liquid lithium target, <i>K. Watanabe, M. Ida, H. Kondo, K. Nakamura and E. Wakai</i>	2482
Radiation induced changes in electrical conductivity of chemical vapor deposited silicon carbides under fast neutron and gamma-ray irradiations, <i>B. Tsuchiya, T. Shikama, S. Nagata, K. Saito, S. Yamamoto, S. Ohnishi and T. Nozawa</i>	2487
Present status of Japanese tasks for lithium target facility under IFMIF/EVEDA, <i>K. Nakamura, T. Furukawa, Y. Hirakawa, T. Kanemura, H. Kondo, M. Ida, S. Niitsuma, M. Ohtaka, K. Watanabe, H. Horiike, E. Hoashi, S. Suzuki, N. Yamaoka, H. Sugiura, T. Terai, A. Suzuki, J. Yagi, M. Bannai, S. Fukada, H. Nakamura, Y. Edao, Y. Tsuji and K. Furuya</i>	2491
High-temperature mechanical properties and microstructure of 9Cr oxide dispersion strengthened steel compared with RAFMs, <i>Y. Li, T. Nagasaka, T. Muroga, A. Kimura and S. Ukai</i>	2495
Flow accelerated corrosion and erosion–corrosion of RAFM steel in liquid breeders, <i>M. Kondo, T. Muroga, A. Sagara, T. Valentyn, A. Suzuki, T. Terai, M. Takahashi, N. Fujii, Y. Yokoyama, H. Miyamoto and E. Nakamura</i>	2500
Development of a filled resin system for the TF coils of ITER, <i>S.J. Canfer, S.J. Robertson, E. Baynham, D. Evans, G.E. Ellwood, S.H. Jones and J. Knaster</i>	2504
Compatibility of dip-coated Er <sub>2</sub> O <sub>3</sub> coating by MOD method with liquid Li, <i>D. Zhang, M. Kondo, T. Tanaka, T. Muroga and T. Valentyn</i>	2508
Torsion test technique for interfacial shear evaluation of F82H RAFM HIP-joints, <i>T. Nozawa, H. Ogiwara, J. Kannari, H. Kishimoto and H. Tanigawa</i>	2512
Low temperature mechanical properties of 316L type stainless steel after hydrostatic extrusion, <i>P. Czarkowski, A.T. Krawczynska, R. Slesinski, T. Brynk, J. Budniak, M. Lewandowska and K.J. Kurzydłowski</i>	2517
Workload foreseen for the IFMIF Post Irradiation Examination Facility, <i>J. Molla, M. Yamamoto, A. Polato, M. Soldaini, H. Takeuchi and E. Wakai</i>	2522
Manufacturing and characterization of porous SiC for flow channel inserts in dual-coolant blanket designs, <i>A. Bereciartu, N. Ordás, C. García-Rosales, A. Moroño, M. Malo, E.R. Hodgson, J. Abellà and L. Sedano</i>	2526
Er <sub>2</sub> O <sub>3</sub> coating synthesized with MOCVD process on the large interior surface of the metal tube, <i>Y. Hishinuma, T. Tanaka, T. Tanaka, T. Nagasaka, Y. Tasaki, A. Sagara and T. Muroga</i>	2530
Development of oxide dispersion strengthened W alloys produced by hot isostatic pressing, <i>J. Martínez, B. Savoini, M.A. Monge, A. Muñoz and R. Pareja</i>	2534
The materials production and processing facility at the Spanish National Centre for fusion technologies (TechnoFusión), <i>A. Muñoz, M.A. Monge, R. Pareja, M.T. Hernández, D. Jimenez-Rey, R. Román, M. González, I. García-Cortés, M. Perlado and A. Ibarra</i>	2538
Precipitation behavior in F82H during heat treatments of blanket fabrication, <i>H. Sakasegawa, H. Tanigawa, S. Kano and M. Enomoto</i>	2541
Hydraulic numerical analyses of the IFMIF target performance, <i>S. Gordeev, V. Heinzl and R. Stieglitz</i>	2545
Technical issues related to the development of reduced-activation ferritic/martensitic steels as structural materials for a fusion blanket system, <i>H. Tanigawa, K. Shiba, H. Sakasegawa, T. Hirose and S. Jitsukawa</i>	2549
Mechanical characterization of glass fibre–epoxy composite material for ITER pre-compression rings, <i>F. Crescenzi, F. Marini, C. Nardi, A. Pizzuto, P. Rossi, L. Verdini, H. Rajainmaki, J. Knaster and L. Bettinali</i>	2553
Surface composition and morphology changes of JET tiles under plasma interactions, <i>L.C. Alves, E. Alves, N.P. Barradas, M. Dias, R. Mateus, P. Carvalho, J.P. Coad, A.M. Widdowson, J. Likonen, S. Koivuranta and JET-EFDA Contributors</i>	2557
Creep properties of V–4Cr–4Ti strengthened by cold working and aging, <i>P.F. Zheng, T. Nagasaka, T. Muroga, J.M. Chen and Y.F. Li</i>	2561
Development of an instrumented indentation device for further characterization of irradiated steels at high temperature, <i>I. Sacksteder and H.-C. Schneider</i>	2565
The development of brazing filler for ITER thermal anchor attachment, <i>P.Y. Lee, Z.C. Sun, C.J. Pan, B.L. Hou, S.L. Han, Y.Y. Pei and W.M. Long</i>	2569
W/steel joint fabrication using the pulse plasma sintering (PPS) method, <i>M. Rosiński, M.J. Kruszewski, A. Michalski, E. Fortuna-Zaleśna, Ł. Ciupiński and K.J. Kurzydłowski</i>	2573

Overview: Free surface measurement with renewed nozzle of Osaka Li loop, <i>S. Yoshihashi-Suzuki, H. Sugiura, E. Hoashi, H. Kondo, T. Kanemura, N. Yamaoka, M. Ida, H. Nakamura, K. Nakamura, I. Matsushita and H. Horiike</i>	2577
Extraction residue analysis on F82H-BA07 heat and other reduced activation ferritic/martensitic steels, <i>T. Nagasaka, Y. Hishinuma, T. Muroga, Y. Li, H. Watanabe, H. Tanigawa, H. Sakasegawa and M. Ando</i>	2581
Investigation of tungsten/EUROFER97 diffusion bonding using Nb interlayer, <i>W.W. Basuki and J. Aktaa</i>	2585
Production of Cu/diamond composites for first-wall heat sinks, <i>D. Nunes, J.B. Correia, P.A. Carvalho, N. Shohoji, H. Fernandes, C. Silva, L.C. Alves, K. Hanada and E. Ōsawa</i>	2589
Reflective metallic coatings for first mirrors on ITER, <i>B. Eren, L. Marot, A. Litnovsky, M. Matveeva, R. Steiner, V. Emberger, M. Wisse, D. Mathys, G. Covarel and E. Meyer</i>	2593
On thermo-mechanical issues induced by irradiation swelling inside the back-plate of the IFMIF target assembly, <i>P.A. Di Maio, R. Giannusso and G. Micciché</i>	2597
Effects of tube rolling and heat treatment on microstructure and mechanical properties of CLAM rectangular tube, <i>B. Huang, Q. Huang, C. Li, S. Liu and Q. Wu</i>	2602
Effect of 16.3 dpa neutron irradiation on fatigue lifetime of the RAFM steel EUROFER97, <i>E. Materna-Morris, A. Möslang, R. Rolli and H.-C. Schneider</i>	2607
Latest progress on R&D of ITER DFLL-TBM in China, <i>Q. Huang, Q. Wu, S. Liu, C. Li, B. Huang, L. Peng, S. Zheng, Q. Han, Y. Wu and FDS Team</i>	2611
Influence of different cooling rates on the microstructure of the HAZ and welding CCT diagram of CLAM steel, <i>S. Zheng, Q. Wu, Q. Huang, S. Liu and Y. Han</i>	2616
Quality assurance of Li-Pb eutectic alloy as nuclear material qualification of commercial and R&D material ingots, <i>C. Palomo, L.Serrano, S. Duran, J. Quiñones, M. Fernandez, I. Barrena, E. Conde, A. Quejido, J.M.G. de Salazar and L. Sedano</i>	2620
Swelling of CLAM steel irradiated by electron/helium to 17.5 dpa with 10 appm He/dpa, <i>L. Peng, Q. Huang, S. Ohnuki and C. Yu</i>	2624
Corrosion behavior of CLAM steel in static and flowing LiPb at 480 °C and 550 °C, <i>S. Gao, Q. Huang, Z. Zhu, Z. Guo, X. Ling and Y. Chen</i>	2627
Compact tokamaks as convenient neutron sources for fusion reactors materials testing, <i>F. Bombarda, B. Coppi, Z.S. Hartwig, M. Sassi and M. Zucchetti</i>	2632
Surface wave growth characteristics of the high speed liquid Li flow, <i>H. Sugiura, S. Yoshihashi-Suzuki, E. Hoashi, H. Kondo, T. Kanemura, N. Yamaoka, M. Ida and H. Horiike</i>	2635
Shutdown dose rate analyses for the IFMIF HFTM, <i>A. Serikov, F. Arbeiter, U. Fischer, V. Heinzl, A. Klix and S.P. Simakov</i>	2639
Effect of Li/Ti ratio on microstructure and thermal diffusivity of lithium titanate for solid breeding material, <i>K. Mukai, K. Sasaki, T. Hashimoto, A. Suzuki, T. Hoshino and T. Terai</i>	2643
Fusion materials irradiations at MaRIE'S fission fusion facility, <i>E.J. Pitcher</i>	2647
Ferroelectric materials and metamaterials for a new approach to ITER–ICRH loads, <i>H. Bottollier-Curtet, S. Champeaux, P. Gouard, M. Primout, A. Bécoulet, X. Litaudon and R. Magne</i>	2651
Compatibility of SiC with static liquid LiPb at 800 °C, <i>X. Ling, Q. Huang, S. Gao, Z. Zhu, Y. Chen, Y. Song, S. Liu, Y. Wu, S. Zhao and FDS Team</i>	2655
A new approach to evaluate irradiation hardening of ion-irradiated ferritic alloys by nano-indentation techniques, <i>R. Kasada, Y. Takayama, K. Yabuuchi and A. Kimura</i>	2658
Preliminary studies of in-cell electrophoresis as <sup>6</sup> Li enrichment technique, <i>A.I. Barrado, M. Fernández, E. Conde, A. Quejido, J. Quiñones and L. Sedano</i>	2662
Design analysis of DRAGON-IV LiPb loop, <i>Z. Zhu, Q. Huang, S. Gao, Y. Song, C. Li, L. Peng, H. Chen, S. Liu, X. Ling, Y. Chen, Y. Chen, Y. Wu and FDS Team</i>	2666
E <sub>2</sub> O <sub>3</sub> layer forming on Er plate in high temperature liquid Li, <i>M. Nagura, A. Suzuki and T. Terai</i>	2670
Some error studies for interface management in the HEFT of the IFMIF accelerator, <i>H. Shidara, C. Vermare, M. Sugimoto, S. Toupet, P. Garin and IFMIF/EVEDA Project Team</i>	2674
Fabrication of nitrogen trapping test loop for IFMIF-EVEDA, <i>J. Yagi, M. Ban-nai, A. Suzuki, T. Terai, K. Nakamura, H. Kondo, M. Ida, T. Kanemura, T. Furukawa, Y. Hirakawa and M. Anzai</i>	2678
Detailed benchmark test of JENDL-4.0 iron data for fusion applications, <i>C. Konno, M. Wada, K. Kondo, S. Ohnishi, K. Takakura, K. Ochiai and S. Sato</i>	2682
<i>Power Plants, Safety and environment, Socio-Economics and Transfer of Technology</i>	
An aerosol resuspension model for MELCOR for fusion, <i>B.J. Merrill, P.W. Humrickhouse and J.P. Sharpe</i>	2686
Contact dose rates and relevant radioactive inventory in ITER TBM systems, <i>M. Zucchetti, L. Guerrini, Y. Poitevin, I. Ricapito and M. Zmitko</i>	2690
ITER – Earthing, <i>A. Perez, D. Fasel, J. Lister, B. Marletaz, P. Marmillod and U. Siravo</i>	2694
Comparison of global variance reduction techniques for Monte Carlo radiation transport simulations of ITER, <i>A. Davis and A. Turner</i>	2698
Water radiolysis in fusion neutron environments, <i>P.J. Karditsas</i>	2701
Activation, decay heat and waste analysis for a European HCLL DEMO concept, <i>W. Pohorecki, S. Taczanowski, M. Kopec, R. Pampin and M.H. O'Brien</i>	2705

Increasing current drive efficiency in DEMO by induction of counter-rotation, <i>R. Kemp, T.N. Todd and D. Keeling</i>	2709
Stress and fatigue in the magnets in DEMO in pulsed and steady-state operation using geometric scaling factors, <i>M. Kovari</i>	2713
Removal of in vessel Tokamak dust by laser techniques, <i>A. Vatry, C. Grisolia, P. Delaporte and M. Sentis</i>	2717
IFMIF accelerator: Database, FMEA, fault tree and RAM, <i>C. Tapia, J. Dies, V. Pesudo, J. Abal, Á. Ibarra and J.M. Arroyo</i>	2722
Exploration of reliability databases and comparison of former IFMIF's results, <i>C. Tapia, J. Dies, J. Abal, Á. Ibarra and J.M. Arroyo</i>	2726
Maintenance concept for the SlimCS DEMO reactor, <i>K. Tobita, U. Utoh, S. Kakudate, H. Takase, N. Asakura, Y. Someya and C. Liu</i>	2730
Power conversion systems based on Brayton cycles for fusion reactors, <i>J.I. Linares, L.E. Herranz, B.Y. Moratilla and I.P. Serrano</i>	2735
Investigation of accident cases for high pressure, high temperature experimental helium loop using RELAP5-3D code, <i>X.Z. Jin and B.-E. Ghidersa</i>	2739
A simulation model for transient response of a gas separation module using a hollow fiber membrane, <i>T. Sugiyama, N. Miyahara, M. Tanaka, K. Munakata and I. Yamamoto</i>	2743
Experiments for the hydrogen combustion aspects of ITER LOVA scenarios, <i>M. Kuznetsov, J. Grune, S. Kobelt, K. Sempert and T. Jordan</i>	2747
F4E R&D programme and results on in-vessel dust and tritium, <i>F. Le Guern, W. Gulden, S. Ciattaglia, G. Counsell, A. Bengaouer, J. Brinster, F. Dabbene, A. Denkevitz, T. Jordan, M. Kuznetsov, M.T. Porfiri, R. Redlinger, P. Roblin, J. Roth, J. Segré, K. Sugiyama, I. Tkatschenko and Z. Xu</i>	2753
Assessment of radiation dose rate resulting from activated corrosion products in the PRIMA facility cooling loops, <i>M. D'Arienzo, S. Sandri, F. Fellin, A. Daniele, L. Di Pace and A. Coniglio</i>	2758
Calculation of prompt doses induced by fusion experiments in Laser MegaJoule facility, <i>J. Baggio, H.-P. Jacquet, P. Schneider and F. Javier</i>	2762
Systems approach for condition management design: JET neutral beam system—A fusion case study, <i>M. Khella, J. Pearson, R. Dixon, D. Ciric, I. Day, R. King, J. Milnes and R. Stafford-Allen</i>	2766
Is nuclear fusion a sustainable energy form?, <i>A.M. Bradshaw, T. Hamacher and U. Fischer</i>	2770
Validation of a loss of vacuum accident (LOVA) Computational Fluid Dynamics (CFD) model, <i>C. Bellecci, P. Gaudio, I. Lupelli, A. Malizia, M.T. Porfiri, R. Quaranta and M. Richetta</i>	2774
Design studies of innovatively small fusion reactor based on biomass-fusion hybrid concept: GNOME, <i>K. Ibane, H. Utoh, K. Tobita, Y. Yamamoto and S. Konishi</i>	2779
Development and application of MC-S <sub>N</sub> coupled auto-modeling tool RCAM1.0, <i>J. Zhang, L. Hu, Q. Zeng, P. Long and G. Wang</i>	2783
A comparison between a steady state and a pulsed fusion power plant, <i>G. Zollino, G. Casini, D. Pierobon, V. Antoni, T. Bolzonella and R. Piovan</i>	2787
<i>Laser and Accelerator Technologies</i>	
Upgrade of the material ion beam test facility MARION for enhanced requirements of JET and ITER, <i>D. Nicolai, A. Charl, G. Czymek, M. Knaup, P. Mertens, O. Neubauer, A. Panin, H. Reimer, B. Schweer and R. Uhlemann</i>	2791
Design of gamma-ray and neutron area monitoring system for the IFMIF/EVEDA accelerator building, <i>H. Takahashi, S. Maebara, T. Kojima, T. Kubo, H. Sakaki, H. Takeuchi, H. Shidara, K. Hirabayashi, K. Hidaka, N. Shigyo, Y. Watanabe and K. Sagara</i>	2795