Methods for Initial-Phase Assessment of Individual Doses following Acute Exposure to Ionizing Radiation

Сог	ntent	s	• • • • • • • •		5
Pre	face				10
Ab	strac	t			11
Exe	ecutiv	ve Sum	mary .	•••••••••••••••••••••••••••••••••••••••	12
1.	Intr	roduct	tion		13
	1.1	Back	ground		13
		1.1.1	Initial-	Phase Dose Assessment	13
		1.1.2	Other l	Relevant Reports	14
		1.1.3	Types of	of Radiological Event Considered	15
		1.1.4	Dosime	etry Methods Covered in this Report	15
	1.2	Obje	ctives		17
2.	Qua	antitie	es	· · · · · · · · · · · · · · · · · · ·	18
	2.1	Dose	Quantit	ies	18
		2.1.1	Absorb	bed Dose	18
		2.1.2	Kerma		18
		2.1.3	RBE-W	Veighted Absorbed Dose	18
		2.1.4	Neutro	n Quantities	18
		2.1.5	Dose fr	om External and Internal Sources	19
		2.1.6	Photon	1 Tissue Equivalence	19
		2.1.7	Neutro	n Tissue Equivalence	19
	2.2	Calib	ration a	nd Related Considerations	20
		2.2.1	Calibra	ation Curves	20
		2.2.2	Detecti	on Limits	21
	2.3	Whie	h Quant	tity? Recommendations	22
	2.4	Dose	to the D	osimeter, or Dose to the Body?	23
3.	Bio	dosim	etry	,	26
	3.1	Intro	duction		26
	3.2	Estab	olished B	Biodosimetry Assays	27
		3.2.1	The Di	centric Chromosome Assay	27
			3.2.1.1	Methods	27
			3.2.1.2	Typical Applications	30
			3.2.1.3	Standardization of the Assay	30
			3.2.1.4	Approaches for Improving the Throughput	30
			3.2.1.5	Recent Advances	33
		3.2.2	Cytoki	nesis-Block Micronucleus Assay	34
			3.2.2.1	Methods	34
			3.2.2.2	Typical Applications	35
			3.2.2.3	Standardization of the Assay	36
			3.2.2.4	Approaches for Improving the Throughput	36
			3.2.2.5	Recent Advances	37
		3.2.3	Translo	ocation Analysis by Fluorescent In-Situ Hybridization	37
			3.2.3.1	Methods	37
			3.2.3.2	Typical Applications	38
			3.2.3.3	Standardization of the Assay	38
			3.2.3.4	Approaches for Improving the Throughput	38

	3.2.4	Premat	ure Chromosome Condensation	38
		3.2.4.1	Methods	39
		3.2.4.2	Typical Applications	39
		3.2.4.3	Approaches for Improving the Throughput	40
		3.2.4.4	Recent Advances	40
	3.2.5	The γ-I	H2AX Assay	40
		3.2.5.1	Methods	41
		3.2.5.2	Typical Applications	41
		3.2.5.3	Standardization of the Assay	42
		3.2.5.4	Approaches for Improving the Throughput	42
		3.2.5.5	Recent Advances	43
3.3	Emer	ging Ass	ays	43
	3.3.1	RNA Ex	xpression-Based Assays	43
		3.3.1.1	Signature Development	43
		3.3.1.2	Development of Assay Platforms	44
		3.3.1.3	Future Perspectives	44
	3.3.2	Protein	-Based Assays	44
		3.3.2.1	Signature Development	44
		3.3.2.2	Development of Assay Platforms	45
		3.3.2.3	Future Perspectives	45
	3.3.3	Metabo	olomics-Based Assays	45
		3.3.3.1	Signature Development	45
		3.3.3.2	Development of Assay Platforms	45
		3.3.3.3	Future Perspectives	45
4.1 Ele	ctron	Parama	gnetic Resonance Dosimetry	46
4.1	Intro	duction .		46
4.2	Princ	inles of t	the Method and Instrumentation	46
4.3	Calci	fied Tiss		49
	4.3.1	Bone Ti	issue	49
		4.3.1.1	Typical Signals and Signal Origin	49
		4.3.1.2	Sample Collection and Preparation	49
		4.3.1.3	Dose and Energy Response	50
		4.3.1.4	RIS Stability	51
		4.3.1.5	Dose-Estimation Protocol	51
		4316	Case Studies	51
		4317	Future Perspectives	52
		4318	Conclusions	52
	432	Tooth R	Fnamal	52
	T .J. <u>#</u>	4371	Tooth Fnamel Dosimetry in the X-Rand	52
		4377	In Vivo FPR Dosimetry with Teeth	53
		4.3.2.2	O-Bond FPD Desimetry with Tooth Fnamel Rioney Samples	54
1 1	Kora	tinous Ti		57
4.4		Humon	1990C	57
	4.4.1	11uman 4 4 1 1	Introduction Overview and Context	57
		4.4.1.1	Typical Signals and Signal Origin	57
		4.4.1.2		57
		44 1		
		A A 1 A	Dose and Energy Despanse	50
		4.4.1.4	Dose and Energy Response	59 50
		4.4.1.4 4.4.1.5	Dose Estimation Protocol	59 59 59
		4.4.1.4 4.4.1.5 4.4.1.6	Dose and Energy Response Dose Estimation Protocol Case Studies	59 59 59
		4.4.1.4 4.4.1.5 4.4.1.6 4.4.1.7	Dose and Energy Response Dose Estimation Protocol Case Studies In-Vivo Nail Dosimetry Consumptions	59 59 59 60
		4.4.1.4 4.4.1.5 4.4.1.6 4.4.1.7 4.4.1.8	Dose and Energy Response Dose Estimation Protocol Case Studies In-Vivo Nail Dosimetry Conclusions	59 59 59 60 60
	4.4.2	4.4.1.4 4.4.1.5 4.4.1.6 4.4.1.7 4.4.1.8 Hair	Dose and Energy Response Dose Estimation Protocol Case Studies	59 59 59 60 60 60
4.5	4.4.2 Suga	4.4.1.4 4.4.1.5 4.4.1.6 4.4.1.7 4.4.1.8 Hair	Dose and Energy Response Dose Estimation Protocol Case Studies In-Vivo Nail Dosimetry Conclusions	59 59 59 60 60 60 61
4.5	4.4.2 Suga 4.5.1	4.4.1.4 4.4.1.5 4.4.1.5 4.4.1.7 4.4.1.8 Hair Introdu	Dose and Energy Response Dose Estimation Protocol Case Studies	59 59 59 60 60 60 61 61

		4.5.3 Confou	Inding Signals	62
		4.5.4 Dose D	ependence and Variability	62
		4.5.5 RIS Sta	ability	62
		4.5.6 Applica	ation of Sugar as an EPR Accident Dosimeter	63
		4.5.7 Conclu	isions	64
	4.6	Mineral Glass	S	64
		4.6.1 Introdu	uction	64
		4.6.2 Typical	I Signals and Signal Origin	65
		4.6.3 RIS Sta	ahility	65
		4.6.4 Dose at	nd Energy Response	65
		465 Detecti	on Limit	66
		4.6.5 Detecti	isians	66
	47	Cotton	.510115	66
	4.7	Diastia		67
	4.0	Summery		68
	т.у	Summary		00
5.	Lur	ninescence D	osimetry	69
	- 1	.		(0)
	5.1 E 2	Durin star loss of	the Method and Instrumentation	09
	5.2	Principles of		09
	5.3	Electronic Co	imponents in Personal Items	70
		5.3.1 Chip C	ards	70
		5.3.1.1	Sample Collection and Preparation	71
		5.3.1.2	Typical Signal and Signal Origin	71
		5.3.1.3	Confounding Signals	72
		5.3.1.4	Signal Stability	72
		5.3.1.5	Dose Response, Reproducibility and Minimum Detectable Dose	72
		5.3.1.6	Energy Dependence	73
		5.3.1.7	Irradiation Trials	73
		5.3.1.8	Limitations, Typical Uses, Gaps and Needed Further Research	73
		5.3.2 Surface	e Mount Devices and Integrated Circuits in Mobile Phones	73
		5.3.2.1	Sample Collection and Preparation	74
		5.3.2.2	Typical Signal and Signal Origin	74
		5.3.2.3	Confounding Signals	75
		5.3.2.4	Dose Response, Reproducibility and Minimum Detectable Dose	75
		5.3.2.5	Signal Stability	75
		5.3.2.6	Energy Dependence	76
		5.3.2.7	Irradiation Trials and Inter-Comparisons	76
		5328	Limitations Typical Uses Gans and Needed Further Research	76
		533 ICDD	Annuations, Typical Uses, Sups and Accured Further Research Annual Strengther Annual Strengther Str	76
		5331	Sample Collection and Preparation	70
		5333	Typical Signal and Signal Origin	,, 77
		5332	Confounding Signals	78
		5 2 3 4	Dasa Despanse Deproducibility and Minimum Detectable Dasa	70
		5.3.3.4	Signal Stability	70
		5.3.3.3	Signal Stability	70
		5.3.3.0	Energy Dependence	70
		5.3.3.7	Irradiation Irrais and Inter-Comparisons	79
	5 4	5.3.3.8	Limitations, Typical Uses, Gaps and Needed Further Research	/9
	5.4	Other Person	an nems	00
		5.4.1 Plastic		00
		5.4.1.1	Sample Collection and Preparation	80
		5.4.1.2	Typical Signal and Signal Origin	81
		5.4.1.3	Confounding Signals	۲۵ ۱۵
		5.4.1.4	Dose Response, Reproducionity and Minimum Detectable Dose	81
		5.4.1.5	Signal Stability	81
		5.4.1.6	Irradiation Irials	82
		5.4.1.7	Limitations, Typical Uses, Gaps and Needed Further Research	82

		5.4.2 Dust on Personal Items and Coins	82
		5.4.2.1 Sample Collection and Preparation	82
		5.4.2.2 Typical Signal and Signal Origin	82
		5.4.2.3 Confounding Signals	83
		5.4.2.4 Dose Response, Reproducibility and Minimum Detectable Dose	83
		5 4 2 5 Signal Stability	83
		5476 Irradiation Trials	83
		5.4.2.7 Limitations Typical Uses Gans and Needed Further Research	83
		5.4.2. Fabrics and Clothing	84
		5.4.5 Fabrics and Collection and Propagation	84
		5.4.3.1 Sample Conection and Freparation	84
			94
		5.4.3.5 Contounding Signals	04 Q4
		5.4.3.4 Dose Response, Reproducibility and Minimum Detectable Dose	04
		5.4.3.5 Signal Stability	84
		5.4.3.6 Irradiation Trials	84
		5.4.3.7 Limitations, Typical Uses, Gaps and Needed Further Research	85
	5.5	Biologically Derived and Related Materials	85
		5.5.1 Teeth and Dental Repair Ceramics	85
		5.5.1.1 Typical Signal and Signal Origin	85
		5.5.1.2 Confounding Signals	86
		5.5.1.3 Dose Response, Reproducibility and Minimum Detectable Dose	86
		5.5.1.4 Signal Stability	87
		5.5.1.5 Energy Dependence	87
		5.5.1.6 Irradiation Trials	87
		5.5.1.7 Limitations, Typical Uses, Gaps and Needed Further Research	87
6.	Oth	er Individual-Person Radiation Measurements	88
		Ted as Load as	99
	6.1		00
	6.2		00
	6.3		09
	6.4	Internal Contamination and Bioassays	90
		6.4.1 General	90
		6.4.2 In-Vivo Monitoring or Bioassay	91
		6.4.2.1 Whole-Body Counting	91
		6.4.2.2 Thyroid Monitoring	92
		6.4.2.3 Chest Counting	92
		6.4.3 Ex-Vivo Monitoring	93
		6.4.3.1 Excreta Analysis	93
		6.4.4 Concluding Points on Bioassays	93
	6.5	Neutrons and Neutron Activation	94
		6.5.1 General	94
		6.5.2 Neutron Dose and Neutron Dosimetry	95
		6.5.3 Neutron Activation	95
	6.6	Dase Reconstruction	97
	0.0		
7.	Ext	ternal Dose Assessment Methods Based on Radiation Field Mapping	99
	71	Introduction	100
	/.1 77 1	Incountry Internet in the second	100
	1.4	Uses of Dadiation Field Mana for Quantitative Dasa Estimation	100
	1.3	Uses of Kadiation Field Maps for Quantitative Dose Estimation	100
8.	Sur	nmary	105
	01	Summany of Designation Mathada	105
	0.1	Jummary of Dosimenty freehous	100
	0.4	Uncertainties	100

9.	Ap	olications
	9.1	Small-Scale Accidents
		9.1.1 The Importance of Dose Assessments
		9.1.2 Multi-Technique Strategies and Case Studies
		9.1.2.1 Whole-Body/Partial-Body Irradiation
		9.1.2.2 Whole-Body Combined with Local Irrad
		9.1.3 Overall Conclusions
	9.2	Large-Scale Events
		9.2.1 Concepts of Operations
		9.2.2 Networks
		9.2.2.1 Existing Networks
		9.2.2.2 Harmonization and Inter-Comparisons.
		9.2.2.3 Capacity
	9.3	Uses of Dose Information
		9.3.1 Use in Emergency Management
		9.3.2 Use in Evaluating Risks and in Epidemiology
		9.3.3 Use in Informing the Public
		9.3.4 Use in Compensation and Liability Assessments.
10.	. Coi	clusions and Recommendations
	10.1	Conclusions
	10.2	Recommendations
		10.2.1 Biodosimetry
		10.2.2 Physical Dosimetry
		10.2.3 Other Methods
		10.2.4 General Recommendations for All Methods
Ap	pend	x
Glo	ossar	7
Re	feren	es

•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•]	10)
•	•	•	•	•	•	•	•	•							•	•		•								•				•		•		•	•	•	•	•				110)
•	•	•	•	•	•	•			•		•	•		•	•	•	•	•			•		•	•	•	•	•		•	•	•		•	•	•	•	•	•			2	110)
	•		•													•								•		•			•		•	•	•				•					113	3
	•			•																				•								•					•	,			-	113	3
li	a	ti	io	r	l																																				1	115	5
																																										117	1
																																									1	117	1
																																										117	1
																																							,			119)
																																							,			119)
																																										119)
																																									1	20)
																																									1	20)
																																									1	20)
																																Ì									1	21	1
	•	•									•	•																	:					:							1	22	2
	ļ	•	Ì		Ī	•	ļ		Ī	•	Ī	Ī	Ī	Ī	Ī	Ī			Ī	İ	•		•		Ī	ľ	Ī	ľ	Ī	•	•	•	•	Ì	Ì	Ī	Ì				1	123	į
•	•	•	•	•	·	•	•	•	•		•	•	•	•	•	•	•	•		Ì	•		•	•	•	ľ	•	•	•	•	•	•	•	Ì		•	•		•				, ,
•	•	•	•	•	, ,	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•		•			1	24	ļ
			•		•								•		•								•		•	•	•								•			•	•		1	124	ŀ
•	•		•					•		•	•			•					•						•	•		•	•					•	•	•			,		1	125	5
•	•		•	•		•					•		•	•												•	•				•	•	•	•					,		1	25	5
																												•											,		1	125	5
																													•										,		1	127	1
			•			•																																	,		1	28	3
•			•	•	•	•	•			•				•	•	•			•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		,		1	29)
	•	•	•	•	•	•	•	•		•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		,		1	31	L
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•	•	•		•	•			1	136	j

.