Operational Quantities for External Radiation Exposure

Pr Gl	eface ossary	v of Terms and Definitions of Basic Ouantities			
Ał	ostrac		1		
Ex	ecutiv	e Summary	1		
1	Inti	oduction	1		
	1.1	Motivation and Scope of the Report	1		
	1.2	Outline of the Report	1		
2	ICRP Publication 103 Protection Quantities and ICRU Report 39/51 Operational Quantities				
	2.1	Protection Quantities			
	2.2	Purpose of Operational Quantities			
	2.3	ICRU Report 39/51 Operational Quantities			
	2.4	Limitations of the ICRU Report 39/51 Operational Quantities			
3	Ope	erational Quantities for External Exposure			
	3.1	Basis of Recommended Operational Quantities	,		
	3.2	Ambient Dose			
	3.3	Ambient Dose Rate			
	3.4	Directional Absorbed Dose in the Lens of the Eye			
	3.5	Directional Absorbed Dose Rate in the Lens of the Eye Rate			
	3.6	Directional Absorbed Dose in Local Skin			
	3.7	Directional Absorbed Dose Rate in Local Skin.			
	3.8	Personal Dose.			
	3.9	Personal Absorbed Dose in the Lens of the Eye			
	3.10	Personal Adsorbed Dose in Local Skin			
	5.11	Summary			
4	Conversion Coefficients				
	4.1	Introduction			
	4.2	General			
	4.3	Calculation of Conversion Coefficients.			
		4.3.1 Calculation of Conversion Coefficients to Ambient Dose			
		4.3.2 Calculation of Conversion Coefficients to Personal Dose.			
		4.3.3 Calculation of Conversion Coefficients to Absorbed Dose in the Lens of the Eye			
		4.3.4 Calculation of Conversion Coefficients to Absorbed Dose in Local Skin			
	4.4	Comparison of values of Recommended and ICRU Report 39/51 Operational Quantities			
		4.4.1 General Kemarks			
		4.4.2 Amolent and Personal Absorbed Dose in the Long of the Eve			
		4.4.4 Directional and Personal Absorbed Dose in Local Skin			
5	Prac	tical Consequences of the Introduction of the Recommended Operational Quantities			
	5.1	Introduction			
	5.2	Design of Personal Dosimeters and Area Monitoring Instruments			

ICRU Report 39/51 Operational Quantities

5.	2.2 Response Characteristics of Photon Personal Dosimeters and Area Monitoring	39	
5	2.3 Besponse Characteristics of Neutron Personal Dosimeters and Area	40	
5.	Monitoring Instruments to the Recommended Operational Quantities		
5.	2.4 Conclusions Regarding the Re-design of Personal Dosimeters and Area	41	
	Monitoring Instruments		
5.3 C	alibration of Personal Dosimeters and Area Monitoring Instruments	41	
5.	3.1 Schematic of Calibration Procedure	41	
5.	3.2 Calibration Phantoms for Personal Dosimeters	42	
5.	3.3 Special Provisions for Calibrations with Photons	42	
5.	3.4 The Role of the ICRU Sphere	42	
5.4 Ir	npact of Recommended Operational Quantities on the Quality of Radiation Protection	43	
5.5 Ir	npact of recommended Operational Quantities on Dose Records	43	
5.6 P	ossible Future Changes	44	
6 Concl	uding Remarks	45	
Appendix	A. Values of Conversion Coefficients	46	
A 1 A	mbient Dose	16	
A 2 P	molent Dose	40 53	
A 3 D	irectional and Personal Absorbed Dose in the Lens of the Fye	55 64	
	irectional and Personal Absorbed Dose in Local Skin	71	
	nerational Augustities for Photons of Energies up to 50MeV Calculated with the	06	
K	erma Approximation Method	90	
A.6 A	ir Kerma	111	
Appendix	112		
B.1 P	нітѕ	112	
B.2 F	LUKA	112	
B.3 M	(CNP	113	
B.4 E	GSnrc	113	
B.5 U	ncertainties in Conversion Coefficient Calculations	114	
Appendix in the	115		
C.1 D in	irectional and Personal Absorbed Dose in the Lens of the Eye, Absorbed Dose	115	
C.2 Pl	hotons of Energies up to 50 MeV in Fields with Charged-Particle Equilibrium	123	
References		127	