

Papers from the 6th IAEA Technical Committee Meeting on
H-mode Physics
Kloster Seeon, Germany
22–24 September 1997

Preface
H Zohm

REVIEW PAPERS

- 531** Edge-localized modes—physics and theory
J W Connor
- 543** ‘Hidden’ variables affecting the L-H transition
T Fukuda
- 557** Compatibility of improved confinement regimes with reactor requirements
K Lackner
- 569** Theory of internal and edge transport barriers
G M Staebler
- 581** Formation and structure of internal and edge transport barriers
E J Synakowski
- 597** Transport in high-performance plasmas with a transport barrier
M Wakatani

PAPERS

FORMATION AND STRUCTURE OF INTERNAL AND EDGE TRANSPORT BARRIERS

- 609** Core poloidal rotation and internal transport barrier formation in TFTR
R E Bell, F M Levinton, S H Batha, E J Synakowski and M C Zarnstorff
- 615** Enhanced performance in the START tokamak
P G Carolan, R J Akers, L Appel, N J Conway, G F Counsell, A R Field, D A Gates, S J Gee, M P Gryaznevich, I Jenkins, R Martin, K Morel, A W Morris, M P S Nightingale, C M Roach, A Sykes, A Tukachinsky, M R Tournianski, M J Walsh and the START Operations Team
- 621** Observation of tritium and helium core transport barriers in reversed shear plasmas on TFTR
P C Efthimion, S von Goeler, E J Synakowski, M Bitter, S H Batha, R E Bell, C E Bush, W A Houlberg, F M Levinton, E Mazzucato, D McCune, D Mueller, H Park, A T Ramsey, A L Roquemore, G Taylor and M C Zarnstorff
- 627** Electric field bifurcation and transition in the core plasma of CHS
A Fujisawa, H Iguchi, H Sanuki, K Itoh, S-I Itoh, S Okamura, K Matsuoka and Y Hamada
- 631** Operational range and transport barrier of the H-mode in the stellarator W7-AS
M Hirsch, P Amadeo, M Anton, J Baldzuhn, R Brakel, J Bleuel, S Fiedler, T Geist, P Grigull, H J Hartfuß, E Holzhauer, R Jaenicke, M Kick, J Kisslinger, J Koponen, F Wagner, A Weller, H Wobig, S Zoleznik and the W7-AS team
- 635** Demonstration of the role of $E \times B$ flow shear in improved confinement
R R Weynants, S Jachmich and G Van Oost

805	Transport properties and predictive modelling of JET H-mode and optimized shear discharges V Parail, B Balet, Yu Baranov, B Fischer, G Huysmans, J Lingertat, R Sartori, F Soldner, E Springman and A Taroni	
811	Microturbulence reduction during internal transport barrier discharges in DIII-D C L Rettig, K H Burrell, C M Greenfield, G M Staebler, T L Rhodes and W A Peebles	
817	Enhanced rotation velocities and electric fields, sub-neoclassical energy transport and density pinch from revisited neoclassical theory A Rogister	
823	Warm-ion drift Alfvén turbulence and the L–H transition B Scott	
	COMPATIBILITY OF IMPROVED CONFINEMENT SCENARIOS WITH REACTOR REQUIREMENTS	
827	Non-dimensional threshold scaling of edge plasma quantities in JT-60U T Fukuda, T Takizuka, Y Kamada, K Tsuchiya, M Mori and the JT-60 Team	
831	Transport simulations of H-mode plasmas with ITER database R Hiwatari, Y Ogawa and T Amano	
837	Edge parameter operational space and trajectories for ITER Yu Igitkhanov, G Janeschitz, G W Pacher, M Sugihara, H D Pacher, D E Post, E Solano, J Lingertat, A Loarte, T Osborne, O P Pogutse, M Shimada and W Suttrop	
845	H-mode pedestal characteristics, ELMs, and energy confinement in ITER shape discharges on DIII-D T H Osborne, R J Groebner, L L Lao, A W Leonard, R Maingi, R L Miller, G D Porter, D M Thomas and R E Waltz	
851	An offset nonlinear scaling for ELMy H-mode confinement T Takizuka	
857	Scaling of the H-mode power threshold for ITER The ITER H-mode Threshold Database Working Group, presented by E Righi	
	CUMULATIVE AUTHOR INDEX	
	CALENDAR OF CONFERENCES	
641	Study of internal transport barriers by comparison of reversed shear and high-β_p discharges in JT-60U Y Koide, M Mori, T Fujita, H Shirai, T Hatae, T Takizuka, H Kimura, T Oikawa, N Isei, A Isayama, S Takeji, Y Kawano, A Sakasai, Y Kamada, T Fukuda and S Ishida	
647	Internal transport barriers in optimized shear plasmas in JET A C C Sips, Y F Baranov, C D Challis, G A Cottrell, L-G Eriksson, C Gormezano, C Gowers, C M Greenfield, J C M de Haas, M von Hellermann, G T A Huysmans, A Howman, R König, E A Lazarus, T Luce, P Nielsen, D O'Brien, B W Rice, G Sadler, F X Söldner, M F Stamp, E J Strait, B J D Tubbing, M Wade and D J Ward	
	THEORY OF INTERNAL AND EDGE TRANSPORT BARRIERS	
653	Transition to an enhanced internal transport barrier A Fukuyama, S Takatsuka, S-I Itoh, M Yagi and K Itoh	
657	Effects of E_r/RB_n profiles on transport reduction in DIII-D and TFTR T S Hahm, K H Burrell, C M Greenfield and E J Synakowski	
661	Suppression of plasma turbulence by asymmetric hot ions K Itoh, T Ohkawa, S-I Itoh, M Yagi and A Fukuyama	
665	Operation of internal transport barriers by Alfvén waves in tokamaks V S Tsypin, A G Elfimov, M Tendler, A S de Assis and C A de Azevedo	
	HIDDEN VARIABLES AFFECTING THE L–H TRANSITION	
669	Comparison of a ∇B drift effect model with measured H-mode power thresholds T N Carlstrom, K H Burrell and R J Groebner	
673	Critical edge parameters for H-mode transition in DIII-D R J Groebner and T N Carlstrom	
679	Ripple-trapped beam ions in the presence of a radial electric field J A Heikkilä, T Kurki-Suonio and W Herrmann	
683	The time behaviour of radial electric fields at the L–H transition from the observation of ripple-trapped ions W Herrmann, J A Heikkilä, T Kurki-Suonio and the ASDEX Upgrade Team	
689	Local variables affecting H-mode threshold on Alcator C-Mod A E Hubbard, R L Boivin, J F Drake, M Greenwald, Y In, J H Irby, B N Rogers and J A Snipes	
693	Ion orbit loss current in ASDEX Upgrade J A Heikkilä, T P Kiviniemi, A G Peeters, T Kurki-Suonio, S K Sipilä, W Herrmann, W Suttrop and H Zohm	
697	Statistical analysis of the ohmic H-mode accessibility in TCV Y Martin and F Bühlmann	
703	The influence of neutral friction and neoclassical viscosity in the edge of ASDEX Upgrade A G Peeters, J Stober, D Coster, R Schneider and the ASDEX Upgrade team	
707	The back transition and hysteresis effects in DIII-D D M Thomas, R J Groebner, K H Burrell, T H Osborne and T N Carlstrom	
713	Comparison of edge neutral effect on the condition of H-mode transition before and after the modified divertor in JT-60U K Tsuchiya, T Fukuda, Y Kamada, H Takenaga, T Takizuka, M Mori, T Fujita and the JT-60 team	
717	Assessment of effects of neutrals on the power threshold for L–H transitions in DIII-D L W Owen, B A Carreras, R Maingi, P K Mioduszewski, T N Carlstrom and R J Groebner	

- 721 **Global and local conditions for the L-H and H-L transitions on JET**
E Righi, D Bartlett, G Conway, J G Cordey, L-G Eriksson, C Gormezano, J C M de Haas, L Horton, J Jacquinot, C Lowry, G Saibene, R Sartori, M Stamp, D F H Start and K Thomsen
- 725 **H-mode power threshold and transition in ASDEX Upgrade**
F Ryter, W Suttrop, B Brüsehaber, M Kaufmann, V Mertens, H Murmann, A G Peeters, J Stober, J Schweinzer, H Zohm and ASDEX Upgrade Team
- EDGE-LOCALIZED MODES—PHYSICS AND THEORY
- 731 **H-modes on COMPASS-D with high-power ECRH**
S J Fielding, M Valovic, P G Carolan, D A Gates, C Hunt, P Leahy, A W Morris and the COMPASS-D Physics and ECRH Teams
- 737 **Physics of collapses: probabilistic occurrence of ELMs and crashes**
S-I Itoh, S Toda, M Yagi, K Itoh and A Fukuyama
- 741 **Experimental study of the β -limit in ohmic H-mode in the TUMAN-3M tokamak**
S V Lebedev, M V Andreiko, L G Askinazi, V E Golant, V A Kornev, S V Krikunov, L S Levin, V V Rozhdestvensky, A S Tukachinsky and S P Yaroshevich
- 747 **H-mode studies with microwave reflectometry on ASDEX Upgrade**
M Manso, F Serra, B Kurzan, I Nunes, J Santos, A Silva, W Suttrop, P Varela and S Vergamota
- 753 **Ballooning mode stability for self-consistent pressure and current profiles at the H-mode edge**
R L Miller, Y R Lin-Liu, T H Osborne and T S Taylor
- 757 **Confinement of high-current steady-state ELMMy H-modes with the JET Mark II divertor**
R Sartori, B Balet, S Clement, G Conway, B de Esch, J C M de Haas, G Fishpool, L D Horton, J Lingertat, A Loarte, C G Lowry, C Maggi, M J Mantinen, R D Monk, V Parail, V Riccardo, E Righi, G Saibene, D Stork, K Thomsen and M G Von Hellermann
- 765 **ELMs and fast edge fluctuations in Alcator C-Mod**
J A Snipes, R S Granetz, M Greenwald, A E Hubbard, I H Hutchinson, J Irby, J Kesner, S Migliuolo, T Sunn Pedersen, J Ramos, J Rice, P C Stek, Y Takase and S M Wolfe
- 771 **Effects of type-I edge-localized modes on transport in ASDEX Upgrade**
W Suttrop, O Gehre, J C Fuchs, H Reimerdes, W Schneider, J Schweinzer and the ASDEX Upgrade team
- 775 **Comparison of Lorenz type and plasma fluid models for nonlinear-interchange-mode generation of shear flow**
A Takayama, T Unemura and M Wakatani
- 779 **Self-organization mechanism of the pressure profile at the internal disruption in heliotron plasmas**
H Zushi, M Hosotsubo, M Wakatani and the Heliotron group
- TRANSPORT IN HIGH-PERFORMANCE PLASMAS WITH A TRANSPORT BARRIER
- 785 **Flow shear stabilization of a hybrid dissipative trapped electron-ion temperature gradient mode in tokamaks**
L Bai, A Fukuyama and M Uchida
- 789 **Transport phenomena in Alcator C-Mod H-modes**
M Greenwald, J Schachter, W Dorland, R Granetz, A Hubbard, J Rice, J A Snipes, P Stek and S Wolfe
- 793 **Formation and termination of high ion temperature mode in heliotron/torsatron plasmas**
K Ida, K Kondo, K Nagasaki, H Zushi, Y Kurimoto, T Hamada, F Sano, T Mizuuchi, H Okada, S Besshou, H Funaba, S Hidekuma, K Watanabe and T Obiki
- 799 **The difference in H-mode confinement between co- and co + counter-neutral beam heating in the JFT-2M tokamak**
Y Miura, K Shinohara, N Suzuki and K Ida