

**PAPERS FROM THE 9TH IAEA TECHNICAL COMMITTEE MEETING  
ON H-MODE PHYSICS AND TRANSPORT BARRIERS  
(CALIFORNIA, USA, 24–26 SEPTEMBER 2003)**

**PREFACE**

**9th IAEA Technical Meeting on H-mode Physics and Transport Barriers**  
R Groebner

**PAPERS**

- A1 Understanding transport barriers through modelling**  
V Rozhansky
- A19 Status of and prospects for advanced tokamak regimes from multi-machine comparisons using the ‘International Tokamak Physics Activity’ database**  
X Litaudon, E Barbato, A Bécoulet, E J Doyle, T Fujita, P Gohil, F Imbeaux, O Sauter, G Sips, J W Connor, E J Doyle, Yu Esipchuk, T Fujita, T Fukuda, P Gohil, J Kinsey, N Kirneva, S Lebedev, X Litaudon, V Mukhovatov, J Rice, E Synakowski, K Toi, B Unterberg, V Vershkov, M Wakatani, T Aniel, Yu F Baranov, E Barbato, A Bécoulet, R Behn, C Bourdelle, G Bracco, R V Budny, P Buratti, E J Doyle, Yu Esipchuk, B Esposito, S Ide, A R Field, T Fujita, T Fukuda, P Gohil, C Gormezano, C Greenfield, M Greenwald, T S Hahm, G T Hoang, J Hobirk, D Hogewej, S Ide, A Isayama, F Imbeaux, E Joffrin, Y Kamada, J Kinsey, N Kirneva, X Litaudon, T C Luce, M Murakami, V Parail, Y-K M Peng, F Ryter, Y Sakamoto, H Shirai, G Sips, T Suzuki, E Synakowski, H Takenaga, T Takizuka, T Tala, M R Wade and J Weiland
- A35 Formation conditions for electron internal transport barriers in JT-60U plasmas**  
T Fujita, T Fukuda, Y Sakamoto, S Ide, T Suzuki, H Takenaga, K Ida, H Idei, T Shimozuma, A Fujisawa, S Ohdachi and K Toi
- A45 Comparison of electron internal transport barriers in the large helical device and JT-60U plasmas**  
K Ida, T Fujita, T Fukuda, Y Sakamoto, S Ide, K Toi, S Inagaki, T Shimozuma, S Kubo, H Idei, A Fujisawa, S Ohdachi, M Yoshinuma, H Funaba, K Narihara, S Murakami, A Wakasa, M Yokoyama, Y Takeiri, K Y Watanabe, K Tanaka, Y Liang and N Ohyabu
- A51 Study of internal transport barriers in the initial phase of Ohmic discharges in TUMAN-3M**  
L G Askinazi, V V Bulanin, M I Vildjunas, V E Golant, M V Gorokhov, V A Kornev, S V Krikunov, S V Lebedev, A V Petrov, V V Rozhdestvensky, A S Tukachinsky and N A Zhubr
- A61 Observations of core modes during RF-generated internal transport barriers in Alcator C-Mod**  
A G Lynn, P E Phillips, A E Hubbard and S J Wukitch
- A71 Cold pulse experiments in plasma with an electron internal transport barrier on LHD**  
S Inagaki, K Ida, N Tamura, T Shimozuma, S Kubo, Y Nagayama, K Kawahata, S Sudo and K Ohkubo
- A77 Synchronization of L-mode to H-mode transitions on the sawtooth cycle in Ohmic TCV plasmas**  
Y R Martin

- A363 Initial results of high resolution L–H transition studies on DIII-D**  
G Wang, T L Rhodes, E J Doyle, W A Peebles, L Zeng, K H Burrell, G R McKee, R J Groebner and T E Evans
- A373 Radially sheared azimuthal flows and turbulent transport in a cylindrical helicon plasma device**  
G R Tynan, M J Burin, C Holland, G Antar and P H Diamond
- A381 Coherent edge fluctuation measurements in H-mode discharges on JFT-2M**  
Y Nagashima, K Shinohara, K Hoshino, A Ejiri, K Tsuzuki, T Ido, K Uehara, H Kawashima, K Kamiya, H Ogawa, T Yamada, S Shiraiwa, S Ohara, Y Takase, N Asakura, N Oyama, T Fujita, S Ide, H Takenaga, Y Kusama and Y Miura
- A87 JET divertor geometry and plasma shape effects on the L–H transition threshold**  
Y Andrew, N C Hawkes, M G O’Mullane, R Sartori, M de Baar, I Coffey, K Guenther, I Jenkins, A Korotkov, P Lomas, G F Matthews, A Matilal, R Prentice, M Stamp, J Strachan and P de Vries
- A95 Local threshold conditions and fast transition dynamics of the L–H transition in Alcator C-Mod**  
A E Hubbard, B A Carreras, N P Basse, D del-Castillo-Negrete, J W Hughes, A Lynn, E S Marmor, D Mossessian, P Phillips and S Wukitch
- A105 High confinement modes with radial structure**  
D del-Castillo-Negrete, B A Carreras and V E Lynch
- A113 Edge transport barrier formation in compact helical system**  
S Okamura, T Minami, T Oishi, C Suzuki, K Ida, M Isobe, Y Yoshimura, K Nagaoka, K Toi, A Fujisawa, T Akiyama, H Iguchi, R Ikeda, S Kado, K Matsuoka, H Matsushita, K Nakamura, H Nakano, S Nishimura, M Nishiura, S Ohshima, A Shimizu, S Takagi, C Takahashi, M Takeuchi and M Yoshinuma
- A121 Dynamics of pedestal perturbations by ELMs and edge harmonic oscillations in DIII-D**  
L Zeng, G Wang, E J Doyle, T L Rhodes, W A Peebles, G R McKee, R Fonck, K H Burrell, M E Fenstermacher, J Boedo and R Moyer
- A131 Characterization of peeling–ballooning stability limits on the pedestal**  
P B Snyder, H R Wilson, T H Osborne and A W Leonard
- A143 High frequency MHD activity related to type I ELMs in ASDEX Upgrade**  
T Bolzonella, H Zohm, M Maraschek, E Martines, S Saarelma and S Günter
- A151 Study of quiescent H-mode plasmas in ASDEX Upgrade**  
W Suttrop, G D Conway, L Fattorini, L D Horton, T Kurki-Suonio, C F Maggi, M Maraschek, H Meister, R Neu, Th Pütterich, M Reich and A C C Sips
- A157 High recycling steady H-mode regime in the JFT-2M tokamak**  
K Kamiya, M Bakhtiari, S Kasai, H Kawashima, Y Kusama, Y Miura, H Ogawa, N Oyama, M Sato, K Shinohara, K Tsuzuki and K Uehara
- A165 Edge radial electric field structure in quiescent H-mode plasmas in the DIII-D tokamak**  
K H Burrell, W P West, E J Doyle, M E Austin, J S deGrassie, P Gohil, C M Greenfield, R J Groebner, R Jayakumar, D H Kaplan, L L Lao, A W Leonard, M A Makowski, G R McKee, W M Solomon, D M Thomas, T L Rhodes, M R Wade, G Wang, J G Watkins and L Zeng
- A179 Pedestal profiles during QH-mode operation on DIII-D**  
W P West, C J Lasnier, T A Casper, T H Osborne, K H Burrell, P B Snyder, D M Thomas, E J Doyle and A W Leonard
- A187 H-mode pedestal characteristics on MAST**  
A Kirk, G F Counsell, E Arends, H Meyer, D Taylor, M Valovic, M Walsh and H Wilson
- A195 Dimensionless pedestal identity experiments in JT-60U and JET in ELMy H-mode plasmas**  
G Saibene, T Hatae, D J Campbell, J G Cordey, E de la Luna, C Giroud, K Guenther, Y Kamada, M A H Kempenaars, A Loarte, J Lönnroth, D Mc Donald, M F F Nave, N Oyama, V Parail, R Sartori, J Stober, T Suzuki, M Takechi and K Toi
- A207 Similarity in H-mode energy confinement:  $\nu_*$  rather than  $n/n_{\text{limit}}$  should be kept fixed**  
C C Petty, T C Luce, J G Cordey, D C McDonald and R V Budny
- A215 The beta scaling of energy confinement in ELMy H-modes in JET**  
D C McDonald, J G Cordey, C C Petty, M Beurskens, R Budny, I Coffey, M de Baar, C Giroud, E Joffrin, P Lomas, A Meigs, J Ongena, G Saibene, R Sartori and I Voitsekhovitch
- A227 Roles of aspect ratio, absolute  $B$  and effective  $Z$  of the H-mode power threshold in tokamaks of the ITPA database**  
ITPA H-mode Power Threshold Database Working Group presented by T Takizuka

- A235 Structural formation induced by electrode biasing in tokamaks: accessibility to a double-peaked  $E_r$  shear layer**  
N Kasuya, K Itoh and Y Takase
- A241 Predictive modelling of the impact of argon injection on H-mode plasmas in JET with the RITM code**  
B Unterberg, D Kalupin, M Z Tokar', G Corrigan, P Dumortier, A Huber, S Jachmich, M Kempenaars, A Kreter, A M Messiaen, P Monier-Garbet, J Ongena, M E Puiatti, M Valisa and M von Hellermann
- A249 Predictive modelling of ELMy H-modes with a new theory-motivated model for ELMs**  
J-S Lönnroth, V Parail, C Figarella, X Garbet, G Corrigan and D Heading
- A257 Operating window of ITER from consistent core-pedestal-SOL modelling with modified MMM transport and carbon**  
G W Pacher, H D Pacher, G Janeschitz, A S Kukushkin and G Pereverzev
- A265 A parallel gyro-Landau fluid model for circulating particles**  
G M Staebler, J E Kinsey and R E Waltz
- A275 Control of electron internal transport barriers in TCV**  
M A Henderson, R Behn, S Coda, I Condrea, B P Duval, T P Goodman, A Karpushov, Y Martin, An Martynov, J-M Moret, P Nikkola, L Porte, O Sauter, A Scarabosio and G Zhuang
- A285 Formation of neoclassical internal transport barriers under various operational regimes on compact helical system**  
T Minami, A Fujisawa, H Iguchi, S Nishimura, K Ida, M Yokoyama, S Murakami, Y Yoshimura, M Isobe, C Suzuki, K Nagaoka, T Akiyama, M Yoshinuma, A Shimizu, C Takahashi, K Matsuoka and S Okamura
- A291 Formation of transport barriers in the MAST spherical tokamak**  
H Meyer, A R Field, R J Akers, C Brickley, N J Conway, A Patel, P G Carolan, C Challis, G F Counsell, G Cunningham, P Helander, A Kirk, B Lloyd, R Maingi, M R Tournianski and M J Walsh
- A299 Impact of toroidal rotation on ELM behaviour in the H-mode on JT-60U**  
Y Sakamoto, H Shirai, T Fujita, S Ide, T Takizuka, N Oyama and Y Kamada
- A305 Effect of gas fuelling location on H-mode access in NSTX**  
R Maingi, C S Chang, Seunghoe Ku, T Biewer, R Maqueda, M Bell, R Bell, C Bush, D Gates, S Kaye, H Kugel, B LeBlanc, J Menard, D Mueller, R Raman, S Sabbagh and V Soukhanovskii
- A315 Fully pellet-controlled ELMs sustaining identical pedestal conditions of natural ELMy H-mode in ASDEX Upgrade**  
H Urano, W Suttrop, P T Lang, L D Horton and A Herrmann
- A323 Turbulence spreading into the linearly stable zone and transport scaling**  
T S Hahm, P H Diamond, Z Lin, K Itoh and S-I Itoh
- A335 Collisional effects on coherent structures of zonal flows and turbulent transport**  
K Itoh, K Hallatschek, S Toda, S-I Itoh, P H Diamond, M Yagi and H Sanuki
- A341 Statistical theory for transition and sustainment of the improved confinement state**  
S-I Itoh, K Itoh, M Yagi and S Toda
- A347 Measurement requirements for the advanced tokamak operation of a burning plasma experiment**  
R L Boivin, T Casper and K M Young
- A355 Density fluctuation measurement at edge and internal transport barriers in JT-60U**  
N Oyama, L G Bruskin, H Takenaga, K Shinohara, A Isayama, S Ide, Y Sakamoto, T Suzuki, T Fujita, Y Kamada and Y Miura