

## Contents

Preface .....	vii
A summary of Prof. Carlo Rubbia's speech during the conference reception .....	ix
Committees and organizers .....	xi
Sponsors .....	xiii
Number of participants and number of abstracts .....	xiv
Photos .....	xv
<b>Part I. Original publications</b>	
<b>Section I. FEL prize memorial lectures by the FEL'91 prize winners</b>	
FEL development at the Budker Institute of Nuclear Physics	
N.A. Vinokurov .....	3
Electron beam quality limitations and beam conditioning in free electron lasers	
P. Sprangle, B. Hafizi, G. Joyce and P. Serafim .....	6
<b>Section II. First lasing experiments</b>	
Optical performance of the CLIO infrared FEL	
R. Prazeres, J.M. Berset, F. Glotin, D. Jaroszynski and J.M. Ortega .....	15
Lasing of a free electron laser in the visible on the UVSOR storage ring	
S. Takano, H. Hama and G. Isoyama .....	20
First lasing of the NIJI-IV storage-ring free-electron laser	
T. Yamazaki, K. Yamada, S. Sugiyama, H. Ohgaki, N. Sei, T. Mikado, T. Noguchi, M. Chiwaki, R. Suzuki, M. Kawai, M. Yokoyama, K. Owaki, S. Hamada, K. Aizawa, Y. Oku, A. Iwata and M. Yoshiwa .....	27
<b>Section III. Short wavelength laser experiments</b>	
Dynamical study of the Super-ACO free electron laser with the dissector	
M.E. Couprie, V. Litvinienko, D. Garzella, A. Delboubé, M. Velghe and M. Billardon . . .	37
Long-range coherence in a short-pulse FEL	
D. Oepts, R.J. Bakker, D.A. Jaroszynski, A.F.G. van der Meer and P.W. van Amersfoort . .	42
Lasing attempt with a microwiggler on the Los Alamos FEL	
R.W. Warren, P.G. O'Shea, S.C. Bender, B.E. Carlsten, J.W. Early, D.W. Feldman, C.M. Fortgang, J.C. Goldstein, M.J. Schmitt, W.E. Stein, M.D. Wilke, T.J. Zaugg, B.E. Newnam and R.L. Sheffield .....	48
Limit cycle behaviour in FELIX	
D.A. Jaroszynski, R.J. Bakker, D. Oepts, A.F.G. van der Meer and P.W. van Amersfoort . .	52
Feedback stabilization of the SCA/FEL wavelength	
A. Marziali and T.I. Smith .....	59
Performance of the APEX free-electron laser at Los Alamos National Laboratory	
P.G. O'Shea, S.C. Bender, B.E. Carlsten, J.W. Early, D.W. Feldman, R.B. Feldman, J.C. Goldstein, K.F. McKenna, R. Martineau, E.J. Pitcher, M.J. Schmitt, W.E. Stein, M.D. Wilke and T.J. Zaugg .....	62

Wiggler limited long wavelength operation of an FEL K.W. Berryman, T.I. Smith and R.L. Swent	69
Status of the experiments for an infrared free-electron laser oscillator at ISIR S. Okuda, J. Ohkuma, N. Kimura, Y. Honda, T. Okada, S. Takamuku, S. Ishida, T. Yamamoto and K. Tsumori	73
Self-amplified spontaneous emission at wavelengths of 20 and 40 $\mu\text{m}$ from single-bunch electron beams S. Okuda, J. Ohkuma, N. Kimura, Y. Honda, T. Okada, S. Takamuku, T. Yamamoto and K. Tsumori	76
Agility of FELIX regarding wavelength and micropulse shape R.J. Bakker, C.A.J. van der Geer, D.A. Jaroszynski, A.F.G. van der Meer, D. Oepts, P.W. van Amersfoort, V. Andereg and P.C. van Son	79
Threshold condition and saturation mechanisms for the Super-ACO storage ring free electron laser M.E. Couprie, D. Garzella, A. Delboulb�, M. Velghe and M. Billardon	84
Preliminary results of the FEL injector at CIAE X.L. Zhai, W.Z. Zhou, T.L. Yang, D.X. Pu, Z.M. Jin, Y.Z. Lu, X.Z. Shi, Q. Sun and W.K. Chen	89
Conversion efficiency optimization of free electron laser light B.A. Hooper, S.V. Benson and J.M.J. Madey	93
VEPP-3 optical klystron lasing in a confocal optical resonator G.N. Kulipanov, I.V. Pinayev, V.M. Popik, T.V. Shaftan, A.S. Sokolov and N.A. Vinokurov	98
FEL oscillation on TERAS K. Yamada, T. Yamazaki, S. Sugiyama, H. Ohgaki, T. Noguchi, T. Mikado, M. Chiwaki, R. Suzuki and T. Tomimasu	103
<b>Section IV. Long wavelength experiments</b>	
Generation and acceleration of laser-induced photoelectrons using a disktron type compact electrostatic accelerator Y. Kawamura, T. Tanabe, D. Li and K. Toyoda	109
X-band ion-focused free-electron laser S. Hiramatsu, K. Ebihara, Y. Kimura, J. Kishiro, T. Monaka, T. Ozaki, K. Saito, K. Takayama and D.H. Whittum	113
Experimental study of millimeter waves and microwaves from a circular free electron laser T. Mizuno, T. Ohshima and H. Saito	117
Experimental and numerical results on a millimeter-wave free electron laser amplifier V.L. Granatstein, W.W. Destler, S.W. Bidwell, Z.X. Zhang, T.M. Antonsen, Jr., B. Levush, J. Rodgers, Y. Carmel and H.P. Freund	122
Relativistic beam transport in a focusing wiggler K. Sakamoto, M. Shiho, T. Kobayashi, Y. Kishimoto, S. Musyoki, A. Watanabe, M. Takahashi, H. Ishizuka and S. Kawasaki	126
Raman regime free electron laser experiments using a distributed feedback structure N. Ikeda, K. Okubo, A. Zakou, S. Ishii, R. Matsuda, T. Yamanaka, S. Kuribayashi, T. Akiba, S. Nakai, N. Ohigashi, J. Chen, K. Imasaki and C. Yamanaka	130
High-power backward wave oscillator driven by an intense relativistic electron beam with tapered slow wave structure for improved performances T. Watanabe, K. Ogura, S. Watanabe and K. Minami	134
Energy and frequency measurements on the Twente Raman free-electron laser P.J.M. van der Slot and W.J. Witteman	140
High power spike pulses emitted from a microwave FEL L.-Y. Lin and T.C. Marshall	144

Microwave FEL experiments at CESTA J. Launspach, Ph. Anthouard, J. Bardy, C. Bonnafond, H. Bottollier-Curtet, Ph. Delsart, A. Devin, Ph. Eyharts, P. Eyl, J. Gardelle, D. Gardent, G. Germain, P. Grua, J. Labrousse, P. Le Taillandier, J. de Mascureau, E. Merle, A. Roques, M. Thevenot and D. Villate	149
Azimuthally asymmetric oscillations in the dielectric Cherenkov maser G.P. Fomenko, A.G. Pelyodov, A.S. Shlapakovskii and Yu.G. Shtein	152
Traveling-wave free-electron maser experiment E. Agmon, H. Golombek and E. Jerby	156
<b>Section V. FEL projects and proposals</b>	
DELTA, a status report of the storage ring FEL facility at the University of Dortmund B. Baasner, D. N�lle and D. Schirmer	163
Progress of the Average Power Laser Experiment (APLE) program J.M. Slater, D.C. Quimby, K.E. Robinson, A.S. Valla, J.L. Adamski, K.J. Davis, D.H. Dowell, R.B. Greigor, R.C. Kennedy, C.G. Parazzoli, D.J. Pioresi, R.E. Rodenburg, J.B. Romero, D.R. Shoffstall, J.A. Siciliano, V.S. Starkovich, K.O. Tong, A.M. Vetter, M.J. Schmitt and G.E. Busch	168
Update of the FELI project. Design study of IR- and UV-FEL facilities for industrial use T. Tomimasu, T. Keishi, A. Koga, Y. Miyauchi, E. Nishimura, Y. Morii, K. Saeki, S. Abe, S. Sato, A. Kobayashi, M. Okano, K. Imasaki, I. Bessho and A. Nagai	175
JAERI quasi-cw, and high-average power free electron laser driven by a superconducting rf linac E.J. Minchana, R. Nagai, M. Sawamura, M. Takao, N. Kikuzawa, M. Sugimoto, S. Sasaki, M. Ohkubo, J. Sasabe, Y. Suzuki, Y. Kawarasaki and N. Shikazono	182
A free electron laser at P.N. Lebedev Institute A. Agafonov, A. Airapetov, V. Bogachenkov, V. Fedotov, G. Gevorgian, A. Kolomensky, E. Krastelov, A. Kustov, A. Lebedev, N. Martynchuk, P. Mikhalev, V. Papadichev, A. Samokhin, I. Sinilshikova, O. Smith, V. Tarakhanov, V. Voronin, B. Yablokov and S. Zakharov	186
Free electron laser: technical issues and prospects in Japan C. Yamanaka	191
Progress report on the ELSA FEL and first lasing S. Joly, P. Balleyguier, M.A. Beuve, A. Binet, J.P. Bleses, R. Bois, C. Bonetti, J.P. de Brion, C. Couillaud, R. Dei-Cas, P. Fourdin, J. Frehaut, M. Guilloud, Ph. Guimbal, G. Haouat, D. Iracane, R. Joly, J.P. Laget, C. Laspalles, H. Leboutet, J.G. Marmouget, Y. Pranal, J. Raimbourg, F. Sabary, S. Striby, F. Schumann and J. Vouillarmet	199
Status of the Beijing FEL Project J. Xie, J. Zhuang, Y. Huang, S. Zhong, C. Mao, Y. Li, R. Ying and S. Lin	204
Status report of the UT-FEL project R. Hajima, T. Hara, H. Ohashi, M. Akiyama, S. Kondo, Y. Yoshida, T. Ueda, T. Kobayashi, M. Uesaka, E. Nishimura, K. Saeki, S. Abe, T. Keishi, A. Kobayashi, K. Imasaki and T. Tomimasu	208
Design of a 10 kW FEL at 10 microns M.J. Schmitt, D.A. Byrd, B.E. Carlsten, C.J. Elliott, R.R. Stevens, C.G. Parazzoli, D.J. Pioresi, R.E. Rodenburg and D.C. Quimby	212
Design concept for the second phase project of the JAERI free electron laser facility M. Takao, M. Sugimoto, M. Sawamura, R. Nagai, N. Kikuzawa, E. Minehara, M. Ohkubo, Y. Kawarasaki and Y. Suzuki	218
A 2 to 4 nm high power FEL on the SLAC linac C. Pellegrini, J. Rosenzweig, H.-D. Nuhn, P. Pianetta, R. Tatchyn, H. Winick, K. Bane, P. Morton, T. Raubenheimer, J. Seeman, K. Halbach, K.-J. Kim and J. Kirz	223

The UCLA IR FEL project G. Baranov, N. Barov, P. Davis, M. Fauver, B. Gitter, G. Hairapetian, S. Hartman, M. Hogan, S. Ivanchenkov, C. Joshi, A. Khlebnikov, P. Kwok, N. Luhmann Jr., S. Park, C. Pellegrini, J. Rosenzweig, K. Schenk, J. Smolin, P. Tran, G. Travish and A. Varfolomeev . . .	228
Development of a compact FEL system with a wide wavelength range K. Imasaki, M. Asakawa, J. Chen, N. Sakamoto, T. Yamamoto, N. Ohigashi, Y. Tsunawaki, K. Mima, S. Kuruma, S. Nakai and C. Yamanaka . . . . .	232
Design of the 1 MW, 200 GHz, FOM fusion FEM W.H. Urbanus, R.W.B. Best, W.A. Bongers, A.M. van Ingen, P. Manintveld, A.B. Sterk, A.G.A. Verhoeven, M.J. van der Wiel, M. Caplan, V.L. Bratman, G.G. Denisov, A.A. Varfolomeev and A.S. Khlebnikov . . . . .	235
<b>Section VI. Applications</b>	
Predicted performance of a DC beam driven FEM oscillator designed for fusion applications at 200–250 GHz M. Caplan, R.W.B. Best, A.G.A. Verhoeven, M.J. van der Wiel, W.H. Urbanus, V.L. Bratman and G.G. Denisov . . . . .	243
Possible applications of FEL in UV photochemistry and nuclear waste reprocessing N. Nakashima, T. Shimada, Y. Izawa and C. Yamanaka . . . . .	250
Free electron laser induced two-photon absorption in $Hg_{1-x}Cd_xTe$ J. Burghoorn, V.F. Andregg, P.C. van Son, T.O. Klaassen, W.Th. Wenckebach, R.J. Bakker, A.F.G. van der Meer, D. Oepts and P.W. van Amersfoort . . . . .	254
FEL application to energy transport K. Imasaki and C. Yamanaka . . . . .	257
Free electron laser study of the photoconductivity in $Smb_6$ H. Ohta, M. Motokawa, J. Kaminski, A.R. King and S. Kunii . . . . .	260
<b>Section VII. Accelerator developments for FEL</b>	
Operation of the CLIO accelerator R. Chaput, F. Glotin, G. Humbert, B. Kergosien, J. Lesrel, J.-M. Ortega, L. Serin, J.-C. Bourdon, M. Bernard, H. Coulle, M. Dehamme, T. Garvey, M. Mencik, B. Mouton, J. Rodier, P. Roudier and M. Taurigna . . . . .	267
Status of the commissioning of LISA for the SURF FEL experiment M. Castellano, M. Ferrario, M. Minestrini, P. Patteri, F. Tazzioli, N. Cavallo, F. Cevenini, F. Ciocci, G. Dattoli, A. DiPace, G.P. Gallerano, L. Giannessi, A. Renieri, E. Sabia, A. Torre and L. Catani . . . . .	272
Recent progress of the superconducting accelerator modules for the JAERI FEL N. Kikuzawa, E. Minehara, M. Sawamura, N. Nagai, M. Takao, M. Sugimoto, M. Ohkubo, J. Sasabe, Y. Suzuki and Y. Kawarasaki . . . . .	276
Optimization of the FELIX accelerator with respect to laser performance A.F.G. van der Meer, R.J. Bakker, C.A.J. van der Geer, D. Oepts, P.W. van Amersfoort, W.A. Gillespie, P.F. Martin and G. Saxon . . . . .	282
Dynamic aperture study for the Duke FEL storage ring Y. Wu, V.N. Litvinenko, E. Forest and J.M.J. Madey . . . . .	287
Design study of the hybrid accelerator facility for a free electron laser M. Terasawa and C. Yamanaka . . . . .	293
Characteristics and beam tracking of a compact storage ring for FEL operation Y. Takahashi, T. Hattori, H. Muto, Y. Oguri, M. Okamura and K. Yoshida . . . . .	298
Experimental studies of photocathode materials for FELs M. Asakawa, N. Sakamoto, Y. Shimizu, S. Nakai, K. Imasaki and C. Yamanaka . . . . .	302

Simulations of APEX accelerator performance in the new nonthermalized photoinjector regime B.E. Carlsten, J.C. Goldstein, E.J. Pitcher and M.J. Schmitt . . . . .	307
Simple one dimensional simulation of a laser photoemitted electron bunch B. Sapis, R. Shuker, G. Hazak and L.A. Levin . . . . .	314
Fe-based nanocrystalline FINEMET cores for induction accelerators S. Nakajima, S. Arakawa, Y. Yamashita and M. Shiho . . . . .	318
An rf system using all-solid-state amplifiers for the JAERI FEL M. Sawamura, M. Ohkubo, E. Minehara, R. Nagai, M. Takao, N. Kikuzawa, M. Sugimoto, Y. Suzuki, Y. Kawarasaki, K. Nagatsuka, K. Sato, H. Matsumoto and A. Kashiwagi . . . . .	323
Solid-state pulsed-power supplies to drive an induction accelerator for an X-band microwave free electron laser A. Tokuchi, H. Yoshimoto, N. Ninomiya, K. Ebihara, S. Hiramatsu, Y. Kimura, J. Kishiro, T. Ozaki and K. Takayama . . . . .	327
Cooling of relativistic electron beams V.A. Bazylev and A.V. Tulupov . . . . .	332
Design of rf conditioner cavities R. Govil, R.A. Rimmer, A.M. Sessler and H.G. Kirk . . . . .	335
Control system with a software simulator for JAERI-FEL M. Sugimoto . . . . .	340
Design of rf linac driving near-infrared FEL H. Sakae, M. Takabe, M. Ogoshi, S. Mandai and S. Hiramatsu . . . . .	346
Beam stabilization for FEL at TERAS S. Sugiyama, T. Yamazaki, K. Yamada, H. Ohgaki, N. Sei, T. Mikado, M. Chiwaki, R. Suzuki, T. Noguchi and T. Tomimasu . . . . .	350
<b>Section VIII. Compton FEL theory and simulation</b>	
Self-amplified spontaneous emission for short wavelength coherent radiation K.-J. Kim and M. Xie . . . . .	359
Free electron laser scaling with emittance and energy spread C.W. Roberson and B. Hafizi . . . . .	365
Thomson backscattered X-rays from an intense laser beam C.-M. Tang, B. Hafizi and S.K. Ride . . . . .	371
Spectral broadening and the sideband instability P. Chaix, D. Iracane and H. Delbarre . . . . .	379
Modeling the APLE injector solenoid magnetic field with the Biot–Savart law H. Takeda and D. Dowell . . . . .	384
Optical spikes and superradiant pulse propagation in a free-electron laser S.J. Hahn and J.K. Lee . . . . .	390
Behavior of the $TE_{p,j1}$ mode in the Photon Storage Ring H. Tsutsui, H. Yamada, K. Mima and K. Shimoda . . . . .	395
An approach to the refractive guiding in FEL through the beam phase space model Fu Shinian . . . . .	401
Chaos and the taming of free electron laser spectral dynamics P. Chaix, D. Iracane and H. Delbarre . . . . .	406
Investigation of 3D effects on FEL operation G.H.C. van Werkhoven, B. Faatz and T.J. Schep . . . . .	411
Radiation from the ETL optical klystron in TERAS and effects of dispersive section on spectral fine structure K. Yoshikawa, Y. Inanaga, Y. Yamamoto, M. Ohnishi, T. Yamazaki and K. Yamada . . . . .	416

Simulation code development for the start-up of an FEL oscillator S.-i. Kuruma, M. Naruo, K. Mima, K. Imasaki, S. Nakai and C. Yamanaka	421
Simple formulae for the optimization of the FEL gain length including the effects of emittance, betatron oscillations and energy spread Y.H. Chin	424
Calculation of 3-D free electron laser gain: comparison with simulation and generalization to elliptical cross section Y.H. Chin, K.-J. Kim and M. Xie	429
A comparison of different types of coherent radiation of a relativistic electron beam in the X-ray range A.V. Tulupov	437
On the classical analog of the Einstein relations between spontaneous emission, induced emission and absorption V.N. Litvinenko and N.A. Vinokurov	440
JAERIPULSE – a versatile FEL simulation code on a supercomputer K. Sasaki, R. Nagai, N. Kikuzawa, M. Sawamura, M. Takao, M. Sugimoto, E. Minehara, M. Ohkubo, Y. Suzuki and Y. Kawarasaki	450
<b>Section IX. Raman regime FEL theory</b>	
Self-consistent analysis of the effect of wiggler field errors in free-electron lasers H.P. Freund and R.H. Jackson	461
Simultaneous operation of a free-electron laser on two harmonically related wavelengths A.T. Burke, M.J. Schmitt, J.C. Goldstein and S.K. Ride	467
Theoretical study of free-electron lasers with reversed guide field G. Zhang, G. Shvets and J.S. Wurtele	472
Three-dimensional simulation of a free-electron laser amplifier P. Jha and J.S. Wurtele	477
Simulation of tapered FEL amplifiers in millimeter and infrared regions T.H. Chung, H.S. Kim and J.K. Lee	482
Anticyclotron and halfcyclotron resonances in a FEL A.A. Silivra	487
Physically transparent formulation of a free-electron laser in the linear gain regime W.A. Barletta, A.M. Sessler and L.-H. Yu	491
Space-charge effects in free-electron lasers H.P. Freund	496
Three-dimensional nonlinear simulation of a high-power collective free-electron laser A.K. Ganguly and H.P. Freund	501
A new kinetic method for studying sideband radiation Chen Yashen and Wang Wanjie	505
Electron energy modulation with laser light using a small gap circuit. A theoretical consideration J. Bae, S. Okuyama, T. Akizuki and K. Mizuno	509
Waveguide studies for FOM FEM R.W. Best, W.H. Urbanus, T.(A.)G.A. Verhoeven, E. Jerby and R. Ganzel	513
Simulation of an optical klystron waveguide FEL G. Kong, R.A. Stuart and J. Lucas	518
Analogies between the free electron laser and whistler mode amplification in the ionosphere W.B. Colson, B. Gately, D.L. Caudle and K. Sturgess	522
Electron trajectories in a free electron laser with a reversed axial guide field V.A. Bazylev, A. Bourdier, J.M. Buzzi and Ph. Gouard	527

Cyclotron resonance in a FEL with a spiral undulator and an inverse axial magnetic field A.A. Kaminsky, A.K. Kaminsky, N.I. Karbushev, V.P. Sarantsev, S.N. Sedykh, A.P. Sergeev and A.A. Silivra	531
Nonlinear numerical simulations on the MIT microwave free electron laser T. Hara, R. Hajima, H. Ohashi and G. Bekefi	535
<b>Section X. Cherenkov FEL and new concepts</b>	
A harmonic FEL based on the second harmonic gyroresonance A.T. Lin and K.R. Chu	541
Laser synchrotron radiation as a compact source of tunable, short pulse hard X-rays E. Esarey, P. Sprangle, A. Ting and S.K. Ride	545
A new FEL concept driven by a vacuum microfield emitter K. Mima, S. Nakai, T. Taguchi, N. Ohigashi, Y. Tsunawaki, K. Imasaki, C. Yamanaka and M. Shiho	550
Double-undulator FEL for governing by the harmonics generation A.V. Tulupov	554
High efficiency FEL using microwave reacceleration J.F. Schmerge, R.H. Pantell, Y.C. Huang, J. Harris, J. Feinstein, L. Zitelli, Z.Q. Yan and J.W. Lewellen	558
Features of the compact photon storage ring H. Yamada, H. Tsutsui, K. Shimoda and K. Mima	566
Cyclotron Cherenkov maser amplification using the anomalous Doppler effect Y.-H. Cho, D.-I. Choi and J.-S. Choi	572
Design study of mm to nm diameter electron beams for submillimeter-wave to X-ray free-electron lasers H. Ishizuka, Y. Nakahara, S. Kawasaki, N. Ogiwara, K. Sakamoto, A. Watanabe and M. Shiho	577
A FEL based on the excitation of local surface plasmons N.K. Zhevago	581
Induced Cherenkov radiation of soft X-rays N.K. Zhevago	584
Pulse propagation in a Cherenkov free electron laser J.S. Choi, K.-J. Kim and M. Xie	587
Amplification of Cherenkov radiation in dielectric strings and capillaries N.K. Zhevago and V.I. Glebov	592
Simulation studies of Cherenkov FELs using microdielectric waveguides T. Taguchi and K. Mima	597
Angular distribution narrowing of undulator radiation caused by low frequency electron oscillations A.A. Varfolomeev and V.N. Tikhonov	601
Radial- and azimuthal-polarization free electron lasers C.-C. Shih	606
Far infrared Smith Purcell experiment: measurement of radiated power G. Doucas, J.H. Mulvey, M. Omori, J. Walsh and M.F. Kimmitt	609
<b>Section XI. Optics and radiation diagnostics</b>	
A technique for single-pulse spectrum and pulse width measurements for an IR-FEL W.P. Leemans, J.A. Edighoffer, K.-J. Kim, S. Chattopadhyay and H.A. Schwettman	615

Experimental test of the SCA/FEL external cavity P. Haar, H.A. Schwettman and T.I. Smith	621
Waveguide lens S.A. Lutsenko and N.A. Vinokurov	627
Experiment and simulation of hole-coupled resonator modes with a cw HeNe laser W.P. Leemans, M. Xie, J.A. Edighoffer, E. Wallace, K.-J. Kim and S. Chattopadhyay	630
Power extraction with an on-axis aperture B. Faatz, R.W.B. Best, D. Oepts and P.W. van Amersfoort	636
Infrared FEL measurements of power limiting by two-photon absorption in InSb and optical pulse length measurements D.A. Jaroszynski, J-M. Ortega, R. Prazeres, F. Glotin, B.N. Murdin, C. Merveille, A.K. Kar, M.F. Kimmitt and C.R. Pidgeon	640
Micropulse slippage and optical mode distortion in the Boeing APLE amplifier J. Blau, D.J. Frost and W.B. Colson	645
Short pulse evolution in the Boeing APLE oscillator K.A. Sturgess, D.J. Frost and W.B. Colson	650
Suppression of mode-beating in a saturated hole-coupled FEL oscillator S. Krishnagopal, M. Xie and K.-J. Kim	654
High efficiency free-electron laser operation in a symmetrical confocal resonator M. Özcan and R.H. Pantell	658
Reflectance of the DFB resonator calculated by transmission line theory and comparison with experimental results N. Ohigashi, T. Kawabata, M. Morita, Y. Tsunawaki, N. Ikeda, K. Imasaki, S. Kuruma, K. Mima and S. Nakai	662
A grating spectrometer for Raman free electron laser diagnostics M. Wang, Z. Lu, L. Zhang, J. Chen, B. Feng and Z. Wang	667
<b>Section XII. Wigglers</b>	
Adjustable focusing force undulator T. Okazaki, Y. Hosoda, T. Keishi and A. Kobayashi	673
Electrostatic microwiggler FEL A. Murai, K. Mima, S. Kuruma, N. Ohigashi, Y. Tunawaki, K. Imasaki, S. Nakai and C. Yamanaka	680
Conceptual design of a plasma undulator Y. Suzuki	684
Analysis of the superconducting wiggler magnets for the ATF harmonic generation FEL experiment X. Zhang, I. Ben-Zvi, G. Ingold, S. Krinsky and L.H. Yu	689
A new method for measuring the magnetic field in a microwiggler based on magnetic tape recording Y. Neuman, H. Kleinman and A. Gover	695
A cryogenic cw electromagnetic wiggler W.C. Sailor, L.E. Thode, S.L. Judd, M.F. Hundley and M.J. Schmitt	701
Development of a pulsed-microwiggler system R.W. Warren and C.M. Fortgang	706
A tunability enhanced electromagnetic wiggler R.D. Schlueter and G.A. Deis	711
Development of a focusing wiggler with trapezoid-shaped permanent magnets Y. Wasa, T. Suzuki, T. Kusaka, K. Inoue, Y. Kawata, A. Kobayashi and T. Keishi	715

Large rare earth magnets for a focusing wiggler Y. Kuriyama, K. Oda, K. Tabaru, T. Iimura, M. Shiho and K. Sakamoto	721
Gain analysis of the FEL using a geometrically focusing permanent magnet undulator Y. Tsunawaki, N. Ohigashi, T. Okazaki, K. Mima, S.-i. Kuruma, S. Sato, K. Imasaki, S. Nakai and L.R. Elias	727
End effects and focusing ability of a double bifilar helix linear wiggler Wang Pingshan, Cheng Yutao, Luo Xiao, Hu Jianping and Hu Kesong	731
Development of a focusing wiggler magnet with parabolic pole faces M. Takabe, M. Ogoshi, M. Marushita, H. Sakae, K. Araki, S. Mandai, T. Keishi and A. Kobayashi	736
Striped superconductor undulator scheme A.V. Smirnov and A.A. Varfolomeev	739
The gain and efficiency enhancement in double-undulator FELs. Induced betatron oscillations V.A. Bazylev and A.V. Tulupov	742
Strong magnetic field microundulator with permanent magnets inserted into a solenoid A.A. Varfolomeev, A.S. Khlebnikov, S.N. Ivanchenkov, N.S. Osmanov and A.H. Hairetdinov	745
Superferric microundulator with high field V.A. Papadichev, V.S. Vysotsky, V.N. Tsikhon and V.T. Eremichev	748
Detrapping from magnetic field errors as a random walk ESCAPE C.J. Elliott, J.M. Frank and L.E. Thode	752
Magnetic field error measurement of the CEBAF (NIST) wiggler using the pulsed wire method S.M. Wallace, W.B. Colson, G.R. Neil and L. Harwood	759
Design of a new type of planar undulator for generating variably polarized radiation S. Sasaki, K. Kakuno, T. Takada, T. Shimada, K.-i. Yanagida and Y. Miyahara	763
Modification of a planar undulator for the suppression of high radiation harmonics at zero angle V.M. Popik and N.A. Vinokurov	768
The KIAE-6 multisection hybrid type undulator A.A. Varfolomeev, V.N. Dvoretzky, S.N. Ivanchenkov and A.V. Pukhov	771
Practical solenoid-derived wiggler H. Golombek, E. Agmon and E. Jerby	775
<b>Section XIII. Electron beam diagnostics</b>	
Comments on advanced, time-resolved imaging techniques for free-electron laser experiments A.H. Lumpkin and M.D. Wilke	781
Time-resolved electron spectrum measurements on the FELIX facility W.A. Gillespie, P.F. Martin, A.M. MacLeod, A.J. Macdonald, R.J. Bakker, C.A.J. van der Geer, A.F.G. van der Meer and P.W. van Amersfoort	786
Measuring emittance of nonthermalized electron beams from photoinjectors B.E. Carlsten, J.C. Goldstein, P.G. O'Shea and E.J. Pitcher	791
Charged-particle beam diagnostics for the advanced photon source A.H. Lumpkin, G. Decker, E. Kahana, D. Patterson, W. Sellyey, X. Wang and Y. Chung	797
Time-resolved electron-beam characterizations with optical transition radiation A.H. Lumpkin and M.D. Wilke	803
Diagnostics of an L band FEL high current injector X.Z. Shi, Y.L. Pan, J. Yao, J.Y. Chen, X.F. Guan, Y.Q. Gao and Q. Sun	809
Erratum	817

**Part II. Extended synopses**

A proposed experiment for beam conditioning	
I. Ben-Zvi, L-H. Yu, R. Govil and A.M. Sessler	ABS 1
The Vanderbilt University Free-Electron Laser Center	
C.A. Brau and M.H. Mendenhall	ABS 4
Theoretical studies on the Conde–Bekefi experiment	
Chen Yashen, Dong Zhiwei, Jiang Yuoming and Yang Zhenhua	ABS 7
First operation of a compact FEL in the millimeter wave region	
F. Ciocci, R. Bartolini, A. Doria, G.P. Gallerano, E. Giovenale, M.F. Kimmitt, G. Messina and A. Renieri	ABS 11
Emission of coherent radiation from a modulated electron beam	
A. Doria, J. Feinstein, G.P. Gallerano, R.H. Pantell and R. Bartolini	ABS 14
Project of high brightness cw photoinjector for a free electron laser	
N.G. Gavrilov, A.D. Oreshkov, I.V. Pinayev, A.S. Sokolov, A.V. Tolubensky and N.A. Vinokurov	ABS 17
The Israeli tandem electrostatic accelerator FEL – status report	
A. Gover, Y. Pinhasi, J. Wachtell, Y. Yakover, J. Sokolowski, M. Ben Ari, B. Mandelbaum, A. Rosenberg, Y. Shiloh, G. Hazak, L.M. Levine, O. Shahal and A. Wolf	ABS 20
Integrated free-electron laser schemes	
E. Jerby	ABS 21
Numerical studies of the multi-cavity free-electron laser	
S. Krishnagopal, G. Rangarajan and A. Sessler	ABS 22
Precise measurements of the curvature radii of mirrors	
V.N. Litvinenko, V.M. Popik, T.V. Shaftan and N.A. Vinokurov	ABS 26
Sum-frequency generation at surfaces using an infrared FEL synchronized with a YAG laser	
A. Peremans, P. Guyot-Sionnest, A. Tadjeddine, F. Glotin, J.-M. Ortega and R. Prazeres	ABS 28
FELIX: from laser to user facility	
M.J. van der Wiel, P.W. van Amersfoort and FELIX Team	ABS 30
Study on the storage ring NIJI-IV with an optical klystron	
M. Yokoyama, M. Kawai, K. Owaki, S. Hamada, K. Aizawa, Y. Oku, A. Iwata, M. Yoshiwa, T. Yamazaki, S. Sugiyama, H. Ohgaki, K. Yamada, N. Sei, T. Mikado, T. Noguchi, R. Suzuki, M. Chiwaki and T. Tomimasu	ABS 34
Author index	821