

Contents

Preface	xix
Conference organization	xx
Sponsors	xxi
Opening address 1 <i>S Matsu-ura</i>	xxiii
Opening address 2 <i>K Mima</i>	xxvi
Section 1: Overview	
Overview of x-ray laser research in the UK (Invited paper) <i>C L S Lewis, R Keenan, A G MacPhee, R M N O'Rourke, G J Tallents, G Eker, J Y Lin, S J Pestehe, R Smith, J S Wark, E Wolfrum, J Zhang, G J Pert, S P McCabe, P A Simms, R E Burge, M T Browne, P Charalambous, D Neely, J Collier and C N Danson</i>	1
New results in the development of table-top capillary discharge soft-x-ray lasers: demonstration of high average power and realization of the first application (Invited paper) <i>J J Rocca, C H Moreno, B R Benware, C D Macchietto, M C Marconi, V N Shlyaptsev, F G Tomasel, K Kanizay, J J Gonzalez and M Frati</i>	9
Extreme nonlinear optics: phase-matching of ultraviolet and soft-x-ray generation (Invited paper) <i>H C Kapteyn, M M Murnane and I P Christov</i>	17
The XUV laser facility developed at LULI for scientific applications (Invited paper) <i>G Jamelot, F Albert, A Carillon, P Fourcade, S Hubert, P Jaeglé, A Klisnick, J C Lagron, D Ros, S Sebban, L Vanbostal, Ph Zeitoun, B Rus, D Joyeux, D Phalippou, M Boussoukaya and A Zeitoun-Fakiris</i>	25
X-ray lasing and saturation in Ni-like ions at low pump power <i>R Tommasini, F Loewenthal and J E Balmer</i>	33
A prospect of ultra-high field physics using ultra-short ultra-high peak power lasers (Invited paper) <i>H Takuma</i>	37
Progress of x-ray laser research in China (Invited paper) <i>J Zhang, S J Wang and Z Z Xu</i>	43

Progress in table-top transient collisional excitation x-ray lasers at LLNL (Invited paper) <i>J Dunn, A L Osterheld, V N Shlyaptsev, Y Li, J Nilsen, R Shepherd and L B Da Silva</i>	51
Section 2: Collisional x-ray lasers	
Characterization of x-ray lasers at short wavelengths (Invited paper) <i>G J Tallents, J Y Lin, R Smith, A G MacPhee, E Wolfrum, J Zhang, G Eker, R Keenan, C L S Lewis, D Neely, R M N O'Rourke, G J Pert, S J Pestehe and J S Wark</i>	59
Experiments of the saturated Ni-like x-ray lasers driven by a double 75 ps laser pulse <i>J Zhang, E Wolfrum, A MacPhee, J Lin, M H Key, C L S Lewis, J Nilsen, R M N O'Rourke, R Smith, G J Tallents and J S Wark</i>	67
Saturation behaviour in Ni-like Dy <i>R Smith, G J Tallents, J Zhang, G Eker, S McCabe, G J Pert and E Wolfrum</i>	71
Transient gain in travelling wave pumped Ni-like x-ray lasers <i>A G MacPhee, R M N O'Rourke, C L S Lewis, J Y Lin, A Demir, G J Tallents, J Collier, D Neely, D Ros, Ph Zeitoun, S P McCabe, P Simms and G J Pert</i>	75
Gain saturation and travelling wave effects for collisional excitation x-ray lasers <i>J Y Lin, G J Tallents, J Zhang, A G MacPhee, A Demir, C L S Lewis, G J Pert, R M N O'Rourke, D Ros, R Smith, E Wolfrum and P Zeitoun</i>	79
High brightness Ni-like soft-x-ray lasers for various applications (Invited paper) <i>H Daido, S Sebban, N Sakaya, T Norimatsu, T Jitsuno, G-Y Yoon, K Mima, Y Kato, S Wang, Y Gu, G Huang, H Tang, K Murai, A Klisnick, P Zeitoun, R Butzbach, I Uschmann, M Vollbrecht, E Foerster, J Nilsen, G Zhang, T Desai, H Takenaka, F Koike, K Namikawa and E Arakawa</i>	83
Characterization of a saturated nickel-like Ag x-ray laser pumped by high intensity 100 ps laser pulses <i>S Sebban, N Sakaya, H Daido, Y Kato, K Murai, H Tang, Y Gu, G Huang, S Wang, A Klisnick, P Zeitoun, A Kashihara, Y Takigawa and H Takenaka</i>	91
Test of Al-coated Nd target for the Ni-like Nd soft-x-ray laser <i>K Murai, M Takagi, H Takabe, T Imani, S Sezaki, S Hirose, H Daido, Y Kato, S Wang, Y Gu, G Huang, Z Lin, H Tang, D Ximing and G Zhang</i>	95
Design of a double target for the prepulse technique <i>K Murai, S Sebban, N Sakaya, H Daido, Y Kato, A Klisnick, P Zeitoun, H Tang, Y Gu, G Huang, S Wang, A Kashihara and Y Takigawa</i>	99
Nickel-like Nd x-ray laser at 7.9 nm with double slab target coupling configuration <i>H Tang, G Huang, Y Gu, Z Lin, S Wang, X Deng, G Zhang, Y Kato, H Daido, T Imani, S Sezaki, S Hirose, G Y Yoon, T Jitsuno, Y Takagi, K Mima, K Murai and H Takennaka</i>	103

Generation of intense Ni-like x-ray lasers at LULI: from 130 ps to 350 fs pumping pulses (Invited paper) <i>A Klisnick, D Ros, P Zeitoun, F Albert, A Carillon, P Fourcade, S Hubert, P Jaeglé, G Jamelot, C L S Lewis, A MacPhee, R O'Rourke, R Keenan, P Nickles, K Janulewicz, M Kalashnikov, J Warwick, J C Chanteloup, E Salmon, C Sauteret, J P Zou, D Joyeux and D Phalippou</i>	107
Obtention of high gains in the 3s–3p $J = 0-1$ transition of neon like iron by an improved control of the ionization balance <i>Ph Zeitoun, A McPhee, F Albert, A Carillon, P Jaeglé, G Jamelot, A Klisnick, M Maillard, D Ros, B Rus, S Sebban, C L Lewis, N O'Rourke, J Warwick, R Smith and G J Tallents</i>	115
Ray tracing modelling of a test collisional excitation x-ray laser using a half-cavity <i>B Rus</i>	119
Progress in understanding the short-pulse-driven collisional x-ray lasers (Invited paper) <i>J Nilsen, Y Li, J Dunn and A L Osterheld</i>	123
Characterization of transient gain x-ray lasers <i>A L Osterheld, J Dunn and V N Shlyaptsev</i>	131
Measuring the wavelengths of the Ni-like $4d\ ^1S_0 \rightarrow 4p\ ^1P_1$ and $4f\ ^1P_1 \rightarrow 4d\ ^1P_1$ x-ray laser lines <i>J Nilsen, Y Li, J Dunn and A L Osterheld</i>	135
Prospects for x-ray laser development at the PALS facility <i>B Rus, K Rohlena, J Skála, K Jungwirth, J Ullschmied, K J Witte and H Baumhacker</i>	139
X-ray laser research activity in JAERI/Kansai <i>A Nagashima, K Nagashima, M Kado, T Kawachi, N Hasegawa, M Tanaka, T Yamauchi, A Sagisaka, T Hosokai, Y Suzuki, O Yamashita, K Sukegawa and Y Kato</i>	143
Experimental investigation of the efficiency of a neon-like soft-x-ray laser applying a double prepulse technique <i>F Loewenthal, R Tommasini and J E Balmer</i>	147
Ne-like Cr x-ray lasers driven by picosecond laser pulses <i>Y Zhang and J Zhang</i>	151
Calculations of TCE x-ray laser in nickel-like and neon-like ions <i>R Li, T Ozaki and H Kuroda</i>	155
Design of a 1 TW/100 fs-laser-driven Ne-like S x-ray laser at 60.8 nm <i>P Lu, H Nakano, T Nishikawa and N Uesugi</i>	159

Section 3: Discharge pumped x-ray lasers

First experimental results of a very high power density capillary discharge plasma <i>J J Gonzalez, M Frati, J J Rocca and V N Shlyaptsev</i>	163
High resolution temporal & spatial mapping of the electron density in a capillary discharge pumped soft-x-ray laser amplifier using sub-ps optical interferometry <i>H A Bender III, S E Grantham, V N Shlyaptsev, J J Rocca, M C Richardson and W T Silfvast</i>	167
Ablative capillary discharges as table-top XUV sources <i>R Dussart, W Rosenfeld, N Richard, D Hong, C Cachoncinlle, C Fleurier and J M Pouvesle</i>	171
Development of a fast high voltage pulsed generator dedicated to a fast capillary discharge XUV source <i>W Rosenfeld, R Dussart, N Richard, C Cachoncinlle, D Hong, J-M Pouvesle and C Fleurier</i>	175
Development of a plasma waveguide using fast capillary discharges <i>T Hosokai, S Kondo, M Kando, M Nakajima, K Horioka and K Nakajima</i>	179
The effect of neutral species on a Z-pinch capillary discharge x-ray laser <i>R Nemirovsky, A Ben-Kish, M Shuker and A Ron</i>	183
Study of vapour columns for discharge pumped x-ray lasers <i>M Shuker, A Ben-Kish, R A Nemirovsky and A Ron</i>	187
Initial and boundary conditions influence on z-pinch plasma for collisional excitation x-ray lasers <i>A Ben-kish, M Shuker, R A Nemirovsky, A Ron and J L Schwob</i>	191
Simulations of soft-x-ray lasing for capillary discharge argon plasmas <i>S Karashima, S Kojima, Y Murakami, T Koike and H Kitazawa</i>	195
Gain calculations in capillary discharge plasmas. Proposal for high temperature two-step discharge without plasma compression <i>E P Ivanova and N A Zinoviev</i>	199

Section 4: Recombination x-ray lasers

Study on tabletop x-ray lasers pumped by a pulse-train laser (Invited paper) <i>T Hara, N Yamaguchi, C Fujikawa, K Okasaka, T Ohchi, T Kawachi and K Ando</i>	203
Excited level populations of Li-like Al ions in a low temperature dense recombining plasma; role of atomic processes through doubly excited levels <i>T Kawachi, C Fujikawa, K Ando, T Hara and Y Aoyagi</i>	211
Characteristics of the output beam from an unstable-cavity in a tabletop x-ray laser pumped by a pulse-train YAG laser <i>N Yamaguchi, T Ohchi, C Fujikawa and T Hara</i>	215

Scaling study on lithium-like x-ray laser pumped by a pulse-train laser <i>N Yamaguchi, A Ogata, C Fujikawa, T Ohchi, K Okasaka, T Hara, K Okasaka and K Ando</i>	219
Effect of wave envelope of pulse-train laser on production of x-ray laser gain in recombining lithium-like aluminum plasmas <i>K Okasaka, T Kawachi, H Oyama, T Hara, N Yamaguchi and K Ando</i>	223
Effects of surface oxide layers on gain in multipulse-pumped lithium-like aluminum soft-x-ray lasers <i>T Ozaki and H Kuroda</i>	227
Investigation of the gain anomaly of lithium-like ion 3d–4f and 3d–5f lasers in a recombining silicon plasma <i>R Li, Z Zhang, P Fan and Z Xu</i>	231
Nitrogen Balmer- α recombination laser using a 30 nm thin membrane target <i>T Tomie, H Yashiro, P Lu and E Miura</i>	235
Prospects for a 3.34 nm water-window x-ray laser in the exploding-type pumping scheme <i>T Tomie, H Yashiro and E Miura</i>	239
Effective ionization and rapid recombination of a plasma in the ‘Exploding-mode pumping scheme’ <i>H Yashiro, P Lu, E Miura and T Tomie</i>	243
Progress in demonstration of 3-body recombination x-ray lasers below 40 Å <i>L Bonnet, S Jacquemot, J-L Miquel and P Renaudin</i>	247
A modified quasi-steady state approximation for modelling of collisional and radiative processes in recombination x-ray laser <i>U Furukane and T Oda</i>	251

Section 5: Novel x-ray laser schemes

Possibility of off-resonant superradiant effects (Invited paper) <i>P L Hagelstein</i>	255
Coherent soft-x-ray radiation with femtosecond lasers (Invited paper) <i>B N Chichkov, A Egbert, S Meyer, C Reinhardt, D M Simanovskii and B Wellegehausen</i>	263
Time-resolved investigations of optically field-ionized plasmas for soft-x-ray laser applications <i>A Egbert, D M Simanovskii, B N Chichkov and B Wellegehausen</i>	271
Very compact 1–2 Hz soft-x-ray lasers and their potential applications (Invited paper) <i>A Goltsov, V Korobkin, A Morozov, Y Ping and S Suckewer</i>	275

Ionization of atoms by combinations of different polarization femtosecond laser pulses <i>M Kakehata, R Ueda, H Takada, K Torizuka and M Obara</i>	285
Relaxation of electron energy distributions and population inversion in optical-field-ionized plasmas <i>A Sagisaka, K Nagashima, M Yamagiwa, T Matoba and H Takuma</i>	289
X-ray laser gain distribution in OFI plasmas <i>M Kado, K Nagashima, A Sagisaka, N Hasegawa, M Tanaka and Y Kato</i>	293
Anomalous plasma heating by intense ultra-short laser pulse for optical field ionization x-ray lasers <i>S Kato, J K Koga, K Kato, Y Ueshima, T Utsumi, Y Kishimoto and Y Owadano</i>	297
Relativistic plasma pumping of x-ray lasers (Invited paper) <i>E Fill, D Eder, K Eidmann, J Meyer-ter-Vehn, G Pretzler, A Pukhov and A Saemann</i>	301
Femtosecond x-ray laser schemes using electron-impact inner-shell ionization and Coster–Kronig processes <i>C Tóth, D-E Kim and C P J Barty</i>	309
Investigations towards the realization of an inner-shell x-ray laser in Na <i>S Meyer, C Reinhardt, A Egbert, C Ziener, B N Chichkov, B Wellegehausen, F Albert, A Carillon, P Jaeglé, A Klisnick, J C Lagron, D Ros, P Zeitoun and G Jamelot</i>	313
Inner-shell ionization x-ray laser and hollow atom x-ray laser <i>K Moribayashi, A Sasaki, Y Ueshima and T Tajima</i>	317
X-ray pumping source for inner-shell ionization x-ray laser <i>K Moribayashi, A Sasaki, Y Ueshima and T Tajima</i>	321
Giga-particle simulation on short pulse x-ray generation with an ultra-short pulse relativistic laser <i>Y Ueshima, T Arakawa, Y Kishimoto, A Sasaki and T Tajima</i>	325
Investigation of a femtosecond-laser-driven soft-x-ray laser using a gas puff target <i>T Mocek, H J Shin, Y H Cha, D G Lee, K H Hong, C H Nam, H Fiedorowicz, A Bartnik and M Szczurek</i>	329
Excitation of nuclear transitions by self-channelled laser field for possible gamma-lasing (Invited paper) <i>V V Korobkin and M Yu Romanovsky</i>	333
A new scheme for charge-transfer pumping of laser-produced plasma for effective lasing in the XUV-range <i>I F Shaikhislamov, A G Ponomarenko, Yu P Zakharov, V M Antonov, A V Melekhov and V G Posukh</i>	339
Ultrashort intense laser interaction with atoms, molecules and clusters <i>S X Hu and Z Z Xu</i>	349

Section 6: Modelling of x-ray lasers

Modelling of laser produced plasma and Z-pinch x-ray lasers (Invited paper) <i>A L Osterheld, V Shlyaptsev, J Dunn, J J Rocca, M C Marconi, C H Moreno, J J Gonzales, M Frati, P V Nickles, M P Kalashnikov and W Sandner</i>	353
Ultrashort-pulse x-ray lasers: experimental and theoretical research at CEA (Invited paper) <i>S Jacquemot, L Bonnet, J L Miquel and S Hulin</i>	363
X-ray lasers driven by ultra-short pulsed lasers (Invited paper) <i>G J Pert, S B Healy, S McCabe and P A Simms</i>	371
Simulations of collisionally pumped Ni-like x-ray lasers <i>S McCabe, G J Pert and P A Simms</i>	379
Gain evaluation for the Ni-like tantalum x-ray laser <i>E P Ivanova, I P Grant and S J Rose</i>	383
Modelling of electron collisional excited x-ray lasers using short pulse laser pumping <i>A Sasaki, T Utsumi, K Moribayashi, M Kado, N Hasegawa, T Tajima and H Takuma</i>	387
Theoretical research on Ni-like ions x-ray laser pumping by multi-pulses <i>G Zhang, T Zhang and J Wu</i>	391
Effects of oscillator strength transfer and radiative decay cancellation in Ne-like and Ni-like sequences. Application to x-ray laser modelling and plasma diagnostics <i>E P Ivanova and I P Grant</i>	395
Proposal for an x-ray laser pumped by a powerful short-pulse-drive laser <i>E P Ivanova, A L Ivanov, N A Zinov'ev and L V Knight</i>	399
Particle modelling of ionization and three-body recombination in an x-ray laser medium <i>K Nanbu, S Yonemura and A Sasaki</i>	403
Hybrid particle-in-cell simulation, the absorption and ionization dynamics of an overdense plasma heated by subpicosecond pulse laser <i>A Zhidkov and A Sasaki</i>	407
Near LTE linear symmetric response matrix with a collisional radiative model for He-like Al ions <i>R More and T Kato</i>	411
Three-body recombination and excited-atom populations in a non-Maxwellian or anisotropic plasma <i>T Fujimoto and T Imaida</i>	415
X-ray spectrum of Be-like ions in recombining plasmas <i>I Murakami, T Kato, K Moribayashi and U I Safronova</i>	419

Spectroscopic observation for electron impact excitations of highly charged Ne-like ions <i>N Nakamura, D Kato and S Ohtani</i>	423	Calibration of x-ray instruments for x-ray laser energy measurement <i>N Sakaya, Y Tohyama, S Sebban, H Daido, H Nishimura, Y Kato, K Murai, S Wang, Y Gu, G Huang and H Tang</i>	479
Accurate transition rates in x-ray laser calculations <i>D Benredjem, M Cornille, J Dubau, A Sureau and C Möller</i>	427	Time-resolved imaging of intense laser pulse self-channelling <i>H Honda, K Katsura, E Takahashi and K Kondo</i>	483
Depression of recombination pumped x-ray OFI-lasers by random plasma microfields. Recombination pumping of non-hydrogen-like ions <i>M Yu Romanovsky</i>	431	Diagnostics of the effect of a low-level prepulse on a solid surface <i>E Miura, T Tomie, H Yashiro and P Lu</i>	487
Broadening and gain x-ray lasing transitions by random plasmas magnetic microfields <i>M Yu Romanovsky</i>	435	Measurement of preformed plasma parameters inside a micro-capillary tube <i>P Lu, H Yashiro and T Tomie</i>	491
Numerical investigation of the absorption of multipulse pumping <i>M Tagviashvili and G Tallents</i>	439	Plasma plumes generated by laser ablation of capillaries <i>Ž Andreić, L Aschke and H-J Kunze</i>	495
A ray trace modelling for an inhomogeneous and heavily saturated laser amplifier <i>H Hanajima, M Nakajima and K Horioka</i>	443	Studies on gamma ray emission from the interaction between solid targets and femtosecond lasers <i>J Zhang, P Zhang, J T He, D B Chen, Z H Li, Y Zhang, J G Bian, L Wang, Z L Li, B H Feng, X L Zhang, D X Zhang and X W Tang</i>	499
Plasma fluctuations and amplified spontaneous emission <i>F A Starikov and V K Ladagin</i>	447	Charge-exchange in colliding plasmas <i>L Aschke, S Insam, E Fill and H-J Kunze</i>	503
The numerical simulation of melting and evaporation due to ultrashort-pulse laser irradiation <i>T Utsumi, A Sasaki, T Kunugi, S Fujii and M Akamatsu</i>	451	Section 8: Alternative sources of high-brightness x-rays	
Calculation of K-absorption edge in laser-shocked aluminum <i>J Chihara, S Kiyokawa and T Utsumi</i>	455	The interaction of femtosecond, high-intensity laser pulses with clusters (Invited paper) <i>M H R Hutchinson, T Ditmire, E Springate, J W G Tisch, M B Mason, J P Marangos and R A Smith</i>	507
Section 7: Diagnostics of x-ray lasers		Phase-matched high-order harmonic generation by guided intense femtosecond pulses (Invited paper) <i>K Midorikawa, Y Tamaki, J Itatani, Y Nagata and M Obara</i>	515
High resolution x-ray spectroscopy of laser-produced plasmas <i>E Förster, R Butzbach, H Daido, Y Kato, F Koike, S Sebban, I Uschmann and M Vollbrecht</i>	459	High-order harmonic generation in ionized gas media with a 45 fs intense laser source <i>K Zhai, Z Xu, Y Wang, X Li, Y Liu, X Yang, Z Zhang, R Li and W Zhang</i>	523
Spatially resolved high resolution spectroscopy of 4f–3d emission lines of Ni- and Co-like ions from Yb, Hf, Ta and W x-ray laser plasmas <i>R Butzbach, H Daido, E Förster, Y Gu, G Huang, Y Kato, F Koike, S Sebban, H Tang, I Uschmann, M Vollbrecht and S Wang</i>	463	High-order harmonic generation from solid surface plasmas by a picosecond pulse laser <i>A Ishizawa, K Inaba, T Kanai, T Ozaki and H Kuroda</i>	527
Spectroscopic studies of the Ne-like and F-like Ge resonance line spectra emitted from x-ray laser media <i>A Demir, G J Tallents, Y Bektöre, C L S Lewis, J Lin, A MacPhee and G J Pert</i>	467	ASE prepulse effects in high harmonic generation <i>J S Bakos, I B Földes, M Á Kedves, G Kocsis, G Veres, Z Bakonyi, T Nagy and S Szatmári</i>	531
KeV spectroscopic diagnostic for the performance of Ni-like x-ray lasers <i>J Zhang, E Wolfrum, J Lin, A Djaoui, C L S Lewis, A MacPhee, G Cairns, R M N O'Rourke, R Smith, G J Tallents and J S Wark</i>	471	Prepulse effects on x-ray emission in keV and sub-keV ranges from Al plasma produced by femtosecond Ti:sapphire laser pulses <i>H Nakano, P Lu, T Nishikawa and N Uesugi</i>	535
2D spatial gain profiles in multiple-pulse driven Ne-like Ge lasers <i>J Nilsen, J C Moreno, T W Barbee Jr and L B Da Silva</i>	475		

Enhancement of soft-x-ray emission from femtosecond laser-produced plasma with a rectangular groove target <i>T Nishikawa, H Nakano and N Uesugi</i>	539	High reflectance multilayer mirror for the water window region (Invited paper) <i>M Yamamoto, K Sakano and Y Hotta</i>	601
X-ray emission from laser-plasmas produced using a gas puff target <i>M Suzuki, N Sakaya, V Kmetik, H Daido, H Fiedorowicz, A Bartnik, M Szcurek, T Nakayama and Y Kato</i>	543	Characteristics and thermal behaviour of Mo/Si multilayer soft-x-ray mirrors with interleaved barrier-layers <i>H Takenaka, H Ito and T Kawamura</i>	605
Toward single pass FEL with SPring-8 Linac (Invited paper) <i>H Yokomizo and Linac Group</i>	547	Design of a VUV/soft-x-ray ellipsometry system that uses laser produced plasma x-rays <i>T Kawamura, J-J Delaunay, H Takenaka and Y Watanabe</i>	609
The VUV FEL project at DESY: plans for improving the photon beam characteristics by feedback and seeding <i>J Feldhaus, J Krzywinski, E L Saldin, E A Schneidmiller and M V Yurkov</i>	553	Soft x-ray multilayer beamsplitter for x-ray laser application <i>H Tang, K Yi, Z Fan, Y Gu and S Wang</i>	613
Coherent x-ray generation by new SUBARU, synchrotron radiation facility <i>S Miyamoto, N Ikeda, S Amano and T Mochizuki</i>	557	Brilliant resonant transition radiation x-rays focused by total reflection optics <i>T Awata, K Yajima, R Koizumi, A Itoh and N Imanishi</i>	615
Generation of tunable radiation by photon acceleration in relativistic ionization fronts <i>C Stenz, F Blasco, J Dias, N Lopes, L Oliveira e Silva, T Mendonça, A Dos Santos, A Mysyrowicz and A Antonetti</i>	561	ELID (electrolytic in-process dressing) grinding technique for x-ray mirrors <i>H Ohmori, S Moriyasu, Y Yamagata, A Makinouchi, H Asama, I Takahashi, N Itoh and T Nakagawa</i>	619
Short pulse x-ray generation via backward Thomson scattering on a relativistic electron beam <i>H Kotaki, K Nakajima, M Kando, H Dewa, S Kondo, F Sakai, T Watanabe, T Ueda, H Nakanishi, K Yoshii, A Ogata, K Kinoshita and M Uesaka</i>	565	Ultraprecision mirror surface-finishing of x-ray mirrors with ELID grinding <i>N Itoh, H Ohmori, T Kasai, T Karaki-Doy and K Horio</i>	623
Section 9: Coherence theory		Aspherical form control for x-ray mirror substrates with ELID (electrolytic in-process dressing) grinding <i>S Moriyasu, H Ohmori, Y Yamagata, A Makinouchi, N Itoh, H Asama, I Takahashi and T Nakagawa</i>	627
Calculations of properties of x-ray laser beams. Comparisons with experiments on polarization (Invited paper) <i>A Sureau, D Benredjem, B Rus, H Guennou and C Möller</i>	569	Ultraprecision polishing technique for x-ray mirrors <i>M Ohmae, M Konaka, M Mori, H Ohmori, Y Yamagata, S Moriyasu, N Itoh and A Makinouchi</i>	631
Improvement of spatial coherence of an x-ray laser <i>F A Starikov</i>	577	Phase imaging with partially coherent x-rays <i>S S Han, J Cheng, H J Tang and Z Z Xu</i>	633
Determination of the x-ray laser coherence length <i>F A Starikov</i>	581	Exploitation of x-ray in-line Gabor holography with a partially coherent source <i>S S Han, J Cheng and Z Z Xu</i>	637
Ray tracing modelling of double-pass x-ray lasers <i>B Rus</i>	585	Section 11: X-ray laser drivers	
Numerical simulations of x-ray laser coherence build-up using a Maxwell–Bloch description <i>D Ros, O Larroche, A Klisnick, A Sureau, C Möller, D Benredjem and H Guennou</i>	589	Pre-pulse free short-pulse KrF laser for x-ray laser pumping <i>H Yashiro, P Lu and T Tomie</i>	641
Section 10: X-ray optics		Design and performance of a 100 TW, sub-20 fs Ti:sapphire laser system <i>K Yamakawa, S Matsuoka, M Aoyama, T Kase, Y Akahane, H Takuma and C P J Barty</i>	645
Sc–Si normal incidence mirrors for a VUV interval of 35–50 nm (Invited paper) <i>V E Levashov, Yu A Uspenskii, A V Vinogradov, A I Fedorenko, V V Kondratenko, Yu P Pershin, E N Zubarev, S Mrowka and F Schäfers</i>	593	Ultra-short pulse line focus travelling-wave implementation on the Vulcan laser <i>J L Collier, C N Danson, R M Allott, M H R Hutchinson, C L S Lewis, D Neely, D A Pepler, T B Winstone and J Zhang</i>	649

New method of travelling wave generation and characterization for use on x-ray laser transient pumping experiments <i>J-C Chanteloup, E Salmon, J P Zou, A Migus, C Sauteret, Ph Zeitoun, A Klisnick, A Carillon, S Hubert, D Ros, C L S Lewis, A McPhee, R O'Rourke, R Keenan, P Nickles, K Janulewicz, M Kalashnikov and J Warwick</i>	653
Section 12: Applications of x-ray beams and high brightness x-ray sources	
X-ray laser radiography of hydrodynamic perturbations due to laser imprint (Invited paper) <i>E Wolfrum, J S Wark, J Zhang, N O'Rourke, R Keenan, C L S Lewis, A G MacPhee, D Kalantar, M H Key, B A Remington, D Neely, A Djaoui, S J Rose, G Eker, J Lin, R Smith and G J Tallents</i>	657
Absorption of the neon-like bromine x-ray laser at 19.47 nm in helium <i>P Lu and E E Fill</i>	665
Investigation of electric field induced surface phenomena by soft-x-ray laser interferometry <i>Ph Zeitoun, A Zeitoun-Fakiris, D Joyeux, F Albert, M Boussoukaya, A Carillon, S Hubert, P Jaeglé, G Jamelot, A Klisnick, J C Lagron, D Phalippou, D Ros and S Sebban</i>	669
Interferograms obtained with an x-ray laser by means of a wavefront division interferometer <i>F Albert, D Joyeaux, P Jaeglé, A Carillon, J P Chauvineau, G Jamelot, A Klisnick, J C Lagron, D Phalippou, D Ros, S Sebban and P Zeitoun</i>	673
Experimental investigation of the x-ray laser focusability using a Bragg-Fresnel reflective lens <i>Ph Zeitoun, S Sebban, K Murai, H Tang, Ph Troussel, F Albert, H Daido, G de Lacheze-Murel, P Dhez, A Carillon, G Cauchon, Y Gu, G Huang, S Hubert, G Jamelot, Y Kato, A Mirone, N Sakaya, S Wang, D Hambach and B Niemann</i>	677
X-ray microscopy using a soft-x-ray laser light source <i>K Ando, T Kawachi, H Oyama, T Hara, N Yamaguchi and Y Aoyagi</i>	681
Formation of a sub- μm x-ray beam from a tabletop soft-x-ray laser <i>T Ohchi, N Yamaguchi, C Fujikawa and T Hara</i>	683
Near frequency doubling through four wave mixing in plasma <i>R M N O'Rourke, C L S Lewis and A Hibbert</i>	687
KeV x-ray source toward 100 fs time-resolved x-ray applications (Invited paper) <i>A Rouse, C Rischel, I Uschmann, P A Albouy, J P Geindre, P Audebert, J C Gauthier, E Förster, J L Martin and A Antonetti</i>	691
Fundamental research of subpicosecond time resolved x-ray diffractometry using an electron linac <i>H Harano, K Kinoshita, K Yoshii, T Ueda and M Uesaka</i>	699

Special purpose computer for x-ray scattering analysis of macromolecules in solution <i>N Masuda, M Oikawa, T Ito and H Ihara</i>	703
Application of laser plasma soft x-rays to material analysis <i>H Azuma, A Takeichi and S Noda</i>	707
Conceptional design of medical laser SR <i>M Kumada, K Nakajima, H Nakanishi, A Ogata and Z F-Qing</i>	711
Author index	715