

Contents

ICEC17 committees, sponsors and exhibitors	v
Preface	ix
Section 1: Plenary presentations	
Kleemenko cycle coolers: low-cost refrigeration at cryogenic temperatures <i>W A Little</i>	1
Classification of pulse tube cryocoolers <i>Y Matsubara</i>	11
Cryogenic refrigeration below 70 K <i>C Beduz and R G Scurlock</i>	17
Applications of bulk high temperature superconductors <i>M Murakami, S I Yoo, N Sakai, S J Seo, T Otani, T Miyamoto, N Chikumoto, T Mochida, T Higuchi and K Nagashima</i>	23
High-temperature superconductivity in power engineering <i>P Grant</i>	29
MRI magnets—market, applications and technologies <i>D Hawksworth</i>	31
Developments in cryogenic air separation technology <i>R M Thorogood</i>	33
The first collection of liquid hydrogen—James Dewar, 1898 <i>B A Hands</i>	35
The commercial use of liquid hydrogen over the last 40 years <i>G E Kinard</i>	39
LH ₂ —technology for vehicles <i>W-H Reese, H Ruediger and J Wolf</i>	45
The thermophysical properties of cryogenic fluids, then and now <i>V D Arp and R D McCarty</i>	47
Review on the construction and commissioning of superconducting magnet system for Large Helical Device <i>O Motojima, S Satoh, T Mito, R Maekawa, S Imagawa, N Yanagi, K Watanabe, A Iwamoto, K Takahata, T Morisaki, S Yamada, H Chikaraishi, A Nishimura, H Tamura, T Satow, S Tanahashi and the LHD group</i>	57

Part 1: Refrigeration**Section 2: Refrigeration pulse tubes**

- Use of a two-stage pulse tube refrigerator for cryogen-free operation of a superconducting niobium–tin magnet
C Wang, G Thummel, K-J Best, B Oswald and C Heiden 69
- Visualization study on flow behaviour and work of working gas in a pulse tube refrigerator
M Shiraishi, N Nakamura, K Takamatsu, M Murakami and A Nakano 73
- Pulse tube coolers for the NASA AIRS flight instrument
C K Chan, J Raab, R Colbert, C Carlson and R Orsini 77
- Comparison studies of thermodynamic losses in pulse tube cooler components
L Rohlin, K V Ravikumar, S Yoshida and T H K Frederking 89
- Investigation of the phase shift of the oscillating flow regenerator for a pulse tube cooler with high frequency
Y Ju, Y Zhou, Y Jiang and G He 93
- Use of polymer materials for the regenerator of a pulse tube refrigerator
J Gerster, J Krause, M Thürk and P Seidel 97

Section 3: Expanders

- Refrigeration at 1.8 K by using a combination of warm screw compressors and cold two-stage turbo-compressors
E Adler, B Chromec, K Löhlein, W Purtschert, T Voigt, F Gabriel, I Brunovsky, L Tucek and H Quack 101
- A 4.2 K G-M refrigerator with a new configuration
L Zhang, X D Xu and L Q Liu 109
- The experimental study of using plate-foil journal bearings for a high speed cryogenic turboexpander
Y Hou, C Z Chen, L Y Xiong, J Wang, M F Lin and B C Wang 113
- Discussion of regenerator performance improvement with a binary gas mixture
J Yu, G Chen, Z Gan, T Jin and P Yan 117

Section 4: Intermediate temperatures

- Development of a microminiature sorption cooler
J F Burger, H J Holland, M C van der Wekken, H J M ter Brake, L A Wade, M C Elwenspoek and H Rogalla 123
- Vibration reduction in balanced linear compressors
M W Dadd, G Davey, P F Lion Stoppato and P B Bailey 127

- Vortex-throttle Joule–Thomson cryocooler
B-Z Maytal 133
- Design, development and experimental investigations of a two-stage Stirling cycle cryogenerator
P V Natu and K G Narayankhedkar 137
- Theoretical analysis of the working parameters of a semiconductor cooler with an ‘infinite cascade’
X Xuan, W Wang and D Dong 141

Section 5: Low temperatures

- Performance assessment of industrial prototype cryogenic helium compressors for the Large Hadron Collider
A Bézaguet, P Lebrun and L Taviani 145
- Reconfiguration of AB and W/SSC/Linde liquefier to meet SLAC-BaBar detector magnet requirements
W Burgess, W C Craddock, K Kurtcuoglu and H Quack 149
- Regenerator dynamics in the harmonic approximation
A T A M de Waele, H W G Hooijkaas, P P Steijaert and A A J Benschop 157
- Development of JT precooled dilution refrigerators and refrigerant-free dilution refrigerators
M Kubota, T Igarashi, M Fukuda, V Kovacic and Y Hiresaki 161
- Forced flow cooling at liquid helium temperature; a study on refrigerator process arrangements
A Kündig 165

Section 6: Poster presentations

- New concepts for tropical cryogenic ambient air vaporizers
R E Bernert Sr 173
- Cryogenic R&D at the CERN central cryogenic laboratory
M Blin, G Ferlin, P Gauss, C Policella, J-M Rieubland and G Vandoni 181
- A microcryostat for refrigeration at 1.8 K
A Bouyaya, C Policella, J-M Rieubland and G Vandoni 185
- Cryogenic system for the test facilities of the ATLAS liquid argon calorimeter modules
J Bremer, A Cambon, M Chalifour, F Haug, G Passardi and J Tischhauser 189
- The study of a small air refrigerator with a plate-foil aerodynamic bearings turboexpander
C Z Chen, G Wu, L Y Xiong, Y Hou, J Wang and M F Lin 193

Study of two-component gas mixture in regenerative refrigerators <i>G B Chen, Z H Gan, J P Yu, T Jin and P D Yan</i>	197	The experimental research on the performance of a small oxygen concentrator by using pressure swing adsorption <i>L Chen, J Feng, Y Zhang, Y Wu and S Li</i>	275
Cryogenic optical loading of a radiant cooler <i>D Dong and W Wang</i>	201	Characteristics of AC surface spark voltage of pipes composed with high-strength polyethylene-fibre-reinforced plastics in coolant <i>T Nitta, M Chiba and T Kashima</i>	279
Thermal performance of insulating cryogenic pin spacers <i>Ch Darve and G Vandoni</i>	205	Dynamic simulation of the helium refrigerator for the LHD <i>M Nobutoki, H Matsuda, T Fukano, R Maekawa, T Mito and S Satoh</i>	283
Backstreaming of impurity gas through a leak in a pressurized vessel <i>J-P Dauvergne and G Vandoni</i>	209	Large magneto caloric effect in $(Dy_xGd_{1-x})Ga_5O_{12}$ for magnetic refrigeration below 1 K <i>T Numazawa and A Sato</i>	287
Air Force Research Laboratory cryocooler technology development <i>T M Davis and B J Tomlinson</i>	213	New regenerator design for cryocoolers <i>I Rühlich and H Quack</i>	291
JT precooled dilution refrigerator performance and highly sensitive torsional oscillator experiments under continuous rotation up to 60 rpm <i>M Fukuda, V Kovacic, T Igarashi and M Kubota</i>	217	A 1 kPa centrifugal cold compressor for the 1.8 K helium refrigeration system <i>N Saji, H Asakura, S Yoshinaga, K Itoh, T Nogaku, A Bézaguet, J Casas, Ph Lebrun and L Tavian</i>	295
Control—and instrumentation—system for the JET cryosystem <i>R Garbil, K Barth, A Konarski, J Harling, C Mayaux, W Obert and R Parkinson</i>	221	Influence of surface roughness and precooling by liquid nitrogen on frictional coefficients at liquid helium temperature <i>T Takao, D Yoshino, T Kubosaka, N Momma, I Nitta, A Iwabuchi and F Odajima</i>	299
Study of the regenerator temperature gradient in a pulse tube refrigerator <i>A Halouane, J-C Maréchal, Y Simon and M David</i>	227	Investigation of displacement and phase shift of the gas piston in a pulse tube refrigerator with a neck tube <i>K Takizawa, S Yatsuzuka, Y Hagiwara, A Torii and S Ito</i>	303
Development and test of a new Stirling cryocooler for 15 W at 80 K <i>O Hempel, A Tzscheuschler, A Binneberg and R Herzog</i>	237	Variations of compact dilution refrigerators <i>T Umeno, S Yoshida and Y Kamioka</i>	307
Cooling of the liquid helium container by a pulse tube refrigerator <i>H Ikeda, S Kawano, T Inoue, T Koyano and R Yoshizaki</i>	241	Experimental study on the new aerostatic gas bearing with tangential supply holes for turboexpanders <i>B C Wang, Y Hou, L Q Liu, L Y Xiong, J Wang, M F Lin and C Z Chen</i>	311
A proposed upgrade of the liquid hydrogen moderator at Brookhaven's high flux beam reactor <i>L X Jia, L Passell and D C Rorer</i>	245	Performance analysis of the low temperature regenerator with multi-layered hybrid materials <i>L Wang, L Fang and L Zhang</i>	315
Optimization and experiment of a Vuilleumier refrigerator <i>J-F Wu and Y Zhou</i>	251	A new gas foil bearing for cryogenic turboexpanders <i>L Y Xiong, Y Hou, J Wang, M F Lin, G Wu, B C Wang and C Z Chen</i>	319
Development of a 1 kg/s scale supercritical helium pump <i>K Kawano, T Kato, T Shimba, K Hamada, H Tsuji, N Saji, Y Kaneko, H Asakura and S Yoshinaga</i>	255	R&D of a highly reliable refrigeration system for superconducting generators <i>K Yamada, M Shibuya, R Takahashi, M Ikeuchi, A Machida and H Yanagi</i>	323
Etched plate regenerator for a small cryocooler <i>K Kohara, A Torii and S Ito</i>	259	Design and calculation of the suspension support system of a radiant cooler for space applications <i>Z Li, W Wang and H Quan</i>	327
Development of a liquid He-free dilution refrigerator for neutron scattering <i>Y Koike, Y Morii, T Igarashi, M Kubota, Y Hiresaki and K Tanida</i>	263		
A numerical model of a miniature multi-bypass pulse tube cooler <i>Y Ju, Y Zhou and W Zhu</i>	267		
Development of a new type of bearing with tangential supply holes for cryogenic turboexpanders <i>L Liu, C Chen and L Zhang</i>	271		

Part 2: Superconductivity**Section 7: HTS applications**

Power applications of HTS materials—the Southampton perspective <i>J K Sykulski, R L Stoll, K Goddard, C Beduz, Y Yang and A Power</i>	333
Neon refrigeration for high temperature superconducting power transmission cables <i>A Anghel, G Pasztor, R Wesche, B Jakob and G Vecsey</i>	337
Construction and tests of a high- T_c SQUID-based heart scanner cooled by small Stirling cryocoolers <i>H J M ter Brake, C J H A Blom, H J Holland, A P Rijpma and H Rogalla</i>	341
Cryogenic design and technological development for conduction cooled HTS coils <i>E Petrillo, A Matrone and G Pica</i>	345
Fabrication and test of a superconducting coreless three-phase transformer <i>T Ishigohka, S Sekine, T Fujimura and A Ninomiya</i>	349
Magnetic behaviour of a magnetic shielding system composed of BPSCCO and ferromagnetic cylinders: influence of the air gap between the BPSCCO and soft-iron cylinders <i>K Mori, M Itoh and T Minemoto</i>	353
Section 8: Quench stability and losses	
Heat and quench propagation in HTSC coils with bobbins from different materials (part 2, results and their discussion) <i>V S Vysotsky, T Kiss, Yu A Ilyin, M Takeo, H Saho, K Funaki and T Hasegawa</i>	357
Two-fluid analysis of the thermal-hydraulic stability of ITER CS and TF superconductors <i>R Zanino, C Marinucci and L Savoldi</i>	361
Experimental and analytical estimation for transient stability in AC multi-strand superconducting cables <i>A Ishivama, M Sasaki, T Susa, S Noguchi, S B Kim, M Tsuda, H Yumura, K Ohmatsu and K Sato</i>	365
Thermal stability of large Al-stabilized superconducting magnets. Theoretical analysis of CMS solenoid <i>F-P Juster and P Fabbriatore</i>	369
Conductor pitch effect on an eddy current loss of the superconducting power cable using the disassembled cable ‘M’ data <i>T Hoshino, M Shibayamai, S Itoh, I Muta, N Higuchi, N Natori, S Fuchino and K Arai</i>	375

Section 9: HTS motors and fault current limiters

Alternators which use HTSC wire coils and bulk YBCO materials <i>L K Kovalev, K V Ilyushin, A E Larionoff, K L Kovalev, V T Penkin, S A Larionoff, D Dew-Hughes, M D McCulloch, D A Cardwell, W Lo and I I Akimov</i>	379
The investigation of a vertical rotational structure with hybrid superconducting magnetic bearings <i>H Ye, P C Xia and L Z Lin</i>	383
Shielded-core fault current limiters with a smooth HTS transition <i>J Gerhold</i>	387
Test of a DC reactor type fault current limiter using a high temperature superconducting coil <i>M Yamaguchi, S Fukui, T Satoh, Y Kaburaki, T Horikawa and T Honjo</i>	391
Resistive current limiting characteristics in a magnetic shield type superconducting fault current limiter <i>T Onishi, A Matsui and A Nii</i>	395
Section 10: Superconducting materials	
Some recent developments in low temperature superconductors for fusion, high energy physics and other applications <i>E Gregory and T Pyon</i>	399
New high-field Nb ₃ Sn superconductors prepared from intermediate compound powders <i>K Tachikawa, M Ueda, S Yamamoto and T Yokoyama</i>	403
Effect of Ge addition on microstructure and critical current density of internal tin processed Nb ₃ Sn strands <i>S-S Oh, D-W Ha, H-S Ha, S C K Kim and K-S Ryu</i>	407
YBCO superconducting tapes by magnetron IBAD <i>N Savvides, S Gnanarajan and A Katsaros</i>	411
Fabrication of Bi ₂ Sr ₂ CaCu ₂ O _x /Ag tapes with J_c (4.2 K, 10 T) > 300 000 A/cm ² by using the PAIR process <i>H Kitaguchi, H Miao, H Kumakura, K Togano, T Hasegawa and T Koizumi</i>	415
Bi(2223) Ag sheathed tape characterization under a DC applied magnetic field <i>B Dutoit, M Sjöström and S Stavrev</i>	419
A scanning SQUID microscopy of superconducting thin film samples <i>S A Gudoshnikov, A S Kalabukhov, S A Chupakhin, L V Matveets, M Mück, J Dechert, C Heiden and O V Snigirev</i>	423
Nonlinear resistance in high- T_c superconductors as a function of bias current density, temperature and magnetic field <i>T Kiss, T Nakamura, K Hasegawa, M Inoue, H Okamoto, K Funaki, M Takeo, K Yamafuji and F Irie</i>	427

Section 11: Large current applications

End design of a helically wound magnet for RHIC <i>G H Morgan</i>	431
30 T hybrid magnet consisting of a 10 T cryocooled superconducting magnet and a 20 T bitter-type resistive magnet <i>K Watanabe and M Motokawa</i>	435
2T-class 50 Hz AC magnet of 50 mm bore made by bronze-processed submicron-filament new Nb ₃ Sn cables <i>K Tachikawa, K Miyashita, K Sugiyama, K Tagawa, H Moriai, K Kamata and K Fukuda</i>	439
First cycle operation of the SC current feeder system for the LHD <i>S Yamada, T Mito, R Maekawa, H Chikaraishi, A Iwamoto, A Nishimura, K Nishimura, S Moriuchi, K Ohba, T Baba, H Sekiguchi, T Uede, H Hiue, Y Yasukawa, I Itoh, K Schippl, T Satow, S Satoh, O Motojima and LHD Group</i>	443
Recent progress on 70 MW class superconducting generators <i>R Takahashi, M Shibuya, T Shimada, Y Imai, H Kusafuka, R Shiobara, K Yamaguchi, M Takahashi, K Suzuki, K Miyaike and H Yanagi</i>	447
Development of testing apparatus for 10 kA class AC superconductors <i>K Takeda, M Chiba, K Fukuda, Y Sakagami, M Shibuya, K Miyashita, H Moriai and K Kamata</i>	451
Turn off trigger energy characteristics of the superconducting power electronics device (S-PED) <i>T Hoshino, M Eguchi, T Konishi, I Muta, N Nakaura, H Tsukiji, Y Noguchi and M Suzuki</i>	455

Section 12: Poster presentations

Angular dependence of critical current densities and normal state resistivities in silver sheathed (Bi, Pb) ₂ Sr ₂ Ca ₂ Cu ₃ O _x tapes <i>J Chikaba, M Ishimatsu, K Yoshida and H Hasebe</i>	459
Experimental analysis and modelling of the electrical and thermal transients of the diode by-pass for the LHC-magnet protection at cryogenic temperatures <i>R Denz and D Hagedorn</i>	463
A new resin system for the impregnation and bonding of large magnet coils <i>D Evans and S J Canfer</i>	467
Using electrical measurements to determine the self-field AC losses of cable models <i>C M Friend, S A Awan, D M Spiller, L Le Lay and T P Beales</i>	471
Hydraulic characteristics in a superconducting power transmission line <i>S Fuchino, N Tamada, I Ishii, M Okano, N Higuchi and T Hoshino</i>	475

Study of heater efficiency in the ATLAS barrel toroid magnet <i>B Gastineau, M Courthold and C Lesmond</i>	479
Semiconductor–superconductor transitions in Nb/Al structures <i>M Greco, V Lacquaniti, S Maggi, E Menichetti and G Rinaudo</i>	487
Design study for the storage efficiency of an SMES with a persistent-current switch <i>H Hayashi, Y Nagai, K Fuzibashi, T Ookuma, K Shinoda, Y Imai, T Izumi and S Akita</i>	491
Inductive method to measure very small joint resistances of superconducting wires <i>R Herzog and D Hagedorn</i>	495
Influence of contact resistance among multi-strand superconducting cables on its stability <i>N Hirano, K Seo, M Morita, H Yoshimura, M Hasegawa, R Saito, T Minato, T Mito, A Iwamoto and S Satoh</i>	499
Analysis of AC loss and current distribution of co-axial multi-layer cable <i>T Hirasawa, S Fukui, M Yamaguchi, T Satoh and O Tsukamoto</i>	503
RF shielding system constructed from wood, ceramics and HTS vessels <i>Y Hotta, K Mori and M Itoh</i>	507
Shielding characteristics and current limiting behaviours of Bi bulk superconducting rings for inductive fault current limiters <i>D Ito, T Yasunaga, E Ueno, T Tokugami and O Miura</i>	511
Normal zone propagating velocity for AC transport current <i>K Kaiho, H Yamaguchi, K Arai, N Tamada, T Saito, N Sadakata, H Fuji and M Yamaguchi</i>	515
Preparation and magnetic property of melt-processed REBaCuO-system superconductors <i>S Kohayashi, S Nagaya, S Yoshizawa, N Mukohyama and H Nakane</i>	519
Experimental results at pulse test facility (PTF) of butt joint used in ITER CS model coil outer module <i>N Koizumi, A Terasawa, Y Nunoya, Y Takahashi, T Ando, H Tsuji, P Michael, A Zhukovsky, J R Hale, G Dekow, R Latons, J Minervini, M Ono and T Fujioka</i>	523
HTS electric motors with compound HTS-ferromagnetic rotor <i>L K Kovalev, K V Ilushin, S M-A Koneev, K L Kovalev, V T Penkin, V N Poltavets, W Gawalek and B Oswald</i>	527
Microstructure and phase equilibria along the Bi _{1.8} Pb _{0.4} Sr _{1.9} Ca _{n-1} Cu _n O _x line between 820 °C and 880 °C <i>X Y Lu, A Nagata, K Haritani, K Sugawara and S Kamada</i>	531
AC transport current loss in a QMG-processed Y-123 superconductor <i>T Matsushita, E S Otabe, H Matsuoka, M Izawa, K Kajikawa, M Iwakuma, K Funaki, M Morita and T Tokunaga</i>	535

The effect of irradiation on the critical properties of doped Bi-2223/Ag tapes <i>A D Nikulin, A K Shikov, I I Akimov, I N Goncharov, V L Aksenov, V V Golikov, V I Luschikov, I F Voloshin and L M Fisher</i>	539
Electromagnetic behaviour of a bulk superconducting magnet interacting with an iron piece <i>H Ohsaki and M Tokuda</i>	543
Electric motors with HTS bulk material <i>B Oswald, M Söll, W Gawalek, L Kovalev, H J Gutt and W Fuchs</i>	547
Electromagnetic force between bulk superconductors and permanent magnets <i>T Otani, K Nagashima, T Murayama and M Murakami</i>	551
Thermo-hydraulic quench propagation at the LHC superconducting magnet string <i>F Rodriguez-Mateos, R Schmidt and L Serio</i>	555
Characteristics of the kA class superconducting coil with high winding tension <i>K Ryu, H J Kim, K C Seong, S S Oh, J W Cho, E Y Lee, H B Jin and K S Ryu</i>	559
Flux creep and pinning potential in superconducting fullerene Rb ₃ C ₆₀ <i>N Sakamoto, T Akune, M Baenitz and K Lüders</i>	563
Nb–Ti conductors with Cu–Mn matrix for DC switches <i>A K Shikov, I N Gubkin, G P Vedernikov, A D Nikulin, V Yu Korpusov, L V Potanina, V Ya Filkin and S I Novikov</i>	567
Design of an HTS demonstrator transformer <i>J K Sykulski, R L Stoll, K Goddard, C Beduz, M Al-Mosawi and A Power</i>	571
Frictional characteristics on contacting surfaces between AC superconductors and coil bobbins having coefficients of negative thermal expansion <i>T Takao, H Konda, H Akama, N Maeda, T Kashima and A Yamanaka</i>	575
Active control of current distribution in a superconductor by composing the conductor with parallel sub-conductors <i>O Tsukamoto, K Yamagishi, T Wada and W L Zhu</i>	579
Heat and quench propagation in HTSC coils with bobbins from different materials (part 1, experiment) <i>V S Vysotsky, T Kiss, Yu A Ilyin, M Takeo, H Saho, K Funaki and T Hasegawa</i>	583
Analysis of the stability margin on cryogenic parameters and transient disturbance in cable-in-conduit Nb ₃ Sn conductors <i>Q-L Wang, S-S Oh, D-W Ha, K-S Ryu and K-W Ryu</i>	587
Combination problems of the HTS permanent magnet <i>Y Wang, L Z Lin and X H Jiang</i>	591
Interstrand coupling loss in different stages of a multi-strand cable exposed to an external magnetic field <i>T Yazawa, A Nijhuis, B ten Haken, H H J ten Kate and Y Yamada</i>	595

Part 3: Cryogenics

Section 13: Cryogenic systems

Operating experience with the first TESLA test facility (TTF) cryomodule <i>J G Weisend II, R Bandelmann, D Barni, A Bosotti, G Grygiel, H Kaiser, U Knopf, R Lange, F Loeffler, C Pagani, P Pierini, O Peters, B Petersen, D Sellmann and S Wolff</i>	601
Cool-down analysis of the ITER central solenoid model coil <i>T Shimba, M Taneda, J Harada, T Honda, K Hamada, T Kato and H Tsuji</i>	605
Problems encountered with sub-atmospheric circuits on the Tore Supra cryogenic system <i>F Minot, B Gravit, A Bocquillon, C Dugas, D Henry, J L Marechal, S Nicollet, P Prochet, J P Serries and R Simon</i>	609
Development of a superfluid-cooled cryostat for a 1 GHz NMR spectrometer—detailed design <i>A Sato, T Miki, F Matsumoto, H Nagai, H Wada, S Ito and Y Kawate</i>	613
Study of exergetic losses occurring with liquid helium transfill operations <i>Th Voigt</i>	617
New cryogenic facilities for testing superconducting equipment for the CERN large hadron collider <i>K Barth, J-P Dauvergne, D Delikaris, N Delruelle, G Ferlin, G Passardi and J-M Rieubland</i>	623
Mechanical stability of the LHC dipole–dipole 50–75 K thermal shield interconnect—‘floating’ expansion joint concept <i>B Skoczen</i>	627
Applying advanced control techniques for temperature regulation of the LHC superconducting magnets <i>B Flemsæter, E Blanco, J Casas-Cabillos, C de Prada and S Sælid</i>	631
Quality testing of gaseous helium pressure vessels by acoustic emission <i>M Barranco-Luque, M Cherfaoui, C Hervé, C Margaroli and V Sergo</i>	635
Thermal performance of the LHC external auxiliary bus-bar tube: mathematical modelling <i>P Kowalczyk, A Poncet, P Sacré and B Skoczeń</i>	639
The liquid krypton calorimeter cryogenics for the NA48 experiment <i>J Bremer, D Cundy, J-P Dauvergne, A Gonidec, G Kessler, W Kubischta, G Linser, D Schinzel, H Taureg and P Wertelaers</i>	643

Section 14: Heat transfer

Thermal characterization of the He II LHC heat exchanger tube
D Camacho, S Chevassus, C Policella, J M Rieubland, G Vandoni and R van Weelderden 647

Wall temperature fluctuation and self-compensation effect of two-phase flow in a new condenser-boiler in liquid nitrogen
L Chen, Z Li, Y Wu and S Li 651

Investigation on boiling heat transfer of liquid nitrogen in a lunate channel
L Chen, S Li, Y Wu and H Zhang 655

Creation of nonboiling cryoliquids as an environment for SPM
A Löhmus, R Löhmus, J Dzelme, J Lindahl and H Olin 659

Investigation of large dynamic range performance of a cryogenic two-phase thermosyphon
A Nakano, M Shiraishi, M Nishio and M Murakami 663

Experimental investigation of heat transfer between gas and solid in a cryogenic vibrated fluidized bed
Y Liang, Y Y Guo, D J Bian and X X Wang 667

Section 15: Helium heat transfer

Hydraulic behaviour of He II in stratified counter-current two-phase flow
B Rousset, A Gauthier, B Jager, R van Weelderden and J G Weisend II 671

Cryogenic jet turbulence in gaseous ^4He around 4 K
O Chanal, B Castaing, B Chabaud and B Hébral 675

Heat transport characteristics in He II channels separated by a porous spacer
T Okamura, S Hamaguchi, T Okada and S Kabashima 679

Critical heat flux on various sized flat plates in pressurized He II
H Tatsumoto, K Hata, Y Takeuchi, K Hama, Y Shirai and M Shiotsu 683

Transient heat transfer caused by a stepwise heat input to a flat plate in pressurized He II
M Shiotsu, K Hata, Y Takeuchi, K Hama and Y Shirai 687

Visualization study of phase transitions of He II induced by shock wave compression
N Takano, H Nagai, H Yang and M Murakami 691

Section 16: Instrumentation

A cryogenic temperature sensor using a fibre Bragg grating
S Albin, W Fu, J Zheng, A C Lavarias and J Albin 695

Characteristics of the TVO temperature sensor
M Süßer 699

Coaxial resonators for monitoring cryogenic flows
S B Glavatskikh, A M Arkharov, A G Grechko and A A Zherdev 703

FPS51B—a small piezo-resistive silicon pressure sensor for use in superfluid helium
T Haruyama, N Kimura and T Nakamoto 707

Characterization of Josephson junction bolometers by a fibre-coupled system
M Rajteri, E Monticone, G B Picotto, R Steni, M Rastello and V Lacquaniti 711

Section 17: Poster presentations

On the emissivity of silver-coated panels, effect of long-term stability and effect of coating thickness
P A Ageladarakis and W Obert 715

Analytical study of the behaviour of the cold mass supports of the ATLAS barrel toroid
F Alessandria and G Ambrosio 719

Preliminary results of thermal and electrical conductivity measurement at cryogenic temperatures of riveted junctions for the thermal shield of the ATLAS barrel toroid
F Alessandria and G Ambrosio 723

Neutron irradiation tests in superfluid helium of LHC cryogenic thermometers
J-F Amand, J Casas-Cubillos, T Junquera and J-P Thermeau 727

Investigation of the He–Ne mixture separation process on silica glass
A M Arkharov, I A Arkharov, U V Nikiforov, A V Mikhailov, M Y Savinov and V L Bondarenko 731

Research–industrial plant for production of high-purity neon
A M Arkharov, S N Purtov, I A Arkharov, V L Bondarenko, V N Rura, A A Golubev, P A Kapralov, M Yu Savinov and B I Volynsky 735

Current feedthroughs for superconducting magnets operating below 2 K
V Benda and O Zilbert 739

The cryogenics of the LHC interaction region final focus superconducting magnets
R Byrns, Y Huang, J Kerby, Ph Lebrun, L Morrison, T Nicol, T Peterson, R Trant, R van Weelderden and J Zbasnik 743

Operation, testing and long-term behaviour of the LHC test string cryogenic system
J Casas-Cubillos, Ph Provenaz, L Serio, A Suraci and R van Weelderden 747

Cryogenic thermometer calibration system using a helium cooling loop and a temperature controller <i>E Chanzy, T Junquera, J-P Thermeau, S Buhler, C Joly, J Casas-Cubillos and C Balle</i>	751	Nb/TaO _x /Nb Josephson junctions for a programmable voltage standard <i>V Lacquaniti, S Gonzini, S Maggi, E Monticone and R Steni</i>	809
Thermo-mechanical analysis of cold helium injection into gas storage tanks made of carbon steel following resistive transistion of the LHC magnets <i>M Chorowski and B Skoczen</i>	755	Cooldown and warmup studies for the Large Hadron Collider <i>P Lebrun, G Riddone, L Tavian and U Wagner</i>	813
Irradiation tests at cryogenic temperatures of diffusion-type diodes for the LHC superconducting magnet protection <i>R Denz, H Gerstenberg and D Hagedorn</i>	759	Doped GdCl ₃ high-resolution thermometers for use near to the lambda point <i>R A M Lee, A W Harter and T C P Chui</i>	817
Development of a prototype superfluid helium safety relief valve for the LHC superconducting magnets <i>C Dörrenbach</i>	763	Pressure considerations to predict peak heat fluxes in saturated and pressurized He II <i>Y Z Li and C Z Chen</i>	821
RF system to measure void fraction of two-phase hydrogen flow <i>Yu P Filippov, A M Kovrizhnykh and S V Romanov</i>	767	High-resolution germanium diode level detector for cryogenic liquids <i>L Chen, Y Wu and Y Lu</i>	827
Tests of the thermometers and cold multiplexers under irradiation <i>Yu P Filippov, V V Golikov, V M Miklayev and S V Romanov</i>	771	Numerical model for helium flow in a dual-channel cable-in-conduit conductor <i>A Martinez</i>	831
The effect of energization current on the calibration of silicon diode thermometers <i>D J Gowlett and P C McDonald</i>	775	Stability analysis for a pressurized He II cooling system with tube heat exchangers <i>T Miki, A Sato, F Matsumoto, H Nagai, H Wada, S Ito and Y Kawate</i>	835
A novel method of solving coupled heat and mass transfer in porous media with a moving phase-change front <i>Y Y Guo, Y Z Liu and D Q Gong</i>	781	Gas transport in small rectangular ducts for the cooling of high- <i>T_c</i> superconductors <i>H L Mo, Y X Zhou, T Y Zhu and T W Guo</i>	839
Pressure drop characteristics of ITER CS model coil conductor <i>K Hamada, T Kato, N Koizumi, H Nakagima, T Ando, T Shinba, K Kawano, H Tsuji, I Watanabe and T Fujioka</i>	785	Investigation of two modes of shock wave in He II by using a newly developed superfluid shock tube facility <i>H Nagai, H Yang, N Takano and M Murakami</i>	843
A model for the CHF of a one-wall heated rectangular He II channel <i>K Hata, M Shiotsu, Y Takeuchi and K Hama</i>	789	Thermal and mechanical strain measurement of support structures of the Large Helical Device <i>A Nishimura, H Tamura, S Imagawa, T Mito, Y Yamaura, H Fukada, T Senba, K Asano, S Satoh, O Motojima and the LHD Group</i>	847
Supercritical helium cooling of the LHC beam screens <i>E Hatchadourian, P Lebrun and L Tavian</i>	793	An original rotating cryostat for the experiment PVLAS <i>R Pengo, G Petrucci and S Marigo</i>	851
New cryosurgical devices for cryolesion of tumours and pain elimination <i>R Herzog, A Binneberg, M Böhm, B Schumann, U Eckelt, L Päßler, K Hlawitschka, A Raschke, K Ullmann and S Matthes</i>	797	The cryogenic control network at the Forschungszentrum Karlsruhe <i>G Perinić</i>	855
Heat-transfer characteristics of liquid helium with different surface width and length <i>A Iwamoto, R Maekawa, T Mito and S Satoh</i>	801	The cryogenic supply of a VUV free electron laser at the TESLA test facility at DESY <i>B Petersen, H Lierl, D Sellmann and S Wolff</i>	859
Heat transfer characteristics in parallel channels of pressurized He II and metastabilization of a superconducting coil <i>H Kobayashi, M Sakata, Y Fujimura and T Murata</i>	805	Low-noise cryogenic cooling systems for electronic devices <i>G Spörl, A Binneberg, H Buschmann and R Herzog</i>	863
		The Vinis cryogenic transfer line <i>D Stokić, S Pešić and N Oklobdžija</i>	867
		Mechanical behaviour of cryogenic components in the LHD <i>H Tamura, A Nishimura, S Imagawa, R Maekawa, T Mito, S Satoh, O Motojima and the LHD Group</i>	871

Design of the NHMFL 900 MHz NMR magnet cryostat <i>S J Welton, K Cantrell, W D Markiewicz and S W Van Sciver</i>	875
The cryogenic system of TESLA 500—an update <i>S Wolff, H Lierl, B Petersen and J Weisend II</i>	879
Experiences with 1.8 K forced flow He II cooling of a large superconducting magnet <i>G Zahn, M Darweschad, G Dittrich, S Fink, G Friesinger, A Götz, R Heller, W Herz, A Hofmann, P Komarek, O Langhans, W Lehmann, W Maurer, I Meyer, G Nöther, G Perinic, W Ratajczak, H P Schittenhelm, G Schleinkofer, E Specht, H J Spiegel, M Süßer, A Ulbricht and F Wüchner</i>	883
Author index	887